

User Groups

Misinformation sharers (MS) (Variable name: <i>fns</i>)*	Users who share at least 1 URL with misinformation
Deplatformed users (DU) (Variable name: <i>suspended</i>)*	Users who were removed from Twitter between January 6th and January 12th due to Twitter's enforcement of its terms of use policy
High activity users (Variable name: <i>ha</i>)*	Users who sent at least 3,200 tweets during a six-week collection interval between 2018 and April 2020
Moderate activity users (Variable name: <i>ma</i>)*	The approximately 500,000 most active users who did not meet the criteria for high activity
Low activity users (Variable name: <i>la</i>)*	All users who did not meet the criteria for the high or moderate activity groups
QAnon (Variable name: <i>qanon</i>)*	Users who tweeted or retweeted at least five distinct QAnon-related hashtags. The set of hashtags was defined in the GWU-IDDP report "QAnon on Twitter: An Overview"
Antivax (Variable name: <i>av</i>)*	Users who tweeted or retweeted at least five distinct anti-vax hashtags (defined internally based on a vaccine misinformation dashboard)
Supersharers 0.1% (Variable name: <i>ss1</i>)*	Users in the 99.9th percentile of misinformation URL sharing/retweeting. This percentile is defined in terms of all users.
Supersharers 5% (Variable name: <i>ss5</i>)*	Users in the 95th percentile of misinformation URL sharing/retweeting, among users with at least one misinformation URL shared.

* See Tables Variables List

User Subgroups

Trump-only followers (Variable name: <i>A</i>)*	MS non-DU who follows Trump but don't follow any other deplatformed user
Deplatformed followers, including Trump followers (Variable name: <i>B</i>)*	MS non-DU who follows Trump OR any other deplatformed user; follow at least one deplatformed user, Trump or not
Four+ Deplatformed followers, including Trump followers (Variable name: <i>D</i>)*	MS non-DU who follows at least four deplatformed users, including Trump or not among the three followed

Not deplatformed followers (Variable name: F)*	MS non-DU who do not follow any deplatformed user
---	---

* See Tables Variables List

User-level data

- File: panel-2020-user-level-did.csv
- Note: See 'Data Privacy Statement'

Variable	Type	Description
user_id	chr	User unique identification (anonymized)
id	int	User unique identification number
date	date	Date
period	int	Date index
fake_initiation	int	Number of misinformation tweets
fake_rt	int	Number of misinformation retweets
fake	int	fake_initiation + fake_rt
fake_grinberg_initiation	int	Same as 'fake_initiation', but using Grinberg et al. (2019) list
fake_grinberg_rt	int	Same as 'fake_rt', but using Grinberg et al. (2019) list
fake_grinberg	int	fake_grinberg_initiation + fake_grinberg_rt
fake_grinberg_rb_initiation	int	Same as 'fake_initiation', but using Grinberg list
fake_grinberg_rb_rt	int	Same as 'fake_rt', but using Grinberg list
fake_grinberg_rb	int	fake_grinberg_rb_initiation + fake_grinberg_rb_rt
fake_newsguard_initiation	int	Same as 'fake_initiation', but using Newsguard list
fake_newsguard_rt	int	Same as 'fake_rt', but using Newsguard list
fake_newsguard	int	fake_newsguard_initiation + fake_newsguard_rt

not_fake_initiation	int	Number of non-misinformation tweets
not_fake_rt	int	Number of non-misinformation retweets
not_fake	int	not_fake_initiation + not_fake_rt
not_fake_conservative_initiation	int	Number of non-misinformation tweets with conservative news domains
not_fake_conservative_rt	int	Number of non-misinformation retweets with conservative news domains
not_fake_conservative	int	not_fake_conservative_initiation + not_fake_conservative_rt
not_fake_liberal_initiation	int	Number of non-misinformation tweets with liberal news domains
not_fake_liberal_rt	int	Number of non-misinformation retweets with liberal news domains
not_fake_liberal	int	not_fake_liberal_initiation + not_fake_liberal_rt
not_fake_shopping_initiation	int	Number of non-misinformation tweets with shopping-related content
not_fake_shopping_rt	int	Number of non-misinformation retweets with shopping-related content
not_fake_shopping	int	not_fake_shopping_initiation + not_fake_shopping_rt
not_fake_sports_initiation	int	Number of non-misinformation tweets with sports-related content
not_fake_sports_rt	int	Number of non-misinformation retweets with sports-related content
not_fake_sports	int	not_fake_sports_initiation + not_fake_sports_rt

tweet	int	Number of misinformation tweets if the user is a misinformation sharer (fns=1 or, equivalently, nfns=0) or the number of non-misinformation tweets if the user is not a misinformation sharer (fns=0 or, equivalently, nfns=1)
retweet	int	Number of misinformation retweets if the user is a misinformation sharer (fns=1 or, equivalently, nfns=0) or the number of non-misinformation retweets if the user is not a misinformation sharer (fns=0 or, equivalently, nfns=1)
trt	int	tweet + retweet
n	int	fake + not_fake
fns	bin	1=misinformation sharer; 0=not a misinformation sharer. See Table 'User Groups'
suspended	bin	1=suspended account; 0=not a suspended account. See Table 'User Groups'
qanon	bin	1=QAnon account; 0=not a QAnon account. See Table 'User Groups'
av	bin	1=Antivax account; 0=not an antivax account. See Table 'User Groups'
ss1	bin	1=Supersharer 0.1%; 0=not a supersharer 0.1%. See Table 'User Groups'
ss5	bin	1=Supersharer 5%; 0=not a supersharer 5%. See Table 'User Groups'
ha	bin	1=High activity users; 0=not a high activity user. . See Table 'User Groups'
ma	bin	1=Moderate activity users; 0=not a moderate activity user. . See Table 'User Groups'

la	bin	1=Low activity users; 0=not a low activity user. . See Table 'User Groups'
A	bin	Group A. See Table 'Subgroups'
A_ha	bin	Group A and high activity user
A_ma	bin	Group A and moderate activity user
A_la	bin	Group A and low activity user
B	bin	Group B. See Table 'Subgroups'
B_ha	bin	Group B and high activity user
B_ma	bin	Group B and moderate activity user
B_la	bin	Group B and low activity user
D	bin	Group D. See Table 'Subgroups'
D_ha	bin	Group D and high activity user
D_ma	bin	Group D and moderate activity user
D_la	bin	Group D and low activity user
F	bin	Group F. See Table 'Subgroups'
F_ha	bin	Group F and high activity user
F_ma	bin	Group F and moderate activity user
F_la	bin	Group F and low activity user
nfns	bin	1=Not a misinformation sharer user; 0 otherwise.
nfns_ha	bin	nfns and high activity user
nfns_ma	bin	nfns and moderate activity user
nfns_la	bin	nfns and low activity user
dosage_no_trump_X	bin	Same as Group B (see Table Subgroups), but follows at least X deplatformed account(s), but do not follow Trump
dosage_trump_X	bin	Same as Group B (see Table Subgroups), but follows at least X deplatformed account(s), including Trump

age	int	Age
gender	chr	Gender (male, female, unknown). Sourced from TargetSmart voter file
female	bin	Gender. 1=Female; 0=Other.
race	chr	Race. Race is self-reported from the voter file where available (typically in areas formerly under VRA preclearance), collected from commercial data sources otherwise.
white	bin	Race. 1=Caucasian; 0=Other
pres_gen	dbl	TargetSmart's modeled propensity to vote in presidential general elections. Range: 0-100.
pres_pri	dbl	TargetSmart's modeled propensity to vote in presidential primary elections. Range: 0-100.
ptyid	chr	TargetSmart's modeled propensity to self-identify as a Democrat in a phone poll. Range: 0-100.

Aggregated data

- Files: decahose-daily-totals.csv, panel-2016-daily-totals.csv, panel-2020-daily-totals.csv
- Note: Variables with the same name as in the 'User-level data (panel-2020-user-level-did.csv)' contain the same information described in the codebook table for user-level data. The difference is that these files provide only aggregated data by day.

Variable	Type	Description
stat	chr	Aggregation statistics ("total" or "average")
nusers	int	Number of users collected
group	chr	User group. See tables 'Groups' and 'Subgroups'