



HTML

CSS



# CSS Pagination Examples

[< Previous](#)[Next >](#)

Learn how to create a responsive pagination using CSS.

## Simple Pagination

If you have a website with lots of pages, you may wish to add some sort of pagination to each page:

« 1 2 3 4 5 6 »

## Example

```
.pagination {  
  display: inline-block;  
}  
  
.pagination a {  
  color: black;  
  float: left;  
  padding: 8px 16px;  
  text-decoration: none;  
}
```

[Try it Yourself »](#)

## Active and Hoverable Pagination

« 1 2 3 4 5 6 7 »

Highlight the current page with an `.active` class, and use the `:hover` selector to change the color of each page link when moving the mouse over them:

### Example

```
.pagination a.active {  
  background-color: #4CAF50;  
  color: white;  
}  
  
.pagination a:hover:not(.active) {background-color: #ddd;}
```

[Try it Yourself »](#)

## Rounded Active and Hoverable Buttons

« 1 2 3 4 5 6 7 »

Add the `border-radius` property if you want a rounded "active" and "hover" button:

### Example

```
.pagination a {  
  border-radius: 5px;  
}  
  
.pagination a.active {
```

```
border-radius: 5px;  
}
```

[Try it Yourself »](#)

## Hoverable Transition Effect

« 1 2 3 4 5 6 7 »

Add the **transition** property to the page links to create a transition effect on hover:

## Example

```
.pagination a {  
  transition: background-color .3s;  
}
```

[Try it Yourself »](#)

---

ADVERTISEMENT



## Bordered Pagination

«	1	2	3	4	5	6	7	»
---	---	---	---	---	---	---	---	---

Use the **border** property to add borders to the pagination:

## Example

```
.pagination a {  
  border: 1px solid #ddd; /* Gray */  
}
```

Try it Yourself »

## Rounded Borders

**Tip:** Add rounded borders to your first and last link in the pagination:

«	1	2	3	4	5	6	7	»
---	---	---	---	---	---	---	---	---

## Example

```
.pagination a:first-child {  
  border-top-left-radius: 5px;  
  border-bottom-left-radius: 5px;  
}  
  
.pagination a:last-child {  
  border-top-right-radius: 5px;  
  border-bottom-right-radius: 5px;  
}
```

Try it Yourself »

## Space Between Links

**Tip:** Add the **margin** property if you do not want to group the page links:



## Example

```
.pagination a {  
  margin: 0 4px; /* 0 is for top and bottom. Feel free to change it */  
}
```

Try it Yourself »

---

## Pagination Size



Change the size of the pagination with the **font-size** property:

## Example

```
.pagination a {  
  font-size: 22px;  
}
```

Try it Yourself »

---

## Centered Pagination



To center the pagination, wrap a container element (like <div>) around it with `text-align:center`

## Example

```
.center {  
  text-align: center;  
}
```

Try it Yourself »

---

## More Examples

### Example

Next/Previous buttons:



Navigation pagination:



Try it Yourself »

---

## Breadcrumbs

[Home](#) / [Pictures](#) / [Summer 15](#) / [Italy](#)

Another variation of pagination is so-called "breadcrumbs":

## Example

```
ul.breadcrumb {  
  padding: 8px 16px;  
  list-style: none;  
  background-color: #eee;  
}  
  
ul.breadcrumb li {display: inline;}  
  
ul.breadcrumb li+li:before {  
  padding: 8px;  
  color: black;  
  content: "\00a0";  
}
```

Try it Yourself »

◀ Previous

Next ▶

ADVERTISEMENT



COLOR PICKER





Get certified  
by completing  
a CSS  
course today!



Get started



Launch Your Web Development  
Career in Just 6 Months with  
**W3Schools Bootcamps**

Learn fullstack development from expert  
instructors. All for **\$2995**. Apply now!

Learn more

ADVERTISEMENT

---

ADVERTISEMENT

ADVERTISEMENT



---

[Report Error](#)

[Spaces](#)

[Upgrade](#)

[Newsletter](#)

[Get Certified](#)

---

## Top Tutorials

[HTML Tutorial](#)  
[CSS Tutorial](#)  
[JavaScript Tutorial](#)  
[How To Tutorial](#)  
[SQL Tutorial](#)  
[Python Tutorial](#)  
[W3.CSS Tutorial](#)  
[Bootstrap Tutorial](#)  
[PHP Tutorial](#)  
[Java Tutorial](#)  
[C++ Tutorial](#)  
[jQuery Tutorial](#)

## Top References

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[Java Reference](#)  
[Angular Reference](#)  
[jQuery Reference](#)

## Top Examples

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)  
[PHP Examples](#)  
[Java Examples](#)  
[XML Examples](#)  
[jQuery Examples](#)

[Get Certified](#)

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[Front End Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[PHP Certificate](#)  
[jQuery Certificate](#)  
[Java Certificate](#)  
[C++ Certificate](#)  
[C# Certificate](#)  
[XML Certificate](#)

---

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content.

While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

