

HACER UN REGISTRO CON
DETALLE

PROCESO MANUAL

1. Todos abran un hoja de calculo en su computador o Celular.
2. Creen un tabla para registrar clientes y sus teléfonos.
3. Registren 3 clientes

**GRUPO FLORIDA
IMPORTADORA JASMÍN**

Sucursal Gascue
RNC: 401506254
FECHA: DD/MM/AAAA

**Factura válida
para crédito fiscal**

NCF: B0100000001
Vencimiento secuencia: DD/MM/AAAA

RNC CLIENTE: 131000000
NOMBRE O RAZÓN SOCIAL: Industrias Molino

CANT.	DESCRIPCION	ITBIS	VALOR
1 x 219.95	ARROZ 00025	0.00	219.95 E
1 x 140.00	CAFE 00180	19.31	140.00
1 x 119.95	YOGURT 00256	18.30	119.95
SUBTOTAL			479.9
DESC.			0.00
ITBIS			37.61
TOTAL			517.51

Cientes


PK ClienteId
Nombres
Rnc
Direccion
LimiteCredito

CientesDetalle

PK DetalleId
FK ClienteId
FK TipoId
Telefono

TiposTelefonos

PK TipoId
Descripcion



AGREGAR LAS ENTIDADES

```
public class Clientes
```

```
{
```

```
    [Key]
```

```
    14 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 c
```

```
    public int ClienteId { get; set; }
```

```
    [Required(ErrorMessage = "El Nombre es requ
```

```
    6 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 ch
```

```
    public string Nombres { get; set; }
```

```
    [Required(ErrorMessage = "El Rnc es requerid
```

```
    6 references | Enel Almonte, Less than 5 minutes ago | 1 author, 7 ch
```

```
    public string Rnc { get; set; }
```

```
    6 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 ch
```

```
    public string Direccion { get; set; }
```

```
    6 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 ch
```

```
    public int LimiteCredito { get; set; }
```

```
    [ForeignKey("ClienteId")]
```

```
    6 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 change
```

```
    public ICollection<ClientesDetalle> ClientesDetalle { get; set; } = new List<ClientesDetalle>();
```

```
}
```

```
public class ClientesDetalle
```

```
{
```

```
    [Key]
```

```
    0 references | Enel Almonte, Less than 5 minutes ago | 1 a
```

```
    public int DetalleId { get; set; }
```

```
    0 references | Enel Almonte, Less than 5 minutes ago | 1 a
```

```
    public int ClienteId { get; set; }
```

```
    3 references | Enel Almonte, Less than 5 minutes ago | 1 a
```

```
    public int TipoId { get; set; }
```

```
    3 references | Enel Almonte, Less than 5 minutes ago | 1 a
```

```
    public string Telefono { get; set; }
```

```
}
```

MODIFICAR EL CONTEXTO

```
public class TicketContext : DbContext
{
    0 references | Enel Almonte, 7 days ago | 1 author, 1 change
    public TicketContext(DbContextOptions<TicketContext> options)
        : base(options) { }

    10 references | Enel Almonte, 7 days ago | 1 author, 1 change
    public DbSet<Tickets> Tickets { get; set; }

    13 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 change
    public DbSet<Clientes> Clientes { get; set; }

    2 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 change
    public DbSet<TiposTelefonos> TiposTelefonos { get; set; }

    0 references | Enel Almonte, Less than 5 minutes ago | 1 author, 1 change
    protected override void OnModelCreating(ModelBuilder modelBuilder)
    {
        base.OnModelCreating(modelBuilder);
        modelBuilder.Entity<TiposTelefonos>().HasData(new List<TiposTelefonos>()
        {
            new TiposTelefonos(){TipoId=1, Descripcion="Telefono"},
            new TiposTelefonos(){TipoId=2, Descripcion="Celular" },
            new TiposTelefonos(){TipoId=3, Descripcion="Oficina" }
        });
    }
}
```

Registro de Clientes

Cliente Id:

0

Nombres:

RNC:

Dirección

Límite de Crédito:

0

TipoTelefono:

Celular

Telefono

Agregar

Tipo Telefono	Telefono	
1	809-588-2012	<div> Eliminar</div>

Cantidad Telefonos

1