

Crompton

Home Appliances



**Air
Cooler**

Cooling Nahi,
Jaldi Cooling

Crompton



LET'S
HANGOUT
GHAR PE!



For more than 85 years, our brand has stood for trust, reliability, dependability and excellence in the area of electrical engineering. We endeavour to provide meaningful benefits, ease of use, great design, superior performance and durability at the right price for our customers. Our range of innovative products caters to modern consumer needs like easy to clean (Anti-Dust) Fans, easy to maintain Air Coolers, Hygienic Lighting solutions (Anti-Bac LEDs) Pumps and many more. Today we are Proud Indian Brand and a Market Leader* in the Category of Fans with a strong presence in the other categories like pumps, water heaters, air coolers, kitchen appliances and lighting.

To enhance the comfort of its users, Crompton has launched a range of coolers with Superior Cooling Performance, Advance Technology, Consumer-Friendly and Healthy & Hygienic Environments. Combining it with service network of 365+ touch points all over India, Crompton strives to enhance cooling comfort for its consumers.

Crompton

Cooling Nahi, ***Jaldi Cooling***






CHOOSING THE RIGHT COOLER

The below pointers can assist you to arrive at the right model.

Selecting the right cooler for your place can be a bit tricky.

- Air Delivery denotes the total air in the room that gets changed every 2 minutes.
- Usually, air delivery is mentioned in cubic meter per hour (m³/hr).
- All you need to know is the length, width and height of your room to figure out how much air flow is needed in your room.



Use the below mentioned formula to calculate the air delivery required for your room:

$$\frac{\text{ROOM LENGTH} \times \text{ROOM WIDTH} \times \text{ROOM HEIGHT}}{2 \times 0.588578}$$

For example: If length, width and height of your room is 14ft, 12ft and 10ft respectively, then your requirement is $14 \times 12 \times 10 / 2 / 0.588578 = 1427 \text{ m}^3/\text{hr}$.

WATER STORAGE CAPACITY CHART

To avoid inconvenience of filling the tank multiple times, follow the below table for ideal size of water storage capacity your cooler should have. This is an indicative chart. Certain coolers are provided with auto-fill systems for continuous water supply.

Area (in sq.ft)	Storage Capacity (in Ltrs.)
Upto 160	15
161 - 300	25
301 - 614	40
615 - 860	55+

COOLING PADS

Coolers use two types of cooling pads:

Honeycomb Cooling Pad



Honeycomb Cooling Pads are made of cellulose material. They are high density pads that can absorb and retain more water giving maximum cooling comfort. They have longer life and are low on maintenance.

Wood Wool Cooling Pad



Wood Wool Cooling Pads are made from wood shavings. They are cheaper but need maintenance and have shorter life.

INDEX



DESERT COOLERS

Pg. 09

Desert Coolers are designed for large area coverage and comes with higher tank capacity. They work efficiently for long operational hours and provides higher air flow to maximise cooling in the harshest of summer. It can be used in houses, bungalows, flats, banquet halls, prayer houses, restaurants, etc.

Suitable for indoor and outdoor.

PERSONAL COOLERS

Pg. 23

Personal coolers are compact and portable units that take care of your cooling needs in close proximity like study table, bed, sofa, dining table, kitchen office desk and shop counters. These coolers are essentially meant to provide cooling comfort to an individual.

Suitable for indoor.





TOWER COOLERS

Pg. 33

Tower coolers are tall, sleek and compact, making it easier to slide into any corners of your house for achieving cooling comfort with air throw at desired height.

Suitable for indoor.

WINDOW COOLERS

Pg. 38

Window coolers as the name suggests can be mounted on the window, enabling better cooling as fresh air gets sucked from outside. It doesn't block your space and occupies zero carpet area. With trolley, the cooler can be used as a portable unit.

Suitable for indoor and outdoor.



INDUSTRIAL COOLERS

Pg. 41

Industrial Coolers are designed for large spaces like restaurants, marriage halls, hospital areas. It comes with big tank capacity, powerful fan with ball bearing technology. Strong build up coolers can work in robust weather conditions.

Suitable for outdoor.

Cooling Nahi,
Jaldi Cooling



Desert Range

OPTIMUS 65 IoT

OPTIMUS 65i



5500 m³/hr
air delivery

650 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	Optimus 65 IoT	Optimus 65i
Litres	65	65
Length (in mm)	705	705
Width (in mm)	470	470
Height (in mm)	1170	1170

OPTIMUS 65 IoT



**Smart IoT Enabled
Operations**

For convenience and ease of use



Mobile App

FEATURES



Digital Operations

For convenience and
ease of use



**Best in Class
Air Delivery**

Highest air flow in
desert cooler segment



EverLast Pump

Works even with hard water



**Large & Easy Clean
Ice Chamber**

For convenience & hygiene



Humidity Control

Adjust cooling to
your comfort



**Auto Drain
Function**

For effortless
water draining



Auto-Fill

For continuous water feed

OPTIMUS 125

OPTIMUS 100

OPTIMUS 65



5500 m3/hr
air delivery

650 sq.ft
area coverage

High Density
Honeycomb Pads

 Superior Performance
With Bearing Motor

	Optimus 125	Optimus 100	Optimus 65
Litres	125	100	65
Length (in mm)	705	705	705
Width (in mm)	470	470	470
Height (in mm)	1380	1235	1170

FEATURES



**Best in Class
Air Delivery**
Highest air flow in
desert cooler segment



EverLast Pump
Works even with hard water



**Large & Easy Clean
Ice Chamber**
For convenience & hygiene



Humidity Control
Adjust cooling to
your comfort



**Auto Drain
Function**
For effortless
water draining



Auto-Fill
For continuous water feed

COOL BREEZE NEO DAC 80

COOL BREEZE NEO DAC 53



5000 m³/hr
air delivery

590 sq.ft
area coverage

Honeycomb
Pads



Superior Performance
With Bearing Motor

	Cool Breeze Neo DAC 80	Cool Breeze Neo DAC 53
Litres	80	53
Length (in mm)	685	685
Width (in mm)	500	500
Height (in mm)	1235	1145

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



**Motor with
Overload Protection**
For safety of motor
and pump



4 Way Air Deflection
For adjusting air stream direction
as per your need



**Large & Easy Clean
Ice Chamber**
For convenience & hygiene

AVANCER DAC 95

AVANCER DAC 80

AVANCER DAC 65



5200 m3/hr
air delivery

610 sq.ft
area coverage

High Density
Honeycomb Pads

 Superior Performance
With Bearing Motor

	Avancer DAC 95	Avancer DAC 80	Avancer DAC 65
Litres	95	80	65
Length (in mm)	637	637	637
Width (in mm)	455	455	455
Height (in mm)	1255	1206	1145

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



**Motor with
Overload Protection**
For safety of motor
and pump



4 Way Air Deflection
For adjusting air stream direction
as per your need



**Large & Easy Clean
Ice Chamber**
For convenience & hygiene

OZONE 88

OZONE 75

OZONE 55



4200 m³/hr
air delivery

490 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	Ozone 88	Ozone 75	Ozone 55
Litres	88	75	55
Length (in mm)	600	620	620
Width (in mm)	410	410	410
Height (in mm)	1210	1180	1110

FEATURES



EverLast Pump

Works even with
hard water



Auto-Fill

For continuous
water feed



Motor with Overload Protection

For safety of motor and pump



4 Way Air Deflection

For adjusting air stream
direction as per
your need

OZONE CLASSIC H 55

JEDI DAC 95

JEDI DAC 70



Honeycomb Pads



High Density Honeycomb Pads



Superior Performance
With Bearing Motor

	Ozone Classic H 55	Jedi DAC 95	Jedi DAC 70
Litres	55	95	70
Length (in mm)	620	605	605
Width (in mm)	410	480	460
Height (in mm)	1110	1290	1225
Air Delivery (m3/hr)	3800	4500	4500
Area Coverage (sq. ft)	410	530	530

FEATURES



EverLast Pump
Works even with
hard water



Auto-Fill
For continuous
water feed



**Motor with
Overload Protection**
For safety of motor and pump



**4 Way Air
Deflection**
For adjusting air stream
direction as per
your need

GALE DAC 90

GALE DAC 60



4000 m3/hr
air delivery

|

470 sq.ft
area coverage

|

Honeycomb
Pads

	Gale DAC 90	Gale DAC 60
Litres	90	60
Length (in mm)	620	685
Width (in mm)	400	500
Height (in mm)	1200	1115

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



Motor with Overload Protection
For safety of motor and pump




4 Way Air Deflection
For adjusting air stream direction as per your need



Large & Easy Clean Ice Chamber
For convenience & hygiene

SCALE COMPARISON CHART

Desert Coolers



Height - 117 cms



Height - 117 cms



Height - 117 cms




Parameters	Optimus 65 IoT	Optimus 65i	Optimus 65
Suitable Room Size (sq.ft)	650	650	650
Blower / Fan	Fan	Fan	Fan
Wattage (W)	200	200	200
Tank Capacity (L)	65	65	65
Air Delivery (m ³ / hr)	5500	5500	5500
IoT / Digital / Manual Operation	IoT	Digital	Manual
Remote Control	Yes	Yes	NA
Pureshield	Yes	NA	NA
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	Yes	Yes	Yes
Everlast Pump	Yes	Yes	Yes
Humidity Control	Yes	Yes	Yes
Auto Drain	Yes	Yes	Yes
Auto Fill	Yes	Yes	Yes
Mosquito Nets	Yes	Yes	Yes
Fully Collapsible Louvers	Yes	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 705 W - 470 H - 1170 (in mm)	L - 705 W - 470 H - 1170 (in mm)	L - 705 W - 470 H - 1170 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers



Height - 123.5 cms



Height - 138 cms




Parameters	Optimus 100	Optimus 125
Suitable Room Size (sq.ft)	650	650
Blower / Fan	Fan	Fan
Wattage (W)	200	200
Tank Capacity (L)	100	125
Air Delivery (m ³ / hr)	5500	5500
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Pureshield	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	Yes	Yes
Everlast Pump	Yes	Yes
Humidity Control	Yes	Yes
Auto Drain	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	Yes	Yes
Fully Collapsible Louvers	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 705 W - 470 H - 1235 (in mm)	L - 705 W - 470 H - 1380 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers



Height - 114.5 cms



Height - 120.6 cms



Height - 125.5 cms




	Avancer DAC 65	Avancer DAC 80	Avancer DAC 95
Suitable Room Size (sq.ft)	610	610	610
Blower / Fan	Fan	Fan	Fan
Wattage (W)	190	190	190
Tank Capacity (L)	65	80	95
Air Delivery (m ³ / hr)	5200	5200	5200
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	No	No	No
Pureshield	No	No	No
Ice Chamber	No	No	No
Easy Access Distribution Tray	No	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	No	No	No
Auto Drain	No	No	No
Auto Fill	Yes	Yes	Yes
Mosquito Nets	No	No	No
Fully Collapsible Louvers	Yes	Yes	No
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 637 W - 455 H - 1145 (in mm)	L - 637 W - 455 H - 1206 (in mm)	L - 637 W - 455 H - 1255 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.

Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers



Height - 111 cms

Height - 118 cms

Height - 121 cms



Parameters	Ozone 55	Ozone 75	Ozone 88
Suitable Room Size (sq.ft)	490	490	490
Blower / Fan	Fan	Fan	Fan
Wattage (W)	190	190	190
Tank Capacity (L)	55	75	85
Air Delivery (m ³ / hr)	4200	4200	4200
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	NA	NA
Pureshield	NA	NA	NA
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	NA	NA	NA
Everlast Pump	Yes	Yes	Yes
Humidity Control	NA	NA	NA
Auto Drain	NA	NA	NA
Auto Fill	Yes	Yes	Yes
Mosquito Nets	NA	NA	NA
Fully Collapsible Louvers	NA	NA	NA
Cooling Media	High-Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 620 W - 410 H - 1110 (in mm)	L - 620 W - 410 H - 1180 (in mm)	L - 620 W - 410 H - 1210 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers



Parameters	Ozone Classic H55	Jedi DAC 70	Jedi DAC 95
Suitable Room Size (sq.ft)	490	530	530
Blower / Fan	Fan	Fan	Fan
Wattage (W)	150	190	190
Tank Capacity (L)	55	70	95
Air Delivery (m ³ / hr)	3800	4500	4500
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	No	No
Pureshield	NA	No	No
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	NA	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	NA	No	No
Auto Drain	NA	No	No
Auto Fill	Yes	Yes	Yes
Mosquito Nets	NA	No	No
Fully Collapsible Louvers	NA	Yes	Yes
Cooling Media	Honeycomb Pads	High Density Honeycomb	High Density Honeycomb
Product Dimensions	L - 620 W - 410 H - 1110 (in mm)	L - 605 W - 480 H - 1290 (in mm)	L - 605 W - 460 H - 1225 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.

Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers



Parameters	Cool Breeze DAC 53	Cool Breeze DAC 80	Gale DAC 60	Gale DAC 90
Suitable Room Size (sq.ft)	588	588	470	470
Blower / Fan	Fan	Fan	Fan	Fan
Wattage (W)	200	200	150	150
Tank Capacity (L)	53	80	60	90
Air Delivery (m ³ / hr)	5000	5000	4000	4000
IoT / Digital / Manual Operation	Manual	Manual	Manual	Manual
Remote Control	No	No	No	No
Pureshield	No	No	No	No
Ice Chamber	Yes	Yes	Yes	Yes
Easy Access Distribution Tray	No	No	No	No
Everlast Pump	Yes	Yes	Yes	Yes
Humidity Control	No	No	No	No
Auto Drain	No	No	No	No
Auto Fill	No	No	No	No
Mosquito Nets	No	No	No	No
Fully Collapsible Louvers	No	No	Yes	Yes
Cooling Media	Honeycomb Pads	Honeycomb Pads	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 685 W - 500 H - 1145 (in mm)	L - 685 W - 500 H - 1235 (in mm)	L - 620 W - 420 H - 1115 (in mm)	L - 620 W - 420 H - 1200 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

Cooling Nahi,
Jaldi Cooling



Personal Range

ZELUS ROYALE 43

ZELUS 43

ZELUS 28



High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	Zelus Royale 43	Zelus 43	Zelus 28
Litres	43	43	28
Length (in mm)	520	520	520
Width (in mm)	350	350	350
Height (in mm)	995	990	865
Air Delivery (m ³ /hr)	2250	2350	2350
Area Coverage (sq. ft)	260	280	280

FEATURES



EverLast Pump

Works even with hard water



Auto-Fill

For continuous water feed



Motor with Overload Protection

For safety of motor
and pump



4 Way Air Deflection

For adjusting air stream direction
as per your need



Auto Swing Louvers

With motorised vertical
louver movement



Large & Easy Clean Ice Chamber

For convenience & hygiene

MARVEL NEO 40

MARVEL NEO 23



1300 m³/hr
air delivery

150 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	Marvel Neo 40	Marvel Neo 23
Litres	40	23
Length (in mm)	490	490
Width (in mm)	380	380
Height (in mm)	915	775

FEATURES



EverLast Pump
Works even with
hard water



**Motor with
Overload Protection**
For safety of motor and pump



**4 Way Air
Deflection**
For adjusting air stream
direction as per
your need



**Auto Swing
Louvers**
With motorised vertical
louver movement

AURA PAC 38 L



2800 m³/hr
air delivery

260 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	AURA PAC 38 L
Litres	38
Length (in mm)	445
Width (in mm)	395
Height (in mm)	900

FEATURES



EverLast Pump
Works even with
hard water



**Motor with
Overload Protection**
For safety of motor and pump



**4 Way Air
Deflection**
For adjusting air stream
direction as per
your need



**Auto Swing
Louvers**
With motorised vertical
louver movement

JEDI PAC 35

JEDI PAC 22

JEDI PAC16

1200 m3/hr
air delivery

150 sq.ft
area coverage

High Density
Honeycomb Pads

Superior Performance
With Bearing Motor

	Jedi PAC 35	Jedi PAC 22	Jedi PAC 16
Litres	35	22	16
Length (in mm)	400	400	400
Width (in mm)	290	290	290
Height (in mm)	852	765	655

FEATURES



EverLast Pump
 Works even with
 hard water



**Motor with
Overload Protection**
 For safety of motor and pump



**4 Way Air
Deflection**
 For adjusting air stream
 direction as per
 your need



**Auto Swing
Louvers**
 With motorised vertical
 louver movement

GINIE NEO



650 m3/hr
air delivery

80 sq.ft
area coverage

High Density
Honeycomb Pads

 Superior Performance
With Bearing Motor

	Ginie Neo
Litres	10
Length (in mm)	285
Width (in mm)	265
Height (in mm)	515

FEATURES



Mosquito Nets
Ensures health & hygiene



Motor with Overload Protection
For safety of motor and pump




4 Way Air Deflection
For adjusting air stream direction as per your need



Auto Swing Louvers
With motorised vertical louver movement

SCALE COMPARISON CHART

Personal Coolers



Height - 86.5 cms



Height - 96 cms



Height - 99.5 cms




Parameters	Zelus PAC 28	Zelus PAC 43	Zelus Royale PAC 43
Suitable Room Size (sq.ft)	277	277	260
Blower / Fan	Fan	Fan	Fan
Wattage (W)	105	105	105
Tank Capacity (L)	28	43	43
Air Delivery (m ³ / hr)	2350	2350	2250
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	No	No	No
Pureshield	No	No	No
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	No	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	No	No	No
Auto Drain	No	No	No
Auto Fill	No	No	Yes
Mosquito Nets	No	No	No
Fully Collapsible Louvers	Yes	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 520 W - 350 H - 865 (in mm)	L - 520 W - 350 H - 960 (in mm)	L - 520 W - 350 H - 995 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.

Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Personal Coolers



Height - 51.5 cms



Height - 65.5 cms



Parameters	Marvel Neo 23	Marvel Neo 40
Suitable Room Size (sq.ft)	80	150
Blower / Fan	Blower	Blower
Wattage (W)	130	130
Tank Capacity (L)	23	40
Air Delivery (m ³ / hr)	650	1200
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	NA	NA
Everlast Pump	NA	Yes
Auto Fill	NA	NA
Mosquito Nets	Yes	NA
Fully Collapsible Louvers	NA	NA
Cooling Media	High Density Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 285 W - 265 H - 515 (in mm)	L - 400 W - 290 H - 655 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Personal Coolers



Parameters	Aura PAC	Ginie Neo
Suitable Room Size (sq.ft)	260	80
Blower / Fan	Fan	Blower
Wattage (W)	100	130
Tank Capacity (L)	38	10
Air Delivery (m ³ / hr)	2800	650
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	No	NA
Ice Chamber	No	Yes
Easy Access Distribution Tray	No	NA
Everlast Pump	Everlast Pump	NA
Auto Fill	Yes	NA
Mosquito Nets	No	Yes
Fully Collapsible Louvers	Yes	NA
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 445 W - 395 H - 900 (in mm)	L - 285 W - 265 H - 515 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Personal Coolers



Parameters	Jedi PAC 16	Jedi PAC 22	Jedi PAC 35
Suitable Room Size (sq.ft)	150	150	150
Blower / Fan	Blower	Blower	Blower
Wattage (W)	130	130	130
Tank Capacity (L)	16	22	35
Air Delivery (m ³ / hr)	1200	1200	1200
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	NA	NA
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	NA	NA	NA
Everlast Pump	Yes	Yes	Yes
Auto Fill	NA	NA	NA
Mosquito Nets	NA	NA	NA
Fully Collapsible Louvers	NA	NA	NA
Cooling Media	Honeycomb Pads	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 400 W - 290 H - 655 (in mm)	L - 400 W - 290 H - 725 (in mm)	L - 400 W - 290 H - 852 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

Cooling Nahi,
Jaldi Cooling



Tower Range

OPTIMUS NEO 52

OPTIMUS NEO 35i

OPTIMUS NEO 35

OPTIMUS NEO 27



1350 m³/hr
air delivery

160 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	Optimus NEO 52	Optimus NEO 35i	Optimus NEO 35	Optimus NEO 27
Litres	52	35	35	27
Length (in mm)	365	425	425	340
Width (in mm)	395	380	380	370
Height (in mm)	1325	1085	1085	980

FEATURES



EverLast Pump

Works even with
hard water



Auto-Fill

For continuous
water feed



4 Way Air Deflection

For adjusting air stream
direction as per
your need



Large & Easy Clean Ice Chamber

For convenience & hygiene



Digital Operations

For convenience and
ease of use

SUREBREEZE 34

SUREBREEZE 24



1950 m³/hr
air delivery

230 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

	Surebreeze 34	Surebreeze 24
Litres	34	24
Length (in mm)	450	390
Width (in mm)	385	325
Height (in mm)	1080	965

FEATURES



EverLast Pump
Works even with hard water



Mosquito Nets
Ensures health & hygiene



Auto Swing Louvers
With motorised vertical louver movement



Motor with Overload Protection
For safety of motor and pump



Large & Easy Clean Ice Chamber
For convenience & hygiene




Auto-Fill
For continuous water feed



4 Way Air Deflection
For adjusting air stream direction as per your need

SCALE COMPARISON CHART

Tower Coolers



Height - 96.5 cms



Height - 108 cms



Parameters	Surebreeze 24	Surebreeze 34
Suitable Room Size (sq.ft)	230	230
Blower / Fan	Blower	Blower
Wattage (W)	140	140
Tank Capacity (L)	24	34
Air Delivery (m ³ / hr)	1950	1950
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	NA	NA
Everlast Pump	Yes	Yes
Auto Fill	NA	NA
Mosquito Nets	Yes	Yes
Fully Collapsible Louvers	NA	NA
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 390 W - 325 H - 965 (in mm)	L - 450 W - 385 H - 1080 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Tower Coolers

Height - 98 cms



Height - 108.5 cms



Height - 108.5 cms



Height - 132.5 cms



Optimus Neo 27	Optimus Neo 35	Optimus Neo 35i	Optimus Neo 52
160	160	160	160
Blower	Blower	Blower	Blower
130	130	130	130
27	35	35	52
1350	1350	1350	1350
Manual	Manual	Digital	Manual
NA	NA	Yes	NA
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
L - 340 W - 370 H - 980 (in mm)	L - 425 W - 380 H - 1085 (in mm)	L - 425 W - 380 H - 1085 (in mm)	L - 365 W - 395 H - 1325 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.

Product is tested under lab conditions, product specifications are subject to change without prior notice

Cooling Nahi,
Jaldi Cooling



Window Range

OPTIMUS WAC 70

ZELUS WAC 54



Woodwool
Cooling Pads



Superior Performance
With Bearing Motor

	Optimus WAC 70	Zelus WAC 54
Litres	70	54
Length (in mm)	685	645
Width (in mm)	670	570
Height (in mm)	845	560

Air Delivery (m3/hr)	5500	1700
Area Coverage (sq. ft)	650	200

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



**Motor with
Overload Protection**
For safety of motor
and pump




4 Way Air Deflection
For adjusting air stream direction
as per your need



**Auto Swing
Louvers**
With motorised vertical
louver movement

SCALE COMPARISON CHART

Window Coolers



Height - 56 cms



Height - 84.5 cms



Parameters	Zelus WAC 54	Optimus WAC 70
Suitable Room Size (sq.ft)	200	650
Blower / Fan	Blower	Fan
Wattage (W)	200	200
Tank Capacity (L)	54	70
Air Delivery (m ³ / hr)	1700	5500
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	NA	Yes
Metal Trolley	Optional	Yes
Everlast Pump	NA	Yes
Auto Fill	Yes	NA
Mosquito Nets	NA	NA
Fully Collapsible Louvers	NA	Yes
Cooling Media	Woodwool Pads	Woodwool Pads
Product Dimensions	L - 645 W - 570 H - 560 (in mm)	L - 685 W - 670 H - 845 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

Cooling Nahi,
Jaldi Cooling



Industrial Range

INDIBREEZE DAC 135

INDIBREEZE DAC 95



Honeycomb
Pads



Superior Performance
With Bearing Motor

	IndiBreeze DAC 135	IndiBreeze DAC 95
Litres	135	95
Length (in mm)	865	780
Width (in mm)	650	500
Height (in mm)	1480	1435
Air Delivery (m ³ /hr)	8500	6500
Area Coverage (sq. ft)	1000	770

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



**Motor with
Overload Protection**
For safety of motor
and pump



4 Way Air Deflection
For adjusting air stream direction
as per your need



**Heavy Duty
Caster Wheels**

SCALE COMPARISON CHART

Industrial Coolers



Parameters	Indibreeze DAC 95	Indibreeze DAC 135
Suitable Room Size (sq.ft)	770	1000
Blower / Fan	Fan	Fan
Wattage (W)	280	315
Tank Capacity (L)	95	135
Air Delivery (m ³ / hr)	6500	8500
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	NA	NA
Easy Access Distribution Tray	NA	NA
Everlast Pump	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	NA	NA
Fully Collapsible Louvers	Yes	NA
Cooling Media	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 780 W - 500 H - 1435 (in mm)	L - 865 W - 650 H - 1480 (in mm)

Images of the products are for illustrative purposes only and may vary from the actual product.
Product is tested under lab conditions, product specifications are subject to change without prior notice

Notes:

[illegible]

Notes:

[illegible]

Notes:

[illegible]

**CROMPTON GREAVES
CONSUMER ELECTRICALS LIMITED**

REGISTERED OFFICE:

O5GBD, Godrej Business District,
Pirojshanagar, Vikhroli (West),
Mumbai- 400079, Maharashtra

www.crompton.com

Customer Service:

Helpline: 1800-419-0505

Whatsapp: 7428713838

Email: consumer.support@crompton.co.in