

BENLO®

A PRODUCT OF **BENTEC** INDIA LIMITED



PRICE LIST
Effective From
May 2024



YOUR **S**AFETY
OUR PRIORITY

DOMESTIC AND INDUSTRIAL SWITCHGEAR

INTRODUCTION

- BENTEC INDIA LIMITED WAS ESTABLISHED IN THE YEAR 1984
- BENTEC IS ONE OF THE BIGGEST METER MANUFACTURER IN INDIA
- BENTEC IS THE LARGEST MANUFACTURER OF SWITCHGEAR PRODUCTS IN EASTERN INDIA.
- BENTEC GROUP HAS ACHIEVED 450+ CRORES BUSINESS FROM ELECTRICAL PRODUCTS.
- BENTEC HAVE 23 BRANCHES ALL OVER INDIA, 2 OVERSEAS BRANCH
- MORE THAN 1000 MARKETING PERSONAL ALL OVER INDIA
- AROUND 300+ ENGINEERS TEAM WORKING IN OUR MANUFACTURING & R & D.
- TO ENSURE BEST QUALITY, ALL PRODUCTS BEING MANUFACTURED BY BENTEC IN HOUSE MANUFACTURING FACILITIES IN 7 OF ITS STATE OF ART PLANT
- QUALITY CERTIFIED BY BOTH INDIAN AND FOREIGN INSTITUTIONS.
- APPROVAL IN ALL MAJOR DEPARTMENTS OF INDIA LIKE DEFENCE, RAILWAYS, AIRPORT, MUNICIPALITY, HOUSING BOARDS, ELECTRICITY BOARD & etc.



Some of our Valuable customers:

- | | | |
|-------------------------------------|----------------------------------|--|
| 1. PWD WEST BENGAL | 31. DVVNL | 61. BAJAJ ELECTRICALS LTD |
| 2. PWD TAMIL NADU | 32. MVVNL | 62. TATA PROJECTS LTD |
| 3. R & B GUJARAT | 33. NBPDCCL | 63. STERLING & WILSON LTD |
| 4. PWD RAJASTHAN | 34. SBPDCL | 64. NCC LTD |
| 5. PWD MADHYA PRADESH | 35. JBVNL | 65. ILFS LTD |
| 6. PWD UTTAR PRADESH | 36. TSECL | 66. VOLTAS LTD |
| 7. PWD CHATTISGARH | 37. MSEDCCL | 67. KEI INDUSTRIES LTD |
| 8. PWD ORISSA | 38. POWER GRID | 68. POLY CAB LTD |
| 9. PWD ASSAM | 39. NHPL | 69. DURGAPUR PROJECTS LTD |
| 10. PWD MAHARASHTRA | 40. DVC | 70. KEC INTERNATIONAL LTD |
| 11. R & B ANDHRA PRADESH | 41. MEECL | 71. ASHOKA BUILDCON LTD |
| 12. EWD JHARKHAND | 42. JERC - MIZORAM & MANIPUR | 72. SRIJAN GROUP KOLKATA |
| 13. PWD PUNJAB | 43. CPWD DELHI | 73. P.S. GROUP KOLKATA |
| 14. TAMIL NADU HOUSING BOARD | 44. CPWD BANGALORE | 74. IDEAL GROUP KOLKATA |
| 15. KARNATAKA POLICE HOUSING BOARD | 45. CPWD HYDERABAD | 75. PRIMARC GROUP KOLKATA |
| 16. MHADA | 46. CPWD MUMBAI | 76. SIDDHA GROUP KOLKATA |
| 17. CHATTISGARH HOUSING BOARD | 47. SOUTH WESTERN COMMAND JAIPUR | 77. PURTI GROUP KOLKATA |
| 18. TAMIL NADU POLICE HOUSING BOARD | 48. SOUTHERN COMMAND PUNE | 78. COMFORT BUILDER BANGALORE |
| 19. MADHYA PRADESH HOUSING BOARD | 49. WESTERN COMMAND CHANDIMANDIR | 79. ICON BUILDER BANGALORE |
| 20. ANDHRA POLICE HOUSING BOARD | 50. EASTERN COMMAND KOLKATA | 80. VASTU GROUP BANGALORE |
| 21. CIDCO | 51. NORHTERN COMMAND UDHAMPUR | 81. TRISHUL DEVELOPERS (MITTAL GROUP BANGALORE) |
| 22. MCGM (BMC) | 52. SOUTH WESTERN RAILWAYS | 82. DS MAX GROUP BANGALORE |
| 23. MSRTC | 53. WESTERN RAILWAY | 83. RUSTOMJEE KEYSTONE DEVELOPERS MUMBAI |
| 24. MUMBAI PORT TRUST | 54. CENTRAL RAILWAY | 84. SHAPOORJEE PALLONJI MUMBAI |
| 25. MMRDA | 55. AFNHB | 85. L & T CONSTRUCTIONS MUMBAI |
| 26. UPRNNL | 56. DGMAP | 86. B G SHRIKE CONSTRUCTIONS TECHNOLOGY LTD |
| 27. WBPHE | 57. BHILAI STEEL PLANT | 87. BALAJI SYMPHONY MUMBAI |
| 28. WBSEB | 58. DURGAPUR STEEL PLANT | 88. EVERSHINE DEVELOPERS MUMBAI |
| 29. PuVVNL | 59. CGEWHO | 89. V.M. DEVELOPERS MUMBAI |
| 30. PVVNL | 60. L & T LTD. | 90. WIPRO |




BENLO
A PRODUCT OF **BENTEC** INDIA LIMITED

ISO - 9001-2015 COMPANY

Residual Current Circuit Breaker



Miniature Circuit Breaker



MINATURE CIRCUIT BREAKERS

240/415 V. 50Hz.
BREAKING CAPACITY 10 KA. CONFORMS TO IS/IEC 60898-1: 2015

HSN CODE 85362030

| ORDERING | PRICE / UNIT ₹ | | | | | |
|------------------|----------------|-----|------|------|------|------|
| | SP | SPN | DP | TP | TPN | FP |
| TYPE B | | | | | | |
| 6A-32A | 228 | 450 | 494 | 792 | XXX | XXX |
| 40A | 264 | 559 | 598 | 1012 | XXX | XXX |
| TYPE C | | | | | | |
| 0.5A-5A | 223 | 520 | 576 | 876 | 1205 | 1239 |
| 6A-32A | 242 | 466 | 526 | 847 | 1146 | 1190 |
| 40A | 281 | 563 | 686 | 1063 | 1367 | 1403 |
| 63A | 355 | 699 | 864 | 1286 | 1689 | 1705 |
| ISOLATORS | | | | | | |
| 40A | X | X | 340 | 602 | X | 759 |
| 63A | X | X | 438 | 682 | X | 814 |
| 100A | X | X | 564 | 814 | X | 1051 |
| DC MCB | | | | | | |
| 0.5A-5A | 439 | X | 1098 | X | X | X |
| 6A 32A | 401 | X | 835 | X | X | X |
| 40A | 564 | X | 1240 | X | X | X |
| 63A | 683 | X | 1355 | X | X | X |

**MINI SP MCB**

240/415 V. 50Hz.
BREAKING CAPACITY 3 KA

HSN CODE 85362030

| ORDERING | SP | DP |
|------------------|-----|-----|
| TYPE C | | |
| 6A-32A | 163 | 466 |
| ISOLATORS | | |
| 40A | | 327 |

**MINI MCB MODULAR**

240/415 V. 50Hz.
BREAKING CAPACITY 3 KA

HSN CODE 85362030


| ORDERING | SP | DP |
|------------------|-----|-----|
| TYPE C | | |
| 6A-32A | 179 | 513 |
| ISOLATORS | | |
| 40A | | 360 |

**TWO WAY CENTRE OFF MCB CHANGE OVER SWITCH**

(240/415 V, 50 Hz) (IS : 13947 (P-3)/ IEC : 947 (P-3))

HSN CODE 85365090

| Rating (Amp.) | PRICE / UNIT ₹ | |
|---------------|----------------|------|
| | DP | FP |
| 25 | 580 | 1126 |
| 40 | 910 | 1720 |
| 63 | 1238 | 2054 |

**RESIDUAL CURRENT CIRCUIT BREAKERS**

(ELCB) CONFORMS TO IS/IEC-12640-1-2008/61008-1: 2008

240/415V, 50Hz, 10KA SHORT CIRCUIT WITHSTAND CAPACITY
HSN CODE 85362040

| Rating (Amp.) | Sensitivity (mA) | PRICE / UNIT ₹ DP | PRICE / UNIT ₹ FP |
|---------------|------------------|-------------------|-------------------|
| 25 | 30 | 2436 | 2593 |
| | 100 | 2423 | 2552 |
| | 300 | 2423 | 2552 |
| 32 | 30 | 2436 | 2593 |
| | 100 | 2423 | 2552 |
| | 300 | 2423 | 2552 |
| 40 | 30 | 2436 | 2859 |
| | 100 | 2423 | 2746 |
| | 300 | 2423 | 2746 |
| 63 | 30 | 2990 | 3435 |
| | 100 | 2762 | 3254 |
| | 300 | 2762 | 3254 |

RESIDUAL CURRENT CIRCUIT BREAKERS WITH OVER CURRENT PROTECTION

(RCBO) CONFORMS TO IS/IEC-12640-2-2016/61008-2-2016

240/415V, 50Hz, 10KA SHORT CIRCUIT WITHSTAND CAPACITY
HSN CODE 85362040

| Rating (Amp.) | Sensitivity (mA) | PRICE / UNIT ₹ DP | PRICE / UNIT ₹ FP |
|---------------|------------------|-------------------|-------------------|
| 25 | 30 | 3008 | 4388 |
| | 100 | 2993 | 4255 |
| | 300 | 2993 | 4255 |
| 32 | 30 | 3008 | 4388 |
| | 100 | 2993 | 4255 |
| | 300 | 2993 | 4255 |
| 40 | 30 | 3008 | 4388 |
| | 100 | 2993 | 4255 |
| | 300 | 2993 | 4255 |
| 63 | 30 | 3692 | 4992 |
| | 100 | 3411 | 4853 |
| | 300 | 3411 | 4853 |

AUTOMATIC DP CHANGEOVER WITH CURRENT LIMITER


HSN CODE 85365090

| Item Code | Rating (Amp.) | | PRICE / UNIT ₹ |
|-----------------|---------------|--------|----------------|
| | Mains | Genset | |
| BEACOCLDP 1.00 | 30 | 1.0 | 1864 |
| BEACOCLDP 1.50 | 30 | 1.5 | 1864 |
| BEACOCLDP 2.00 | 30 | 2.0 | 1864 |
| BEACOCLDP 2.50 | 30 | 2.5 | 1864 |
| BEACOCLDP 3.00 | 30 | 3.0 | 1864 |
| BEACOCLDP 3.50 | 30 | 3.5 | 1864 |
| BEACOCLDP 4.00 | 30 | 4.0 | 1864 |
| BEACOCLDP 5.00 | 30 | 5.0 | 1864 |
| BEACOCLDP 6.00 | 30 | 6.0 | 1864 |
| BEACOCLDP 8.00 | 30 | 8.0 | 1864 |
| BEACOCLDP 10.00 | 30 | 10 | 1864 |
| BEACOCLDP 12.00 | 30 | 12 | 1864 |
| BEACOCLDP 16.00 | 30 | 16 | 1864 |
| BEACOCLDP 20.00 | 30 | 20 | 1864 |
| BEACOCLDP 30.00 | 30 | 30 | 1864 |

ISO - 9001-2015 COMPANY

Distribution
Boards**Salient features**

- Best Quality Sheet Steel Used For manufacturing.
- Suitable For Surface or flush mounting
- Painted by hi-tech powder coating process.
- Supplied with neutral Bar, earth links, top & bottom detachable Plates, BusBar and DIN Rail.
- Easy cable entry and very spacious for wiring.
- Supplied with cement guard to prevent components from cement during plastering.



ISO - 9001-2015 COMPANY
MCB DISTRIBUTION BOARDS

Sheet steel, phosphatised, powder painted
MCB Dbs with Bus Bar,
Neutral Link, Earth Bar & DIN Rail, without MCBs
(conforms to IS 13032-1991)

SINGLE PHASE (SPN)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70001 | 4 | 32 | 498 |
| 70002 | 6 | 24 | 604 |
| 70003 | 8 | 24 | 717 |
| 70004 | 10 | 20 | 829 |
| 70005 | 12 | 20 | 951 |
| 70006 | 16 | 10 | 1145 |

SINGLE PHASE (SPN) TRANSPARENT COVER

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70007 | 4 | 20 | 825 |
| 70008 | 6 | 16 | 902 |
| 70009 | 8 | 16 | 1003 |
| 70010 | 10 | 12 | 1121 |
| 70011 | 12 | 12 | 1251 |
| 70012 | 16 | 10 | 1647 |

**SINGLE PHASE (SPN) DOUBLE DOOR - CLASSIC LINE
(IP - 43 PROTECTION)**

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70013 | 4 | 16 | 895 |
| 70014 | 6 | 12 | 1124 |
| 70015 | 8 | 12 | 1362 |
| 70016 | 10 | 8 | 1524 |
| 70017 | 12 | 10 | 1695 |
| 70018 | 16 | 8 | 2049 |

**SINGLE PHASE (SPN) DOUBLE DOOR
(IP - 54 PROTECTION)**

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70019 | 4 | 12 | 2921 |
| 70020 | 6 | 10 | 3649 |
| 70021 | 8 | 10 | 3782 |
| 70022 | 10 | 8 | 4602 |
| 70023 | 12 | 8 | 5105 |
| 70024 | 16 | 6 | 5966 |

CONSUMER UNIT

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70025 | 2+04 | 16 | 784 |
| 70026 | 2+06 | 16 | 928 |
| 70027 | 2+08 | 12 | 1078 |
| 70028 | 2+10 | 12 | 1241 |
| 70029 | 2+12 | 10 | 1487 |


MCB DISTRIBUTION BOARDS
SMART DB (Conforms to IS:13032)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70030 | 04 | 20 | 1025 |
| 70031 | 06 | 16 | 1301 |
| 70032 | 08 | 12 | 1576 |
| 70033 | 12 | 10 | 1713 |
| 70034 | 16 | 08 | 1987 |

THREE PHASE (TPN) (Conforms to IS:13032)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70035 | 04 | 10 | 1992 |
| 70036 | 06 | 07 | 2445 |
| 70037 | 08 | 06 | 2880 |
| 70038 | 12 | 03 | 3667 |

**THREE PHASE (TPN) DD (Conforms to IS:13032)
(IP - 43 PROTECTION)**

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70039 | 04 | 04 | 2815 |
| 70040 | 06 | 03 | 3299 |
| 70041 | 08 | 03 | 3743 |
| 70042 | 12 | 02 | 4681 |

**TPN DOUBLE DOOR (IP - 54 PROTECTION)
MECHANICAL IMPACT STRENGTH IK 09**

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70043 | 4 | 3 | 7329 |
| 70044 | 6 | 3 | 9717 |
| 70045 | 8 | 2 | 12536 |
| 70046 | 12 | 2 | 18881 |

VERTICAL DB SD (Conforms to IS:13032)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70047 | 04 | 06 | 4331 |
| 70048 | 08 | 04 | 5641 |
| 70049 | 12 | 03 | 7531 |

**VERTICAL DB DD (Conforms to IS:13032)
(IP - 43 PROTECTION)**


HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70050 | 04 | 04 | 5830 |
| 70051 | 08 | 03 | 7614 |
| 70052 | 12 | 02 | 10172 |


ISO - 9001-2015 COMPANY
MCB DISTRIBUTION BOARDS
**VTPN MCB DB DOUBLE DOOR (IP - 54 PROTECTION)
MECHANICAL IMPACT STRENGTH IK 09**

HSN CODE 85371000


| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70053 | 4 | 3 | 15990 |
| 70054 | 6 | 3 | 20193 |
| 70055 | 8 | 2 | 24723 |
| 70056 | 12 | 2 | 30883 |


**TPN SD PHASE CO DB (Conforms to IS:13032)
HSN CODE 85371000**


| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70058 | 04 | 04 | 2422 |
| 70059 | 06 | 03 | 2855 |
| 70060 | 08 | 02 | 3285 |
| 70061 | 12 | 01 | 4540 |


**TPN DD PHASE CO DB (Conforms to IS:13032)
HSN CODE 85371000**

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70062 | 04 | 03 | 3992 |
| 70063 | 04(ECONOMY) | 03 | 2891 |
| 70064 | 06 | 02 | 4130 |
| 70065 | 06(ECONOMY) | 02 | 3579 |
| 70066 | 08 | 02 | 5464 |


**TPN D/D PHASE SELECTOR DB (Provided With 3nos
Rotary Switches 3nos Rocker Switches & Colour Coded
Inter Connecting Wire Set)
HSN CODE 85371000**

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|--------------------|--------|----------------|
| 70068 | 4Way With 40A R/S | 03 | 6873 |
| 70069 | 4Way With 63A R/S | 03 | 7382 |
| 70070 | 6Way With 40A R/S | 03 | 7891 |
| 70071 | 6Way With 63A R/S | 03 | 8146 |
| 70072 | 8Way With 40A R/S | 02 | 10564 |
| 70073 | 8Way With 63A R/S | 02 | 10946 |
| 70074 | 12Way With 40A R/S | 02 | 12091 |
| 70075 | 12Way With 63A R/S | 02 | 12473 |


PHASE SELECTOR ENCLOSURE

(Phase Selector Enclosure Equipped With 3nos Rotary Switches
3nos Rocker Switches & Colour Coded Inter Connecting
Wire Set)

HSN CODE 85371000

| ITEM CODE | AMPS | S.PACK | PRICE / UNIT ₹ |
|-----------|------|--------|----------------|
| 70076 | 40A | 04 | 5485 |
| 70077 | 63A | 04 | 6046 |


MCB DISTRIBUTION BOARDS
SPN TV/TELEPHONE DB (Conforms to IS:13032)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70078 | 04 | 10 | 2594 |
| 70079 | 06 | 08 | 2770 |
| 70080 | 08 | 06 | 2907 |
| 70082 | 12 | 04 | 3268 |
| 70083 | 16 | 04 | 3587 |

TPN TV/TELEPHONE DB (Conforms to IS:13032)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70084 | 04 | 03 | 5086 |
| 70085 | 06 | 02 | 5613 |
| 70086 | 08 | 02 | 6227 |
| 70087 | 12 | 02 | 7892 |

CUT - OUT FOR TV/TELEPHONE DB (Conforms to IS:13032)

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70090 | 06 | 12 | 1283 |
| 70091 | 08 | 12 | 1634 |
| 70089 | 12 | 10 | 2214 |




**MCCB INCOMER DOUBLE DOOR DB
(IP - 43 PROTECTION)**

HSN CODE 85371000

| ITEM CODE | INCOMER | OUTGOING | PRICE / UNIT ₹ |
|-----------|----------------|----------|----------------|
| 70092 | 100/125 TP | 4Way | 9539 |
| 70093 | 160/200/250 TP | 4Way | 9935 |
| 70094 | 100/125 FP | 4Way | 10129 |
| 70095 | 160/200/250 FP | 4Way | 10250 |
| 70096 | 100/125 TP | 6Way | 10219 |
| 70097 | 160/200/250 TP | 6Way | 10515 |
| 70098 | 100/125 FP | 6Way | 10219 |
| 70099 | 160/200/250 FP | 6Way | 10514 |
| 70100 | 100/125 TP | 8Way | 11012 |
| 70101 | 160/200/250 TP | 8Way | 11514 |
| 70102 | 100/125 FP | 8Way | 11631 |
| 70103 | 160/200/250 FP | 8Way | 12142 |
| 70104 | 100/125 TP | 12Way | 12511 |
| 70105 | 160/200/250 TP | 12Way | 13028 |
| 70106 | 100/125 FP | 12Way | 12511 |
| 70107 | 160/200/250 FP | 12Way | 13028 |

MCB DISTRIBUTION BOARDS**VTPN MCCB DB DOUBLE DOOR (IP - 54 PROTECTION)
MECHANICAL IMPACT STRENGTH IK 09**

| ITEM CODE | INCOMER | OUTGOING | PRICE / UNIT ₹ | HSN CODE 85371000 |
|-----------|----------------|----------|----------------|-------------------|
| 70108 | 100/125 TP | 4Way | 20531 | |
| 70109 | 160/200/250 TP | 4Way | 31263 | |
| 70110 | 100/125 FP | 4Way | 20531 | |
| 70111 | 160/200/250 FP | 4Way | 31263 | |
| 70112 | 100/125 TP | 6Way | 22837 | |
| 70113 | 160/200/250 TP | 6Way | 32903 | |
| 70114 | 100/125 FP | 6Way | 22837 | |
| 70115 | 160/200/250 FP | 6Way | 32903 | |
| 70116 | 100/125 TP | 8Way | 24703 | |
| 70117 | 160/200/250 TP | 8Way | 36029 | |
| 70118 | 100/125 FP | 8Way | 24703 | |
| 70119 | 160/200/250 FP | 8Way | 36029 | |
| 70120 | 100/125 TP | 12Way | 34850 | |
| 70121 | 160/200/250 TP | 12Way | 40867 | |
| 70122 | 100/125 FP | 12Way | 34850 | |
| 70123 | 160/200/250 FP | 12Way | 40867 | |

**SPN PREWIRED DB SINGLE DOOR
(Conforms to IS:13032) HSN CODE 85371000**

| ITEM CODE | No. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70124 | 2+04 | 04 | 3674 |
| 70125 | 2+06 | 04 | 3959 |
| 70126 | 2+08 | 03 | 4130 |
| 70127 | 2+10 | 03 | 4421 |
| 70128 | 2+12 | 03 | 5246 |
| 70129 | 2+14 | 03 | 5799 |

**SPN PREWIRED DB DOUBLE DOOR
(Conforms to IS:13032) HSN CODE 85371000**

| ITEM CODE | No. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70130 | 2+04 | 04 | 3985 |
| 70131 | 2+06 | 04 | 4290 |
| 70132 | 2+08 | 03 | 4472 |
| 70133 | 2+10 | 03 | 4822 |
| 70134 | 2+12 | 03 | 5684 |
| 70135 | 2+14 | 03 | 6281 |

MCB DISTRIBUTION BOARDS**TPN PREWIRED DB SINGLE DOOR
(Conforms to IS:13032)**

HSN CODE 85371000

| ITEM CODE | No. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70136 | 4+12 | 02 | 9370 |
| 70137 | 4+18 | 02 | 11996 |
| 70138 | 2+24 | 01 | 13645 |
| 70139 | 4+36 | 01 | 16200 |

**TPN PREWIRED DB DOUBLE DOOR
(Conforms to IS:13032)**

HSN CODE 85371000

| ITEM CODE | No. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70140 | 4+12 | 02 | 11769 |
| 70141 | 4+18 | 02 | 14521 |
| 70142 | 2+24 | 01 | 16559 |
| 70143 | 4+36 | 01 | 18810 |

MCCB SHEET STEEL ENCLOSURE

HSN CODE 85371000

| ITEM CODE | DESCRIPTION | S.PACK | PRICE / UNIT ₹ |
|-----------|--------------------|--------|----------------|
| 70144 | 100/125 Amp TP | 10 | 1218 |
| 70145 | 160/200/250 Amp TP | 08 | 1348 |
| 70146 | 100/125 Amp FP | 08 | 1318 |
| 70147 | 160/200/250 Amp FP | 06 | 1470 |

PLASTIC MCB ENCLOSURE

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70148 | 1/2 | 10 | 61 |
| 70149 | 3/4 | 06 | 98 |

METAL MCB ENCLOSURE

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70150 | 1/2 | 80 | 228 |
| 70151 | 3/4 | 40 | 286 |

AC BOX

HSN CODE 85371000

| ITEM CODE | NO. OF WAYS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70153 | SP20A,250V | 30 | 670 |
| 70154 | TP20A,440V | 15 | 1366 |
| 70155 | TP30A,440V | 15 | 1790 |
| 70156 | SOCKET BOX | 30 | 502 |

Static Energy Meter



Salient features

1. Single phase & three phase meter with counter
Type /LCD display.
2. ISI certified, ISO 2000, IEC 1036, IS 13779 and latest CBIP.
3. Totally tamper proof, with tamper & fraud detection
and recording with snapshot.
4. High accuracy and operation at very low load.
5. Communication compatible with optical port, IR,
IRDA, LPR, RS 232 and R.F
6. 90 Day load profile with KWH, KVARTH Lead, KW, KVA
Demand, average voltage & average currents,
PF, frequency for integration period of 30 minutes.
7. R.F meter (zigbee) with smps power supply
GSM / CDMA modem.

ISO - 9001-2015 COMPANY

Moulded Case Circuit Breaker



Salient features

- Conforms to IS 13947-2 and IEC 60947-2
- Quick make, quick break & trip free mechanism
- Push to trip facility for verification of proper working of operating mechanism
- Wide range of internal & external accessories
- Wide range of breaking capacity available from 10kA to 50kA
- Both fixed & adjustable type magnetic setting
- Available in various frame sizes
- Featured with line load reversibility
- High repeat accuracy-reliable protection
- Current limiting design
- Positive isolation

Electricals & Mechanical Life

| Rated Current (A) | Electricals (Operations) | Mechanical Life (Operations) |
|----------------------|--------------------------|------------------------------|
| $I_n \leq 100$ | 1500 | 8500 |
| $100 < I_n \leq 315$ | 1000 | 7000 |
| $315 < I_n \leq 630$ | 1000 | 4000 |
| $630 < I_n \leq 800$ | 500 | 2500 |

ISO - 9001-2015 COMPANY
MCCB FIXED TYPE
NEW

INDUSTRIAL PRODUCTS
MCCB ULTIMA SERIES

Conforms to IS-13947-2 and IEC 60947-2

HSN CODE 85362020

| Rating(A) | Breaking Capacity | Poles | Item Code | PRICE / UNIT₹ |
|-----------|-------------------|-------|-----------|---------------|
| 32 | 10KA | 3P | 71001 | 1740 |
| 40 | 10KA | 3P | 71002 | 1740 |
| 63 | 10KA | 3P | 71003 | 1788 |
| 80 | 10KA | 3P | 71004 | 1847 |
| 100 | 10KA | 3P | 71005 | 1847 |

MOULDED CASE CIRCUIT BREAKERS WITH **FIXED THERMAL MAGNETIC SETTING**

Conforms to IS-13947-2 and IEC 60947-2

HSN CODE 85362020

| Breaking capacity(ICU) | FRAME | Rating(A) 415V 50Hz | Three Pole Item Code | PRICE / UNIT₹ | Four Pole Item Code | PRICE / UNIT₹ |
|------------------------|-------|---------------------|----------------------|---------------|---------------------|---------------|
| | F1 | 25 | 71006 | 2093 | 71017 | 2853 |
| | F1 | 32 | 71007 | 2093 | 71018 | 2853 |
| | F1 | 40 | 71008 | 2093 | 71019 | 2853 |
| | F1 | 50 | 71009 | 2093 | 71020 | 2853 |
| | F1 | 63 | 71010 | 2093 | 71021 | 2853 |
| 10kA | F2 | 80 | 71011 | 2179 | 71022 | 3216 |
| | F2 | 100 | 71012 | 2179 | 71023 | 3216 |
| | F3 | 125 | 71013 | 2943 | 71024 | 4576 |
| | F3 | 160 | 71014 | 4383 | 71025 | 6299 |
| | F3 | 200 | 71015 | 6757 | 71026 | 7284 |
| | F3 | 250 | 71016 | 6991 | 71027 | 7629 |
| | F1 | 25 | 71031 | 2613 | 71042 | 4731 |
| | F1 | 32 | 71032 | 2613 | 71043 | 4731 |
| | F1 | 40 | 71033 | 2613 | 71044 | 4731 |
| | F1 | 50 | 71034 | 2613 | 71045 | 4731 |
| | F1 | 63 | 71035 | 2613 | 71046 | 4731 |
| 16kA | F2 | 80 | 71036 | 2799 | 71047 | 5144 |
| | F2 | 100 | 71037 | 2799 | 71048 | 5144 |
| | F3 | 125 | 71038 | 4857 | 71049 | 6944 |
| | F3 | 160 | 71039 | 6248 | 71050 | 8814 |
| | F3 | 200 | 71040 | 8140 | 71051 | 9606 |
| | F3 | 250 | 71041 | 9279 | 71052 | 10126 |
| | F1 | 25 | 71056 | 4724 | 71068 | 5616 |
| | F1 | 32 | 71057 | 4724 | 71069 | 5616 |
| | F1 | 40 | 71058 | 4724 | 71070 | 5616 |
| | F1 | 50 | 71059 | 4727 | 71071 | 5616 |
| | F1 | 63 | 71060 | 4724 | 71072 | 5616 |
| 25kA | F2 | 80 | 71061 | 4948 | 71073 | 6000 |
| | F2 | 100 | 71062 | 4948 | 71074 | 6000 |
| | F3 | 125 | 71063 | 6123 | 71075 | 7443 |
| | F3 | 160 | 71064 | 6883 | 71076 | 9637 |
| | F3 | 200 | 71065 | 9554 | 71077 | 11965 |
| | F3 | 250 | 71066 | 12519 | 71078 | 15737 |
| | F4 | 400 | 71067 | 17318 | 71079 | 22086 |
| | F1 | 25 | 71081 | 6303 | 71094 | 7412 |
| | F1 | 32 | 71082 | 6303 | 71095 | 7412 |
| | F1 | 40 | 71083 | 6303 | 71096 | 7412 |
| | F1 | 50 | 71084 | 6303 | 71097 | 7412 |
| | F1 | 63 | 71085 | 6303 | 71098 | 7412 |
| | F2 | 80 | 71086 | 6734 | 71099 | 7767 |
| 36kA | F2 | 100 | 71087 | 6734 | 71100 | 7767 |
| | F3 | 125 | 71088 | 7347 | 71101 | 8957 |
| | F3 | 160 | 71089 | 9274 | 71102 | 11373 |
| | F3 | 200 | 71090 | 11017 | 71103 | 12896 |
| | F3 | 250 | 71091 | 13968 | 71104 | 16396 |
| | F4 | 400 | 71092 | 19243 | 71105 | 24541 |
| | F5 | 630 | 71093 | 23483 | 71106 | 27837 |

ISO - 9001-2015 COMPANY
MOULDED CASE CIRCUIT BREAKERS WITH FIXED THERMAL MAGNETIC SETTING

Conforms to IS-13947-2 and IEC 60947-2

HSN CODE 85362020


MCCB ADJUSTABLE TYPE


| Breaking capacity(ICU) | FRAME | Rating(A) 415V 50Hz | Three Pole Item Code | PRICE / UNIT₹ | Four Pole Item Code | PRICE / UNIT₹ |
|------------------------|-------|---------------------|----------------------|---------------|---------------------|---------------|
| | F1 | 25 | 71108 | 8493 | 71122 | 10327 |
| | F1 | 32 | 71109 | 8493 | 71123 | 10327 |
| | F1 | 40 | 71110 | 8493 | 71124 | 10327 |
| | F1 | 50 | 71111 | 8493 | 71125 | 10327 |
| | F1 | 63 | 71112 | 8493 | 71126 | 10327 |
| | F2 | 80 | 71113 | 8594 | 71127 | 10555 |
| 50kA | F2 | 100 | 71114 | 8594 | 71128 | 10555 |
| | F3 | 125 | 71115 | 10305 | 71129 | 12344 |
| | F3 | 160 | 71116 | 11598 | 71130 | 13363 |
| | F3 | 200 | 71117 | 13178 | 71131 | 17515 |
| | F3 | 250 | 71118 | 20016 | 71132 | 23475 |
| | F4 | 400 | 71119 | 22990 | 71133 | 27607 |
| | F5 | 630 | 71120 | 29453 | 71134 | 32906 |
| | F6 | 800 | 71121 | 36874 | 71135 | 47034 |

FRAME -1 ADJUSTABLE MOULDED CASE CIRCUIT BREAKER

3 POLE & 4 POLE (ADJUSTABLE THERMAL & FIXED MAGNETIC TYPE)

Conforms to IS-13947-2 and IEC 60947-2, Ics=100% Icu as per IEC 60947-II

- Adjustable Overload Setting Ir=[0.8 to 1.0]xIn

HSN CODE 85362020

| Breaking Capacity Icu KA, 415V 50Hz | Amp | Three Pole Item Code | PRICE / UNIT₹ | Four Pole Item Code | PRICE / UNIT₹ |
|-------------------------------------|-----|----------------------|---------------|---------------------|---------------|
| | 20 | 72001 | 3047 | 72011 | 5054 |
| | 25 | 72002 | 3047 | 72012 | 5054 |
| | 32 | 72003 | 3047 | 72013 | 5054 |
| | 40 | 72004 | 3047 | 72014 | 5054 |
| 10KA | 50 | 72005 | 3047 | 72015 | 5054 |
| | 63 | 72006 | 3047 | 72016 | 5054 |
| | 80 | 72007 | 3047 | 72017 | 5054 |
| | 100 | 72008 | 3047 | 72018 | 5054 |
| | 125 | 72009 | 5848 | 72019 | 6870 |
| | 20 | 72021 | 4110 | 72031 | 5570 |
| | 25 | 72022 | 4110 | 72032 | 5570 |
| | 32 | 72023 | 4110 | 72033 | 5570 |
| | 40 | 72024 | 4110 | 72034 | 5570 |
| 16KA | 50 | 72025 | 4110 | 72035 | 5570 |
| | 63 | 72026 | 4110 | 72036 | 5570 |
| | 80 | 72027 | 4110 | 72037 | 5570 |
| | 100 | 72028 | 4110 | 72038 | 5570 |
| | 125 | 72029 | 6196 | 72039 | 9035 |
| | 20 | 72041 | 5452 | 72051 | 8117 |
| | 25 | 72042 | 5452 | 72052 | 8117 |
| | 32 | 72043 | 5452 | 72053 | 8117 |
| | 40 | 72044 | 5452 | 72054 | 8117 |
| 25KA | 50 | 72045 | 5452 | 72055 | 8117 |
| | 63 | 72046 | 5452 | 72056 | 8117 |
| | 80 | 72047 | 5452 | 72057 | 8117 |
| | 100 | 72048 | 5725 | 72058 | 8117 |
| | 125 | 72049 | 6473 | 72059 | 8857 |
| | 20 | 72061 | 7230 | 72071 | 9894 |
| | 25 | 72062 | 7230 | 72072 | 9894 |
| | 32 | 72063 | 7230 | 72073 | 9894 |
| | 40 | 72064 | 7230 | 72074 | 9894 |
| 36KA | 50 | 72065 | 7230 | 72075 | 9894 |
| | 63 | 72066 | 7230 | 72076 | 9894 |
| | 80 | 72067 | 7740 | 72077 | 10000 |
| | 100 | 72068 | 7740 | 72078 | 10000 |
| | 125 | 72069 | 8269 | 72079 | 11135 |



ISO - 9001-2015 COMPANY

MCCB ADJUSTABLE TYPE

FRAME -2 ADJUSTABLE MOULDED CASE CIRCUIT BREAKER 3 POLE & 4 POLE (ADJUSTABLE THERMAL & FIXED MAGNETIC TYPE)

Conforms to IS-13947-2 and IEC 60947-2, Ics=100% Icu as per IEC 60947-II

- Adjustable Overload Setting $I_r = [0.8 \text{ to } 1.0] \times I_n$

HSN CODE 85362020



| Breaking Capacity Icu KA, 415V 50Hz | Amp | Three Pole Item Code | PRICE / UNIT ₹ | Four Pole Item Code | PRICE / UNIT ₹ |
|--|-----|-------------------------|----------------|------------------------|----------------|
| 25KA | 160 | 72081 | 9214 | 72085 | 12202 |
| | 200 | 72082 | 11645 | 72086 | 14541 |
| | 250 | 72083 | 15319 | 72087 | 16436 |
| 36KA | 160 | 72089 | 9404 | 72093 | 14020 |
| | 200 | 72090 | 12346 | 72094 | 17414 |
| | 250 | 72091 | 17462 | 72095 | 22173 |
| 50KA | 160 | 72096 | 15058 | 72099 | 18270 |
| | 200 | 72097 | 16962 | 72100 | 25596 |
| | 250 | 72098 | 21730 | 72101 | 26761 |

MCCB ADJUSTABLE TYPE

FRAME -3 ADJUSTABLE MOULDED CASE CIRCUIT BREAKER

3 POLE & 4 POLE (ADJUSTABLE THERMAL & FIXED MAGNETIC TYPE)

Conforms to IS-13947-2 and IEC 60947-2, Ics=100% Icu as per IEC 60947-II

- Adjustable Overload Setting $I_r = [0.8 \text{ to } 1.0] \times I_n$

HSN CODE 85362020



| Breaking Capacity Icu KA, 415V 50Hz | Amp | Three Pole Item Code | PRICE / UNIT ₹ | Four Pole Item Code | PRICE / UNIT ₹ |
|--|-----|-------------------------|----------------|------------------------|----------------|
| 36KA | 315 | 72127 | 23701 | 72129 | 28795 |
| | 400 | 72128 | 24079 | 72130 | 29523 |
| 50KA | 315 | 72132 | 25002 | 72134 | 32618 |
| | 400 | 72133 | 27047 | 72135 | 33203 |
| 65KA | 315 | 72137 | 34812 | 72139 | 38725 |
| | 400 | 72138 | 37483 | 72140 | 40571 |

FRAME -4 ADJUSTABLE MOULDED CASE CIRCUIT BREAKER

3 POLE & 4 POLE (ADJUSTABLE THERMAL & FIXED MAGNETIC TYPE)

Conforms to IS-13947-2 and IEC 60947-2, Ics=100% Icu as per IEC 60947-II

HSN CODE 85362020



| Breaking Capacity Icu KA, 415V 50Hz | Amp | Three Pole Item Code | PRICE / UNIT ₹ | Four Pole Item Code | PRICE / UNIT ₹ |
|--|-----|-------------------------|----------------|------------------------|----------------|
| 36KA | 500 | 72141 | 27304 | 72143 | 35031 |
| | 630 | 72142 | 31639 | 72144 | 38210 |
| 50KA | 500 | 72146 | 30895 | 72148 | 38059 |
| | 630 | 72147 | 32184 | 72149 | 40598 |
| 65KA | 500 | 72151 | 38818 | 72153 | 46617 |
| | 630 | 72152 | 40540 | 72154 | 47809 |

ISO - 9001-2015 COMPANY
**MCCB ADJUSTABLE
TYPE**
ADJUSTABLE MOULDED CASE CIRCUIT BREAKER
3 POLE & 4 POLE (ADJUSTABLE THERMAL & ADJUSTABLE MAGNETIC TYPE)

 • $I_{cs} = 100\% I_{cu}$ as per IEC 60947-II • Adjustable Overload Setting $I_r = [0.8 \text{ to } 1.0] \times I_{In}$

 • Adjustable Short Circuit Setting $I_{sd} = [5-10] \times I_{In}$

HSN CODE 85362020

| Breaking Capacity $I_{cu} \text{ KA}, 415V 50Hz$ | Amp | FRAME | Three Pole Item Code | PRICE / UNIT ₹ | Four Pole Item Code | PRICE / UNIT ₹ |
|---|-----|-------|-------------------------|----------------|------------------------|----------------|
| | 16 | F1 | 72156 | 6974 | 72165 | 9635 |
| | 25 | F1 | 72157 | 6974 | 72166 | 9635 |
| | 32 | F1 | 72158 | 6974 | 72167 | 9635 |
| | 40 | F1 | 72159 | 6974 | 72168 | 9635 |
| 25kA | 50 | F1 | 72160 | 6974 | 72169 | 9635 |
| | 63 | F1 | 72161 | 6974 | 72170 | 9635 |
| | 80 | F1 | 72162 | 7124 | 72171 | 10127 |
| | 100 | F1 | 72163 | 7124 | 72172 | 10127 |
| | 125 | F1 | 72164 | 9338 | 72173 | 11380 |
| | 160 | F2 | 72175 | 11255 | 72178 | 13561 |
| 25kA | 200 | F2 | 72176 | 12485 | 72179 | 18409 |
| | 250 | F2 | 72177 | 17189 | 72180 | 23583 |
| 25kA | 315 | F3 | 72182 | 19209 | 72184 | 24192 |
| | 400 | F3 | 72183 | 19668 | 72185 | 26393 |
| 25kA | 500 | F4 | 72187 | 27573 | 72189 | 33948 |
| | 630 | F4 | 72188 | 29694 | 72190 | 37454 |
| | 16 | F1 | 72192 | 7341 | 72201 | 10143 |
| | 25 | F1 | 72193 | 7341 | 72202 | 10143 |
| | 32 | F1 | 72194 | 7341 | 72203 | 10143 |
| | 40 | F1 | 72195 | 7341 | 72204 | 10143 |
| 36kA | 50 | F1 | 72196 | 7341 | 72205 | 10143 |
| | 63 | F1 | 72197 | 7341 | 72206 | 10143 |
| | 80 | F1 | 72198 | 7486 | 72207 | 10443 |
| | 100 | F1 | 72199 | 7486 | 72208 | 10443 |
| | 125 | F1 | 72200 | 9610 | 72209 | 11699 |
| | 160 | F2 | 72211 | 11987 | 72214 | 14592 |
| 36kA | 200 | F2 | 72212 | 13752 | 72215 | 19040 |
| | 250 | F2 | 72213 | 18065 | 72216 | 24935 |
| 36kA | 315 | F3 | 72218 | 23083 | 72220 | 28114 |
| | 400 | F3 | 72219 | 24557 | 72221 | 30271 |
| 36kA | 500 | F4 | 72223 | 28623 | 72225 | 35489 |
| | 630 | F4 | 72224 | 31095 | 72226 | 39753 |
| | 16 | F1 | 72228 | 9884 | 72237 | 11813 |
| | 25 | F1 | 72229 | 9884 | 72238 | 11813 |
| | 32 | F1 | 72230 | 9884 | 72239 | 11813 |
| | 40 | F1 | 72231 | 9884 | 72240 | 11813 |
| 50kA | 50 | F1 | 72232 | 9884 | 72241 | 11813 |
| | 63 | F1 | 72233 | 9884 | 72242 | 11813 |
| | 80 | F1 | 72234 | 10083 | 72243 | 11932 |
| | 100 | F1 | 72235 | 10083 | 72244 | 11932 |
| | 125 | F1 | 72236 | 11094 | 72245 | 14243 |
| | 160 | F2 | 72247 | 12710 | 72250 | 16029 |
| 50kA | 200 | F2 | 72248 | 14829 | 72251 | 20330 |
| | 250 | F2 | 72249 | 21047 | 72252 | 26259 |
| 50kA | 315 | F3 | 72254 | 24647 | 72256 | 30445 |
| | 400 | F3 | 72255 | 26306 | 72257 | 31969 |
| 50kA | 500 | F4 | 72259 | 30133 | 72261 | 37481 |
| | 630 | F4 | 72260 | 32578 | 72262 | 41582 |



ISO - 9001-2015 COMPANY
**MCCB ADJUSTABLE
TYPE**
ELECTRONIC/MICRO -PROCESSOR RELEASE MCCB

- $I_{cs}=100\% I_{cu}$ as per IEC 60947-II • Adjustable Overload Setting $I_r = [0.4-1] \times I_n$; $T_r = 3-30$ sec
- Innovative front indication LED's [Ready, Overload pre-alarm & overload]
- Adjustable Short circuit Current Setting $I_{sd} = [1.5-10] I_r$; $T_{sd} [I=K]=0-500$ ms; $T_{sd} [I2t=K]=0-500$ ms



HSN CODE 85362020

| Breaking Capacity I_{cu} KA, 415V 50Hz | Amp | FRAME | Three Pole Item Code | PRICE / UNIT ₹ | Four Pole Item Code | PRICE / UNIT ₹ |
|---|-----|-------|-------------------------|----------------|------------------------|----------------|
| 36kA | 40 | F3 | 72264 | 15632 | 72269 | 19688 |
| | 63 | F3 | 72265 | 15632 | 72270 | 19687 |
| | 80 | F3 | 72266 | 15632 | 72271 | 19687 |
| | 100 | F3 | 72267 | 15918 | 72272 | 20046 |
| | 125 | F3 | 72268 | 17507 | 72273 | 22048 |
| 36kA | 160 | F4 | 72275 | 19458 | 72278 | 23454 |
| | 200 | F4 | 72276 | 22048 | 72279 | 26794 |
| | 250 | F4 | 72277 | 24552 | 72280 | 29778 |
| | | | | | | |

**MCCB ADJUSTABLE
TYPE**
ELECTRONIC/MICRO -PROCESSOR RELEASE MCCB

- $I_{cs}=100\% I_{cu}$ as per IEC 60947-II • Adjustable Overload Setting $I_r = [0.4-1] \times I_n$; $T_r = 3-30$ sec
- Innovative front indication LED's [Ready, Overload pre-alarm & overload]
- Adjustable Short circuit Current Setting $I_{sd} = [1.5-10] I_r$; $T_{sd} [I=K]=0-500$ ms; $T_{sd} [I2t=K]=0-500$ ms



HSN CODE 85362020


| Breaking Capacity I_{cu} KA, 415V 50Hz | Amp | FRAME | Three Pole Item Code | PRICE / UNIT ₹ | Four Pole Item Code | PRICE / UNIT ₹ |
|---|-----|-------|-------------------------|----------------|------------------------|----------------|
| 50kA | 40 | F3 | 72283 | 17479 | 72288 | 20991 |
| | 63 | F3 | 72284 | 17479 | 72289 | 27748 |
| | 80 | F3 | 72285 | 17479 | 72290 | 27748 |
| | 100 | F3 | 72286 | 18644 | 72291 | 22403 |
| | 125 | F3 | 72287 | 20377 | 72292 | 24569 |
| 50kA | 160 | F4 | 72294 | 21213 | 72297 | 25941 |
| | 200 | F4 | 72295 | 23104 | 72298 | 30740 |
| | 250 | F4 | 72296 | 24183 | 72299 | 34193 |
| 36kA | 315 | F5 | 72301 | 26681 | 72303 | 35188 |
| | 400 | F5 | 72302 | 29645 | 72304 | 39094 |
| 36kA | 500 | F6 | 72306 | 30730 | 72308 | 41021 |
| | 630 | F6 | 72307 | 33404 | 72309 | 42442 |
| 50kA | 315 | F5 | 72311 | 35629 | 72313 | 44495 |
| | 400 | F5 | 72312 | 36649 | 72314 | 46609 |
| 50kA | 500 | F6 | 72316 | 37003 | 72318 | 47601 |
| | 630 | F6 | 72317 | 37956 | 72319 | 49204 |

ISO - 9001-2015 COMPANY
ON LOAD CO SWITCHES


Conforms to IEC 947 - 3, AC-23A, Front operated 4pole 415v, 50Hz

HSN CODE 85365090

| OPEN EXECUTION | | | SHEET STEEL ENCLOSURE | |
|----------------|-----------|----------------|-----------------------|----------------|
| Rating (A) | Item Code | PRICE / UNIT ₹ | Item Code | PRICE / UNIT ₹ |
| 63 | 72401 | 5105 | 72411 | 7429 |
| 100 | 72402 | 6760 | 72412 | 9934 |
| 125 | 72403 | 10182 | 72413 | 14693 |
| 160 | 72404 | 11037 | 72414 | 16232 |
| 200 | 72405 | 14928 | 72415 | 19508 |
| 250 | 72406 | 18170 | 72416 | 23854 |
| 320 | 72407 | 23820 | 72417 | 31884 |
| 400 | 72408 | 34464 | 72418 | 45225 |
| 630 | 72409 | 40814 | 72419 | 52399 |

LOAD BREAK SWITCHES


Conforms to IEC 947 - 3, AC-23A, Front operated 4pole 415v, 50Hz

HSN CODE 8536

| OPEN EXECUTION | | | SHEET STEEL ENCLOSURE | |
|----------------|-----------|----------------|-----------------------|----------------|
| Rating (A) | Item Code | PRICE / UNIT ₹ | Item Code | PRICE / UNIT ₹ |
| 63 | 72421 | 3178 | 72436 | 4598 |
| 125 | 72422 | 6487 | 72437 | 9511 |
| 200 | 72423 | 11198 | 72438 | 11939 |
| 250 | 72424 | 12363 | 72439 | 15828 |
| 320 | 72425 | 13216 | 72440 | 17569 |
| 400 | 72426 | 18442 | 72441 | 23177 |
| 630 | 72427 | 22246 | 72442 | 28250 |
| 800 | 72428 | 30238 | 72443 | 38598 |
| 1000 | 72429 | 49718 | 72444 | 60581 |
| 1250 | 72430 | 67961 | 72445 | 82782 |
| 1600 | 72431 | 91754 | 72446 | 109126 |
| 2000 | 72432 | 113925 | 72447 | 135980 |
| 2500 | 72433 | 155387 | 72448 | 183409 |
| 3150 | 72434 | 208389 | 72449 | 246615 |

BY PASS SWITCHES



| OPEN EXECUTION | | | SHEET STEEL ENCLOSURE | |
|----------------|-----------|----------------|-----------------------|----------------|
| Rating (A) | Item Code | PRICE / UNIT ₹ | Item Code | PRICE / UNIT ₹ |
| 125 | 72451 | 20364 | 72461 | 25840 |
| 200 | 72452 | 25641 | 72462 | 31244 |
| 250 | 72453 | 36666 | 72463 | 44666 |
| 320 | 72454 | 38339 | 72464 | 45635 |
| 400 | 72455 | 58071 | 72465 | 65928 |
| 630 | 72456 | 66143 | 72466 | 76961 |
| 800 | 72457 | 91233 | 72467 | 112027 |
| 1000 | 72458 | 149330 | 72468 | 187358 |
| 1250 | 72459 | 213453 | 72469 | 252777 |
| 1600 | 72460 | 294863 | 72470 | 335662 |

SWITCH DISCONNECTOR FUSE


Conforms to IS-13947- PART 1&3, AC -23A, 415V, 50Hz (BS TYPE)

HSN CODE 85365090

| OPEN EXECUTION | | | | SHEET STEEL ENCLOSURE | | |
|----------------|------|-----------|----------------|-----------------------|----------------|----------------------------|
| Rating (A) | Type | Item Code | PRICE / UNIT ₹ | Item Code | PRICE / UNIT ₹ | Recommended HRC FUSE BENLO |
| 32A BS | TP | 72471 | 2045 | 72481 | 3916 | BIA |
| 63A BS | TP | 72472 | 2735 | 72482 | 4859 | BIS |
| 100A BS | TP | 72473 | 5504 | 72483 | 7763 | BCP |
| 125A BS | TP | 72474 | 6391 | 72484 | 9657 | BCP |
| 160A BS | TP | 72475 | 8111 | 72485 | 10966 | BSF |
| 200A BS | TP | 72476 | 11022 | 72486 | 13568 | BSF |
| 250A BS | TP | 72477 | 12187 | 72487 | 16249 | BSF |
| 315A BS | TP | 72478 | 14218 | 72488 | 18042 | BSK |
| 400A BS | TP | 72479 | 17590 | 72489 | 21398 | BSMS |
| 32A BS | TPN | 72491 | 2153 | 72501 | 4024 | BIA |
| 63A BS | TPN | 72492 | 2965 | 72502 | 5089 | BIS |
| 100A BS | TPN | 72493 | 5768 | 72503 | 8054 | BCP |
| 125A BS | TPN | 72494 | 6768 | 72504 | 10034 | BCP |
| 160A BS | TPN | 72495 | 8382 | 72505 | 11236 | BSF |
| 200A BS | TPN | 72496 | 11334 | 72506 | 13880 | BSF |
| 250A BS | TPN | 72497 | 12336 | 72507 | 16398 | BSF |
| 315A BS | TPN | 72498 | 14827 | 72508 | 18651 | BSK |
| 400A BS | TPN | 72499 | 18033 | 72509 | 21840 | BSMS |






BENLO
A PRODUCT OF **BENTEC** INDIA LIMITED

ISO - 9001-2015 COMPANY

SWITCH DISCONNECTOR FUSE

Conforms to IS-13947- PART 1&3, AC -23A, 415V, 50Hz (DIN TYPE)

HSN CODE 85365090



HRC FUSE LINK



| OPEN EXECUTION | | | | SHEET STEEL ENCLOSURE | | |
|----------------|------|-----------|----------------|-----------------------|----------------|----------------------------|
| Rating (A) | Type | Item Code | PRICE / UNIT ₹ | Item Code | PRICE / UNIT ₹ | Recommended HRC FUSE BENLO |
| 32A DIN | TP | 72511 | 2045 | 72523 | 3916 | SIZE 00 |
| 63A DIN | TP | 72512 | 2735 | 72524 | 4859 | SIZE 00 |
| 100A DIN | TP | 72513 | 5504 | 72525 | 7763 | SIZE 00 |
| 125A DIN | TP | 72514 | 6391 | 72526 | 9657 | SIZE 00 |
| 160A DIN | TP | 72515 | 8111 | 72527 | 10966 | SIZE 00 |
| 200A DIN | TP | 72516 | 11022 | 72528 | 13568 | SIZE 01 |
| 250A DIN | TP | 72517 | 12187 | 72529 | 16249 | SIZE 01 |
| 315A DIN | TP | 72518 | 14218 | 72530 | 18042 | SIZE 02 |
| 400A DIN | TP | 72519 | 17590 | 72531 | 21398 | SIZE 02 |
| 630A DIN | TP | 72520 | 27719 | 72532 | 30134 | SIZE 03 |
| 800A DIN | TP | 72521 | 36260 | 72533 | 45834 | SIZE 03 |
| 32A DIN | TPN | 72535 | 2153 | 72547 | 4024 | SIZE 00 |
| 63A DIN | TPN | 72536 | 2965 | 72548 | 5089 | SIZE 00 |
| 100A DIN | TPN | 72537 | 5768 | 72549 | 8054 | SIZE 00 |
| 125A DIN | TPN | 72538 | 6768 | 72550 | 10034 | SIZE 00 |
| 160A DIN | TPN | 72539 | 8382 | 72551 | 11236 | SIZE 00 |
| 200A DIN | TPN | 72540 | 11334 | 72552 | 13880 | SIZE 01 |
| 250A DIN | TPN | 72541 | 12336 | 72553 | 16398 | SIZE 01 |
| 315A DIN | TPN | 72542 | 14827 | 72554 | 18651 | SIZE 02 |
| 400A DIN | TPN | 72543 | 18033 | 72555 | 21840 | SIZE 02 |
| 630A DIN | TPN | 72544 | 28585 | 72556 | 31001 | SIZE 03 |
| 800A DIN | TPN | 72545 | 37536 | 72557 | 47109 | SIZE 03 |

BOLTED TYPE (Conforms to IS -13703) Breaking Capacity>80kA 415V AC 50Hz

HSN CODE 85361040

| Rating(A) | TYPE | Item Code | Tag Type | Unit / Carton | PRICE / UNIT ₹ |
|-----------------------|------|------------------|-----------|---------------|----------------|
| 2,4,6,10,16A | NS | FUBEBSNS002 -016 | OFFSET | 20 | 67 |
| 20,25,32A | NS | FUBEBSNS020 -032 | OFFSET | 20. | 67 |
| 6,10,16,20,25,32A | BIA | FUBEBSIA006 -032 | OFFSET | 10 | 107 |
| 35,40,50,63A | BIS | FUBEBSIS035 -063 | OFFSET | 10 | 120 |
| 50,63,80,100,125,160A | BCP | FUBEBCP050 -160 | OFFSET | 8 | 253 |
| 125,160,200A | BSFP | FUBEBSFP125 -200 | OFFSET | 3 | 239 |
| 50,63,80,100,125A | BSC | FUBEBSSC050 -125 | CENTRAL | 8 | 250 |
| 125,160,200,250A | BSF | FUBEBSF125 -250 | CENTRAL | 8 | 380 |
| 250,315A | BSK | FUBEBSK250 -315 | CENTRAL | 3 | 555 |
| 355,400A | BSMS | FUBEBSMS355 -400 | CENTRAL | 3 | 1047 |
| 400,500,630A | BTS | FUBEBSTS400 -630 | CENTRAL | 1 | 1174 |
| 400,500A | BTM | FUBEBSTM400 -630 | 2 CENTRAL | 1 | 1435 |
| 630A | BTM | FUBEBSTM630 | 2 CENTRAL | 1 | 2077 |

DIN TYPE (Conforms to IS -13703) Breaking Capacity>80kA 415V AC 50Hz

HSN CODE 85361040

| Rating(A) | TYPE | Item Code | Unit / Carton | PRICE / UNIT ₹ |
|---------------------------|----------|---------------------|---------------|----------------|
| 6,10,16,20,25,32A | SIZE 000 | FUBEDN000 (006-032) | 3 | 260 |
| 50,63,80,100A | SIZE 000 | FUBEDN000 (050-100) | 3 | 284 |
| 6,10,16,20,25,32,63A | SIZE 00 | FUBEDN00 (006-063) | 3 | 301 |
| 80,100A | SIZE 00 | FUBEDN00 (080-100) | 3 | 314 |
| 125A | SIZE 00 | FUBEDN00 (125) | 3 | 376 |
| 32,63,80,100,125,160,200A | SIZE 01 | FUBEDN01 (032-200) | 3 | 571 |
| 250A | SIZE 01 | FUBEDN01 (250) | 3 | 672 |
| 250,315A | SIZE 02 | FUBEDN02 (250-315) | 3 | 902 |
| 400A | SIZE 02 | FUBEDN02 (400) | 3 | 937 |
| 315,425A | SIZE 03 | FUBEDN03 (315-425) | 3 | 1243 |
| 500,630A | SIZE 03 | FUBEDN03 (500-630) | 3 | 1394 |

HRC FUSE CYLINDERICAL TYPE, BREAKING CAPACITY 80KA, 415 V AC

HSN CODE 85361040

| Rating(A) | TYPE | Item Code | Unit / Carton | PRICE / UNIT ₹ |
|---------------------|------|---------------|---------------|----------------|
| 2,4,6,10,16,20,25 A | BERH | FUBERH002-025 | 20 | 111 |
| 32,40 A | BERH | FUBERH032-040 | 20 | 117 |
| 50 A | BERH | FUBERH050 | 20 | 227 |
| 63 A | BERH | FUBERH063 | 20 | 240 |

ISO - 9001-2015 COMPANY
HRC FUSE BASES HOLDERS FUSE FITTINGS FOR DIN TYPE HRC FUSE LINKS AS PER IS : 13703 (Pt 2/Sec I) & IEC 269 (Pt I & II)

HSN CODE 85361040



| Rating(A) | TYPE | Item Code | Unit / Carton | PRICE / UNIT ₹ |
|------------|---------|-----------|---------------|----------------|
| 6 - 125A | SIZE 00 | FBBE00125 | 10 | 298 |
| 32 - 250A | SIZE 01 | FBBE01250 | 10 | 839 |
| 100 - 400A | SIZE 02 | FBBE02400 | 05 | 1143 |
| 315 - 630A | SIZE 03 | FBBE03630 | 03 | 1591 |

FUSE FITTINGS FOR BOLTED TYPE HRC FUSE LINKS AS PER 13703 (Pt 2/ Sec I) IEC 269 (Pt I & II)

HSN CODE 85361040



| FRONT CONNECTION | | | |
|------------------|------------|---------------|----------------|
| Rating(A) | Item Code | Unit / Carton | PRICE / UNIT ₹ |
| 20A | BEBFFC0020 | 10 | 153 |
| 32A | BEBFFC0032 | 10 | 257 |
| 63A | BEBFFC0063 | 05 | 328 |
| 125A | BEBFFC0125 | 03 | 874 |

CHANGE OVER SWITCHES
DOUBLE POLE

HSN CODE 85365090

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70301 | 16A/240V/DP | 20 | 963 |
| 70302 | 32A/240V/DP | 12 | 1580 |
| 70303 | 63A/240V/DP | 04 | 4400 |

FOUR POLE

HSN CODE 85365090

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|------------|--------|----------------|
| 70304 | 16A/415V | 10 | 2282 |
| 70305 | 32A/415V | 08 | 2639 |
| 70306 | 63A/415V | 03 | 6179 |
| 70307 | 100A/415V | 02 | 10615 |
| 70308 | 200A/415V | 01 | 16020 |

KNIFE TYPE

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|------------|--------|----------------|
| 70309 | 320A/415V | 01 | 30431 |
| 70310 | 400A/415V | 01 | 36771 |
| 70311 | 500A/415V | 01 | 47548 |

BUS BAR CHAMBER





HSN CODE 85365090

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|------------|--------|----------------|
| 70401 | 16A/415V | 10 | 1704 |
| 70402 | 32A/415V | 10 | 1994 |
| 70403 | 63A/415V | 08 | 2699 |
| 70404 | 100A/415V | 04 | 4541 |
| 70405 | 200A/415V | 02 | 8985 |
| 70406 | 300A/415V | 01 | 11553 |
| 70407 | 400A/415V | 01 | 15484 |
| 70408 | 630A/415V | 01 | 29612 |

BUS BAR CHAMBER WITH HRC FUSE BASE(Without Fuse)

HSN CODE 85365090

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|------------|--------|----------------|
| 70409 | 63A/415V | 03 | 3772 |
| 70410 | 100A/415V | 03 | 5148 |
| 70411 | 200A/415V | 01 | 9785 |
| 70412 | 300A/415V | 01 | 13238 |
| 70413 | 400A/415V | 01 | 15555 |


SWITCH FUSE UNIT
DOUBLE POLE

HSN CODE 85371000

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|--------------|--------|----------------|
| 70312 | 16A/240V/SPN | 24 | 621 |
| 70313 | 32A/240V/SPN | 16 | 1272 |
| 70314 | 16A/240V/DP | 24 | 636 |
| 70315 | 32A/240V/DP | 16 | 1278 |
| 70316 | 63A/240V/DP | 04 | 3494 |

TP & N

HSN CODE 85371000

| ITEM CODE | AMPS/VOLTS | S.PACK | PRICE / UNIT ₹ |
|-----------|---------------|--------|----------------|
| 70317 | 16A/415V/TPN | 10 | 1637 |
| 70318 | 32A/415V/TPN | 08 | 2164 |
| 70319 | 63A/415V/TPN | 03 | 5413 |
| 70320 | 100A/415V/TPN | 02 | 9661 |
| 70321 | 200A/415V/TPN | 01 | 13768 |
| 70322 | 320A/415V/TPN | 01 | 22189 |
| 70323 | 400A/415V/TPN | 01 | 28529 |
| 70324 | 500A/415V/TPN | 01 | 38038 |

KIT-KATS

HSN CODE 85361090

| ITEM CODE | DESCRIPTION | S.PACK | PRICE / UNIT ₹ |
|-----------|-------------|--------|----------------|
| 70326 | 16A/240V | 20 | 82 |
| 70327 | 32A/240V | 10 | 185 |
| 70328 | 16A/415V | 10 | 189 |
| 70329 | 32A/415V | 06 | 268 |
| 70330 | 63A/415V | 03 | 548 |
| 70331 | 100A/415V | 01 | 976 |
| 70332 | 200A/415V | 01 | 2047 |

ISO - 9001-2015 COMPANY
MOTOR STARTER

MOTOR STARTER

DOL MOTOR STARTER (Single Phase)

| HP | Item Code | Relay Range | Unit / Carton | HSN CODE 85369010 PRICE / UNIT₹ |
|------|-----------|-------------|---------------|------------------------------------|
| 0.25 | 72601 | 2.5-4.0 | 10 | 2351 |
| 0.50 | 72602 | 4.0-6.0 | 10 | 2351 |
| 1.0 | 72603 | 6.0-10.0 | 10 | 2351 |
| 1.5 | 72604 | 9.0-14.0 | 10 | 2351 |
| 2.0 | 72605 | 13.0-21.0 | 10 | 2351 |

DOL MOTOR STARTER (Three Phase)

| HP | Item Code | Relay Range | Unit / Carton | HSN CODE 85369010 PRICE / UNIT₹ |
|----------------|-----------|-------------|---------------|------------------------------------|
| 0.75,1.00 | 72606 | 1.5-2.5 | 10 | 2312 |
| 1.50,2.00 | 72607 | 2.5-4.0 | 10 | 2312 |
| 2.50,3.00,4.00 | 72608 | 4.0-6.9 | 10 | 2312 |
| 5.00,6.00 | 72609 | 6.0-10.0 | 10 | 2312 |
| 7.00 | 72610 | 9.0-14.0 | 10 | 2312 |
| 10.00 | 72611 | 13.0-21.0 | 10 | 2554 |
| 15.00 | 72612 | 20.0-32.0 | 10 | 3156 |

AUTOMATIC CHANGE OVER SWITCH DP


| Rating(A) | Type | Item Code | Unit / Carton | HSN CODE 85365090 PRICE / UNIT₹ |
|-----------|------|-----------|---------------|------------------------------------|
| 32A | DP | 73101 | 01 | 2420 |
| 63A | DP | 73102 | 01 | 5805 |

PLUGS


| NO. OF WAYS | Item Code | Unit / Carton | HSN CODE 85369090 PRICE / UNIT₹ |
|---------------|-----------|---------------|------------------------------------|
| 2P+E 20A,250V | 70335 | 20 | 187 |
| 3P+E 20A,440V | 70336 | 20 | 261 |
| 3P+E 30A,440V | 70337 | 06 | 495 |


SOCKETS


| NO. OF WAYS | Item Code | Unit / Carton | HSN CODE 85369090 PRICE / UNIT₹ |
|---------------|-----------|---------------|------------------------------------|
| 2P+E 20A,250V | 70338 | 20 | 187 |
| 3P+E 20A,440V | 70339 | 20 | 261 |
| 3P+E 30A,440V | 70340 | 06 | 495 |

L.T. CONTROL SWITCHES

CHANGE OVER SWITCH

| Description | Open | With Sheet Enclosure | PRICE / UNIT₹ | HSN CODE 85369090 |
|------------------|-----------|----------------------|---------------|-------------------|
| | Item Code | | | |
| 32DP Change Over | 73103 | 73106 | 1078 | |
| 32TP Change Over | 73104 | 73107 | 1280 | |
| 32FP Change Over | 73105 | 73108 | 1704 | |

COMPACT CHANGE OVER


| Amps. | Item Code | Unit / Carton | HSN CODE 85369090 PRICE / UNIT₹ |
|-------|-----------|---------------|------------------------------------|
| 32A | 73109 | 30 | 659 |

REVERSE SWITCH


| Amps. | Item Code | Unit / Carton | HSN CODE 85369090 PRICE / UNIT₹ |
|-------|-----------|---------------|------------------------------------|
| 16A | 73116 | 30 | 643 |
| 32A | 73117 | 30 | 972 |

OUR MANUFACTURING FACILITIES OF PRODUCTS AT VARIOUS LOCATIONS AROUND THE COUNTRY

UNIT - 1



BEHALA (KOLKATA)

PRODUCT
ENERGY METERS

UNIT - 2



KASBA (KOLKATA)

PRODUCT
DISTRIBUTION BOARDS,
BUS BAR, MAIN SWITCHES
& CHANGE OVER

UNIT - 3



LILUAH (HOWRAH)

PRODUCT
WIRES & CABLES

UNIT - 4



BADDI (HP)

PRODUCT
MCB RCCB
MCCB TINY TRIP
MCB CHANGE OVER
ON-LOAD CHANGE OVER
SWITCH DIS-CONNECTOR
FUSE LOAD BREAK SWITCH
BYPASS SWITCH
HRC FUSE AND BASES
MOTOR STARTERS

UNIT - 5



FARIDABAD (HARYANA)

PRODUCT
LED LIGHTS


UNIT - 7



LILUAH (HOWRAH)

FABRICATION &
POWDER COATING
UNIT


UNIT - 6




VASAI (MAHARASHTRA)

PRODUCT
MODULAR SWITCHES


OTHER PRODUCTS



LED LIGHTS



WIRES & CABLES



MODULAR SWITCHES



BENLO
A PRODUCT OF **BENTEC** INDIA LIMITED

ISO - 9001-2015 COMPANY

GENERAL TERMS

- This price list supersedes all previous price lists.
- All prices are in Indian Rupees only.
- All prices are Maximum retail Prices(MRP) inclusive of Gst as applicable.
- Our discount structure is exclusive of Gst & Octroi.
- Orders will be accepted in multiples of standard packing.
- Prices are subject to change without notice. All despatches will be as per prices prevailing on the date of despatch. Prices are ex-godown, exclusive of packing/forwarding/freight and insurance.
- Product design is subject to change without notice for continuous upgradation.
- Disputes if any are subject to Kolkata Jurisdiction only.
- Company reserves the right to issue amendments which may arise due to any printing errors in the price list.

WARRANTY

Bentec products carry a warranty against manufacturing defects, subject to use of the product for the right application, with correct wiring/connection and normal operating conditions. Please refer to detailed Bentec warranty policy effective 1st Oct, 2013

| | |
|--|-----------|
| MCBs | 36 Months |
| RCCBs | 18 Months |
| DBs/HRC Fuses (to cover transit damages only) | 2 Months |
| MCCBs/Fuse Bases & Fittings/Static Energy Meters | 12 Months |
| Switch Disconnector Fuse/On Load Changeover Switches | 12 Months |
| Rewirable Switches/Off Load Changeover/Busbar | 12 Months |

CORPORATE OFFICE Kasba Industrial Estate, Phase II, Plot II, Kolkata - 700 107 Ph : +91-33-2443 2091 M : 9873973875
CONSUMER CARE CELL E-Mail : info@bentecindia.com M : 8910915828 **TOLL FREE No : 1800 4194830**

AHMEDABAD
GODOWN NO. -9,
ASLALI GRAM PANCHAYAT,MILKAT NO. -1634
BHAGWAN ESTATE,ASLALI
AHMEDABAD - 382427,
CONTACT - 9925001775/9669099969
EMAIL-ahmedabad@bentecindia.in

ASANSOL
N. R. R. Sarani
Maida Kal Morh
Asansol - 713303
Call : 8250 552 792 / 9933 048 518
EMAIL - asn.bentec@gmail.com

BANGALORE
Door No-19, 6th MAIN, 9th CROSS,
MALLESWARAM,
BANGALORE - 560003 (KARNATAKA)
CONTACT - 080-41282090 / 09845007857
EMAIL - bentec_blr@yahoo.co.in

BHAGALPUR
HOUSE NO - 022/01120,IN FRONT OF SBI ATM
MADNUCHAK MIRJANHAT, BHAGALPUR
PIN CODE - 812005
DIST - BHAGALPUR, BIHAR
CONTACT - 943135558,87898 17707
EMAIL - bgp.bentecindia@gmail.com

BHUBANESHWAR
PLOT No. 2868, NAGESWAR TANTI,
BHUBANESHWAR – ODISHA – 751002
CONTACT - 9831281573
EMAIL – bhubaneswar@bentecindia.com

CHENNAI
32, 1ST FLOOR, ALANDUR ROAD,
SAIDAPET, CHENNAI – 600015,
CONTACT - 9748013248
EMAIL – chennai@bentecindia.com

CHHATRAL
18,MILAN SHOPPING CENTER,
OPP. HOTEL ASHIRWAD, HIGHWAY,
PIN- 382721
CONATCT - 9669099969 / 9033687500

GUWAHATI
KALAPHAR BHASARNAGAR,OPP. HOTEL VIP INT.,
NR. RAMTHAKUR LINE H.N.-13
P.O. VINOVANAGR, ASSAM - 781034
CONATCT - 983111030 / 7002605478
EMAIL - bentec.guahati@gmail.com

HYDERABAD
7-3-184 TO 186, 1ST FLOOR,
GHASMANDI MAIN ROAD
SECUNDERABAD - 50003
CONATCT - 040-2753615 / 8240605735
EMAIL - hyderabad@bentecindia.com

INDORE
SHOP NO. A-2 PLOT NO. 22/5,
BEHIND JAIN MANDIR, SNEHALI GANJ,
INDORE(M.P.)-452003
CONATCT - 9329027210
EMAIL - bentecindore@gmail.com

JAIPUR
134-A, SUMER NAGAR VISTAR
OPP. DHANVANTARI HOSPITAL
NEW SANGANER ROAD,
MANASROVAR, JAIPUR- 302020
CONTACT - 9314033313 / 8005745247
EMAIL - rajasthan@bentecindia.com

JALANDHAR
PLOT No. 180, AMAN NAGAR,
TANDA ROAD,
JALANDHAR – 144004 (PUNJAB)
CONTACT - 01815086423 / 9915800483
EMAIL – bentec.jalandhar@gmail.com

LUCKNOW
350/141, NANDA KHERA TALKATORA ROAD,
LUCKNOW – 226017
CONTACT - 9956357975
EMAIL – lucknow@bentecindia.com

MUMBAI
504,ADITYA BANARSI HERITAGE,
BEHIND INORBIT MALL, MIND SPACE,
OFF LINK ROAD, MALAD (W)
LANDMARK NR. RUSTOMJEE ALANZA
MUMBAI - 400064
CONATCT - 022-28712686 / 7303928980
EMAIL - vimal@bentecindia.com

NAGPUR
PLOT No. 01, FLAT No. 03,
NAVNIKETAN HOUSING SOCIETY,
KANNAMWAR NAGAR,
NAGPUR – 440025
CONTACT - 9604052882
EMAIL - nagpur.bentec@gmail.com

NOIDA
B-150, FIRST FLOOR
SECTOR-63, NOIDA - 201301
CONTACT - 8791042122
EMAIL-bentecindia.noida@gmail.com

PATNA
RCD/141, BHADURPUR HOUSING COLONY,
BHOOHTHNATH ROAD,
BEHIND T.V. TOWER,
PATNA, BIHAR – 800026
CONTACT - 9903000780
EMAIL - patna@bentecindia.com

PUNE
JADHAV BUILDING, GR. FLOOR,
27/2, SOMWAR PETH,
15 AUGUST CHOWK,
PUNE – 411011 (MAHARASHTRA)
CONTACT - 09405006489 / 02026055779
EMAIL – bentec.pune@gmail.com

RAIPUR
GODOWN No. 2, BAID COMPLEX,
DALDAL SEONI ROAD, MOWA,
RAIPUR – 492004,
CONTACT - 0771-4270011, 9109108881
EMAIL- bentecraipur@gmail.com

RANCHI
M-10, (DS), HARMU HOUSING COLONY,
BYPASS BJP OFFICE, RANCHI – 834002
(JHARKHAND)
CONTACT- 09835948195 / 07004501686
EMAIL – ranchi@bentecindia.com

ROHTAK
PLOT NO. -6, NEAR RELIANCE TOWER
SAINIK COLONY, HISSAR ROAD
ROHTAK - 124001 (HARYANA)
CONTACT - 9315326004
EMAIL - rohtak.bentecindia@gmail.com

RAJKOT
3RD FLOOR, SHOP NO. 301,
LIGHT HOUSE, KOTAK STREET NO. 1
SANGANVA CHOWK,RAJKOT-360001
CONATCT - 9669099969 / 9429689205

SILIGURI
PARNAMI MANDIR GOUSHALA COMPOUND,
PRANAMI MANDIR ROAD,
OPP. SRI GAYATRI BHAWAN,
SILIGURI-734001 (WEST BENGAL)
CONTACT - 9940084022
EMAIL - siliguri.bentecindia@gmail.com

SURAT
PLOT No. 27-28, NAV/RANG INDUSTRIAL ESTATE,
BEHIND STATE BANK OF INDIA, SOSYO CIRCLE,
U.M. ROAD, SURAT – 395007 (GUJARAT)
CONTACT – 02612634481 / 9374141524
EMAIL – bentec.surat@gmail.com