



CERTIFICATE OF COMPLETION

Dipesh Chhetri

has successfully completed the online course:
Git Training

This professional has demonstrated initiative and a commitment to deepening their skills and advancing their career. Well done!

15th May 2026


Certificate code :10230318



A handwritten signature in black ink.

Krishna Kumar
CEO, Simplilearn





Main


①

public class main {

public static void main (String[] args) {

System.out.println ("Hello, Java world!");

}



② Variable and data types .

public class variables and data types ?

public static void main (String[] args) ?

int age = 20 ;

double gpa = 3.85 ;

boolean isenrolled = true ;

char grade = 'A' ;

String student Name = "Dipesh" ;

System.out.println ("==== Variables and data types

demo =====");

System.out.println ("Student Name (String) : " + studentName);


System.out.println ("Age (int) : " + age);


System.out.println ("GPA (double) : " + gpa);

System.out.println ("Is enrolled (boolean) : " + isenrolled);

System.out.println ("Grade (char) : " + grade);

System.out.println ("=====");
}





③ operators .

```
public class operatorsDemo {
```

```
    public static void main(String[] args) {
```

```
        int a = 10;
```

```
        int b = 3;
```

```
        System.out.println("===== Arithmetic operators =====  
        ==");
```

```
        System.out.println("a = " + a + ", b = " + b);
```

```
        System.out.println("a + b (Addition) = " + (a + b));
```

```
        System.out.println("a - b (Subtraction) = " + (a - b));
```

```
        System.out.println("a * b (Multiplication) = " + (a * b));
```

```
        System.out.println("a / b (Division) = " + (a / b));
```

```
        System.out.println("a % b (Modulus) = " + (a % b));
```

```
        boolean m = true;
```

```
        boolean y = false;
```

```
        System.out.println("\n===== Logical operators  
        =====");
```

```
        System.out.println("m = " + m + ", y = " + y);
```

```
        System.out.println("m & y (AND) = " + (m & y));
```


```
        System.out.println("m || y (OR) = " + (m || y));
```


```
        System.out.println("!m (NOT) = " + (!m));
```


```
        System.out.println("=====");
```

y

y .







4, User input sum.

```

import java.util.Scanner;
public class UserInputSum {
    public static void main(String[] args) {

        Scanner scanner = new Scanner(System.in);
        System.out.println("===== User Input Sum  
Program =====");
        System.out.println("Enter the first number: ");
        double number1 = scanner.nextDouble();

        System.out.println("Enter the second number: ");
        double number2 = scanner.nextDouble();

        double sum = number1 + number2;

        System.out.println("-----")
        System.out.println("Sum of " + number1 + " + " +
            number2 + " = " + sum);
        System.out.println("=====")
        scanner.close();
    }
}

```

}

}

