

①


Smart attendance checker

```
import java.util.Scanner;

public class SmartAttendanceChecker {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter number of classes conducted: ");
        int total = sc.nextInt();

        System.out.print("Enter number of classes attended: ");
        int attended = sc.nextInt();

        double percentage = ((double) attended / total * 100);
        System.out.print("Attendance percentage: %.2f%%\n", percentage);
        if (percentage >= 75) {
            System.out.println("Eligible for exam");
        } else {
            System.out.println("Not eligible");
        }
    }
}
```




② AI age predictor

```
import java.util.Scanner;

public class AIAgePredictor {
    public static void main (String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter your current age:");
        int age = sc.nextInt();
        int currentYear = 2026;

        System.out.println("Your age after 10 years: " + (age + 10));
        System.out.println("Your age after 25 years: " + (age + 25));
        System.out.println("Your age after 50 years: " + (age + 50));

        int yearAt100 = currentYear + (100 - age);
        System.out.println("You will turn 100 in the year: " +
            yearAt100);
    }
}
```



③ Fitness challenge-tracker

Import java.util.Scanner;

public class fitnessTracker {

public static void main (String[] args) {

Scanner sc = new Scanner (System.in);

int[] steps = new int[7];

int total = 0, highest = 0;

for (int i = 0; i < 7; i++) {

System.out.print ("Enter steps for day " + (i+1) + " : ");

steps[i] = sc.nextInt();

total += steps[i];

if (steps[i] > highest) highest = steps[i];


System.out.println ("Total steps: " + total);

System.out.println ("Average steps: %.2f %n. (double)

total/7);

System.out.println ("highest steps in a day: " + highest);

}



① Fibonacci series.

```
import java.util.Scanner;
```

```
public class FibonacciSeries {
```

```
    public static void main (String[] args) {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.print ("Enter how many Fibonacci  
        numbers to print: ");
```

```
        int n = sc.nextInt();
```

```
        int a = 0, b = 1;
```

```
        System.out.print ("Fibonacci series: ");
```

```
        for (int i = 0; i < n; i++) {
```

```
            System.out.print (a + " ");
```

```
            int next = a + b;
```

```
            a = b;
```


```
            b = next;
```

```
        }
```

```
        System.out.println();
```

```
    }
```

```
}
```



prime number check.

import java.util.Scanner;

public class primecheck {

public static void main (String [] args) {

Scanner sc = new Scanner (System.in);

System.out.print ("Enter a number :");

int num = sc.nextInt();

boolean isprime = num > 1;

for (int i = 2; i <= Math.sqrt(num); i++)

if (num % i == 0) {

isprime = false;

break;

}

}

if (isprime) {

System.out.println (num + " is a prime number. ");

} else {

System.out.println (num + " is not a prime number. ");

}

}

}

Enter a number: 67

67 is a Prime Number.

Process finished with exit

logical operators check.

import java.util.Scanner;

public class logicalOperatorcheck {

public static void main (String[] args) {

Scanner sc = new Scanner(System.in);

System.out.print ("Enter 1st number: ");

int a = sc.nextInt();

System.out.print ("Enter second number: ");

int b = sc.nextInt();

System.out.print ("Enter third number: ");

int c = sc.nextInt();

if (c == a + b) {

System.out.println ("yes! The third number (" + c + ")

is the sum of " + a + " and " + b + ".");

} else {

System.out.println ("NO. The third number (" + c + ")

is not the sum of " + a + " and " + b + ".");

}

}

}

Enter first number: 67

Enter second number: 78

Enter third number: 87

No. The third number (87) is NOT the sum of 67 and 78.

Process finished with exit code 0

7)

multiplication Table.

import java.util.Scanner;

public class multiplicationTable {

public static void main (String[] args) {

Scanner sc = new Scanner (System.in);

System.out.print ("Enter a number: ");

int num = sc.nextInt();

System.out.println ("multiplication Table of "


+ num + " : ");

for (int i = 1; i <= 10; i++) {

System.out.println (i + " x " + num + " = " + (i * num));


}

}



8) Right-Angled Triangle pattern.

```
import java.util.Scanner;  
  
public class RightAngledTriangle {  
    public static void main (String args) {  
        Scanner sc = new Scanner (System.in);  
        int rows = sc.nextInt();  
  
        for (int i = 1; i <= rows; i++) {  
            for (int j = 0; j < i; j++) {  
                System.out.print ("*");  
            }  
            System.out.println();  
        }  
    }  
}
```




5

Pyramid pattern

```
import java.util.Scanner;

public class PyramidPattern {
    public static void main (String[] args) {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Enter number of rows: ");
        int rows = sc.nextInt();

        for (int i = 1; i <= rows; i++) {
            for (int j = 1; j <= rows - i + 1; j++) {
                System.out.print (" ");
            }
            for (int k = 0; k < (2 * i - 1); k++) {
                System.out.print ("*");
            }
            System.out.println();
        }
    }
}
```

10. palindrome number

import java.util.Scanner;

public class palindromeNumber {

public static void main (String[] args) {

if (mcoj return false;

int orig = x, reversed = 0;

while (n != 0) {

reversed = reversed * 10 + x % 10; x /= 10;

}

return orig == reversed;

}

public static void main (String[] args) {

Scanner sc = new Scanner (System.in);

System.out.print ("Enter a number:");

int num = sc.nextInt();

if (isPalindrome(num)) {

System.out.println (num + " is a palindrome.");

} else {

System.out.println (num + " is not a palindrome.");

}

}

}

untitled3

Version Control

Current File

Start Free Trial

PrimeCheck.java

```
1
2
3 import java.util.Scanner;
4
5 class PalindromeNumber {
6     public static boolean isPalindrome(int x) { // usage
7         if (x < 0) return false;
8         int original = x, reversed = 0;
9         while (x != 0) {
10             reversed = reversed * 10 + x % 10;
11             x /= 10;
12         }
13         return original == reversed;
14     }
15
16     public static void main(String[] args) {
17         Scanner sc = new Scanner(System.in);
18         System.out.print("Enter a number: ");
19         int num = sc.nextInt();
20         if (isPalindrome(num)) {
```

Run SmartAttendanceChecker PalindromeNumber

```
"C:\Users\Pawan Sunar\.jdk\openjdk-26.0.1\bin\java.exe" "-javaagent:D:\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=53778" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
Enter a number: 67
67 is NOT a Palindrome.

Process finished with exit code 0
```

untitled3 src PalindromeNumber 4.1 LF UTF-8 4 spaces

27°C Partly sunny Search 12:22 06/06/2026

11

Basic Calculator

import java.util.Scanner

public class BasicCalculator {

public static void main (String[] args) {

Scanner sc = new Scanner(System.in);

System.out.print ("Enter first number: ");

double a = sc.nextDouble();

System.out.print ("Enter operator (+, -, *, /): ");

char op = sc.next().charAt(0);

System.out.print ("Enter second number: ");

double b = sc.nextDouble();

double result;

switch (op) {

case '+': result = a + b; break;

case '-': result = a - b; break;

case '*': result = a * b; break;

case '/':

if (b == 0) {

System.out.println ("Error: division by zero");

return;

}

result = a / b;

break;

default:

System.out.println ("Invalid operator");

return;

System.out.println ("Result: %.2f", result);

}

untitled3

Version Control

Current File

Start Free Trial

PrimeCheck.java

```
3 class BasicCalculator {
4     public static void main(String[] args) {
15         case '+': result = a + b; break;
16         case '-': result = a - b; break;
17         case '*': result = a * b; break;
18         case '/':
19             if (b == 0) {
20                 System.out.println("Error: Division by zero!");
21                 return;
22             }
23             result = a / b;
24             break;
25         default:
26             System.out.println("Invalid operator!");
27             return;
28     }
29     System.out.printf("Result: %.2f\n", result);
30 }
31 }
32 }
```

Run

SmartAttendanceChecker

BasicCalculator

```
"C:\Users\Pawan Sunar\.jdk\openjdk-26.0.1\bin\java.exe" "-javaagent:D:\Desktop\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=59858" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
Enter first number: 67
Enter operator (+, -, *, /): +
Enter second number: 78
Result: 145.00

Process finished with exit code 0
```

untitled3

src

BasicCalculator

3:1

LF

UTF-8

27°C

Partly sunny

Search

12:25

05/06/2026

1) grade calculator

```
import java.util.Scanner;

public class GradeCalculator {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter marks obtained (0-100): ");
        int marks = sc.nextInt();
```

```
        String grade;
        if (marks >= 80) grade = "A (Distinction)";
        else if (marks >= 70) grade = "B (Credit)";
        else if (marks >= 60) grade = "C (Pass with merit)";
        else if (marks >= 50) grade = "D (Pass)";
        else grade = "Fail";

        System.out.println("Grade: " + grade);
    }
}
```

