

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
df=pd.read_csv("Customer Churn.csv")
print(df.head())
```

	customerID	gender	SeniorCitizen	Partner	Dependents	tenure
0	7590-VHVEG	Female	0	Yes	No	1
1	5575-GNVDE	Male	0	No	No	34
2	3668-QPYBK	Male	0	No	No	2
3	7795-CF0CW	Male	0	No	No	45
4	9237-HQITU	Female	0	No	No	2

	MultipleLines	InternetService	OnlineSecurity	...
0	No phone service	DSL	No	...
1	No	DSL	Yes	...
2	No	DSL	Yes	...
3	No phone service	DSL	Yes	...
4	No	Fiber optic	No	...

	TechSupport	StreamingTV	StreamingMovies	Contract
0	No	No	No	Month-to-month
1	No	No	No	One year
2	No	No	No	Month-to-month
3	Yes	No	No	One year
4	No	No	No	Month-to-month

	PaymentMethod	MonthlyCharges	TotalCharges	Churn
0	Electronic check	29.85	29.85	No
1	Mailed check	56.95	1889.5	No

2	Mailed check	53.85	108.15	Yes
3	Bank transfer (automatic)	42.30	1840.75	No
4	Electronic check	70.70	151.65	Yes

[5 rows x 21 columns]

df.info()

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 7043 entries, 0 to 7042

Data columns (total 21 columns):

#	Column	Non-Null Count	Dtype
0	customerID	7043 non-null	object
1	gender	7043 non-null	object
2	SeniorCitizen	7043 non-null	int64
3	Partner	7043 non-null	object
4	Dependents	7043 non-null	object
5	tenure	7043 non-null	int64
6	PhoneService	7043 non-null	object
7	MultipleLines	7043 non-null	object
8	InternetService	7043 non-null	object
9	OnlineSecurity	7043 non-null	object
10	OnlineBackup	7043 non-null	object
11	DeviceProtection	7043 non-null	object
12	TechSupport	7043 non-null	object
13	StreamingTV	7043 non-null	object
14	StreamingMovies	7043 non-null	object
15	Contract	7043 non-null	object
16	PaperlessBilling	7043 non-null	object
17	PaymentMethod	7043 non-null	object
18	MonthlyCharges	7043 non-null	float64
19	TotalCharges	7043 non-null	object
20	Churn	7043 non-null	object

dtypes: float64(1), int64(2), object(18)

memory usage: 1.1+ MB

replacing the blank space with 0 as tenure is 0 and no total charges are recorded

df["TotalCharges"]=df['TotalCharges'].replace(" ", "0")

df["TotalCharges"]=df['TotalCharges'].astype("float")

df.info()

<class 'pandas.core.frame.DataFrame'>

RangeIndex: 7043 entries, 0 to 7042

Data columns (total 21 columns):

#	Column	Non-Null Count	Dtype
---	--------	----------------	-------

0	customerID	7043	non-null	object
1	gender	7043	non-null	object
2	SeniorCitizen	7043	non-null	int64
3	Partner	7043	non-null	object
4	Dependents	7043	non-null	object
5	tenure	7043	non-null	int64
6	PhoneService	7043	non-null	object
7	MultipleLines	7043	non-null	object
8	InternetService	7043	non-null	object
9	OnlineSecurity	7043	non-null	object
10	OnlineBackup	7043	non-null	object
11	DeviceProtection	7043	non-null	object
12	TechSupport	7043	non-null	object
13	StreamingTV	7043	non-null	object
14	StreamingMovies	7043	non-null	object
15	Contract	7043	non-null	object
16	PaperlessBilling	7043	non-null	object
17	PaymentMethod	7043	non-null	object
18	MonthlyCharges	7043	non-null	float64
19	TotalCharges	7043	non-null	float64
20	Churn	7043	non-null	object

dtypes: float64(2), int64(2), object(17)

memory usage: 1.1+ MB

df.isnull().sum()

customerID	0
gender	0
SeniorCitizen	0
Partner	0
Dependents	0
tenure	0
PhoneService	0
MultipleLines	0
InternetService	0
OnlineSecurity	0
OnlineBackup	0
DeviceProtection	0
TechSupport	0
StreamingTV	0
StreamingMovies	0
Contract	0
PaperlessBilling	0
PaymentMethod	0
MonthlyCharges	0
TotalCharges	0
Churn	0

dtype: int64

df.describe()

	SeniorCitizen	tenure	MonthlyCharges	TotalCharges
count	7043.000000	7043.000000	7043.000000	7043.000000
mean	0.162147	32.371149	64.761692	2279.734304
std	0.368612	24.559481	30.090047	2266.794470
min	0.000000	0.000000	18.250000	0.000000
25%	0.000000	9.000000	35.500000	398.550000
50%	0.000000	29.000000	70.350000	1394.550000
75%	0.000000	55.000000	89.850000	3786.600000
max	1.000000	72.000000	118.750000	8684.800000

```
df["customerID"].duplicated().sum()
```

```
0
```

```
# converted the 0 and 1 value of senior citizen to yes and no  
# to make easier to understand
```

```
def conv(value):  
    if value == 1:  
        return "yes"  
    else:  
        return "no"
```

```
df['SeniorCitizen'] = df["SeniorCitizen"].apply(conv)
```

```
df.head(30)
```

	customerID	gender	SeniorCitizen	Partner	Dependents	tenure
PhoneService \						
0	7590-VHVEG	Female	no	Yes	No	1
No						
1	5575-GNVDE	Male	no	No	No	34
Yes						
2	3668-QPYBK	Male	no	No	No	2
Yes						
3	7795-CF0CW	Male	no	No	No	45
No						
4	9237-HQITU	Female	no	No	No	2
Yes						
5	9305-CDSKC	Female	no	No	No	8
Yes						
6	1452-KIOVK	Male	no	No	Yes	22
Yes						
7	6713-OKOMC	Female	no	No	No	10
No						
8	7892-P00KP	Female	no	Yes	No	28
Yes						
9	6388-TABGU	Male	no	No	Yes	62
Yes						
10	9763-GRSKD	Male	no	Yes	Yes	13
Yes						
11	7469-LKBCI	Male	no	No	No	16

Yes							
12	8091-TTVAX	Male	no	Yes	No	58	
Yes							
13	0280-XJGEX	Male	no	No	No	49	
Yes							
14	5129-JLPIS	Male	no	No	No	25	
Yes							
15	3655-SNQYZ	Female	no	Yes	Yes	69	
Yes							
16	8191-XWSZG	Female	no	No	No	52	
Yes							
17	9959-W0FKT	Male	no	No	Yes	71	
Yes							
18	4190-MFLUW	Female	no	Yes	Yes	10	
Yes							
19	4183-MYFRB	Female	no	No	No	21	
Yes							
20	8779-QRDMV	Male	yes	No	No	1	
No							
21	1680-VDCWW	Male	no	Yes	No	12	
Yes							
22	1066-JKSGK	Male	no	No	No	1	
Yes							
23	3638-WEABW	Female	no	Yes	No	58	
Yes							
24	6322-HRPFA	Male	no	Yes	Yes	49	
Yes							
25	6865-JZNK0	Female	no	No	No	30	
Yes							
26	6467-CHFZW	Male	no	Yes	Yes	47	
Yes							
27	8665-UTDHz	Male	no	Yes	Yes	1	
No							
28	5248-YGIJN	Male	no	Yes	No	72	
Yes							
29	8773-HHU0Z	Female	no	No	Yes	17	
Yes							

	MultipleLines	InternetService	OnlineSecurity	...	\
0	No phone service	DSL	No	...	
1	No	DSL	Yes	...	
2	No	DSL	Yes	...	
3	No phone service	DSL	Yes	...	
4	No	Fiber optic	No	...	
5	Yes	Fiber optic	No	...	
6	Yes	Fiber optic	No	...	
7	No phone service	DSL	Yes	...	
8	Yes	Fiber optic	No	...	
9	No	DSL	Yes	...	

10	No	DSL	Yes	...
11	No	No	No internet service	...
12	Yes	Fiber optic	No	...
13	Yes	Fiber optic	No	...
14	No	Fiber optic	Yes	...
15	Yes	Fiber optic	Yes	...
16	No	No	No internet service	...
17	Yes	Fiber optic	Yes	...
18	No	DSL	No	...
19	No	Fiber optic	No	...
20	No phone service	DSL	No	...
21	No	No	No internet service	...
22	No	No	No internet service	...
23	Yes	DSL	No	...
24	No	DSL	Yes	...
25	No	DSL	Yes	...
26	Yes	Fiber optic	No	...
27	No phone service	DSL	No	...
28	Yes	DSL	Yes	...
29	No	DSL	No	...

	DeviceProtection	TechSupport	StreamingTV	\
0	No	No	No	
1	Yes	No	No	
2	No	No	No	
3	Yes	Yes	No	
4	No	No	No	
5	Yes	No	Yes	
6	No	No	Yes	
7	No	No	No	
8	Yes	Yes	Yes	
9	No	No	No	
10	No	No	No	
11	No internet service	No internet service	No internet service	
12	Yes	No	Yes	
13	Yes	No	Yes	
14	Yes	Yes	Yes	
15	Yes	Yes	Yes	
16	No internet service	No internet service	No internet service	
17	Yes	No	Yes	
18	Yes	Yes	No	
19	Yes	No	No	
20	Yes	No	No	
21	No internet service	No internet service	No internet service	
22	No internet service	No internet service	No internet service	
23	No	Yes	No	
24	No	Yes	No	
25	No	No	No	
26	No	No	Yes	

27	No	No	No
28	Yes	Yes	Yes
29	No	No	Yes


	StreamingMovies	Contract	PaperlessBilling	\
0	No	Month-to-month	Yes	
1	No	One year	No	
2	No	Month-to-month	Yes	
3	No	One year	No	
4	No	Month-to-month	Yes	
5	Yes	Month-to-month	Yes	
6	No	Month-to-month	Yes	
7	No	Month-to-month	No	
8	Yes	Month-to-month	Yes	
9	No	One year	No	
10	No	Month-to-month	Yes	
11	No internet service	Two year	No	
12	Yes	One year	No	
13	Yes	Month-to-month	Yes	
14	Yes	Month-to-month	Yes	
15	Yes	Two year	No	
16	No internet service	One year	No	
17	Yes	Two year	No	
18	No	Month-to-month	No	
19	Yes	Month-to-month	Yes	
20	Yes	Month-to-month	Yes	
21	No internet service	One year	No	
22	No internet service	Month-to-month	No	
23	No	Two year	Yes	
24	No	Month-to-month	No	
25	No	Month-to-month	Yes	
26	Yes	Month-to-month	Yes	
27	No	Month-to-month	No	
28	Yes	Two year	Yes	
29	Yes	Month-to-month	Yes	

	PaymentMethod	MonthlyCharges	TotalCharges	Churn
0	Electronic check	29.85	29.85	No
1	Mailed check	56.95	1889.50	No
2	Mailed check	53.85	108.15	Yes
3	Bank transfer (automatic)	42.30	1840.75	No
4	Electronic check	70.70	151.65	Yes
5	Electronic check	99.65	820.50	Yes
6	Credit card (automatic)	89.10	1949.40	No
7	Mailed check	29.75	301.90	No
8	Electronic check	104.80	3046.05	Yes
9	Bank transfer (automatic)	56.15	3487.95	No
10	Mailed check	49.95	587.45	No
11	Credit card (automatic)	18.95	326.80	No


12	Credit card (automatic)	100.35	5681.10	No
13	Bank transfer (automatic)	103.70	5036.30	Yes
14	Electronic check	105.50	2686.05	No
15	Credit card (automatic)	113.25	7895.15	No
16	Mailed check	20.65	1022.95	No
17	Bank transfer (automatic)	106.70	7382.25	No
18	Credit card (automatic)	55.20	528.35	Yes
19	Electronic check	90.05	1862.90	No
20	Electronic check	39.65	39.65	Yes
21	Bank transfer (automatic)	19.80	202.25	No
22	Mailed check	20.15	20.15	Yes
23	Credit card (automatic)	59.90	3505.10	No
24	Credit card (automatic)	59.60	2970.30	No
25	Bank transfer (automatic)	55.30	1530.60	No
26	Electronic check	99.35	4749.15	Yes
27	Electronic check	30.20	30.20	Yes
28	Credit card (automatic)	90.25	6369.45	No
29	Mailed check	64.70	1093.10	Yes

[30 rows x 21 columns]

```
ax=sns.countplot(x = 'Churn', data = df)
ax.bar_label(ax.containers[0])
plt.show()
```





```
gb = df.groupby("Churn").agg({'Churn': "count"})
plt.pie(gb['Churn'], labels=gb.index, autopct="%1.2f%%")
plt.title("count of customer by Churn")
plt.show()
gb
```




Churn	
Churn	
No	5174
Yes	1869

```
plt.figure(figsize=(4,4))
sns.countplot(x = "gender", data=df ,hue="Churn")
plt.title("Churn by gender")
plt.show()
```



```
plt.figure(figsize=(4,4))
sns.countplot(x = "SeniorCitizen", data=df ,hue="Churn")
plt.title("Churn by SeniorCitizen")
plt.show()
```



```
# Step 1: Prepare the data (count of Churn by SeniorCitizen)
counts = df.groupby(['SeniorCitizen',
                    'Churn']).size().unstack(fill_value=0)


# Step 2: Calculate percentages for each SeniorCitizen group (row-wise)
percentages = counts.div(counts.sum(axis=1), axis=0) * 100

# Step 3: Plot stacked bar chart
ax = percentages.plot(kind='bar', stacked=True, figsize=(6,6),
                    color=['#1f77b4', '#ff7f0e'])


# Step 4: Add percentage labels on the bars
for i, senior_citizen in enumerate(percentages.index):
    cumulative = 0
    for churn in percentages.columns:
        pct = percentages.loc[senior_citizen, churn]
        if pct > 0:
            ax.text(i, cumulative + pct / 2, f"{pct:.1f}%",
                    ha='center', va='center', color='white', fontsize=12)
            cumulative += pct

# Step 5: Add title and labels
plt.title("Churn by SeniorCitizen (Percentage Stacked Bar)")
plt.ylabel("Percentage (%)")
plt.xlabel("SeniorCitizen")
```

```
plt.legend(title='Churn')  
plt.show()
```




```
plt.figure(figsize=(4,4))  
ax=sns.countplot(x = "SeniorCitizen", data=df )  
ax.bar_label(ax.containers[0])  
plt.title("Churn by SeniorCitizen")  
plt.show()
```




comparatively a greater % of people in senior citizen have churned

```
plt.figure(figsize=(9,4))
sns.histplot(x = "tenure", data= df, bins=72, hue="Churn")
plt.show()
```



*# people who have used our services for a long time have stayed
and who have used our services for 1 or 2 months have churned out*

```
plt.figure(figsize=(4,4))
ax=sns.countplot(x = "Contract", data=df,hue="Churn" )
ax.bar_label(ax.containers[0])
plt.title("count of customer by contract")
plt.show()
```



#people who have months to month contract are likely to churn then from those who have one or 2 year of contract


```
df.columns.values
array(['customerID', 'gender', 'SeniorCitizen', 'Partner',
      'Dependents',
      'tenure', 'PhoneService', 'MultipleLines', 'InternetService',
      'OnlineSecurity', 'OnlineBackup', 'DeviceProtection',
      'TechSupport', 'StreamingTV', 'StreamingMovies', 'Contract',
      'PaperlessBilling', 'PaymentMethod', 'MonthlyCharges',
      'TotalCharges', 'Churn'], dtype=object)

# List of columns you want to plot
cols = [
    'PhoneService', 'MultipleLines', 'InternetService',
    'OnlineSecurity', 'OnlineBackup', 'DeviceProtection',
    'TechSupport', 'StreamingTV', 'StreamingMovies'
]
```

```
# Set up the subplot grid: 3 rows x 3 columns
plt.figure(figsize=(18, 12)) # Adjust size to make it readable

for i, col in enumerate(cols, start=1):
    plt.subplot(3, 3, i) # 3x3 grid, position i
    sns.countplot(x=col, data=df, hue="Churn")
    plt.title(f'{col} Count')
    plt.xticks(rotation=30) # Rotate x labels for better visibility
    plt.tight_layout()

plt.show()
```



```
plt.figure(figsize=(8,6))
ax=sns.countplot(x = "PaymentMethod", data=df, hue="Churn" )
ax.bar_label(ax.containers[0])
plt.title("count of customer by payment method")
plt.xticks(rotation=45)
plt.show()
```

