

ArtAdmin - Erfassung kulturhistorischer Objekte

DIPLOMA THESIS

submitted for the

Reife- und Diplomprüfung

at the

Department of Informatik

Submitted by:

Jonas Hinterdorfer
Simon Wögerbauer

Supervisor:

DI David Klewein

Project Partner:

Augustiner-Chorherrenstift St. Florian

Leonding, April 4, 2025

I hereby declare that I have composed the presented paper independently and on my own, without any other resources than the ones indicated. All thoughts taken directly or indirectly from external sources are properly denoted as such.

This paper has neither been previously submitted to another authority nor has it been published yet.


The presented paper is identical to the electronically transmitted document.

Leonding, April 4, 2025

Jonas Hinterdorfer & Simon Wögerbauer

Abstract

Brief summary of our amazing work. In English. This is the only time we have to include a picture within the text. The picture should somehow represent your thesis. This is untypical for scientific work but required by the powers that are. Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.



Zusammenfassung

Zusammenfassung unserer genialen Arbeit. Auf Deutsch. Das ist das einzige Mal, dass eine Grafik in den Textfluss eingebunden wird. Die gewählte Grafik soll irgendwie eure Arbeit repräsentieren. Das ist ungewöhnlich für eine wissenschaftliche Arbeit, aber eine Anforderung der Obrigkeit. *Bitte auf keinen Fall mit der Zusammenfassung verwechseln, die den Abschluss der Arbeit bildet!* Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.



Contents

1	Introduction	1
1.1	Project Context and Motivation	1
1.2	Initial Situation and Problem Statement	1
1.3	Objectives and Scope	1
2	Current Situation and Related Work	2
2.1	Institutional and Practical Context	2
2.2	Current Problems and Requirements Derived from Practice	2
2.3	Provenance and Collection-Data Standards	2
2.4	Collection Management Systems and Object Identification	5
2.5	Approaches to 3D Measurement	5
3	Proposed Solution	6
3.1	Solution Overview and Requirements	6
3.2	User Roles and Use Cases	6
3.3	Decision Methodology and Data Model	6
3.4	Technical Architecture Decisions	6
3.5	End-to-End Workflows	6
3.6	Security and Integrity Concept	6
4	Technical Description	7
4.1	System Architecture and Frontend	7
4.2	Backend and Data Model	10
4.3	Data Storage and Search	10
4.4	Image Similarity Search	10
4.5	Depth Camera and 3D Measurement	10
4.6	Authentication, Authorization and Auditability	10
4.7	Deployment and Operations	10
4.8	Testing Concept and Traceability	10

5	Evaluation	11
5.1	Evaluation Methodology and Development Process	11
5.2	Provenance Data Model Evaluation	11
5.3	Depth-Camera Measurement Evaluation	11
5.4	Image Similarity and Duplicate Detection Evaluation	11
5.5	System Functionality and Usability Evaluation	11
5.6	Performance and Operational Evaluation	11
5.7	Lessons Learned and Future Improvements	11
5.8	Limitations and Threats to Validity	11
6	Summary	12
	Bibliography	VI
	List of Figures	VII
	List of Tables	VIII
	List of Listings	IX
	Appendix	X

1 Introduction

1.1 Project Context and Motivation

1.2 Initial Situation and Problem Statement

1.3 Objectives and Scope

2 Current Situation and Related Work

2.1 Institutional and Practical Context

2.2 Current Problems and Requirements Derived from Practice

2.3 Provenance and Collection-Data Standards

One of the main requirements of this system is the import and export of information using established formats. This application stores not only physical properties of objects but also digital ones, such as the history of a specific object (e.g., creation date or when the data entry was created).

After analyzing existing standards, it became clear that no single standard covers all requirements of this project. For this reason, the system combines selected components of several standards. The W3C PROV data model is used to describe the origin and history of the data. Furthermore, LIDO and the Europeana Data Model are added to store cultural-heritage metadata.

The project-specific data schema does not replace these standards. Instead, it combines their core features and extends them where necessary.

2.3.1 W3C PROV and General Metadata Models

The W3C PROV family defines a model for describing the origin and history of any information, but it does not define all metadata required for a collection object. It stores only the provenance.

Provenance is information about entities, activities, and people involved in producing a piece of data or thing, which can be used to form assessments about its quality, reliability or trustworthiness [1].

The W3C PROV family consists of multiple documents; in this system, only the data model is partially used.

The three main concepts of PROV-DM are:

Entity An entity is a physical, digital, conceptual, or other kind of thing with some fixed aspects; entities may be real or imaginary.[2]

Activity An activity is something that occurs over a period of time and acts upon or with entities; it may include consuming, processing, transforming, modifying, relocating, using, or generating entities.[2]

Agent An agent is something that bears some form of responsibility for an activity taking place, for the existence of an entity, or for another agent's activity.[2]




Figure 1: Core concepts of the W3C PROV data model. Source: [2]

2.3.2 CIDOC CRM and Museum-Specific Standards

The CIDOC Conceptual Reference Model is a recognized ISO standard (ISO 21127:2023) designed to store cultural heritage data. According to version 7.1.3, this model contains 99 entity and 198 property declarations [3]. This far exceeds the scope of this project; for that reason, only parts are used in the schema of this project. Examples of the

CIDOC CRM concepts used include *E31 Document*, *E39 Actor*, *E53 Place*, and *P108 has produced*.

Another museum-specific standard is LIDO (Lightweight Information Describing Objects), an XML metadata schema for describing objects and works. LIDO is formally defined as an XML harvesting format designed for the exchange of cultural heritage data. The LIDO scheme uses a granular structure but defines only a few required fields to comply with the standard. This low entry barrier allows minimal but compliant records while still supporting detailed descriptions [4].

The data model in ArtAdmin is designed to satisfy the LIDO scheme. By aligning the internal model with this standard, structured import and export into other systems is enabled.

2.3.3 Operational and Linked-Data Standards

To enable large-scale databases that have to work with heterogeneous data, just as Europeana does, a new data schema was created: the EDM (Europeana Data Model). The predecessor, ESE (Europeana Semantic Elements), had multiple issues that were addressed through the EDM. One of the problems ESE had was its flat data model; it consisted of Dublin Core fields that only allowed strings as values. This architecture became overly complex when trying to reference other resources. This is one of the reasons EDM was developed: it solves this problem by adopting an RDF-based graph model that separates entities and linking.




Figure 2: Core concepts of EDM. Source: [5]

One requirement given by our project partner, the Augustiner-Chorherrenstift St. Florian, is that a connection to the Europeana database should be possible. For the

creation of the data model for this project, EDM was not one of the core schemas that were combined because it is less detailed than standards such as LIDO and W3C PROV. However, it is compatible, and the ArtAdmin schema can be mapped to EDM.

2.4 Collection Management Systems and Object Identification

2.4.1 Existing Collection-Management Solutions

2.4.2 Approaches to Object Identification

2.5 Approaches to 3D Measurement

2.5.1 Traditional and Image-Based Methods

2.5.2 Depth-Camera Technologies and Project Hardware

3 Proposed Solution

3.1 Solution Overview and Requirements

3.2 User Roles and Use Cases

3.3 Decision Methodology and Data Model

3.4 Technical Architecture Decisions

3.4.1 Measurement and Similarity Approaches

3.4.2 Storage and Deployment Architecture

3.5 End-to-End Workflows

3.5.1 Object Registration Workflow

3.5.2 Similarity Search Workflow

3.6 Security and Integrity Concept

4 Technical Description

4.1 System Architecture and Frontend

4.1.1 Overall Architecture




Figure 3: Component diagram of ArtAdmin. Source: [6]

The component diagram 3 shows the overall architecture of ArtAdmin. The system is organized into four layers: the client applications layer, the identity and access management layer, the application layer, and the infrastructure service layer. This separation follows the principle of separation of concerns. The client application isolates the presentation layer from the business logic, while the identity and access management layer centralizes the single point of authentication. Furthermore, the infrastructure layer isolates the services that are needed to run this program. This design also allows for horizontal scaling of the backend, because it is stateless, meaning no information is saved directly within the REST application.

The client applications layer consists of a web application, which is the main user interface and handles the administration and display of users and information, and ArtMeasure, a desktop application for calculating object measurements based on a 3D camera. Both applications communicate with the backend via a REST API over HTTP, and all user interfaces authenticate through the same OIDC provider, in this case Keycloak.

The application layer, or backend layer, consists of an ASP.NET Core backend, which is the core program handling all traffic and communicating with all services. Furthermore, this layer includes Pydantic Monty, a secure Python interpreter written in Rust for executing code generated by AI agents [7]. This software is used to prevent ArtPilot from executing unauthorized and unsafe code while still enabling the import of any format.

This software solution uses four additional services, all of which can be self-hosted. For storing structured information, we use PostgreSQL. For image and vector data storage, we use MinIO, because it implements the S3 API and can therefore be replaced at any time by another program that also implements this API, such as AWS S3. Furthermore, for the use case of searching information, we use Elasticsearch, because it provides the speed and full-text search capabilities required. Redis is used as a cache for request results to speed up the application; it was chosen because it is a fast, in-memory key-value store, which is a widely used choice for this use case. [8]

4.1.2 Frontend Implementation

4.2 Backend and Data Model

4.2.1 Backend Architecture

4.2.2 Object and Provenance Data Model

4.2.3 ArtPilot Architecture

4.3 Data Storage and Search

4.3.1 Database and Media Management

4.3.2 Full-Text Search and Filtering

4.4 Image Similarity Search

4.4.1 Processing Pipeline

4.4.2 Similarity Computation and Robustness

4.5 Depth Camera and 3D Measurement

4.5.1 Hardware, Software and Measurement Principle

4.5.2 Data Quality and Measurement Uncertainty

4.5.3 Measurement versus Scanning and Limitations

4.6 Authentication, Authorization and Auditability

4.7 Deployment and Operations

4.8 Testing Concept and Traceability

5 Evaluation

5.1 Evaluation Methodology and Development Process

5.2 Provenance Data Model Evaluation

5.3 Depth-Camera Measurement Evaluation

5.3.1 Experimental Setup and Metrics

5.3.2 Results and Interpretation

5.4 Image Similarity and Duplicate Detection Evaluation

5.4.1 Dataset and Metrics

5.4.2 Threshold Evaluation and Practical Usability

5.5 System Functionality and Usability Evaluation

5.6 Performance and Operational Evaluation

5.7 Lessons Learned and Future Improvements

5.8 Limitations and Threats to Validity

6 Summary

Aufzählungen:

- Itemize Level 1
 - Itemize Level 2
 - Itemize Level 3 (vermeiden)
- 1. Enumerate Level 1
 - a. Enumerate Level 2
 - i. Enumerate Level 3 (vermeiden)

Desc Level 1

Desc Level 2 (vermeiden)

Desc Level 3 (vermeiden)

Bibliography

- [1] P. Groth and L. Moreau, “PROV-overview: An overview of the PROV family of documents,” World Wide Web Consortium, W3C Working Group Note, Apr. 2013. [Online]. Available: <https://www.w3.org/TR/prov-overview/>
- [2] L. Moreau and P. Missier, “PROV-DM: The PROV data model,” World Wide Web Consortium, W3C Recommendation, Apr. 2013. [Online]. Available: <https://www.w3.org/TR/2013/REC-prov-dm-20130430/>
- [3] C. Bekiari, G. Bruseker, E. Canning, M. Doerr, P. Michon, C.-E. Ore, S. Stead, and A. Velios. (2024) Definition of the cidoc conceptual reference model. Version 7.1.3. Accessed: September 23, 2026. [Online]. Available: https://cidoc-crm.org/sites/default/files/cidoc_crm_version_7.1.3.pdf
- [4] J. Rössel. Lido - ein standard, viele kulturobjekte [webinar]. [Online]. Available: <https://info.kulturpool.at/lido-ein-standard-viele-kulturobjekte/>
- [5] A. W.-C. Huang. Activating linked open data in libraries, archives and museums. [Online]. Available: <https://andrea-index.blogspot.com/2013/09/activating-linked-open-data-in.html>
- [6] J. Hinterdorfer. Support in plantuml design. [Online]. Available: <https://www.perplexity.ai/search/37034c3b-f743-488e-96ab-ab603ba456c4>
- [7] S. Colvin. Pydantic monty: you probably don’t need a full sandbox. [Online]. Available: <https://pydantic.dev/articles/pydantic-monty>
- [8] J. Hinterdorfer. Architecture cleanup. [Online]. Available: <https://www.perplexity.ai/search/a5e84791-a73e-4c07-ac79-51ac6252d630>

List of Figures

1	Core concepts of the W3C PROV data model. Source: [2]	3
2	Core concepts of EDM. Source: [5]	4
3	Component diagram of ArtAdmin. Source: [6]	7

List of Tables

List of Listings

Appendix