

SmartDeveloper ? User Guide

A simple guide for anyone using SmartDeveloper with Cursor to fix Jira tickets.

No coding background required for setup ? just follow the steps.

What is SmartDeveloper?

SmartDeveloper is a helper workflow inside Cursor that walks you through fixing a Jira ticket step by step:

1. Understand the ticket
2. Explore the codebase
3. Plan the fix (you approve before any code changes)
4. Write the code
5. Add tests
6. Review the work
7. Prepare docs and a PR draft (you open the PR when ready)

Think of it as a checklist with smart assistants ? each step is handled by a different helper (@triage, @plan, @dev, and so on).

What you need before starting

- * **Cursor** installed on your computer (cursor.com)
- * **Python 3** installed (Mac and Windows usually have it; see below if not)
- * **This SmartDeveloper folder** cloned or downloaded on your machine
- * **Jira** access (for reading tickets)
- * **GitHub** access (for PR comments later ? optional at first)

Important words (simple)

Word | Meaning

|-----|-----|

Global install | Put SmartDeveloper in Cursor?s personal folder on your computer (~/.cursor). It works in **every project** ? you don?t copy files into each app.

Onboard a project | Tell SmartDeveloper how **one app** runs tests and lint (two small config files).

Ticket | A Jira issue like `PROJ-123`.

`/fix-ticket` | A command you type in Cursor chat to start the workflow.

Part 1 ? One-time setup on your computer

Do this once per laptop/desktop, not per project.

Step 1 ? Get the SmartDeveloper folder

Clone or copy this repository to a place you'll remember, for example:

```
* **Mac:** `~/workspace/SmartDeveloperMultiAgent`  
* **Windows:** `C:\Users\YourName\workspace\SmartDeveloperMultiAgent`
```

Step 2 ? Open Terminal and run the installer

On Mac

1. Open Terminal (Spotlight ? type ?Terminal?).
2. Go to the folder (change the path if yours is different):

```
cd ~/workspace/CLI/SmartDeveloperMultiAgent
```

3. Run:

```
python3 scripts/smartDevByDipali_installGlobal.py
```

Or:

```
./scripts/smartDevByDipali_installGlobal.sh
```

On Windows

1. Open PowerShell or Command Prompt.
2. Go to the folder:

```
cd C:\Users\YourName\workspace\SmartDeveloperMultiAgent
```

3. Run:

```
python scripts\smartDevByDipali_installGlobal.py
```

If python doesn't work, try py:

```
py scripts\smartDevByDipali_installGlobal.py
```

Don't have Python?

```
* **Mac:** Install from [python.org](https://www.python.org/downloads/) or run `brew install python3`  
* **Windows:** Install from [python.org](https://www.python.org/downloads/) ? check **?Add Python to  
PATH?** during install
```

Step 3 ? Add one rule in Cursor (manual, one time)

1. Open the file (after install):

- Mac: ~/cursor/smart-developer/rules/dev-agent-pipeline-user.mdc
- Windows: C:\Users\YourName\cursor\smart-developer\rules\dev-agent-pipeline-user.mdc

2. Copy all the text inside.

3. In Cursor: Settings ? Rules ? User Rules ? paste ? save.

Step 4 ? Restart Cursor

Close Cursor completely and open it again.

Step 5 ? Check it worked

1. Open any project in Cursor.
2. In chat, type @ ? you should see helpers like @trriage, @dev, @plan.
3. Open the command palette ? you should see /fix-ticket.

If something is missing, re-run Step 2 and restart Cursor again.

Part 2 ? Setup each project (once per app)

Every app you work on needs two small config files. No SmartDeveloper code is copied into the app.

Step 1 ? Run onboard script

Mac

```
python3 scripts/smartDevByDipali_onboardProject.py /path/to/your-app
```

Example:

```
python3 ~/.cursor/smart-developer/scripts/smartDevByDipali_onboardProject.py ~/projects/my-shop
```

ping-c

Windows

```
python scripts\smartDevByDipali_onboardProject.py C:\Users\YourName\projects\my-shopping-app
```

(Use the copy under your SmartDeveloper folder, or the one in %USERPROFILE%\cursor\smart-developer\scripts\ after global install.)

Step 2 ? Fill in test commands

Open in your project:

```
.cursor/skills/project-checks.md
```

Replace the placeholders with real commands for that app, for example:

```
- **Lint:** `npm run lint`
```

- **Ty

Use whatever that project actually uses (gradle, pytest, etc.).

Step 3 ? Fill in project rules

Open:

.cursor/rules/architecture.mdc

Describe in plain language:

- * Where code lives (folders)
- * Naming style
- * Things agents should not change without asking

Step 4 ? Connect Jira and GitHub in Cursor

In Cursor settings, connect:

- * **Jira** ? so `@triage`` can read tickets
- * **GitHub** ? so `@pr-fix`` can help with PR comments

(Ask your team lead if you need MCP connection details.)

Done. This project is ready.

Part 3 ? Fix a ticket (daily work)

Step 1 ? Open the correct project

Open the app repo that the ticket belongs to ? not the SmartDeveloper folder.

Step 2 ? Start the workflow

In Cursor chat:

`/fix-ticket PROJ-123`

(Replace PROJ-123 with your real ticket ID.)

Step 3 ? Follow the stages

The assistant will go through stages one at a time. After each stage, read the summary, answer any questions, and say ?go ahead? or ?approved? before the next step.

Stage	What happens	What you do
-----	-----	-----
Triage	Reads the Jira ticket	Answer unclear points
Context	Finds relevant code	Answer if something looks wrong
Plan	Writes a plan file	Read carefully and approve ? don?t skip
Dev	Writes code	Wait; only step in if asked
Test	Runs/adds tests	Wait
Review	Checks quality	If issues found, it may loop back to Dev

****Docs / PR**** | Drafts PR text | ****You**** review and open the PR

Step 4 ? Approve the plan (important)

When @plan finishes, you'll see 03-plan.md under .dev-agent/PROJ-123/ in your project.

Do not rush this. If the approach is wrong, say so before approving. Only say ?approved? or ?go ahead with dev? when you agree.

Step 5 ? Open the PR yourself

@docs-pr creates a draft ? it does not open the PR for you. Review the real code diff, then open the PR in GitHub when you're happy.

Step 6 ? PR comments (later)

For each review comment, run separately:

```
@pr-fix PROJ-123 trivial please rename this variable
```

Use one of: trivial, disagree, or replan after the ticket ID.

Resume if you stopped halfway

```
/fix-ticket PROJ-123 --from dev
```

Starts again from the dev stage if earlier files already exist.

Where ticket files are saved

Inside your project (not in SmartDeveloper):

```
.dev-agent/PROJ-123/
```

01-

These are notes from each stage. You can commit them for history or add .dev-agent/ to .gitignore if your team prefers.

Updating SmartDeveloper

When the team releases a new version:

1. Pull latest in the SmartDeveloper repo (or get the new zip).
2. Run the global install again:

Mac:

```
python3 scripts/smartDevByDipali_installGlobal.py
```

Windows:

python scripts\smartDevByDipali_installGlobal.py

3. Restart Cursor.

All your projects pick up the update. You don't need to re-onboard each project unless templates changed.

Script names (for your reference)

All setup scripts use a unique name so they don't clash with other tools:

Script	What it does
----- -----	
`smartDevByDipali_installGlobal.py`	Install once on your computer
`smartDevByDipali_onboardProject.py`	Setup one app project
`smartDevByDipali_mergeHooks.py`	Used internally when installing
`smartDevByDipali_validatePipeline.py`	Check the toolkit is healthy
`smartDevByDipali_runTests.py`	Run automated checks (developers)
`smartDevByDipali_bootstrapProject.py`	Old full-copy install (avoid unless told)

Troubleshooting

Problem	Try this
----- -----	
`@triage` doesn't appear	Re-run `smartDevByDipali_installGlobal.py`, restart Cursor
`/fix-ticket` not found	Same as above
Agent ignores steps	Paste the user rule again (Part 1, Step 3)
Tests fail in Dev stage	Fix `project-checks.md` for this project
?Python not found? (Windows)	Reinstall Python with ?Add to PATH?, or use `py` instead of `python`
Permission error on Mac	Don't use `sudo` ? install runs in your home folder

Quick checklist

Once on your machine:

- [] Ran `smartDevByDipali\_installGlobal.py`
- [] Pasted user rule in Cursor Settings
- [] Restarted Cursor
- [] See `@triage` and `/fix-ticket`

Once per project:

- [] Ran `smartDevByDipali\_onboardProject.py`
- [] Filled `project-checks.md`
- [] Filled `architecture.mdc`

☐ Jira MCP connected

Per ticket:

☐ `/fix-ticket TICKET-ID`

☐ Approved the plan

☐ Reviewed PR draft before opening PR

SmartDeveloper by Dipali ? helper workflow for Cursor. For technical details, see docs/architecture.md.