



What is Mangkok?

Welcome to Mangkok! Our project Food Ordering website, That allows you to order from us at Mangkok.



The logo for Mangkok Pinoy Bowl Express is a highly decorative emblem. It features a central bowl of soup with a flame above it, set against a yellow background with a red border. The text "MANGKOK" is prominently displayed in a large, bold, red serif font, with "PINOY BOWL EXPRESS" in a smaller, red serif font below it. The entire design is framed by ornate, symmetrical flourishes and a decorative border.

System Architecture

Consists of:

- Web browser (Interface)
- Login/Signup UI
- Store UI (Store and Cart)
- Contact UI (Contact Form)

All are written in CSS

FRONTEND LAYER

```
1 <!doctype html>
2 <html lang="en">
3 <head>
4   <meta charset="utf-8">
5   <title>Mangkok | About Us</title>
6   <link rel="stylesheet" href="About.css">
7   <meta name="viewport" content="width=device-width, initial-scale=1.0">
8   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
9 </head>
10 <body>
11   <header class="topbar">
12     <div class="brand">
13       <span class="icon"><i>🍲</i></span>
14       <span class="brand-name">AFFORDMEALS</span>
15     </div>
16     <nav>
17       <a href="Home.html">Home</a>
18       <a href="About.html" class="active">About us</a>
19       <a href="Products.html">Products</a>
20       <a href="Gallery.html">Gallery</a>
21       <a href="Contact.html">Contact us</a>
22       <a href="#" id="cartLink" class="cart-nav-link"><i class="fas fa-shopping-cart"></i> Cart (<span id="cartCount">0</span>)</a>
23     </nav>
24   </header>
25
26   <main class="hero">
27     <div class="hero-text">
28       <h1>Our Story</h1>
29       <h2>Authentic Pinoy Food Bowl Meals</h2>
30     </div>
31   </main>
32
33   <section class="content-about">
34     <div class="about-grid">
35
36       <div class="about-text-column">
37         <h2>Who We Are</h2>
38         <p>
39           At Mangkok, we bring you the Filipino flavors you crave—fast, fresh, and unbelievably affordable. Our commitment is simple: <strong>Sarap to the max, presyong chill!</strong> We specialize in classic Pinoy favorites served in convenient, hearty bowls.
40         </p>
41         <p>
42           Try our bestsellers like <strong>Pork Sisig</strong>, Beef Caldereta, Pritong Chikoo, and Pork Belly</strong>. Whether you need study fuel, a quick barkada lunch, or a satisfying late-night craving, Mangkok has a delicious bowl waiting for you.
43         </p>
44       </div>
45       <div class="mission-vision">
46         <h2>Our Vision</h2>
```



System Architecture

FRONTEND LAYER

Consists of:

Web browser (Interface)

Login/Signup UI

Store UI (Store and Cart)

Contact UI (Contact Form)

All are written in CSS

```
1 body {
2   margin: 0;
3   font-family: Arial, sans-serif;
4   background: #FCF8ED;
5   color: #333;
6 }
7
8 .topbar {
9   display: flex;
10  justify-content: space-between;
11  align-items: center;
12  background: #FCF8ED;
13  color: white;
14  padding: 10px 20px;
15 }
16
17 .topbar .brand {
18   display: flex;
19   align-items: center;
20   font-weight: bold;
21   font-size: 18px;
22 }
23
24 .topbar .brand .icon {
25   margin-right: 8px;
26 }
27
28 .topbar nav a {
29   color: white;
30   text-decoration: none;
31   margin-left: 15px;
32   font-size: 15px;
33 }
34
35 .topbar nav a:hover {
36   text-decoration: underline;
37 }
38
39 .hero {
40   background: url("Mangkok.jpg") center/cover no-repeat;
41   color: white;
42   text-align: center;
43   padding: 60px 20px;
44 }
45
46 .hero-text h1 {
```



System Architecture

FRONTEND LAYER

Consists of:

- Web browser (Interface)
- Login/Signup UI
- Store UI (Store and Cart)
- Contact UI (Contact Form)

All are written in CSS

```
1 <!doctype html>
2 <html lang="en">
3 <head>
4   <meta charset="utf-8">
5   <title>Mangkok | Contact Us</title>
6   <link rel="stylesheet" href="Home.css">
7   <meta name="viewport" content="width=device-width, initial-scale=1.0">
8   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
9 </head>
10 <body>
11   <header class="topbar">
12     <div class="brand">
13       <span class="icon">🍲</span>
14       <span class="brand-name">AFFORDAMEALS</span>
15     </div>
16     <nav>
17       <a href="Home.html">Home</a>
18       <a href="About.html">About us</a>
19       <a href="Products.html">Products</a>
20       <a href="Gallery.html">Gallery</a>
21       <a href="Contact.html" class="active">Contact us</a>
22       <a href="#" id="cartLink" class="cart-nav-link"><i class="fas fa-shopping-cart"></i> Cart (<span id="cartCount">0</span>)</a>
23     </nav>
24   </header>
25
26   <main class="hero">
27     <div class="hero-text">
28       <h1>Contact Us</h1>
29       <h2>We'd love to hear from you!</h2>
30     </div>
31   </main>
32
33   <section class="contact-box">
34     <form action="ThankYou.html" method="get" onsubmit="return validateContactForm(event)">
35       <input type="text" id="contactName" name="name" placeholder="Your Name" required>
36       <input type="email" id="contactEmail" name="email" placeholder="Your Email" required>
37       <textarea id="contactMessage" name="message" rows="5" placeholder="Your Message" required></textarea>
38       <button type="submit">Send</button>
39     </form>
40   </section>
41
42   <div class="cart-modal" id="cartModal">
43     <div class="cart-content">
44       <div class="cart-header">
45         <h2>Your Cart</h2>
46         <span class="close-btn" id="closeCart">&times;</span>
47       </div>
48     </div>
49   </div>
50 </body>
51 </html>
```



System Architecture

BACKEND LAYER

Consists of:
Product, Food
Order Service
API Gateway/Server

```
1  <?php
2  // -----
3  // 1. DATABASE CONFIGURATION (CUSTOMIZE THESE LINES)
4  // -----
5  $host = 'localhost';
6  $db   = 'mangkok_db'; // <<< CHANGE THIS to the name of your database
7  $user = 'root';        // <<< CHANGE THIS if you set a MySQL username
8  $pass = '';             // <<< CHANGE THIS if you set a MySQL password
9  $charset = 'utf8mb4';
10
11 $dsn = "mysql:host=$host;dbname=$db;charset=$charset";
12 $options = [
13     PDO::ATTR_ERRMODE            => PDO::ERRMODE_EXCEPTION,
14     PDO::ATTR_DEFAULT_FETCH_MODE => PDO::FETCH_ASSOC,
15     PDO::ATTR_EMULATE_PREPARES   => false,
16 ];
17
18 // Set header to return JSON, as expected by the JavaScript fetch()
19 header('Content-Type: application/json');
20
21 try {
22     // Attempt to connect to the database
23     $pdo = new PDO($dsn, $user, $pass, $options);
24 } catch (\PDOException $e) {
25     // If connection fails (e.g., MySQL is not running or wrong credentials)
26     echo json_encode([
27         'success' => false,
28         'message' => "Error connecting to database. Please check XAMPP services."
29     ]);
30     exit();
31 }
32
33 // -----
34 // 2. SERVER-SIDE VALIDATION AND INSERTION
35 // -----
36
37 if ($_SERVER["REQUEST_METHOD"] == "POST") {
38
39     // Sanitize and validate required input from the AJAX form data
40     $name = filter_var($_POST['customerName'] ?? '', FILTER_SANITIZE_STRING);
41     $phone = filter_var($_POST['customerPhone'] ?? '', FILTER_SANITIZE_STRING);
42     $address = filter_var($_POST['deliveryAddress'] ?? '', FILTER_SANITIZE_STRING);
43     $notes = filter_var($_POST['orderNotes'] ?? '', FILTER_SANITIZE_STRING);
44
45     // Cart data is sent as a JSON string
46     $cartDataJson = $_POST['cartData'] ?? '[]';
```



System Architecture

BACKEND LAYER

Consists of:
Product, Food
Order Service
API Gateway/Server

```
16 ];
17
18 // Set header to return JSON, as expected by the JavaScript fetch()
19 header('Content-Type: application/json');
20
21 try {
22     // Attempt to connect to the database
23     $pdo = new PDO($dsn, $user, $pass, $options);
24 } catch (\PDOException $e) {
25     // If connection fails (e.g., MySQL is not running or wrong credentials)
26     echo json_encode([
27         'success' => false,
28         'message' => "Error connecting to database. Please check XAMPP services."
29     ]);
30     exit();
31 }
32
33 // -----
34 // 2. SERVER-SIDE VALIDATION AND INSERTION
35 // -----
36
37 if ($_SERVER["REQUEST_METHOD"] == "POST") {
38
39     // Sanitize and validate required input from the AJAX form data
40     $name = filter_var($_POST['customerName'] ?? '', FILTER_SANITIZE_STRING);
41     $phone = filter_var($_POST['customerPhone'] ?? '', FILTER_SANITIZE_STRING);
42     $address = filter_var($_POST['deliveryAddress'] ?? '', FILTER_SANITIZE_STRING);
43     $notes = filter_var($_POST['orderNotes'] ?? '', FILTER_SANITIZE_STRING);
44
45     // Cart data is sent as a JSON string
46     $cartDataJson = $_POST['cartData'] ?? '[]';
47
48     // Total price validation
49     $total = filter_var($_POST['orderTotal'] ?? 0.00,
50         FILTER_SANITIZE_NUMBER_FLOAT,
51         FILTER_FLAG_ALLOW_FRACTION);
52
53     // --- Server-Side Validation Checks ---
```



System Architecture

BACKEND LAYER

Consists of:
Product, Food
Order Service
API Gateway/Server



```
37 if ($_SERVER["REQUEST_METHOD"] == "POST") {
38
39     // Sanitize and validate required input from the AJAX form data
40     $name = filter_var($_POST['customerName'] ?? '', FILTER_SANITIZE_STRING);
41     $phone = filter_var($_POST['customerPhone'] ?? '', FILTER_SANITIZE_STRING);
42     $address = filter_var($_POST['deliveryAddress'] ?? '', FILTER_SANITIZE_STRING);
43     $notes = filter_var($_POST['orderNotes'] ?? '', FILTER_SANITIZE_STRING);
44
45     // Cart data is sent as a JSON string
46     $cartDataJson = $_POST['cartData'] ?? '[]';
47
48     // Total price validation
49     $total = filter_var($_POST['orderTotal'] ?? 0.00,
50                       FILTER_SANITIZE_NUMBER_FLOAT,
51                       FILTER_FLAG_ALLOW_FRACTION);
52
53     // --- Server-Side Validation Checks ---
54     if (empty($name) || empty($phone) || empty($address) || $total <= 0) {
55         echo json_encode([
56             'success' => false,
57             'message' => "Validation failed: Missing customer details or total is zero."
58         ]);
59         exit();
60     }
61     // --- End Validation Checks ---
62
63     // Prepare SQL statement to insert the order
64     $stmt = $pdo->prepare(
65         INSERT INTO `orders`
66         (customer_name, customer_phone, delivery_address, order_notes, cart_data, total_amount)
67         VALUES (?, ?, ?, ?, ?, ?)
68     );
69
70     // Execute the statement
71     $success = $stmt->execute([
72         $name,
73         $phone,
74         $address,
75         $notes,
76         $cartDataJson, // Stored as JSON data type in MySQL
77         $total
78     ]);
```

System Architecture

DATABASE LAYER

Consists of:
Data Storage
User Information
Files



phpMyAdmin

Server: 127.0.0.1 Database: mangkok_db Table: orders "This is the order's table"

Table structure

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(11)		UNSIGNED	No	None	Unique Order ID (main key)	AUTO_INCREMENT	Change Drop More
2	customer_name	varchar(100)	utf8mb4_general_ci		No	None	Customer's Name		Change Drop More
3	customer_phone	varchar(20)	utf8mb4_general_ci		No	None	Customer's Phone Number		Change Drop More
4	delivery_address	text	utf8mb4_general_ci		No	None	Full Delivery Address		Change Drop More
5	order_notes	text	utf8mb4_general_ci		No	None	Special Instructions (optional)		Change Drop More
6	cart_data	longtext	utf8mb4_bin		No	None	Stores the list of items ordered		Change Drop More
7	total_amount	decimal(10,2)			No	None	Total Price (e.g., 159.00)		Change Drop More


Indexes

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	id	1	A	No	

Create an index on 1 columns Go




System Storyboard






System Storyboard






System Storyboard





System Storyboard





System Storyboard

×

Finalize Your Order Details

Items:

1× Pork Sisig (₱119.00)

FINAL TOTAL: ₱119.00

Full Name:

Phone Number:

Delivery Address:

Special Notes (Optional):

Confirm & Submit Order

×

Finalize Your Order Details

Items:

1× Pork Sisig (₱119.00)

FINAL TOTAL: ₱119.00

Full Name:

Robert Ventura

Phone Number:

09274791915

Delivery Address:

Muralla st. 25c Intramuros Manila

Special Notes (Optional):

EXTRA UTENSILS

Confirm & Submit Order





System Storyboard

Contact Us

We'd love to hear from you!

Your Name


Your Email

Your Message





System Storyboard





Thank
You

