

# Master Rules — Compressed Implementation Edition

## Master Rules - Compressed Implementation Edition

### For VS Code Copilot - Core App Build

This document defines the **strict, implementation-only directives** that VS Code Copilot must follow while generating the real app. It removes all narrative and focuses entirely on structure, order, and rules.

---

## 1. Folder Rules

VS Code must place files in this exact structure:

```
/app
/data
bills/
weather/
points/
streaks/
rewards/
analytics/
user/
/logic
billLogic/
weatherLogic/
pointsLogic/
streakLogic/
rewardLogic/
analyticsLogic/
/ui
dashboard/
bills/
weather/
analytics/
rewards/
settings/
/pufflet
/identity
/behavior
/rendering
/logic
```

### Rules:

- Never create folders outside this structure.
  - Never duplicate folders.
  - Never create Pufflet files until the core app is complete.
- 

## 2. File Naming Rules

Files must follow:

```
lowerCamelCase.ts
lowerCamelCase.tsx (for UI)
schemaName.model.ts (for data models)
engineName.logic.ts (for logic engines)
screenName.screen.tsx (for UI screens)
```

### Rules:

- No spaces.
  - No uppercase filenames.
  - No abbreviations.
  - No alternative naming conventions.
- 

## 3. Core App First Rule

VS Code must always prioritize building the **core utility app** before Pufflet files.

Order of priority:

1. Data Models
  2. Logic Engines
  3. UI Screens
  4. Analytics
  5. Rewards
  6. Pufflet (last)
- 

## 4. Content Rules

Every file must include:

- imports at top
- typed interfaces
- pure functions
- no side effects
- no randomization

- no external dependencies unless specified
  - deterministic logic only
- 

## 5. Data Model Requirements

### Bills

```
id
type
amount
date
provider
notes
```

### Weather

```
id
date
temperature
conditions
notes
```

### Points

```
totalPoints
history[]
```

### Streaks

```
currentStreak
longestStreak
lastLogDate
```

### Rewards

```
rewardId
rewardType
dateEarned
```

### Analytics

```
monthlyTotals
categoryBreakdown
patterns
```

## User

name  
avatar  
preferences

---

## 6. Logic Engine Rules

Each logic engine must:

- accept typed inputs
  - return typed outputs
  - never mutate global state
  - never access UI directly
  - never reference Pufflet logic
- 

## 7. UI Rules

UI screens must:

- import logic engines
  - import data models
  - never contain business logic
  - never contain Pufflet logic
  - use functional components only
  - use hooks for state
- 

## 8. Pufflet Isolation Rule

The Pufflet subsystem must:

- never modify core app data
  - never influence analytics
  - never influence points
  - never influence streaks
  - only react to events
  - only read from core app state
-

## 9. Build Order (Strict)

VS Code must generate files in this order:

### Data Models

1. /data/user/user.model.ts
2. /data/bills/bill.model.ts
3. /data/weather/weather.model.ts
4. /data/points/points.model.ts
5. /data/streaks/streak.model.ts
6. /data/rewards/reward.model.ts
7. /data/analytics/analytics.model.ts

### Logic Engines

1. /logic/billLogic/bill.logic.ts
2. /logic/weatherLogic/weather.logic.ts
3. /logic/pointsLogic/points.logic.ts
4. /logic/streakLogic/streak.logic.ts
5. /logic/rewardLogic/reward.logic.ts
6. /logic/analyticsLogic/analytics.logic.ts

### UI Screens

1. /ui/dashboard/dashboard.screen.tsx
2. /ui/bills/bills.screen.tsx
3. /ui/weather/weather.screen.tsx
4. /ui/analytics/analytics.screen.tsx
5. /ui/rewards/rewards.screen.tsx
6. /ui/settings/settings.screen.tsx

### Pufflet (Only After Core App Is Complete)

1. /pufflet/... (all Pufflet files)

---

## 10. Safety Rules

VS Code must never:

- generate duplicate files
- generate Pufflet files early
- generate unused folders
- generate random logic

- generate emotional content in core app
- mix UI and logic
- mix Pufflet and core app logic

---

This document is the **single source of truth** for building the app in VS Code. All generated files must follow these rules exactly.