Documentation Pandora ERP system.

Sales and sale companies.

```
bisystem=# \d kopers
     Table "public.kopers"

Column | Type | Collation | Nullable |
                                                                                            Default
                                                          not null
 koperID integer
                                                                                     ''::character varying
 bedrijfsnaam | character varying(40) |
bedrijfsnaam | character varying(40) |
postcode | character varying(6) |
kvknummer | character varying(10) |
btwnummer | character varying(14) |
rechtsvorm | character varying(10) |
toevoeging | character varying(6) |
telnr | character varying(10) |
huisnummer | character varying(5) |
afdeling | character varying(60) |
Indexes:
                                                                                     ''::character varying
                                                                                     ''::character varying
                                                                                     ''::character varying
                                                                                    ''::character varying
                                                                                   ''::character varying
                                                                                     ''::character varying
                                                                                       ''::character varying
                                                                                     ''::character varying
Indexes:
      "verkoopbedrijven_pkey" PRIMARY KEY, btree ("koperID")
Referenced by:
     TABLE "koper_accounts" CONSTRAINT "kopers_koperID_fkey" FOREIGN KEY ("koperID") REFERENCES kopers("koperID")
```

```
bisystem=# \d koper_accounts

Table "public.koper_accounts"

Column | Type | Collation | Nullable | Default

koperaccID | integer | not null |
accountID | integer | | 0
koperID | integer | | |
Indexes:

"kopers_accounts_pkey" PRIMARY KEY, btree ("koperaccID")
Foreign-key constraints:

"accounts_accountID_fkey" FOREIGN KEY ("accountID") REFERENCES accounts("accountID")

"kopers_koperID_fkey" FOREIGN KEY ("koperID") REFERENCES kopers("koperID")
```

The table kopers (customers) held the data from your customer businesses.

With the table koper_accounts (customer_accounts) some employees of the customer have entrance to the Pandora system. They only have query access to the own business data.

Thurdermore the table kopers (customers) the fields chamber of commerce number (kvk nummer Dutch) and vatnumber (BTW nummer Dutch) are stored.