ALQ Pos. 1


L_n,L_x curves
BT 607
OSL [cts/0.04 s]
0
5000
10000
15000
0
10
20
30
40
Time [s]
Natural
R1
R2
R3
R4
R5
R0
T_n,T_x curves
BT 607
OSL [cts/0.04 s]
0
500
1000
2000
3000
0
10
20
30
40
Time [s]
Natural
R1
R2
R3
R4
R5
R0
help("Analyse_SAR.OSLdata")
unkown measurement
Cutheat − TL curves
BT 607
TL [cts/0.64 °C]
0
50
100
150
200
250
300
0
50
100
150
T [°C]
(5 K/s)
Natural
R1
R2
R3
R4
R5
R0
IRSLT
IRSL/BOSL = 0.88%
OSL and IRSL [cts/0.04 s]
0
3000
0
10
20
30
40
Time [s]
R1 again
IRSL
IRSL curve (10 s)
IRSL [cts/0.04 s]
0
20
0
2
4
6
8
10
Time [s]


6000
5000
4000
3000
2000
1000
0
values.transformed$y.t
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
50.00
values.transformed$x
help("CW2pHMi")



help("CW2pHMi")



Fig. 4 − Bos & Wallinga (2012)

help("CW2pHMi")



help("CW2pLM")



help("CW2pLMi")

Fig. 4 − Bos & Wallinga (2012)





help("CW2pPMi")

Fig. 4 − Bos & Wallinga (2012)




TL (UVVIS)
#1
Counts [a.u.]
0
100
200
300
400
50
100
200
300
Temperature [°C]
OSL (UVVIS)
#2
cts [1/ch]
20000
25000
30000
42
44
46
48
50
52
t [s]
(resolution: 0.1 s)
help("ExampleData.Al2O3C")



help("ExampleData.CW_OSL_Curve")


Histogram
Frequency
0
2
4
6
8
10
12
14
De [s]
2400
2600
2800
3000
3200
3400
3600
3800
Standard error
80
100
120
140
help("ExampleData.DeValues")


Histogram
Frequency
0
2
4
6
8
10
12
14
Standard error
3.5
4.0
4.5
5.0
5.5
6.0
6.5
help("ExampleData.DeValues")
110
120
130
140
150
160
170
De [Gy]

No L_x curves detected

No T_x curves detected

help("ExampleData.Fading")






Growth curve
$D_e = 977.38 \pm 105.65$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
2
4
6
8
10
12
0
5000
10000
20000
30000
Dose [s]


D_e from MC simulation
$D_{e_{MC}} = 984.66 \pm 105.65$ | quality = 99.3 %
Frequency
1
6
12
17
700
900
1100
Dose [s]
n = 100 , valid fits = 100


Test dose response
NA
0
2
4
6
8
10
not available
no TnTx column
0
2
4
6
8
10
NA


help("ExampleData.FittingLM")
y
0
100
200
300
400
500
600
x
1
5
10
50
100
500
5000


help("ExampleData.LxTxData")
LxTxData$LxTx
0
1
2
3
4
5
0
500
1000
1500
2000
2500
LxTxData$Dose


0
10000
20000
30000
40000
50000
V2
0
5
10
15
20
V1
help("ExampleData.LxTxOSLData")


V2
4000
3000
2000
1000
0
5
10
15
20
V1
help("ExampleData.LxTxOSLData")


RF
#1
RF [cts/1.26 s]
1425
1430
1435
0
1
2
3
4
5
6
Stimulation time [s]
RF
#2
RF [cts/1.37 s]
1400
1600
1800
2000
0
200
400
600
Stimulation time [s]
help("ExampleData.RLum.Analysis")


RLum.Data.Image
Height [px]
800
600
400
200
0
−200
−400
−600
Length [px]
0
200
400
600
800
1000
1200
help("ExampleData.RLum.Data.Image")
20000
15000
10000
5000
help("ExampleData.RLum.Data.Image")


OSL intensity (Ln/Tn)
Depth (mm)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
0
2
4
6
8
10
y = exp(−5e−10 * age * 365.25 * 24 * 3600 * exp(−0.9 * x))
help('ExampleData.SurfaceExposure')


OSL intensity (Ln/Tn)
−0.2
0.0
0.2
0.4
0.6
0.8
1.0
1.2
0
2
4
6
8
10
Depth (mm)
* exp(−0.9 * x) + Ddot/D0)) + Ddot/D0)/(5e−10 * exp(−0.9 * x) + Ddot/D0)
help("ExampleData.SurfaceExposure")



OSL intensity (Ln/Tn)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
−5e−10 * [1000|10000|1e+05|1e+06] * 365.25 * 24 * 3600 * exp(−mu * x))
0
5
10
15
Depth (mm)
help("ExampleData.SurfaceExposure")



OSL intensity (Ln/Tn)
Depth (mm)
−0.2
0.0
0.2
0.4
0.6
0.8
1.0
1.2
0
5
10
15
* exp(−mu * x) + Ddot/D0)) + Ddot/D0)/(5e−10 * exp(−mu * x) + Ddot/D0)
help("ExampleData.SurfaceExposure")


OSL (UVVIS)
cts [1/ch]
0
200
400
600
800
0
10
20
30
40
50
t [s]
(resolution: 0.1 s)
help("ExampleData.XSYG")


RLum.Data.Spectrum
t [s]
0
50
100
150
200
250
300
400
500
600
700
wavelength [nm]
5800
5800
5800
6000
6200
5800
6000
6200
6400
6600
6800
6600
6400
6000
5800
help("ExampleData.XSYG")


USER
Record: 1
Dependent [unknown]
IRSL
Record: 1
8000
6000
4000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 1
Dependent [unknown]
OSL
Record: 1
30000
20000
10000
USER
Record: 1
Dependent [unknown]
2
4
6
8
10
12
14


USER
Record: 2
Dependent [unknown]
5
0
−5
−15
−25
2
4
6
8
10
12
14
IRSL
Record: 2
IRSL [cts/1 s]
16000
12000
8000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 2
Dependent [unknown]
30
25
20
15
10
5
0
−5
2
4
6
8
10
12
14
OSL
Record: 2
OSL [cts/1 s]
60000
40000
20000
0
20
40
60
80
100
USER
Record: 2
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14


USER
Record: 3
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 3
4500
3500
2500
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 3
Dependent [unknown]
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
OSL
Record: 3
16000
12000
8000
0
20
40
60
80
100
USER
Record: 3
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14


USER
Record: 4
Dependent [unknown]
−5
0
5
10
15
2
4
6
8
10
12
14
IRSL
Record: 4
IRSL [cts/1 s]
2500
3500
4500
0
20
40
60
80
100
USER
Record: 4
Dependent [unknown]
−10
−5
0
5
2
4
6
8
10
12
14
OSL
Record: 4
OSL [cts/1 s]
10000
15000
20000
0
20
40
60
80
100
USER
Record: 4
Dependent [unknown]
−20
−10
0
5
10
15
2
4
6
8
10
12
14
help("ExampleData.portableOSL")


USER
Record: 5
Dependent [unknown]
IRSL
Record: 5
USER
Record: 5
OSL
Record: 5
USER
Record: 5
help("ExampleData.portableOSL")
0
−5
−10
−15
2
4
6
8
10
12
14
10000
14000
18000
22000
0
20
40
60
80
100
10
0
−10
−20
−30
4e+04
6e+04
8e+04
1e+05
0
−50
−150
−250


USER
Record: 6
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 6
IRSL [cts/1 s]
22000
18000
14000
10000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 6
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 6
OSL [cts/1 s]
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 6
Dependent [unknown]
60
40
20
0
−20
2
4
6
8
10
12
14


USER
Record: 7
Dependent [unknown]
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 7
10000
8000
6000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 7
60000
40000
20000
0
20
40
60
80
100
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14

USER
Record: 8
Dependent [unknown]
10
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 8
4500
3500
2500
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 8
Dependent [unknown]
5
0
−5
−10
−15
2
4
6
8
10
12
14
OSL
Record: 8
14000
10000
6000
0
20
40
60
80
100
USER
Record: 8
Dependent [unknown]
20
15
10
5
0
−5
2
4
6
8
10
12
14


USER
Record: 9
Dependent [unknown]
4
2
0
−2
−4
−6
−8
2
4
6
8
10
12
14
IRSL
Record: 9
24000
20000
16000
12000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 9
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14
OSL
Record: 9
8e+04
4e+04
0
20
40
60
80
100
USER
Record: 9
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 10
Dependent [unknown]
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 10
24000
20000
16000
12000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 10
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 10
8e+04
4e+04
0
20
40
60
80
100
USER
Record: 10
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14


USER
Record: 11
Dependent [unknown]
10
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 11
IRSL [cts/1 s]
16000
12000
8000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 11
Dependent [unknown]
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 11
OSL [cts/1 s]
80000
60000
40000
20000
0
20
40
60
80
100
USER
Record: 11
Dependent [unknown]
30
20
10
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 12
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
Dependent [unknown]
IRSL
Record: 12
1200
1000
800
600
0
20
40
60
80
100
IRSL [cts/1 s]
help("ExampleData.portableOSL")
USER
Record: 12
0
−50
−150
−250
2
4
6
8
10
12
14
Dependent [unknown]
OSL
Record: 12
5000
4000
3000
2000
0
20
40
60
80
100
OSL [cts/1 s]
USER
Record: 12
5
0
−5
−10
−15
−20
2
4
6
8
10
12
14
Dependent [unknown]


USER
Record: 13
Dependent [unknown]
IRSL
Record: 13
help("ExampleData.portableOSL")
USER
Record: 13
Dependent [unknown]
OSL
Record: 13
USER
Record: 13
Dependent [unknown]


USER
Record: 14
Dependent [unknown]
IRSL
Record: 14
help("ExampleData.portableOSL")
USER
Record: 14
Dependent [unknown]
OSL
Record: 14
USER
Record: 14
Dependent [unknown]
2
4
6
8
10
12
14
0
20
40
60
80
100
200
250
300
350
600
1000
1400
1800


USER
Record: 1
Dependent [unknown]
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 1
8000
6000
4000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 1
Dependent [unknown]
20
10
0
−10
2
4
6
8
10
12
14
OSL
Record: 1
30000
20000
10000
0
20
40
60
80
100
USER
Record: 1
Dependent [unknown]
10
5
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 2
5
0
−5
−15
−25
2
4
6
8
10
12
14
IRSL
Record: 2
16000
12000
8000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 2
30
25
20
15
10
5
0
−5
OSL
Record: 2
60000
40000
20000
USER
Record: 2
20
10
0
−10
−30
Dependent [unknown]


USER
Record: 3
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 3
4500
3500
2500
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 3
Dependent [unknown]
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
OSL
Record: 3
16000
12000
8000
0
20
40
60
80
100
USER
Record: 3
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14


USER
Record: 4
Dependent [unknown]
−5
0
5
10
15
2
4
6
8
10
12
14
IRSL
Record: 4
2500
3500
4500
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 4
Dependent [unknown]
−10
−5
0
5
2
4
6
8
10
12
14
OSL
Record: 4
10000
15000
20000
0
20
40
60
80
100
USER
Record: 4
Dependent [unknown]
−20
−10
0
5
10
15
2
4
6
8
10
12
14


USER
Record: 5
Dependent [unknown]
0
−5
−10
−15
2
4
6
8
10
12
14
IRSL
Record: 5
IRSL [cts/1 s]
22000
18000
14000
10000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 5
Dependent [unknown]
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 5
OSL [cts/1 s]
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 5
Dependent [unknown]
0
−50
−150
−250
2
4
6
8
10
12
14


USER
Record: 6
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 6
IRSL [cts/1 s]
22000
18000
14000
10000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 6
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 6
OSL [cts/1 s]
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 6
Dependent [unknown]
60
40
20
0
−20
2
4
6
8
10
12
14


USER
Record: 7
Dependent [unknown]
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 7
10000
8000
6000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 7
60000
40000
20000
0
20
40
60
80
100
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14

USER
Record: 8
Dependent [unknown]
IRSL
Record: 8
4500
3500
2500
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 8
OSL
Record: 8
14000
10000
6000
USER
Record: 8
2
4
6
8
10
12
14


USER
Record: 9
Dependent [unknown]
4
2
0
−2
−4
−6
−8
2
4
6
8
10
12
14
IRSL
Record: 9
IRSL [cts/0.1 s]
24000
20000
16000
12000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 9
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14
OSL
Record: 9
OSL [cts/0.1 s]
8e+04
4e+04
0
20
40
60
80
100
USER
Record: 9
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 10
Dependent [unknown]
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 10
12000
16000
20000
24000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 10
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 10
4e+04
8e+04
0
20
40
60
80
100
USER
Record: 10
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14


USER
Record: 11
Dependent [unknown]
10
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 11
16000
12000
8000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 11
Dependent [unknown]
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 11
80000
60000
40000
20000
0
20
40
60
80
100
USER
Record: 11
Dependent [unknown]
30
20
10
0
−10
−20
2
4
6
8
10
12
14


USER

Record: 12


IRSL

Record: 12


USER

Record: 12


OSL

Record: 12


USER

Record: 12


USER
Record: 13
Dependent [unknown]
IRSL
Record: 13
USER
Record: 13
Dependent [unknown]
OSL
Record: 13
USER
Record: 13
Dependent [unknown]
help("PSL2Risoe.BINfileData")


USER
Record: 14
10
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 14
350
300
250
200
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 14
2
0
−2
−4
−6
−10
2
4
6
8
10
12
14
OSL
Record: 14
1800
1400
1000
600
0
20
40
60
80
100
USER
Record: 14
5
0
−5
−10
2
4
6
8
10
12
14



Sample Carousel Crosstalk


Irradiation Time Correction
help("analyse_Al2O3C_ITC")
Integrated net GSL [a.u.]
0e+00
2e+06
4e+06
6e+06
dose points
2.587 ± 0.03
−5
0
5
10
15
(−2.41)
(2.59)
(7.59)
(12.59)
(17.59)
Dose [s]


ALQ POS: 1 | OSL
DE: 0 ± 0
#1 NAT
#3 REG
#5 BG
OSL (UVVIS) [a.u.]
0
5000
10000
15000
20000
25000
42
46
50
Simulation [s]
ALQ POS: 1 | TL#1
#2 NAT
#4 REG
TL (UVVIS) [a.u.]
0
500
1000
1500
2000
50
150
250
Temperature [°C]
help("analyse_Al2O3C_Measurement")


ALQ POS: 2 | OSL
DE: 0 ± 0
#1 NAT
#3 REG
#5 BG
OSL (UVVIS) [a.u.]
0
5000
10000
15000
42
46
50
Simulation [s]


ALQ POS: 2 | TL#2
#2 NAT
#4 REG
TL (UVVIS) [a.u.]
0
500
1000
1500
50
150
250
Temperature [°C]
help("analyse_Al2O3C_Measurement")


No Lx curves detected
No Tx curves detected
help("analyse_FadingMeasurement")
Signal Fading
g−value: 5.18 ± 0.67 (%/decade) | tc = 3.78e+02
Normalised intensity [a.u.]
0.2
0.4
0.6
0.8
1.0
fit
fit MC
tr
4e+02
4e+03
4e+04
4e+05
Time since irradition [s]
[log10(t/tc)]
Density: g−values (%/decade)
HPD − 68 %
HPD − 95 %
Density
0.0
0.2
0.4
0.6
3
4
5
6
7
N = 10 Bandwidth = 0.3053


IR−RF
D_e = 623.25 [600.63 ; 635.8]
RF_nat
RF_reg
IR−RF [cts/1.3 s]
2.0e+03
1.8e+03
1.6e+03
1.4e+03
E
0
100
200
300
400
500
600
700
Time [s]


IR−RF
$D_e = 610.17$ [567.19 ; 653.15]
● RF_nat
+ RF_reg
IR−RF [cts/1.3 s]
2.0e+03
1.8e+03
1.6e+03
1.4e+03
E
0
100
200
300
400
500
600
700
610.17
Time [s]


TL previous L_n,L_x curves
TL [cts/0.9 °C]
0
200
400
600
800
0
50
100
150
200
T [°C]
TL previous T_n,T_x curves
TL [cts/0.6 °C]
0
50
100
150
200
250
300
0
50
100
150
T [°C]
L_n,L_x curves
OSL [cts/0.04 s]
0
5000
10000
15000
0.05
0.20
0.50
2.00
5.00
20.00
50.00
Time [s]
T_n,T_x curves
OSL [cts/0.04 s]
0
500
1000
2000
3000
0.05
0.20
0.50
2.00
5.00
20.00
50.00
Time [s]
● Natural (0)
● R1 (450)
● R2 (1050)
● R3 (2000)
● R4 (2550)
● R5 (450)
● R0 (0)


Growth curve
$D_e = 1668.25 \pm 49.22$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1677.48 \pm 49.22$ | quality = 99.4 %
Frequency
1
9
18
34
1550
1700
1850
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1
2
3
4
5
6
7
SAR cycle


Rejection criteria
Recycling R.
Recuperation
Testdose Err.
Palaeodose Err.
− 0.2
+ 0.2
IRSL
IRSL [cts/0.04 s]
0
10
20
30
40
0
10
20
30
40
Stimulation time [s]
help("analyse_SAR.CWOSL")


L_n,L_x curves
T_n,T_x curves
Plateau test L_n,L_x curves
plateau Test T_n,T_x curves
TL [a.u.]
Temp. [°C]
1
10
100
1000
10000
0
100
200
300
400
0
2000
6000
10000
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1000
2000
3000
4000
1
2
3
4
340
360
380
400
420
Natural (0)
Natural (136)
Natural (317)
Natural (544)
Natural (815)
Natural (0)
Natural (317)


$D_e = 405.58 \pm 167.51$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
8
6
4
2
0
−2
−4
−6
0
200
400
600
800
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 407.59 \pm 167.51$ | quality = 99.5 %
Frequency
2
6
10
14
0
200
400
600
800
Dose [s]
Test dose response
T_n/T_x
0.96
1.00
1.04
1
2
3
4
5
6
7
SAR cycle

Pseudo pIRIR data set based on quartz OSL

TL
pseudoIRSL1
pseudoIRSL2

help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
TL previous L_n,L_x curves
TL [cts/0.9 °C]
0
200
400
600
800
T [°C]
0
50
100
150
200
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
Ln,Lx curves
OSL [cts/0.04 s]
15000
10000
5000
0
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
TL previous T_n,T_x curves
help("analyse_pIRIRSequence")
TL [cts/0.6 °C]
T [°C]
0
50
100
150
200
250
300
0
50
100
150

Pseudo pIRIR data set based on quartz OSL




Pseudo pIRIR data set based on quartz OSL
$D_e = 1668.25 \pm 41.38$ | fit: EXP
REG point
REG point repeated
REG point 0
help("analyse_pIRIRSequence")
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500


D_e from MC simulation
$D_{e_{MC}}$ = 1666.57 ± 41.38 | quality = 99.9 %
Frequency
1
14
27
40
1500
1550
1600
1650
1700
1750
1800
Dose [s]
n = 100 - valid fits = 100
help("analyse_pIRIRSequence")


Test dose response
1.00
1.05
1.10
1.15
1.20
1.25
T_n/T_x
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")

Pseudo pIRIR data set based on quartz OSL




Pseudo pIRIR data set based on quartz OSL
T_n,T_x curves
OSL [cts/0.04 s]
0
500
1000
1500
2000
2500
3000
Time [s]
0
10
20
30
40
help("analyse_pIRIRSequence")


help("analyse_pIRIRSequence")
● Natural (0)
● R1 (450)
● R2 (1050)
● R3 (2000)
● R4 (2550)
● R5 (450)
● R0 (0)


Pseudo pIRIR data set based on quartz OSL
$D_e = 1668.25 \pm 47.59$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
help("analyse_pIRIRSequence")
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]


D_e from MC simulation
$D_{e_{MC}}$ = 1669.37 ± 47.59 | quality = 99.9 %
Frequency
0
4
8
11
15
1550
1600
1650
1700
1750
Dose [s]
n = 100 , valid fits = 100
help("analyse_pIRIRSequence")


Test dose response
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")


Summarised Dose Response Curves
L_x/T_x
0
1
2
3
4
5
0
500
1000
1500
2000
2500
Dose [s]
pseudoIRSL1
pseudoIRSL2
help("analyse_pIRIRSequence")


Sensitivity change
T_x/T_n
1.00
1.05
1.10
1.15
1.20
1.25
0
1
2
3
4
5
6
7
# Cycle
pseudoIRSL1
pseudoIRSL2
help("analyse_pIRIRSequence")


Rejection criteria
Recycling ratio
Recuperation rate
Palaeodose error
pseudoIRSL1
pseudoIRSL2
− 0.2
0/1
+ 0.1
help("analyse_pIRIRSequence")


USER combined
USER [a.u.]
0
−100
−250
2
6
10
14
NA
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10


IRSL combined
IRSL [a.u.]
0
10000
20000
0
20
60
100
Time [s]
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10
help("analyse_portableOSL")


OSL combined
OSL [a.u.]
0e+00
6e+04
0
20
60
100
Time [s]
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10


Index
1
2
3
4
5
6
7
8
9
10
11
12
13
14
0.0
1.0
2.0
BSL
0.0
1.0
2.0
IRSL
0.85
1.00
1.15
BSL depl.
0.90
1.00
1.10
IRSL depl.
0.8
1.2
IRSL/BSL
help("analyse_portableOSL")


OSL
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Stimulation time [s]
help("bin_RLum.Data")


OSL
20000
15000
10000
5000
0
OSL [cts/0.08 s]
0
10
20
30
40
Stimulation time [s]
help("bin_RLum.Data")


OSL
OSL [cts/0.16 s]
0
5000
10000
15000
20000
25000
30000
35000
0
10
20
30
40
Stimulation time [s]
help("bin_RLum.Data")


Monte Carlo Simulation
$n = \ | \ \hat{\mu} = 43 \ | \ \hat{\sigma} = 20 \ | \ \frac{\hat{\sigma}}{\sqrt{n}} = 2 \ | \ v = 0.73$
mean
median
0.05 / 0.95 quantile
help("calc_AliquotSize")
Density
0.000
0.005
0.010
0.015
0.020
20
40
60
80
100
20
40
60
80
100
Amount of grains on aliquot


Observed: Equivalent dose
n = 56
Frequency
0
2
4
6
8
10
12
20
40
60
80
Equivalent dose [a.u.]
Bootstrapping: Average Dose
n = 500
Density
0.00
0.05
0.10
0.15
60
65
70
Average dose [a.u.]
Bootstrapping: Sigma_d
n = 500
Density
0
2
4
6
8
0.15
0.25
0.35
Sigma_d
help("calc_AverageDose")



D_e distribution
n = 56 | in 2 sigma = 53.6 %
help("calc_AverageDose")
help("calc_AverageDose")
Standardised estimate
2
0
–2
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.018
Density (bw 0.117)


Profile log likelihood for σ_{OD}
0
−50
−100
−150
Log likelihood
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]

Fast Ratio


L_1
L_2
$L_{3_{start}}$
$L_{3_{end}}$
Signal/cts
10000
8000
6000
4000
2000
0
t/s
0
10
20
30
40
help("calc_FastRatio")


Finite Mixture Model
σ_b = 0.2 | n = 62
help("calc_FiniteMixture")
Normal distributions
k = 2
k = 3
k = 4
De [Gy]
0
20
40
60
80
100
Density [a.u.]
Proportion of components
Proportion [%]
0
40
80
2
3
4
Statistical criteria
BIC
L max
50
70
−24
−20
−16
2
3
4
k Components


Fuchs & Lang (2001)
unknown sample
used values = 22
# Aliquots
0
5
10
15
20
25
2500
3000
3500
4000
De [s]
help("calc_FuchsLang2001")


Zbar, weighted mean (Gy)
Dbar (Gy)
20
30
40
50
60
70
20
30
40
50
60
70
help("calc_IEU")


R = [α_{in}/α_{ex}]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
20
30
40
50
60
Z [Gy]
help("calc_IEU")

No L_x curves detected

No T_x curves detected

help("calc_Kars2008")






Measured dose response curve
$D_e = 130.97 \pm 17.12$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
2
4
6
8
10
12
0
1000
2000
3000
4000
Dose (Gy)


D_e from MC simulation
$D_{e_{MC}} = 132.17 \pm 17.12$ | quality = 99.1 %
Frequency
1
6
12
18
23
100
140
180
Dose (Gy)
n = 100 , valid fits = 100


Test dose response
NA
0
2
4
6
8
10
not available
no TnTx column
0
2
4
6
8
10
NA


Simulated dose response curve
$D_e = 302.49 \pm 84.07$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
5000
10000
15000
20000
Dose (Gy)
D_e from MC simulation
$D_{e_{MC}} = 298.66 \pm 84.07$ | quality = 98.7 %
Frequency
0
5
10
16
21
0
200
400
Dose (Gy)
n = 100 | valid fits = 98
Test dose response
not available
no TnTx column
NA
0
2
4
6
8
10
0
2
4
6
8
10
NA


Dose response curves
normalised LxTx (a.u.)
0.0
0.2
0.4
0.6
0.8
1.0
Dose (Gy)
0
1000
2000
3000
4000
5000
Unfaded DRC
Measured DRC
Simulated natural DRC
$\dot{D} = 7.00 \pm 0.004 \frac{Gy}{ka}$
$\dot{D}_{Reader} = 0.13 \pm 0.007 \frac{Gy}{s}$
$\log_{10}(\rho') = -5.42 \pm 0.09$
$\left(\frac{n}{N}\right) = 0.14 \pm 0.02$
$\left(\frac{n}{N}\right)_{SS} = 0.34 \pm 0.06$
$D_{E,sim} = 302 \pm 84$ Gy
$D_{0,sim} = 601 \pm 168$ Gy
$Age_{sim} = 43 \pm 12$ ka
help("calc_Kars2008")


Measured dose response curve
$D_e = 130.97 \pm 18.78$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
2
4
6
8
10
12
0
1000
2000
3000
4000
Dose (Gy)
D_e from MC simulation
$D_{e_{MC}} = 132.8 \pm 18.78$ | quality = 98.6 %
Frequency
1
10
20
29
38
60
100
140
180
Dose (Gy)
Test dose response
not available
no TnTx column
NA
0
2
4
6
8
10
0
2
4
6
8
10
NA


Simulated dose response curve
$D_e = 310.3 \pm 117.71$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
5000
10000
15000
20000
Dose (Gy)
D_e from MC simulation
$D_{e_{MC}} = 331.99 \pm 117.71$ | quality = 93 %
Frequency
0
7
14
21
28
0
200
600
Dose (Gy)
n = 100 , valid fits = 89
Test dose response
NA
0
2
4
6
8
10
not available
no TnTx column
0
2
4
6
8
10
NA


Dose response curves
normalised LxTx (a.u.)
0.0
0.2
0.4
0.6
0.8
1.0
0
1000
2000
3000
4000
5000
Dose (Gy)
Unfaded DRC
Measured DRC
Simulated natural DRC
$\dot{D} = 7.00 \pm 0.004 \frac{Gy}{ka}$
$\dot{D}_{Reader} = 0.13 \pm 0.007 \frac{Gy}{s}$
$\log_{10}(\rho') = -5.42 \pm 0.09$
$\left(\frac{n}{N}\right) = 0.15 \pm 0.02$
$\left(\frac{n}{N}\right)_{SS} = 0.37 \pm 0.08$
$D_{E,sim} = 310 \pm 118$ Gy
$D_{0,sim} = 598 \pm 261$ Gy
$Age_{sim} = 44 \pm 17$ ka
help("calc_Kars2008")


Likelihood profile: gamma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
4.3
4.4
4.5
4.6
4.7
gamma
Likelihood profile: sigma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.4
0.6
0.8
1.0
1.2
sigma
help("calc_MaxDose")
Likelihood profile: p0
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.93
0.95
0.97
0.99
p0


Likelihood profile: gamma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
3.4
3.5
3.6
3.7
gamma
Likelihood profile: sigma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.5
0.6
0.7
0.8
0.9
1.0
sigma
help("calc_MinDose")
Likelihood profile: p0
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.18
0.20
0.22
0.24
0.26
p0


Source Dose Rate Prediction
source type: Sr−90 | half−life: 28.9 a
Dose rate/(Gy/s)
0.042
0.043
0.044
0.045
0.046
0.047
0.048
0.049
2012
2013
2014
Date
help("calc_SourceDoseRate")


D$_e$ distribution
Density
0.0000
0.0005
0.0010
0.0015
0.0020
0.0025
0.0030
Cumulative frequency
5
10
15
20
25
help("calc_Statistics")
2500
3000
3500
4000
D$_e$ [Gy]


Thermal Lifetime Contour Plot
(values quoted in Ma)
help("calc_ThermalLifetime")
Temperature [°C]
20
18
16
14
12
10
Trap depth [eV]
1.66
1.67
1.68
1.69
1.70
500
1000
1500
2000
2500
3500


Thermal Lifetime Density Plot
Density
0.0
0.5
1.0
1.5
2.0
5
10
15
Thermal lifetime [Ma]
help("calc_ThermalLifetime")


D_e estimation applying Woda and Fuchs (2008)
help("calc_WodaFuchs2008")
Frequency
0.0
0.5
1.0
1.5
2.0
2.5
3.0
20
40
60
80
100
120
140
D_e [Gy]


gSGC and resulting De
Re−norm. L_x/T_x
Dose [a.u.]
0.0
0.5
1.0
1.5
0
100
200
300
400
500
help("calc_gSGC")


CW Curve Fit
Default
sum curve
component 1
component 2
component 3
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
Residual [a.u.]
200
50
−100
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]
Component contribution to sum curve
Contribution [%]
0
40
80
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
50
−100
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Background
y = 0*x^3+0*x^2+0.07*x+26.35
LM−OSL [a.u.]
Time [s]
0
100
200
300
400
500
0
1000
2000
3000
4000
help("fit_LMCurve")


Default
sum curve
component 1
component 2
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
50
−100
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


OSL intensity (Ln/Tn)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
y = exp(−5e−10 * age * 365.25 * 24 * 3600 * exp(−0.9 * x))
0
2
4
6
8
10
Depth (mm)
help("fit_SurfaceExposure")


OSL intensity (Ln/Tn)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
0
2
4
6
8
10
Depth (mm)
(5e−10 * exp(−0.9 * x) + Ddot/D0)) + Ddot/D0)/(5e−10 * exp(−0.9 * x) + Ddot/D0)
help("fit_SurfaceExposure")


OSL intensity (Ln/Tn)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
= exp(−5e−10 * [1000|10000|1e+05|1e+06] * 365.25 * 24 * 3600 * exp(−mu * x))
0
5
10
15
Depth (mm)
help("fit_SurfaceExposure")


OSL intensity (Ln/Tn)
Depth (mm)
−0.2
0.0
0.2
0.4
0.6
0.8
1.0
1.2
0
5
10
15
(5e−10 * exp(−mu * x) + Ddot/D0)) + Ddot/D0)/(5e−10 * exp(−mu * x) + Ddot/D0)
help("fit_SurfaceExposure")

 D_e distribution
n = 25 | in 2 sigma = 68 %
n = 62 | in 2 sigma = 41.9 %
help("get_Layout")
help("get_Layout")
4000
3000
2000
1000
D_e [Gy]
Standardised estimate
2
0
−2
Relative standard error (%)
10
5
3.3
0
10
20
30
Precision
0
0.015
Density (bw 0.085)


D$_e$ distribution
n = 25 | in 2 sigma = 68 %
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
4000
3000
2000
1000
D$_e$ [Gy]
help("get_Layout")
help("get_Layout")
Relative standard error (%)
10
5
3.3
0
10
20
30
Precision
0
0.015
Density (bw 0.085)


Profile log likelihood for σ_{OD}
Log likelihood
0
−50
−100
−150
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]


TL (UVVIS)
cts [1/ch]
0
20
40
60
80
0
20
40
60
80
100
120
t [s]
help("merge_RLum.Data.Curve")


TL (UVVIS)
cts [1/ch]
0
500
1000
1500
t [s]
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")


TL (UVVIS)
cts [1/ch]
0
100
200
300
400
500
600
t [s]
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")


Profile log likelihood for σ_{OD}
Log likelihood
0
−50
−100
−150
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]


Profile log likelihood for σ_{OD}
Log likelihood
0
−50
−100
−150
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]



D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
–2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D_e distribution
n = 62 | in 2 sigma = 24.2 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
-2
120
100
80
60
40
20
D_e [Gy]
Standard error
10
5
3.3
2.5
2
0.0
0.1
0.2
0.3
0.4
0.5
0
0.016
Precision
Density (bw 11.795)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
-2
200
150
100
50
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
5
0
5
10
15
20
0
0.016
Precision
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.264
Density (bw 0.04)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
–2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
n
0
15
0
5
10
15
Precision


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
n
0
10
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D$_e$ distribution
n = 62 | in 2 sigma = 53.2 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D$_e$ [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D$_e$ distribution
n = 62 | in 2 sigma = 54.8 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 54.8 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D$_e$ distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
CAM
120
100
80
60
40
20
D$_e$ [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
R Sample 1
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
0
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
0
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Scatter
2
0
−2
120
100
80
60
40
20
Equivalent dose [Gy]
Data error (%)
20
10
6.7
0
5
10
15
Data precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
119.1
70.7
19.7
120
100
80
60
40
20
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
median = 71.07
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 30 | in 2 sigma = 46.7 %
n = 32 | in 2 sigma = 87.5 %
Standardised estimate
2
0
−2
150
100
50
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


De distribution
n = 30 | in 2 sigma = 70 % | median = 52.94
n = 32 | in 2 sigma = 84.4 % | median = 109.93
Standardised estimate
2
0
−2
150
100
50
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D$_e$ distribution
n = 30 | in 2 sigma = 70 %
n = 32 | in 2 sigma = 84.4 %
Standardised estimate
2
0
−2
150
100
50
D$_e$ [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


Dose recovery test
Example data
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
1
2
3
4
5
6
# Aliquot


Dose recovery test
Test data set
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
1.15
1.10
1.05
1.00
0.95
0.90
0.85
+10 %
−10%
1
2
3
4
5
6
Sample aliquot


Dose recovery test
n = 5
n = 5
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
# Aliquot


Dose recovery test
n = 5
n = 5
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Dose recovery test
Example data
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Dose recovery test
Normalised D_e
0.8
0.9
1.0
1.1
1.2
+10 %
−10%
200
240
Preheat temperature [°C]


Filter Combination
Filter 1
Filter 2
Transmission [a.u.]
0.0
0.2
0.4
0.6
0.8
1.0
200
400
600
800
1000
Wavelength [nm]
help("plot_FilterCombinations")


Filter Combination
filter_1
Rectangle
1.0
0.8
0.6
0.4
0.2
0.0
Transmission [a.u.]
200
400
600
800
1000
Wavelength [nm]
help("plot_FilterCombinations")



help("plot_FilterCombinations")


Growth curve
$D_e = 1737.88 \pm 57.45$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1733.43 \pm 57.45$ | quality = 99.7 %
Frequency
4
12
20
28
36
1600
1700
1800
1900
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
$D_e = 1737.88 \pm 54.9$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1731.23 \pm 54.9$ | quality = 99.6 %
Frequency
1
8
16
31
1550
1650
1750
1850
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
$D_e = 1737.88 \pm 64.53$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500
help("plot_GrowthCurve")


D_e from MC simulation
$D_{e_{MC}}$ = 1745.42 ± 64.53 | quality = 99.6 %
Frequency
29
22
15
8
1
1600
1700
1800
1900
2000
Dose [s]
n = 100 , valid fits = 100
help("plot_GrowthCurve")


Test dose response
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1.30
1
2
3
4
5
6
7
SAR cycle
help("plot_GrowthCurve")


7
6
5
4
3
2
1
0
eval(temp$Formula)
0
2000
4000
6000
8000
10000
x
help("plot_GrowthCurve")


Growth curve
$D_e = 109.74 \pm 2$ | fit: EXP
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500
● Dose point
△ Dose point rep.
○ Dose point 0
D_e from MC simulation
$D_{e_{MC}} = 109.94 \pm 2$ | quality = 300.2 %
Frequency
0
6
11
16
106
110
114
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle

Growth curve



D_e from Monte Carlo simulation



Test dose response




Growth curve

$D_e = 124.55 \pm NA$ | fit: EXP


D_e from Monte Carlo simulation


Test dose response


Histogram
Frequency
0
2
4
6
8
10
12
14
Standard error
3.5
4.0
4.5
5.0
5.5
6.0
6.5
help("plot_Histogram")
110
120
130
140
150
160
170
D$_e$ [Gy]


Histogram of De−values
Example data set
n = 25
mean = 129.25
rel. sd = 9.54 %
help("plot_Histogram")
D_e distribution
Standard error
0.00
0.02
0.04
0.06
0.08
0.10
5
10
15
20
100
150
200
250
D_e [Gy]



D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
D_e [Gy]


D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
D_e [Gy]


Dose distribution
KDE estimate
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
100
150
200
250
Dose (s)
Cumulative dose value
5
10
15
20
25
30
help("plot_KDE")

De distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
De [Gy]


D_e distribution
n = 25 | median = 126.34 | skewness = 1.34 | in 2 sigma = 96 %
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
D_e [Gy]



De distribution
n = 25
mean = 129.25
rel. sd = 9.54 %
se = 2.47
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
De [Gy]



D_e distribution
Density
0.00
0.02
0.04
0.06
Cumulative frequency
2
4
6
8
10
12
14
help("plot_KDE")
100
120
140
160
180
D_e [Gy]



De distribution
n = 15
median = 125.06
skewness = 0.82
n = 10
median = 164.24
skewness = −0.65
help("plot_KDE")
Density
0.00
0.02
0.04
0.06
Cumulative frequency
2
4
6
8
10
12
14
100
120
140
160
180
De [Gy]

D_e distribution




NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0
1
2
3
4
Time [s]
0
10
20
30
40


NR(t) Plot
Natural signal / Regenerated signal
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
0
10
20
30
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
Natural signal / Regenerated signal
0.0
0.5
1.0
1.5
2.0
2.5
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
Natural signal / Regenerated signal
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1
2
3
4
5
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.6
0.8
1.0
1.2
1.4
1.6
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]


TnTx(t) Plot
TD natural / TD regenerated
Time [s]
1.4
1.2
1.0
0.8
0.6
0
5
10
15
20
help("plot_NRt")


Aliquot #1
Aliquot #2
Aliquot #3
Aliquot #4
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
help("plot_NRt")


Aliquot #5
Aliquot #6
Aliquot #7
Aliquot #8
Natural signal / Regenerated signal
Time [s]
0
2
4
6
8
10
0.4
0.6
0.8
1.0
0.2
1.2
1.4
1.6
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #9
Natural signal / Regenerated signal
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #10
Natural signal / Regenerated signal
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #11
Natural signal / Regenerated signal
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #12
Natural signal / Regenerated signal
0.6
0.8
1.0
1.2
1.4
1.6
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #13
Aliquot #14
Aliquot #15
Aliquot #16
Natural signal / Regenerated signal
Time [s]
0
2
4
6
8
10
0.4
0.6
0.8
1.0
1.2
0.9
0.7
0.5
0.3
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #17
Aliquot #18
Aliquot #19
Aliquot #20
Natural signal / Regenerated signal
Time [s]
0.4
0.6
0.8
1.0
0.3
0.5
0.7
0.9
0
2
4
6
8
10
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #21
Aliquot #22
Aliquot #23
Aliquot #24
help("plot_NRt")
Natural signal / Regenerated signal
Time [s]
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0.2
0.4
0.6
0.8
1.0
1.2
0
2
4
6
8
10
N/R1
N/R2
N/R3
N/R4


TL combined
TL [a.u.]
Temperature [°C]
0.0
0.2
0.4
0.6
0.8
1.0
0
50
100
150
200
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10
Curve 11
Curve 12
Curve 13
Curve 14
Curve 15
help("plot_RLum.Analysis")


TL combined
TL [a.u.]
0.0
0.2
0.4
0.6
0.8
1.0
Temperature [°C]
0
50
100
150
200
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10
Curve 11
Curve 12
Curve 13
Curve 14
Curve 15
help("plot_RLum.Analysis")


unkown curve type
Dependent [unknown]
Independent [Unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
help("plot_RLum.Data.Curve")


RLum.Data.Image
Height [px]
600
400
200
0
−200
−400
−600
Length [px]
0
200
400
600
800
1000
1200
20000
15000
10000
5000
help("plot_RLum.Data.Image")
help("plot_RLum.Data.Image")


RLum.Data.Spectrum
t [s]
0
50
100
150
200
250
300
400
500
600
700
wavelength [nm]
5800
6000
6200
6400
6600
6800
help("plot_RLum.Data.Spectrum")


RLum.Data.Spectrum
cts [1/ch]
6400
6200
6000
5800
t [s]
80
60
40
20
wavelength [nm]
400
500
600
700
help("plot_RLum.Data.Spectrum")


RLum.Data.Spectrum
Luminescence [cts/channel]
5600
5800
6000
6200
6400
300
400
500
600
700
wavelength [nm]
0 t [s]
20 t [s]
40 t [s]
60 t [s]
80 t [s]
help("plot_RLum.Data.Spectrum")

unkown curve type




Likelihood profile: gamma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
3.6
3.7
3.8
3.9
4.0
gamma
Likelihood profile: sigma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.3
0.4
0.5
0.6
0.7
sigma
help("plot_RLum.Results")
Likelihood profile: p0
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.45
0.55
0.65
0.75
p0


Monte Carlo Simulation
$n = \ | \hat{\mu} = 45 \ | \hat{\sigma} = 21 \ | \frac{\hat{\sigma}}{\sqrt{n}} = 2 \ | v = 0.84$
mean
median
0.05 / 0.95 quantile
help("plot_RLum.Results")
Density
0.000
0.005
0.010
0.015
0.020
20
40
60
80
100
120
20
40
60
80
100
120
Amount of grains on aliquot


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
RadialPlot")
180
160
140
120
100
D_e [Gy]
Standardised estimate
2
0
−2
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision


De distribution
n = 25 | in 2 sigma = 68 %
RadialPlot")
180
160
140
120
100
De [Gy]
Standardised estimate
2
0
−2
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision



D_e distribution
n = 25 | in 2 sigma = 68 %
_RadialPlot")
Standardised estimate
2
0
−2
200
180
160
140
120
100
D_e [Gy]
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
alPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
radialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
0
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Scatter
2
0
−2
180
160
140
120
100
Equivalent dose [Gy]
Data error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Data precision


D_e distribution
n = 25 | in 2 sigma = 68 %
alPlot")
Standardised estimate
2
0
−2
165.8
125.1
110.8
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision

D_e distribution
weighted mean = 126.85 | median = 126.34
adialPlot")
180
160
140
120
100
D_e [Gy]
Standardised estimate
2
0
−2
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


De distribution
n = 15 | in 2 sigma = 53.3 %
n = 10 | in 2 sigma = 90 %
ialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
De [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 15 | in 2 sigma = 53.3 %
n = 10 | in 2 sigma = 90 %
ialPlot")
Sample 1
Sample 2
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


Violin Plot
n = 25 | median = 126.34
help("plot_ViolinPlot")
Density
110
120
130
140
150
160
170
D_e [a.u.]



USER combined



IRSL combined



OSL combined


OSL
OSL [cts/1 s]
0.0
0.1
0.2
0.3
0
20
40
60
80
100
Stimulation time [s]
help("set_RLum")


OSL
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Stimulation time [s]
help("smooth_RLum")


OSL
OSL [cts/0.04 s]
0
1000
2000
3000
4000
5000
6000
0
10
20
30
40
Stimulation time [s]
help("smooth_RLum")

D_e distribution
n = 62 | mean = 66.01
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | mean = 66.01
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)