
ALQ Pos. 1
L_n,L_x curves
BT 607
OSL [cts/0.04 s]
0
5000
10000
15000
Time [s]
0
10
20
30
40
Natural
R1
R2
R3
R4
R5
R0
T_n,T_x curves
BT 607
OSL [cts/0.04 s]
0
500
1000
2000
3000
Time [s]
0
10
20
30
40
Natural
R1
R2
R3
R4
R5
R0
help("Analyse_SAR.OSLdata")
unkown measurement
Cutheat − TL curves
BT 607
TL [cts/0.64 °C]
0
50
100
150
200
250
300
T [°C]
(5 K/s)
0
50
100
150
Natural
R1
R2
R3
R4
R5
R0
IRSLT
IRSL/BOSL = 0.88%
OSL and IRSL [cts/0.04 s]
0
3000
R1 again
IRSL
Time [s]
0
10
20
30
40
IRSL curve (10 s)
IRSL [cts/0.04 s]
0
20
Time [s]
0
2
4
6
8
10



help("CW2pHMi")



help("CW2pHMi")

Fig. 4 − Bos & Wallinga (2012)





help("CW2pLM")



help("CW2pLMi")

Fig. 4 − Bos & Wallinga (2012)





help("CW2pPMi")

Fig. 4 − Bos & Wallinga (2012)





y
10000
8000
6000
4000
2000
0
0
10
20
30
40
x
help("ExampleData.CW_OSL_Curve")


Histogram
Frequency
0
2
4
6
8
10
12
14
2400
2600
2800
3000
3200
3400
3600
3800
De [s]
Standard error
80
100
120
140
help("ExampleData.DeValues")


Histogram
Frequency
0
2
4
6
8
10
12
14
De [Gy]
110
120
130
140
150
160
170
Standard error
3.5
4.0
4.5
5.0
5.5
6.0
6.5
help("ExampleData.DeValues")


No L_x curves detected
No T_x curves detected
help("ExampleData.Fading")
Signal Fading
g−value: 5.18 ± 0.77 (%/decade) | tc = 3.78e+02
Normalised intensity [a.u.]
0.2
0.4
0.6
0.8
1.0
fit
fit MC
tr
4e+02
4e+03
4e+04
4e+05
Time since irradition [s]
[log$_{10}$(t/t$_c$)]
Density: g−values (%/decade)
Density
0.0
0.1
0.2
0.3
0.4
0.5
HPD − 68 %
HPD − 95 %
2
3
4
5
6
7
8
N = 100   Bandwidth = 0.266


Growth curve
$D_e = 977.38 \pm 105.65$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
2
4
6
8
10
12
0
5000
10000
20000
30000
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 984.66 \pm 105.65$ | quality = 99.3 %
Frequency
1
6
12
17
700
900
1100
Dose [s]
n = 100 , valid fits = 100
Test dose response
not available
no TnTx column
NA
0
2
4
6
8
10
0
2
4
6
8
10
NA


0
100
200
300
400
500
600
y
1
5
10
50
100
500
5000
x
help("ExampleData.FittingLM")


LxTxData$LxTx
0
1
2
3
4
5
0
500
1000
1500
2000
2500
LxTxData$Dose
help("ExampleData.LxTxData")


V2
50000
40000
30000
20000
10000
0
0
5
10
15
20
V1
help("ExampleData.LxTxOSLData")


4000
3000
2000
1000
V2
0
5
10
15
20
V1
help("ExampleData.LxTxOSLData")


RF
#1
RF [cts/1.26 s]
1425
1430
1435
0
1
2
3
4
5
6
Stimulation time [s]
RF
#2
RF [cts/1.37 s]
1400
1600
1800
2000
0
200
400
600
Stimulation time [s]
help("ExampleData.RLum.Analysis")


RLum.Data.Image
Height [px]
800
600
400
200
0
−200
−400
−600
Length [px]
0
200
400
600
800
1000
1200
help("ExampleData.RLum.Data.Image")
20000
15000
10000
5000
help("ExampleData.RLum.Data.Image")


OSL (UVVIS)
help("ExampleData.XSYG")
cts [1/ch]
0
200
400
600
800
0
10
20
30
40
50
t [s]
(resolution: 0.1 s)


RLum.Data.Spectrum
t [s]
0
50
100
150
200
250
300
400
500
600
700
wavelength [nm]
help("ExampleData.XSYG")
5800
6000
6200
6400
6600
6800


USER
Record: 1
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 1
8000
6000
4000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 1
20
10
0
−10
2
4
6
8
10
12
14
OSL
Record: 1
30000
20000
10000
0
20
40
60
80
100
USER
Record: 1
10
5
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 2
Dependent [unknown]
5
0
−5
−15
−25
2
4
6
8
10
12
14


IRSL
Record: 2
IRSL [cts/1 s]
16000
12000
8000
0
20
40
60
80
100
help("ExampleData.portableOSL")


USER
Record: 2
Dependent [unknown]
30
25
20
15
10
5
0
−5
2
4
6
8
10
12
14


OSL
Record: 2
OSL [cts/1 s]
60000
40000
20000
0
20
40
60
80
100


USER
Record: 2
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14


Record: 3
5
0
−5
−10
2
4
6
8
10
12
14
Record: 3
4500
3500
2500
0
20
40
60
80
100
help("ExampleData.portableOSL")
Record: 3
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
Record: 3
16000
12000
8000
0
20
40
60
80
100
Record: 3
20
10
0
−10
−20
−30
2
4
6
8
10
12
14


USER
Record: 4
Dependent [unknown]
−5
0
5
10
15
2
4
6
8
10
12
14
IRSL
Record: 4
2500
3500
4500
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 4
Dependent [unknown]
−10
−5
0
5
2
4
6
8
10
12
14
OSL
Record: 4
10000
15000
20000
0
20
40
60
80
100
USER
Record: 4
Dependent [unknown]
−20
−10
0
5
10
15
2
4
6
8
10
12
14


USER
Record: 5
Dependent [unknown]
0
−5
−10
−15
2
4
6
8
10
12
14
IRSL
Record: 5
22000
18000
14000
10000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 5
Dependent [unknown]
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 5
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 5
Dependent [unknown]
0
−50
−150
−250
2
4
6
8
10
12
14


USER
Record: 6
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 6
22000
18000
14000
10000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 6
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 6
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 6
Dependent [unknown]
60
40
20
0
−20
2
4
6
8
10
12
14


USER
Record: 7
Dependent [unknown]
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 7
10000
8000
6000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 7
60000
40000
20000
0
20
40
60
80
100
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14


USER
Record: 8
IRSL
Record: 8
USER
Record: 8
OSL
Record: 8
USER
Record: 8
Dependent [unknown]
help("ExampleData.portableOSL")
2
4
6
8
10
12
14
0
20
40
60
80
100
−4
−2
0
2
4
6
8
10
2500
3500
4500
−15
−10
−5
0
5
6000
10000
14000
−5
0
5
10
15
20


USER
Record: 9
Dependent [unknown]
4
2
0
−2
−4
−6
−8
2
4
6
8
10
12
14
IRSL
Record: 9
24000
20000
16000
12000
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 9
Dependent [unknown]
20
10
0
−10
−30
2
4
6
8
10
12
14
OSL
Record: 9
8e+04
4e+04
0
20
40
60
80
100
USER
Record: 9
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 10
Dependent [unknown]
IRSL
Record: 10
IRSL [cts/1 s]
help("ExampleData.portableOSL")
USER
Record: 10
OSL
Record: 10
OSL [cts/1 s]
USER
Record: 10
5
0
−5
2
4
6
8
10
12
14
24000
20000
16000
12000
0
20
40
60
80
100
20
10
0
−10
−20
8e+04
4e+04
−30


USER
Record: 11
Dependent [unknown]
IRSL
Record: 11
IRSL [cts/1 s]
USER
Record: 11
Dependent [unknown]
OSL
Record: 11
OSL [cts/1 s]
USER
Record: 11
Dependent [unknown]
help("ExampleData.portableOSL")


USER
Record: 12
Dependent [unknown]
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 12
IRSL [cts/1 s]
1200
1000
800
600
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 12
Dependent [unknown]
0
−50
−150
−250
2
4
6
8
10
12
14
OSL
Record: 12
OSL [cts/1 s]
5000
4000
3000
2000
0
20
40
60
80
100
USER
Record: 12
Dependent [unknown]
5
0
−5
−10
−15
−20
2
4
6
8
10
12
14



USER

Record: 13



IRSL

Record: 13

help("ExampleData.portableOSL")



USER

Record: 13



OSL

Record: 13



USER

Record: 13


USER
Record: 14
Dependent [unknown]
10
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 14
350
300
250
200
0
20
40
60
80
100
help("ExampleData.portableOSL")
USER
Record: 14
Dependent [unknown]
2
0
−2
−4
−6
−10
2
4
6
8
10
12
14
OSL
Record: 14
1800
1400
1000
600
0
20
40
60
80
100
USER
Record: 14
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14


USER
Record: 1
Dependent [unknown]
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 1
8000
6000
4000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 1
Dependent [unknown]
20
10
0
−10
2
4
6
8
10
12
14
OSL
Record: 1
30000
20000
10000
0
20
40
60
80
100
USER
Record: 1
Dependent [unknown]
10
5
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 2
Dependent [unknown]
IRSL
Record: 2
help("PSL2Risoe.BINfileData")
USER
Record: 2
Dependent [unknown]
OSL
Record: 2
USER
Record: 2
Dependent [unknown]


USER
Record: 3
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 3
4500
3500
2500
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 3
Dependent [unknown]
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
OSL
Record: 3
16000
12000
8000
0
20
40
60
80
100
USER
Record: 3
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14


USER
Record: 4
Dependent [unknown]
−5
0
5
10
15
2
4
6
8
10
12
14
IRSL
Record: 4
2500
3500
4500
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 4
Dependent [unknown]
−10
−5
0
5
2
4
6
8
10
12
14
OSL
Record: 4
10000
15000
20000
0
20
40
60
80
100
USER
Record: 4
Dependent [unknown]
−20
−10
0
5
10
15
2
4
6
8
10
12
14


USER
Record: 5
Dependent [unknown]
0
−5
−10
−15
2
4
6
8
10
12
14
IRSL
Record: 5
22000
18000
14000
10000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 5
Dependent [unknown]
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 5
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 5
Dependent [unknown]
0
−50
−150
−250
2
4
6
8
10
12
14


USER
Record: 6
Dependent [unknown]
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 6
22000
18000
14000
10000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 6
Dependent [unknown]
20
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 6
1e+05
8e+04
6e+04
4e+04
0
20
40
60
80
100
USER
Record: 6
Dependent [unknown]
60
40
20
0
−20
2
4
6
8
10
12
14



USER
Record: 7
Dependent [unknown]
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 7
10000
8000
6000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14
OSL
Record: 7
60000
40000
20000
0
20
40
60
80
100
USER
Record: 7
Dependent [unknown]
20
10
0
−10
−20
−30
2
4
6
8
10
12
14


USER
Record: 8
Dependent [unknown]
10
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 8
4500
3500
2500
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 8
Dependent [unknown]
5
0
−5
−10
−15
2
4
6
8
10
12
14
OSL
Record: 8
14000
10000
6000
0
20
40
60
80
100
USER
Record: 8
Dependent [unknown]
20
15
10
5
0
−5
2
4
6
8
10
12
14



help("PSL2Risoe.BINfileData")


USER
Record: 10
Dependent [unknown]
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 10
24000
20000
16000
12000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 10
20
10
0
−10
−20
OSL
Record: 10
8e+04
4e+04
USER
Record: 10
−30


USER
Record: 11
Dependent [unknown]
10
5
0
−5
2
4
6
8
10
12
14
IRSL
Record: 11
IRSL [cts/1 s]
16000
12000
8000
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 11
Dependent [unknown]
10
0
−10
−20
2
4
6
8
10
12
14
OSL
Record: 11
OSL [cts/1 s]
80000
60000
40000
20000
0
20
40
60
80
100
USER
Record: 11
Dependent [unknown]
30
20
10
0
−10
−20
2
4
6
8
10
12
14


USER
Record: 12
Dependent [unknown]
20
15
10
5
0
−5
−10
2
4
6
8
10
12
14
IRSL
Record: 12
1200
1000
800
600
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 12
Dependent [unknown]
0
−50
−150
−250
2
4
6
8
10
12
14
OSL
Record: 12
5000
4000
3000
2000
0
20
40
60
80
100
USER
Record: 12
Dependent [unknown]
5
0
−5
−10
−15
−20
2
4
6
8
10
12
14


USER
Record: 13
−5
0
5
10
2
4
6
8
10
12
14
IRSL
Record: 13
400
500
600
700
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 13
−15
−5
0
5
10
2
4
6
8
10
12
14
OSL
Record: 13
1500
2500
3500
4500
0
20
40
60
80
100
USER
Record: 13
−10
−5
0
5
10
2
4
6
8
10
12
14


USER
Record: 14
10
8
6
4
2
0
−2
−4
2
4
6
8
10
12
14
IRSL
Record: 14
350
300
250
200
0
20
40
60
80
100
help("PSL2Risoe.BINfileData")
USER
Record: 14
2
0
−2
−4
−6
−10
OSL
Record: 14
1800
1400
1000
600
USER
Record: 14
5
0
−5
−10

No L_x curves detected

No T_x curves detected

help("analyse_FadingMeasurement")


Signal Fading

g−value: 5.18 ± 0.67 (%/decade) | tc = 3.78e+02


Density: g−values (%/decade)


IR−RF
$D_e = 623.25$ [600.63 ; 635.8]
● RF_nat
+ RF_reg
IR−RF [cts/1.3 s]
2.0e+03
1.8e+03
1.6e+03
1.4e+03
E
0
100
200
300
400
500
600
700
Time [s]


IR−RF
D_e = 610.17 [567.19 ; 653.15]
RF_nat
RF_reg
IR−RF [cts/1.3 s]
2.0e+03
1.8e+03
1.6e+03
1.4e+03
E
610.17
0
100
200
300
400
500
600
700
Time [s]


TL previous L_n,L_x curves
TL [cts/0.9 °C]
0
200
400
600
800
0
50
100
150
200
T [°C]
TL previous T_n,T_x curves
TL [cts/0.6 °C]
0
50
100
150
200
250
300
0
50
100
150
T [°C]
L_n,L_x curves
OSL [cts/0.04 s]
0
5000
10000
15000
0.05
0.20
0.50
2.00
5.00
20.00
50.00
Time [s]
T_n,T_x curves
OSL [cts/0.04 s]
0
500
1000
2000
3000
0.05
0.20
0.50
2.00
5.00
20.00
50.00
Time [s]
Natural
(0)
R1
(450)
R2
(1050)
R3
(2000)
R4
(2550)
R5
(450)
R0
(0)


Growth curve
$D_e = 1668.25 \pm 49.22$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1677.48 \pm 49.22$ | quality = 99.4 %
Frequency
1
9
18
34
1550
1700
1850
Dose [s]
Test dose response
T_n/T_x
1.00
1.10
1.20
1
2
3
4
5
6
7
SAR cycle


Rejection criteria
Recycling R.
Recuperation
Testdose Err.
Palaeodose Err.
− 0.2
+ 0.2


IRSL
IRSL [cts/0.04 s]
0
10
20
30
40
0
10
20
30
40
Stimulation time [s]
help("analyse_SAR.CWOSL")


L_n,L_x curves
TL [a.u.]
1
10
100
1000
10000
0
100
200
300
400
Temp. [°C]
T_n,T_x curves
TL [a.u.]
1
10
100
1000
10000
0
100
200
300
400
Temp. [°C]
Plateau test L_n,L_x curves
TL [a.u.]
0
2000
6000
10000
0.0
0.5
1.0
1.5
2.0
2.5
3.0
340
360
380
400
420
Temp. [°C]
plateau Test T_n,T_x curves
TL [a.u.]
0
1000
2000
3000
4000
0
1
2
3
4
340
360
380
400
420
Temp. [°C]
Natural (0)
Natural (136)
Natural (317)
Natural (544)
Natural (815)
Natural (0)
Natural (317)


$D_e = 405.58 \pm 167.51$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
8
6
4
2
0
−2
−4
−6
0
200
400
600
800
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 407.59 \pm 167.51$ | quality = 99.5 %
Frequency
2
6
10
14
0
200
400
600
800
Dose [s]
Test dose response
T_n/T_x
0.96
1.00
1.04
1
2
3
4
5
6
7
SAR cycle

Pseudo pIRIR data set based on quartz OSL

help("analyse_pIRIRSequence")

TL
pseudoIRSL1
pseudoIRSL2

Pseudo pIRIR data set based on quartz OSL




Pseudo pIRIR data set based on quartz OSL
L_n,L_x curves
OSL [cts/0.04 s]
0
5000
10000
15000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
TL previous T_n,T_x curves
TL [cts/0.6 °C]
T [°C]
0
50
100
150
200
250
300
0
50
100
150
help("analyse_pIRIRSequence")

Pseudo pIRIR data set based on quartz OSL




Pseudo pIRIR data set based on quartz OSL
$D_e = 1668.25 \pm 41.38$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500
help("analyse_pIRIRSequence")


D_e from MC simulation
$D_{e_{MC}} = 1666.57 \pm 41.38$ | quality = 99.9 %
help("analyse_pIRIRSequence")
Frequency
40
27
14
1
1500
1550
1600
1650
1700
1750
1800
Dose [s]
n = 100 , valid fits = 100


Test dose response
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")

Pseudo pIRIR data set based on quartz OSL



Pseudo pIRIR data set based on quartz OSL




help("analyse_pIRIRSequence")
Natural (0)
R1 (450)
R2 (1050)
R3 (2000)
R4 (2550)
R5 (450)
R0 (0)


Pseudo pIRIR data set based on quartz OSL
$D_e = 1668.25 \pm 47.59$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500
help("analyse_pIRIRSequence")


De from MC simulation
DeMC = 1669.37 ± 47.59 | quality = 99.9 %
help("analyse_pIRIRSequence")
Frequency
0
4
8
11
15
1550
1600
1650
1700
1750
Dose [s]
n = 100 , valid fits = 100


Test dose response
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")


Summarised Dose Response Curves
L_x/T_x
0
1
2
3
4
5
0
500
1000
1500
2000
2500
Dose [s]
pseudoIRSL1
pseudoIRSL2
help("analyse_pIRIRSequence")


Sensitivity change
T_x/T_n
1.00
1.05
1.10
1.15
1.20
1.25
0
1
2
3
4
5
6
7
# Cycle
pseudoIRSL1
pseudoIRSL2
help("analyse_pIRIRSequence")


Rejection criteria
Recycling ratio
Recuperation rate
Palaeodose error
pseudoIRSL1
pseudoIRSL2
− 0.2
0/1
+ 0.1
help("analyse_pIRIRSequence")



USER combined



IRSL combined



OSL combined


0.0
1.0
2.0
0.0
1.0
2.0
0.85
1.00
1.15
0.90
1.00
1.10
0.8
1.2
Index
14
13
12
11
10
9
8
7
6
5
4
3
2
1
BSL
IRSL
BSL depl.
IRSL depl.
IRSL/BSL
help("analyse_portableOSL")


OSL
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Stimulation time [s]
help("bin_RLum.Data")


OSL
OSL [cts/0.08 s]
0
5000
10000
15000
20000
0
10
20
30
40
Stimulation time [s]
help("bin_RLum.Data")


OSL
OSL [cts/0.16 s]
0
5000
10000
15000
20000
25000
30000
35000
0
10
20
30
40
Stimulation time [s]
help("bin_RLum.Data")


Monte Carlo Simulation
$n = \ | \hat{\mu} = 43 \ | \hat{\sigma} = 20 \ | \frac{\hat{\sigma}}{\sqrt{n}} = 2 \ | \ v = 0.73$
mean
median
0.05 / 0.95 quantile
help("calc_AliquotSize")
Density
0.000
0.005
0.010
0.015
0.020
20
40
60
80
100
20
40
60
80
100
Amount of grains on aliquot


Observed: Equivalent dose
n = 56
Frequency
0
2
4
6
8
10
12
20
40
60
80
Equivalent dose [a.u.]
Bootstrapping: Average Dose
n = 500
Density
0.00
0.05
0.10
0.15
60
65
70
Average dose [a.u.]
Bootstrapping: Sigma_d
n = 500
Density
0
2
4
6
8
0.15
0.25
0.35
Sigma_d
help("calc_AverageDose")


De distribution
n = 56 | in 2 sigma = 53.6 %
help("calc_AverageDose")
help("calc_AverageDose")
Standardised estimate
2
0
−2
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.018
Density (bw 0.117)



Profile log likelihood for σ_{OD}
Log likelihood
0
−50
−100
−150
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]


Fast Ratio
Signal/cts
t/s
0
2000
4000
6000
8000
10000
0
10
20
30
40
L_1
L_2
$L_{3_{start}}$
$L_{3_{end}}$
help("calc_FastRatio")


Finite Mixture Model
$\sigma_b = 0.2$ | n = 62
help("calc_FiniteMixture")
Normal distributions
$k = 2$
$k = 3$
$k = 4$
D_e [Gy]
0
20
40
60
80
100
Density [a.u.]
Proportion of components
Proportion [%]
0
40
80
2
3
4
Statistical criteria
BIC
L_{max}
50
70
−24
−20
−16
2
3
4
k Components


Fuchs & Lang (2001)
unknown sample
used values = 22
help("calc_FuchsLang2001")
# Aliquots
0
5
10
15
20
25
2500
3000
3500
4000
De [s]


Zbar, weighted mean (Gy)
70
60
50
40
30
20
20
30
40
50
60
70
Dbar (Gy)
help("calc_IEU")


3.0
2.5
2.0
1.5
1.0
0.5
0.0
$R = [\alpha_{in}/\alpha_{ex}]$
20
30
40
50
60
Z [Gy]
help("calc_IEU")

No L_x curves detected

No T_x curves detected

help("calc_Kars2008")






Measured dose response curve
$D_e = 130.97 \pm 17.12$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
2
4
6
8
10
12
0
1000
2000
3000
4000
Dose (Gy)
D_e from MC simulation
$D_{e_{MC}} = 132.17 \pm 17.12$ | quality = 99.1 %
Frequency
1
6
12
18
23
100
140
180
Dose (Gy)
n = 100 | valid fits = 100
Test dose response
NA
0
2
4
6
8
10
not available
no TnTx column
0
2
4
6
8
10
NA


Simulated dose response curve
$D_e = 301.32 \pm 46.49$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
0
500
1000
1500
2000
Dose (Gy)
D_e from MC simulation
$D_{e_{MC}} = 310.4 \pm 46.49$ | quality = 97 %
Frequency
1
6
10
15
200
300
400
Dose (Gy)
n = 100 , valid fits = 100
Test dose response
NA
0
2
4
6
8
10
not available
no TnTx column
0
2
4
6
8
10
NA


Dose response curves
normalised LxTx (a.u.)
0.0
0.2
0.4
0.6
0.8
1.0
0
1000
2000
3000
4000
5000
Dose (Gy)
Unfaded DRC
Measured DRC
Simulated natural DRC
$\dot{D} = 7 \pm 0 \frac{Gy}{ka}$
$\dot{D}_{Reader} = 0.134 \pm 0.007 \frac{Gy}{s}$
$\log_{10}(\rho') = -5.42 \pm 0.09$
$\left(\frac{n}{N}\right) = 0.14 \pm 0.12$
$\left(\frac{n}{N}\right)_{SS} = 0.35 \pm 0.07$
$D_{E,sim} = 301.32 \pm 46.49$ Gy
$D_{0,sim} = 624.05 \pm 32.73$ Gy
$Age_{sim} = 43.05 \pm 6.98$ ka
help("calc_Kars2008")


Likelihood profile: gamma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
4.3
4.4
4.5
4.6
4.7
gamma


Likelihood profile: sigma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.4
0.6
0.8
1.0
1.2
sigma
help("calc_MaxDose")


Likelihood profile: p0
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.0
0.2
0.4
0.6
0.8
p0


Likelihood profile: gamma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
3.4
3.5
3.6
3.7
gamma
Likelihood profile: sigma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.5
0.6
0.7
0.8
0.9
1.0
sigma
help("calc_MinDose")
Likelihood profile: p0
|z|
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
0.00
0.05
0.10
0.15
p0


Source Dose Rate Prediction
source type: Sr−90 | half−life: 28.9 a
Dose rate/(Gy/s)
0.042
0.043
0.044
0.045
0.046
0.047
0.048
0.049
2012
2013
2014
Date
help("calc_SourceDoseRate")


D$_e$ distribution
Density
0.0000
0.0005
0.0010
0.0015
0.0020
0.0025
0.0030
Cumulative frequency
5
10
15
20
25
help("calc_Statistics")
2500
3000
3500
4000
D$_e$ [Gy]


Thermal Lifetime Contour Plot
(values quoted in Ma)
help("calc_ThermalLifetime")
Temperature [°C]
20
18
16
14
12
10
500
1000
1500
2000
2500
3500
1.66
1.67
1.68
1.69
1.70
Trap depth [eV]


Thermal Lifetime Density Plot
Density
0.0
0.5
1.0
1.5
2.0
5
10
15
Thermal lifetime [Ma]
help("calc_ThermalLifetime")


gSGC and resulting De
Re−norm. L_x/T_x
Dose [a.u.]
0.0
0.5
1.0
1.5
0
100
200
300
400
500
help("calc_gSGC")


CW Curve Fit
Default
sum curve
component 1
component 2
component 3
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
Residual [a.u.]
−100
50
200
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]
Component contribution to sum curve
Contribution [%]
0
40
80
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Background
y = 0*x^3+0*x^2+0.07*x+26.35
LM−OSL [a.u.]
0
100
200
300
400
500
0
1000
2000
3000
4000
Time [s]
help("fit_LMCurve")


Default
sum curve
component 1
component 2
LM−OSL [cts/1 s]
700
600
500
400
300
200
100
0
Residual
50
−100
1
5
10
50
100
500
1000
5000
Time [s]


Component contribution to sum curve
Contribution [%]
60
0
1
5
10
50
100
500
1000
5000
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
700
600
500
400
300
200
100
0
Residual
50
−100
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
60
0
1
5
10
50
100
500
1000
5000
Time [s]


D_e distribution
n = 25 | in 2 sigma = 68 %
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
−2
0
2
4000
3000
2000
1000
D_e [Gy]
help("get_Layout")
help("get_Layout")
Relative standard error (%)
10
5
3.3
0
10
20
30
Precision
0
0.015
Density (bw 0.085)


De distribution
n = 25 | in 2 sigma = 68 %
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
-2
4000
3000
2000
1000
De [Gy]
help("get_Layout")
help("get_Layout")
Relative standard error (%)
10
5
3.3
0
10
20
30
Precision
0
0.015
Density (bw 0.085)


Profile log likelihood for σ_{OD}
Log likelihood
0
−50
−100
−150
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]


TL (UVVIS)
cts [1/ch]
0
20
40
60
80
t [s]
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")


TL (UVVIS)
cts [1/ch]
0
500
1000
1500
t [s]
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")


TL (UVVIS)
cts [1/ch]
0
100
200
300
400
500
600
t [s]
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")


Profile log likelihood for σ_{OD}
0
−50
−100
−150
Log likelihood
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]


Profile log likelihood for σ_{OD}
0
−50
−100
−150
Log likelihood
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 24.2 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
-2
120
100
80
60
40
20
De [Gy]
Standard error
10
5
3.3
2.5
2
0.0
0.1
0.2
0.3
0.4
0.5
0
0.016
Precision
Density (bw 11.795)


D$_e$ distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
-2
200
150
100
50
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
0
5
10
15
20
Precision
0
0.016
Density (bw 0.15)



D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.264
Density (bw 0.04)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
n
0
15
0
5
10
15
Precision


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
n
0
10
0
5
10
15
0
0.016
Precision
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
–2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 53.2 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 54.8 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 54.8 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
CAM
120
100
80
60
40
20
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



De distribution
n = 62 | in 2 sigma = 41.9 %
R Sample 1
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
De [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D$_e$ distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
0
120
100
80
60
40
20
D$_e$ [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
0
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Scatter
2
0
−2
120
100
80
60
40
20
Equivalent dose [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Data error (%)
20
10
6.7
0
5
10
15
Data precision
0
0.016
Density (bw 0.15)



D$_e$ distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
119.1
70.7
19.7
120
100
80
60
40
20
D$_e$ [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)


D_e distribution
median = 71.07
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)


D_e distribution
n = 30 | in 2 sigma = 46.7 %
n = 32 | in 2 sigma = 87.5 %
Standardised estimate
2
0
−2
150
100
50
D_e [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


De distribution
n = 30 | in 2 sigma = 70 % | median = 52.94
n = 32 | in 2 sigma = 84.4 % | median = 109.93
Standardised estimate
2
0
−2
150
100
50
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


De distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 30 | in 2 sigma = 70 %
n = 32 | in 2 sigma = 84.4 %
Standardised estimate
2
0
−2
150
100
50
De [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


D$_e$ distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ [Gy]
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


Dose recovery test
Example data
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
1
2
3
4
5
6
# Aliquot


Dose recovery test
Test data set
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
# Aliquot


Dose recovery test
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
1.15
1.10
1.05
1.00
0.95
0.90
0.85
+10 %
−10%
1
2
3
4
5
6
Sample aliquot


Dose recovery test
n = 5
weighted mean = 1.01
n = 5
weighted mean = 1
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
# Aliquot


Dose recovery test
| n = 5 | weighted mean = 1.01 |
| n = 5 | weighted mean = 1 |
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Dose recovery test
Example data
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
# Aliquot


Dose recovery test
Normalised D_e
Preheat temperature [°C]
0.8
0.9
1.0
1.1
1.2
200
240
+10 %
−10%


Dose recovery test
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
200
240
Preheat temperature [°C]


Filter Combination
Filter 1
Filter 2
Transmission [a.u.]
0.0
0.2
0.4
0.6
0.8
1.0
200
400
600
800
1000
Wavelength [nm]
help("plot_FilterCombinations")


Filter Combination
filter_1
Rectangle
Transmission [a.u.]
0.0
0.2
0.4
0.6
0.8
1.0
200
400
600
800
1000
Wavelength [nm]
help("plot_FilterCombinations")



help("plot_FilterCombinations")


Growth curve
$D_e = 1737.88 \pm 57.45$ | fit: EXP
REG point
REG point repeated
REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1733.43 \pm 57.45$ | quality = 99.7 %
Frequency
4
12
20
28
36
1600
1700
1800
1900
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
$D_e = 1737.88 \pm 54.9$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1731.23 \pm 54.9$ | quality = 99.6 %
Frequency
1
8
16
31
1550
1650
1750
1850
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
$D_e = 1737.88 \pm 64.53$ | fit: EXP
● REG point
△ REG point repeated
○ REG point 0
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500
help("plot_GrowthCurve")


D_e from MC simulation
$D_{e_{MC}}$ = 1745.42 ± 64.53 | quality = 99.6 %
help("plot_GrowthCurve")
Frequency
29
22
15
8
1
1600
1700
1800
1900
2000
Dose [s]
n = 100 , valid fits = 100


Test dose response
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1.30
1
2
3
4
5
6
7
SAR cycle
help("plot_GrowthCurve")



help("plot_GrowthCurve")


Growth curve
$D_e = 109.74 \pm 2$ | fit: EXP
Luminescence [a.u.]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
Dose point
Dose point rep.
Dose point 0
D_e from MC simulation
$D_{e_{MC}} = 109.94 \pm 2$ | quality = 99.8 %
Frequency
0
6
11
16
106
110
114
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
Luminescence [a.u.]
0
1
2
3
4
5
6
Dose [s]
0
500
1000
1500
2000
2500
● Dose point
△ Dose point rep.
○ Dose point 0


D_e from Monte Carlo simulation
NA
0
2
4
6
8
10
not available
NA
0
2
4
6
8
10


Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
SAR cycle
1
2
3
4
5
6
7


Histogram
Frequency
0
2
4
6
8
10
12
14
Standard error
3.5
4.0
4.5
5.0
5.5
6.0
6.5
help("plot_Histogram")
110
120
130
140
150
160
170
D$_e$ [Gy]


Histogram of De−values
Example data set
n = 25
mean = 129.25
rel. sd = 9.54 %
help("plot_Histogram")
D_e distribution
Standard error
D_e [Gy]
0.00
0.02
0.04
0.06
0.08
0.10
5
10
15
20
100
150
200
250


D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
D_e [Gy]


D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
D_e [Gy]


Dose distribution
KDE estimate
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative dose value
5
10
15
20
25
30
help("plot_KDE")
100
150
200
250
Dose (s)



D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
D_e [Gy]



De distribution
n = 25 | median = 126.34 | skewness = 1.34 | in 2 sigma = 96 %
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
De [Gy]


De distribution
n = 25
mean = 129.25
rel. sd = 9.54 %
se = 2.47
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
De [Gy]



De distribution
Density
0.00
0.02
0.04
0.06
Cumulative frequency
2
4
6
8
10
12
14
help("plot_KDE")
100
120
140
160
180
De [Gy]


D_e distribution
n = 15
median = 125.06
skewness = 0.82
n = 10
median = 164.24
skewness = −0.65
help("plot_KDE")
Density
0.00
0.02
0.04
0.06
Cumulative frequency
2
4
6
8
10
12
14
100
120
140
160
180
D_e [Gy]


De distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
110
120
130
140
150
160
170
De [Gy]


NR(t) Plot
Natural signal / Regenerated signal
Time [s]
0
1
2
3
4
0
10
20
30
40
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
0
10
20
30
Time [s]


NR(t) Plot
Natural signal / Regenerated signal
0.0
0.5
1.0
1.5
2.0
2.5
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
Natural signal / Regenerated signal
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1
2
3
4
5
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.6
0.8
1.0
1.2
1.4
1.6
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]


TnTx(t) Plot
TD natural / TD regenerated
1.4
1.2
1.0
0.8
0.6
0
5
10
15
20
Time [s]
help("plot_NRt")


Aliquot #1
Aliquot #2
Aliquot #3
Aliquot #4
Natural signal / Regenerated signal
Time [s]
0
2
4
6
8
10
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #5
Aliquot #6
Aliquot #7
Aliquot #8
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
0
2
4
6
8
10
0.4
0.6
0.8
1.0
0.2
1.2
1.4
1.6
help("plot_NRt")


Aliquot #9
Aliquot #10
Aliquot #11
Aliquot #12
Natural signal / Regenerated signal
Time [s]
0
2
4
6
8
10
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
0.3
1.2
1.4
1.6
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")

Aliquot #13



Aliquot #14



Aliquot #15



Aliquot #16




Aliquot #17
Natural signal / Regenerated signal
Time [s]
0.4
0.6
0.8
1.0
0
2
4
6
8
10
N/R1
N/R2
N/R3
N/R4


Aliquot #18
help("plot_NRt")
Natural signal / Regenerated signal
Time [s]
0.4
0.6
0.8
1.0
0
2
4
6
8
10
N/R1
N/R2
N/R3
N/R4


Aliquot #19
Natural signal / Regenerated signal
Time [s]
0.4
0.6
0.8
1.0
0
2
4
6
8
10
N/R1
N/R2
N/R3
N/R4


Aliquot #20
Natural signal / Regenerated signal
Time [s]
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
N/R1
N/R2
N/R3
N/R4


Aliquot #21
Natural signal / Regenerated signal
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #22
Natural signal / Regenerated signal
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #23
Natural signal / Regenerated signal
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #24
Natural signal / Regenerated signal
0.2
0.4
0.6
0.8
1.0
1.2
0
2
4
6
8
10
Time [s]
N/R1
N/R2
N/R3
N/R4


TL combined
TL [a.u.]
Temperature [°C]
0.0
0.2
0.4
0.6
0.8
1.0
0
50
100
150
200
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10
Curve 11
Curve 12
Curve 13
Curve 14
Curve 15
help("plot_RLum.Analysis")


TL combined
TL [a.u.]
0.0
0.2
0.4
0.6
0.8
1.0
0
50
100
150
200
Temperature [°C]
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10
Curve 11
Curve 12
Curve 13
Curve 14
Curve 15
help("plot_RLum.Analysis")


unkown curve type
Dependent [unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Independent [Unknown]
help("plot_RLum.Data.Curve")


RLum.Data.Image
Height [px]
600
400
200
0
−200
−400
−600
Length [px]
0
200
400
600
800
1000
1200
help("plot_RLum.Data.Image")
help("plot_RLum.Data.Image")
20000
15000
10000
5000


RLum.Data.Spectrum
help("plot_RLum.Data.Spectrum")
t [s]
wavelength [nm]
0
50
100
150
200
250
300
400
500
600
700
5800
6000
6200
6400
6600
6800


RLum.Data.Spectrum
cts [1/ch]
6400
6200
6000
5800
t [s]
80
60
40
20
wavelength [nm]
400
500
600
700
help("plot_RLum.Data.Spectrum")


RLum.Data.Spectrum
Luminescence [cts/channel]
5600
5800
6000
6200
6400
300
400
500
600
700
wavelength [nm]
0 t [s]
20 t [s]
40 t [s]
60 t [s]
80 t [s]
help("plot_RLum.Data.Spectrum")


unkown curve type
Dependent [unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Independent [Unknown]
help("plot_RLum")


Likelihood profile: gamma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
3.6
3.7
3.8
3.9
4.0
gamma
99%
95%
90%
80%
50%
Likelihood profile: sigma
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.3
0.4
0.5
0.6
0.7
sigma
99%
95%
90%
80%
50%
help("plot_RLum.Results")
Likelihood profile: p0
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.0
0.1
0.2
0.3
0.4
p0
99%
95%
90%
80%
50%


Monte Carlo Simulation
$n = \ | \hat{\mu} = 45 \mid \hat{\sigma} = 21 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 2 \mid v = 0.84$
mean
median
0.05 / 0.95 quantile
help("plot_RLum.Results")
Density
0.000
0.005
0.010
0.015
0.020
20
40
60
80
100
120
20
40
60
80
100
120
Amount of grains on aliquot


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


De distribution
n = 25 | in 2 sigma = 68 %
RadialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
De [Gy]
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
RadialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
_RadialPlot")
200
180
160
140
120
100
D_e [Gy]
Standardised estimate
2
0
−2
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
alPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
180
160
140
120
100
D_e [Gy]
Standardised estimate
2
0
–2
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
180
160
140
120
100
D_e [Gy]
Standardised estimate
0
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


De distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Scatter
2
0
–2
180
160
140
120
100
Equivalent dose [Gy]
Data error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Data precision


D$_e$ distribution
n = 25 | in 2 sigma = 68 %
alPlot")
Standardised estimate
2
0
−2
165.8
125.1
110.8
180
160
140
120
100
D$_e$ [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
weighted mean = 126.85 | median = 126.34
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


De distribution
n = 15 | in 2 sigma = 53.3 %
n = 10 | in 2 sigma = 90 %
ialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
De [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


D_e distribution
n = 15 | in 2 sigma = 53.3 %
n = 10 | in 2 sigma = 90 %
ialPlot")
△ Sample 1
▽ Sample 2
Standardised estimate
2
0
−2
180
160
140
120
100
D_e [Gy]
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision


Violin Plot
n = 25 | median = 126.34
Density
110
120
130
140
150
160
170
D$_e$ [a.u.]
help("plot_ViolinPlot")


OSL
OSL [cts/1 s]
0.0
0.1
0.2
0.3
0
20
40
60
80
100
Stimulation time [s]
help("set_RLum")


OSL
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Stimulation time [s]
help("smooth_RLum")


OSL
OSL [cts/0.04 s]
0
1000
2000
3000
4000
5000
6000
0
10
20
30
40
Stimulation time [s]
help("smooth_RLum")

D$_e$ distribution
n = 62 | mean = 66.01
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D_e distribution
n = 62 | mean = 66.01
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e [Gy]
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)