Package 'Luminescence'

September 20, 2017

```
Type Package
Title Comprehensive Luminescence Dating Data Analysis [upcoming]
Version 0.8.0
Date 2017-XX-XX
Author Sebastian Kreutzer [aut, trl, cre, dtc],
      Christoph Burow [aut, trl, dtc],
      Michael Dietze [aut],
      Margret C. Fuchs [aut],
      Christoph Schmidt [aut],
      Manfred Fischer [aut, trl],
      Johannes Friedrich [aut],
      Norbert Mercier [ctb],
      Rachel K. Smedley [ctb],
      Claire Christophe [ctb],
      Antoine Zink [ctb],
      Julie Durcan [ctb],
      Georgina King [ctb, dtc],
      Anne Philippe [ctb],
      Guillaume Guerin [ctb],
      Markus Fuchs [ths]
Maintainer Sebastian Kreutzer < sebastian.kreutzer@u-bordeaux-montaigne.fr>
Description A collection of various R functions for the purpose of Luminescence
      dating data analysis. This includes, amongst others, data import, export,
      application of age models, curve deconvolution, sequence analysis and
      plotting of equivalent dose distributions.
Contact Package Developers <developers@r-luminescence.org>
License GPL-3
BugReports https://github.com/R-Lum/Luminescence/issues
Depends R (>= 3.4.1), utils, magrittr (>= 1.5)
LinkingTo Rcpp (>= 0.12.12), RcppArmadillo (>= 0.7.960.1.2)
Imports bbmle (>= 1.0.19), data.table (>= 1.10.4), httr (>= 1.3.1),
      matrixStats (\geq 0.52.2), methods, minpack.lm (\geq 1.2-1),
      plotrix (>= 3.6-6), raster (>= 2.5-8), readxl (>= 1.0.0), shape
      (>= 1.4.3), parallel, XML (>= 3.98-1.9), zoo (>= 1.8-0)
```

```
Suggests RLumShiny (>= 0.2.0), RLumModel (>= 0.2.1), plotly (>=
      4.7.1), rmarkdown (>= 1.6), rstudioapi (>= 0.7), riags (>=
      4-6), coda (>= 0.19-1), pander (>= 0.6.1), testthat (>= 1.0.2),
      devtools (>= 1.13.3), R.rsp (>= 0.41.0)
VignetteBuilder R.rsp
URL https://CRAN.R-project.org/package=Luminescence
Encoding UTF-8
Collate 'Analyse_SAR.OSLdata.R' 'CW2pHMi.R' 'CW2pLM.R' 'CW2pLMi.R'
      'CW2pPMi.R' 'Luminescence-package.R' 'PSL2Risoe.BINfileData.R'
      'RcppExports.R' 'replicate RLum.R' 'RLum-class.R'
      'smooth_RLum.R' 'names_RLum.R' 'structure_RLum.R'
      'length_RLum.R' 'set_RLum.R' 'get_RLum.R'
      'RLum.Analysis-class.R' 'RLum.Data-class.R' 'bin_RLum.Data.R'
      'RLum.Data.Curve-class.R' 'RLum.Data.Image-class.R'
      'RLum.Data.Spectrum-class.R' 'RLum.Results-class.R'
      'Risoe.BINfileData2RLum.Analysis.R'
      'Risoe.BINfileData2RLum.Data.Curve.R' 'set_Risoe.BINfileData.R'
      'get_Risoe.BINfileData.R' 'RisoeBINfileData-class.R'
      'Second2Gray.R' 'addins_RLum.R' 'analyse_Al2O3C_CrossTalk.R'
      'analyse_Al2O3C_ITC.R' 'analyse_Al2O3C_Measurement.R'
      'analyse FadingMeasurement.R' 'analyse IRSAR.RF.R'
      'analyse SAR.CWOSL.R' 'analyse SAR.TL.R' 'analyse baSAR.R'
      'analyse_pIRIRSequence.R' 'analyse_portableOSL.R' 'app_RLum.R'
      'apply CosmicRayRemoval.R' 'apply EfficiencyCorrection.R'
      'calc AliquotSize.R' 'calc AverageDose.R' 'calc CentralDose.R'
      'calc_CommonDose.R' 'calc_CosmicDoseRate.R' 'calc_FadingCorr.R'
      'calc_FastRatio.R' 'calc_FiniteMixture.R'
      'calc_FuchsLang2001.R' 'calc_HomogeneityTest.R' 'calc_IEU.R'
      'calc Kars2008.R' 'calc MaxDose.R' 'calc MinDose.R'
      'calc_OSLLxTxRatio.R' 'calc_SourceDoseRate.R'
      'calc_Statistics.R' 'calc_TLLxTxRatio.R'
      'calc_ThermalLifetime.R' 'calc_WodaFuchs2008.R' 'calc_gSGC.R'
      'convert Activity2Concentration.R' 'convert BIN2CSV.R'
      'convert_Daybreak2CSV.R' 'convert_PSL2CSV.R'
      'convert_RLum2Risoe.BINfileData.R' 'convert_XSYG2CSV.R'
      'extract_IrradiationTimes.R' 'fit_CWCurve.R' 'fit_LMCurve.R'
      'get_Layout.R' 'get_Quote.R' 'get_rightAnswer.R' 'github.R'
      'install_DevelopmentVersion.R' 'internal_as.latex.table.R'
      'internals_RLum.R' 'merge_RLum.Analysis.R'
      'merge_RLum.Data.Curve.R' 'merge_RLum.R' 'merge_RLum.Results.R'
      'merge_Risoe.BINfileData.R' 'methods_DRAC.R' 'methods_RLum.R'
      'model_LuminescenceSignals.R' 'plot_AbanicoPlot.R'
      'plot DRTResults.R' 'plot DetPlot.R'
      'plot FilterCombinations.R' 'plot GrowthCurve.R'
      'plot Histogram.R' 'plot KDE.R' 'plot NRt.R'
      'plot_RLum.Analysis.R' 'plot_RLum.Data.Curve.R'
      'plot_RLum.Data.Image.R' 'plot_RLum.Data.Spectrum.R'
      'plot RLum.R' 'plot RLum.Results.R' 'plot RadialPlot.R'
      'plot_Risoe.BINfileData.R' 'plot_ViolinPlot.R' 'read_BIN2R.R'
```

'read_Daybreak2R.R' 'read_PSL2R.R' 'read_SPE2R.R'

'read_XSYG2R.R' 'report_RLum.R' 'template_DRAC.R' 'tune_Data.R'

 $\label{lem:condition} $$ 'use_DRAC.R' 'verify_SingleGrainData.R' 'write_R2BIN.R' 'write_RLum2CSV.R' 'zzz.R' $$$

RoxygenNote 6.0.1

NeedsCompilation yes

${\sf R}$ topics documented:

	5
	7
	9
	1
	3
	20
√ =	23
<i>→</i> —1 1	29
	32
√ =	34
√ =	37
√ =	0
	2
-rr-/ ==	4
-rr-	6
	6
BaseDataSet.CosmicDoseRate	17
-	0
calc_AliquotSize	1
calc_AverageDose	3
calc_CentralDose	6
-	8
	0
= 0	4
calc_FastRatio	8
-	0
	13
calc_gSGC	15
calc_HomogeneityTest	7
-	8
	80
	34
	86
calc_OSLLxTxRatio	
calc_SourceDoseRate	
calc_Statistics	
calc_ThermalLifetime	
calc_TLLxTxRatio	
calc_WodaFuchs2008	
convert_Activity2Concentration	
convert_BIN2CSV	
convert_Daybreak2CSV	
convert_PSL2CSV	
convert_RLum2Risoe_RINfileData 11	1

convert_XSYG2CSV	112
CW2pHMi	
CW2pLM	
CW2pLMi	119
CW2pPMi	121
ExampleData.BINfileData	124
ExampleData.CW_OSL_Curve	125
ExampleData.DeValues	126
ExampleData.Fading	127
ExampleData.FittingLM	
ExampleData.LxTxData	130
ExampleData.LxTxOSLData	130
ExampleData.portableOSL	131
ExampleData.RLum.Analysis	
ExampleData.RLum.Data.Image	
ExampleData.XSYG	
extdata	
extract_IrradiationTimes	
fit_CWCurve	
fit LMCurve	
get_Layout	
get_Quote	
get_quote	
get_Risoe.BINfileData	
get RLum	
GitHub-API	
install_DevelopmentVersion	
length_RLum	
c =	
merge_Risoe.BINfileData	
e =	
merge_RLum.Analysis	
merge_RLum.Data.Curve	
merge_RLum.Results	
methods_RLum	
model_LuminescenceSignals	
names_RLum	
plot_AbanicoPlot	
plot_DetPlot	
plot_DRTResults	
plot_FilterCombinations	
plot_GrowthCurve	
plot_Histogram	
plot_KDE	
plot_NRt	196
plot_RadialPlot	198
plot_Risoe.BINfileData	203
plot_RLum	
plot_RLum.Analysis	206
plot_RLum.Data.Curve	209
plot_RLum.Data.Image	210
plot_RLum.Data.Spectrum	212
plot_RLum.Results	216

	plot_ViolinPlot	217
	PSL2Risoe.BINfileData	219
	read_BIN2R	220
	read_Daybreak2R	222
	read_PSL2R	224
	read_SPE2R	225
	read_XSYG2R	227
	replicate_RLum	230
	report_RLum	231
	Risoe.BINfileData-class	234
	Risoe.BINfileData2RLum.Analysis	239
	RLum-class	240
	RLum.Analysis-class	242
	RLum.Data-class	245
	RLum.Data.Curve-class	246
	RLum.Data.Image-class	249
	RLum.Data.Spectrum-class	251
	RLum.Results-class	253
	Second2Gray	256
	set_Risoe.BINfileData	258
	set_RLum	259
	smooth_RLum	260
	sTeve	262
	structure_RLum	263
	template_DRAC	264
	tune_Data	265
	use_DRAC	267
	verify_SingleGrainData	269
	write_R2BIN	272
	write_RLum2CSV	273
Index		276

Luminescence-package Comprehensive Luminescence Dating Data Analysis

Description

A collection of various R functions for the purpose of Luminescence dating data analysis. This includes, amongst others, data import, export, application of age models, curve deconvolution, sequence analysis and plotting of equivalent dose distributions.

Details

Package:LuminescenceType:PackageVersion:0.8.0Date:2017-XX-XX

Date: 2017-XX-X2 **License:** GPL-3

Author(s)

Full list of authors and contributors (alphabetic order)

Christoph Burow University of Cologne, Germany*

Claire Christophe IRAMAT-CRP2A, Université Bordeaux Montaigne, France

Michael Dietze GFZ Helmholtz Centre Potsdam, Germany
Julie Durcan University of Oxford, United Kingdom
Manfred Fischer University of Bayreuth, Germany

Margret C. Fuchs Helmholtz-Zentrum Dresden-Rossendorf, Helmholtz-Institute Freiberg for Resource Technology, Fre

Johannes Friedrich University of Bayreuth, Germany

Guillaume Guérin
Georgina King
Sebastian Kreutzer
Norbert Mercier
Anne Philippe

IRAMAT-CRP2A, Université Bordeaux Montaigne, France
Institute of Geological Sciences, University of Bern, Switzerland
IRAMAT-CRP2A, Université Bordeaux Montaigne, France
IRAMAT-CRP2A, Université Bordeaux Montaigne, France
Universite de Nantes and ANJA INRIA, Rennes, France

Christoph Schmidt
Rachel K. Smedley
Antoine Zink

University of Bayreuth, Germany
Aberystwyth University, United Kingdom
C2RMF, Palais du Louvre, Paris, France

Supervisor of the initial version in 2012

Markus Fuchs, Justus-Liebig-University Giessen, Germany

Support contact

<developers@r-luminescence.org>

We may further encourage the usage of our support forum. For this please visit our project website (link below).

Bug reporting

- <developers@r-luminescence.org> or
- https://github.com/R-Lum/Luminescence/issues

Project website

• http://www.r-luminescence.org

Project source code repository

• https://github.com/R-Lum/Luminescence

Related package projects

- https://cran.r-project.org/package=RLumShiny
- http://shiny.r-luminescence.org
- https://cran.r-project.org/package=RLumModel
- http://model.r-luminescence.org

Package maintainer

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne, Pessac, France, <sebastian.kreutzer@u-bordeaux-montaigne.fr>

Acknowledgement

Cooperation and personal exchange between the developers is gratefully funded by the DFG (SCHM 3051/3-1) in the framework of the program "Scientific Networks". Project title: "RLum.Network: Ein Wissenschaftsnetzwerk zur Analyse von Lumineszenzdaten mit R" (2014-2018)

References

Dietze, M., Kreutzer, S., Fuchs, M.C., Burow, C., Fischer, M., Schmidt, C., 2013. A practical guide to the R package Luminescence. Ancient TL, 31, 11-18.

Dietze, M., Kreutzer, S., Burow, C., Fuchs, M.C., Fischer, M., Schmidt, C., 2016. The abanico plot: visualising chronometric data with individual standard errors. Quaternary Geochronology 31, 1-7. http://dx.doi.org/10.1016/j.quageo.2015.09.003

Fuchs, M.C., Kreutzer, S., Burow, C., Dietze, M., Fischer, M., Schmidt, C., Fuchs, M., 2015. Data processing in luminescence dating analysis: An exemplary workflow using the R package 'Luminescence'. Quaternary International, 362,8-13. http://dx.doi.org/10.1016/j.quaint.2014.06.034

Kreutzer, S., Schmidt, C., Fuchs, M.C., Dietze, M., Fischer, M., Fuchs, M., 2012. Introducing an R package for luminescence dating analysis. Ancient TL, 30, 1-8.

Smedley, R.K., 2015. A new R function for the Internal External Uncertainty (IEU) model. Ancient TL 33, 16-21.

```
analyse_Al2O3C_CrossTalk
```

Al2O3:C Reader Cross Talk Analysis

Description

The function provides the analysis of cross-talk measurements on a FI lexsyg SMART reader using Al2O3:C pellets

Usage

```
analyse_Al203C_CrossTalk(object, signal_integral = NULL, dose_points = c(0,
4), recordType = c("OSL (UVVIS)"), irradiation_time_correction = NULL,
method_control = NULL, plot = TRUE, ...)
```

Arguments

object RLum.Analysis (required): measurement input

signal_integral

numeric (optional): signal integral, used for the signal and the background. If

nothing is provided the full range is used

dose_points numeric (with default): vector with dose points, if dose points are repeated, only

the general pattern needs to be provided. Default values follow the suggestions

made by Kreutzer et al., 2017

recordType character (with default): input curve selection, which is passed to function get_RLum.

To deactivate the automatic selection set the argument to NULL

irradiation_time_correction

numeric or RLum.Results (optional): information on the used irradiation time correction obained by another experiements.

 ${\tt method_control\ list\ } (optional) \hbox{: optional\ parameters\ to\ control\ the\ calculation.} \ \ See\ details\ for$

further explanations

plot logical (with default): enable/disable plot output

... further arguments that can be passed to the plot output

Value

Function returns results numerically and graphically:

```
[ NUMERICAL OUTPUT ]
```

RLum.Results-object

slot: @data

Element	Type	Description
\$data	data.frame	summed apparent dose table
<pre>\$data_full</pre>	data.frame	full apparent dose table
\$fit	lm	the linear model obtained from fitting
\$col.seq	numeric	the used colour vector

slot: @info

The original function call

[PLOT OUTPUT]

• An overview of the obtained apparent dose values

Function version

0.1.2 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). analyse_Al2O3C_CrossTalk(): Al2O3:C Reader Cross Talk Analysis. Function version 0.1.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

TODO

analyse_Al2O3C_ITC

See Also

```
analyse_Al2O3C_ITC
```

Examples

```
## nothing so far TODO ... add tests with example
```

analyse_Al2O3C_ITC

Al2O3 Irradiation Time Correction Analysis

Description

The function provides a very particular analysis to correct the irradiation time while irradiating Al2O3:C pellets in a luminescence reader.

Usage

```
analyse_Al203C_ITC(object, signal_integral = NULL, dose_points = c(2, 4, 8,
    12, 16), recordType = c("OSL (UVVIS)"), method_control = NULL,
    verbose = TRUE, plot = TRUE, ...)
```

Arguments

object RLum. Analysis or list (required): results obtained from the measurement. Al-

ternatively a list of 'RLum. Analysis' objects can be provided to allow an auto-

9

matic analysis.

signal_integral

numeric (optional): signal integral, used for the signal and the background. If

nothing is provided the full range is used. Argument can be provided as list.

dose_points numeric (with default): vector with dose points, if dose points are repeated, only

the general pattern needs to be provided. Default values follow the suggestions

made by Kreutzer et al., 2017. Argument can be provided as list.

recordType character (with default): input curve selection, which is passed to function get_RLum.

To deactivate the automatic selection set the argument to NULL

method_control list (optional): optional parameters to control the calculation. See details for

further explanations

verbose logical (with default): enable/disable verbose mode
plot logical (with default): enable/disable plot output
... further arguments that can be passed to the plot output

Details

Background: Due to their high dose sensitivity Al2O3:C pellets are usually irradiated for only a very short duration or under the closed beta-source within a luminescence reader. However, due to its high dose sensitivity, during the movement towards the beta-source, the pellet already receives and non-negligible dose. Based on measurements following a protocol suggested by Kreutzer et

al., XXXX, a dose response curve is constructed and the intersection (absolute value) with the time axis is taken as real irradiation time.

method_control

To keep the generic argument list as clear as possible, arguments to allow a deeper control of the method are all preset with meaningful default parameters and can be handled using the argument method_control only, e.g., method_control = list(fit.method = "LIN"). Supported arguments are:

ARGUMENT FUNCTION DESCRIPTION

mode plot_GrowthCurve as in plot_GrowthCurve; sets the mode used for fitting fit.method plot_GrowthCurve as in plot_GrowthCurve; sets the function applied for fitting

Value

Function returns results numerically and graphically:

[NUMERICAL OUTPUT]

RLum.Results-object

slot: @data

Element	Type	Description
\$data	data.frame	correction value and error
<pre>\$table</pre>	data.frame	table used for plotting
<pre>\$table_mean</pre>	data.frame	table used for fitting
\$fit	lm or nls	the fitting as returned by the function plot_GrowthCurve

slot: @info

The original function call

[PLOT OUTPUT]

• A dose response curve with the marked correction values

Function version

0.1.1 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). analyse_Al2O3C_ITC(): Al2O3 Irradiation Time Correction Analysis. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

TODO

See Also

plot_GrowthCurve

Examples

```
## nothing so far TODO ... add tests with example
```

analyse_Al2O3C_Measurement

Al2O3: C Passive Dosimeter Measurement Analysis

Description

The function provides the analysis routines for measurements on a FI lexsyg SMART reader using Al2O3:C pellets according to Kreutzer et al., XXXX

Usage

```
analyse_Al203C_Measurement(object, signal_integral = NULL,
  dose_points = c(0, 4), recordType = c("OSL (UVVIS)", "TL (UVVIS)"),
  irradiation_time_correction = NULL, cross_talk_correction = NULL,
  travel_dosimeter = NULL, test_parameters = NULL, verbose = TRUE,
  plot = TRUE, ...)
```

Arguments

object RLum.Analysis (required): measurement input

signal_integral

numeric (optional): signal integral, used for the signal and the background. If

nothing is provided the full range is used

dose_points numeric (with default): vector with dose points, if dose points are repeated, only

the general pattern needs to be provided. Default values follow the suggestions

made by Kreutzer et al., XXXX

recordType character (with default): input curve selection, which is passed to function get_RLum.

To deactivate the automatic selection set the argument to NULL

irradiation_time_correction

numeric or RLum.Results (optional): information on the used irradiation time correction obtained by another experiements. I a numeric is provided it has to

be of length two: mean, standard error

cross_talk_correction

numeric or RLum.Results (*optional*): information on the used irradiation time correction obtained by another experiements. If a numeric vector is provided it has to be of length three: mean, 2.5 % quantile, 97.5 % quantile.

travel_dosimeter

numeric (*optional*): specify the position of the travel dosimeter (so far measured a the same time). The dose of travel dosimeter will be subtracted from all other values.

test_parameters

 $list \ (\textit{with default}) : \ set \ test \ parameters. \ Supported \ parameters \ are: \ TL_peak_shift$

All input: numeric values, NA and NULL (s. Details)

verbose logical (with default): enable/disable verbose mode

plot logical (with default): enable/disable plot output, if object is of type list, a

numeric vector can be provided to limit the plot output to certain aliquots

... further arguments that can be passed to the plot output

Details

Working with a travel dosimeter ##ADD INFORMATION ON HOW IT WORKS WITH THE TRAVEL DOSIMETERS

Test parameters

TL_peak_shift numeric (default: 15):

Checks whether the TL peak shift is bigger > 15 K, indicating a problem with the thermal contact of the pellet

Value

Function returns results numerically and graphically:

[NUMERICAL OUTPUT]

RLum.Results-object

slot: @data

Element	Type	Description
\$data	data.frame	the estimated equivalent dose
<pre>\$data_table</pre>	data.frame	full dose and signal table
test_parameters	data.frame	results with test paramaters
data_TDcorrected	data.frame	travel dosimeter corrected results (only if TD was provided)

slot: @info

The original function call

[PLOT OUTPUT]

• OSL and TL curves, combined on two plots.

Function version

0.1.7 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). analyse_Al2O3C_Measurement(): Al2O3:C Passive Dosimeter Measurement Analysis. Function version 0.1.7. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

TODO

See Also

```
analyse_Al2O3C_ITC
```

Examples

```
## nothing so far TODO ... add tests with example
```

analyse_baSAR

Bayesian models (baSAR) applied on luminescence data

Description

This function allows the application of Bayesian models on luminescence data, measured with the single-aliquot regenerative-dose (SAR, Murray and Wintle, 2000) protocol. In particular, it follows the idea proposed by Combes et al., 2015 of using an hierarchical model for estimating a central equivalent dose from a set of luminescence measurements. This function is (I) the adaption of this approach for the R environment and (II) an extension and a technical refinement of the published code.

Usage

```
analyse_baSAR(object, XLS_file = NULL, aliquot_range = NULL,
    source_doserate = NULL, signal.integral, signal.integral.Tx = NULL,
    background.integral, background.integral.Tx = NULL, sigmab = 0,
    sig0 = 0.025, distribution = "cauchy", baSAR_model = NULL,
    n.MCMC = 1e+05, fit.method = "EXP", fit.force_through_origin = TRUE,
    fit.includingRepeatedRegPoints = TRUE, method_control = list(),
    digits = 3L, plot = TRUE, plot_reduced = TRUE, plot.single = FALSE,
    verbose = TRUE, ...)
```

Arguments

object Risoe.BINfileData, RLum.Results, character or list (required): input object

used for the Bayesian analysis. If a character is provided the function assumes a file connection and tries to import a BIN-file using the provided path. If a list is provided the list can only contain either Risoe.BINfileData objects or characters providing a file connection. Mixing of both types is not allowed. If an RLum.Results is provided the function directly starts with the Bayesian

Analysis (see details)

XLS_file character (optional): XLS_file with data for the analysis. This file must contain

3 columns: the name of the file, the disc position and the grain position (the last

being 0 for multi-grain measurements).

Alternatively a data. frame of similar structure can be provided.

aliquot_range numeric (optional): allows to limit the range of the aliquots used for the analysis.

> This argument has only an effect if the argument XLS_file is used or the input is the previous output (i.e. is RLum.Results). In this case the new selection will

add the aliquots to the removed aliquots table.

source_doserate

numeric (required): source dose rate of beta-source used for the measuremnt and its uncertainty in Gy/s, e.g., source_doserate = c(0.12, 0.04). Paramater can be provided as list, for the case that more than one BIN-file is provided, e.g., source_doserate = list(c(0.04, 0.004), c(0.05, 0.004)).

signal.integral

vector (required): vector with the limits for the signal integral used for the calculation, e.g., signal.integral = c(1:5). Ignored if object is an RLum.Results object. The parameter can be provided as list, see source_doserate.

signal.integral.Tx

vector (optional): vector with the limits for the signal integral for the Tx curve. I f nothing is provided the value from signal. integral is used and it is ignored if object is an RLum.Results object. The parameter can be provided as list, see source_doserate.

background.integral

vector (required): vector with the bounds for the background integral. Ignored if object is an RLum.Results object. The parameter can be provided as list, see source_doserate.

background.integral.Tx

vector (optional): vector with the limits for the background integral for the Tx curve. If nothing is provided the value from background.integral is used. Ignored if object is an RLum.Results object. The parameter can be provided as list, see source_doserate.

numeric (with default): option to set a manual value for the overdispersion (for sigmab

LnTx and TnTx), used for the Lx/Tx error calculation. The value should be provided as absolute squared count values, cf. calc_OSLLxTxRatio. The parameter

can be provided as list, see source_doserate.

sig0 numeric (with default): allow adding an extra component of error to the final

Lx/Tx error value (e.g., instrumental error, see details is calc_OSLLxTxRatio).

The parameter can be provided as list, see source_doserate.

distribution character (with default): type of distribution that is used during Bayesian calculations for determining the Central dose and overdispersion values. Allowed inputs are "cauchy", "normal" and "log_normal".

baSAR_model character (optional): option to provide an own modified or new model for the

Bayesian calculation (see details). If an own model is provided the argument

distribution is ignored and set to 'user_defined'

n.MCMC integer (with default): number of iterations for the Markov chain Monte Carlo

(MCMC) simulations

fit.method character (with default): fit method used for fitting the growth curve using the

function plot_GrowthCurve. Here supported methods: EXP, EXP+LIN and LIN

fit.force_through_origin

logical (with default): force fitting through origin

fit.includingRepeatedRegPoints

logical (with default): includes the recycling point (assumed to be measured

during the last cycle)

method_control list (optional): named list of control parameters that can be directly passed to

the Bayesian analysis, e.g., method_control = list(n.chains = 4). See

details for further information

digits integer (with default): round output to the number of given digits

plot logical (with default): enables or disables plot output

plot_reduced logical (with default): enables or disables the advanced plot output

plot.single logical (with default): enables or disables single plots or plots arranged by

analyse_baSAR

verbose logical (with default): enables or disables verbose mode

... parameters that can be passed to the function calc_OSLLxTxRatio (almost full

support), readxl::read_excel (full support), read_BIN2R (n.records, position,

duplicated.rm), see details.

Details

Internally the function consists of two parts: (I) The Bayesian core for the Bayesian calculations and applying the hierchical model and (II) a data pre-processing part. The Bayesian core can be run independently, if the input data are sufficient (see below). The data pre-processing part was implemented to simplify the analysis for the user as all needed data pre-processing is done by the function, i.e. in theory it is enough to provide a BIN/BINX-file with the SAR measurement data. For the Bayesian analysis for each aliquot the following information are needed from the SAR analysis. LxTx, the LxTx error and the dose values for all regeneration points.

How the systematic error contribution is calculated?

Standard errors (so far) provided with the source dose rate are considered as systematic uncertainties and added to final central dose by:

$$systematic.error = 1/n \sum SE(source.doserate)$$

$$SE(central.dose.final) = \sqrt{SE(central.dose)^2 + systematic.error^2}$$

Please note that this approach is rather rough and can only be valid if the source dose rate errors, in case different readers had been used, are similar. In cases where more than one source dose rate is provided a warning is given.

Input / output scenarios

Various inputs are allowed for this function. Unfortunately this makes the function handling rather complex, but at the same time very powerful. Available scenarios:

(1) - object is BIN-file or link to a BIN-file

Finally it does not matter how the information of the BIN/BINX file are provided. The function supports (a) either a path to a file or directory or a list of file names or paths or (b) a Risoe.BINfileData object or a list of these objects. The latter one can be produced by using the function read_BIN2R, but this function is called automatically if only a filename and/or a path is provided. In both cases it will become the data that can be used for the analysis.

```
[XLS_file = NULL]
```

If no XLS file (or data frame with the same format) is provided the functions runs an automatic process that consists of the following steps:

- 1. Select all valid aliquots using the function verify_SingleGrainData
- 2. Calculate Lx/Tx values using the function calc_OSLLxTxRatio
- 3. Calculate De values using the function plot_GrowthCurve

These proceeded data are subsequently used in for the Bayesian analysis

```
[XLS_file != NULL]
```

If an XLS-file is provided or a data. frame providing similar information the pre-processing steps consists of the following steps:

- 1. Calculate Lx/Tx values using the function calc_OSLLxTxRatio
- 2. Calculate De values using the function plot_GrowthCurve

Means, the XLS file should contain a selection of the BIN-file names and the aliquots selected for the further analysis. This allows a manual selection of input data, as the automatic selection by verify_SingleGrainData might be not totally sufficient.

```
(2) - object RLum.Results object
```

If an RLum.Results object is provided as input and(!) this object was previously created by the function analyse_baSAR() itself, the pre-processing part is skipped and the function starts directly the Bayesian analysis. This option is very powerful as it allows to change parameters for the Bayesian analysis without the need to repeat the data pre-processing. If furthermore the argument aliquot_range is set, aliquots can be manually excluded based on previous runs.

method_control

These are arguments that can be passed directly to the Bayesian calculation core, supported arguments are:

Parameter	Type	Descritpion
lower_centralD	numeric	sets the lower bound for the expected De range. Change it only if you know what you are
upper_centralD	numeric	sets the upper bound for the expected De range. Change it only if you know what you are
n.chains	integer	sets number of parallel chains for the model (default = 3) (cf. rjags::jags.model)
inits	list	option to set initialisation values (cf. rjags::jags.model)
thin	numeric	thinning interval for monitoring the Bayesian process (cf. rjags::jags.model)
variable.names	character	set the variables to be monitored during the MCMC run, default: 'central_D', 'sigma_I

User defined models

The function provides the option to modify and to define own models that can be used for the Bayesian calculation. In the case the user wants to modify a model, a new model can be piped into

the funtion via the argument baSAR_model as character. The model has to be provided in the JAGS dialect of the BUGS language (cf. rjags::jags.model) and parameter names given with the pre-defined names have to be respected, otherwise the function will break.

FAQ

Q: How can I set the seed for the random number generator (RNG)?

A: Use the argument method_control, e.g., for three MCMC chains (as it is the default):

```
method_control = list(
inits = list(
  list(.RNG.name = "base::Wichmann-Hill", .RNG.seed = 1),
  list(.RNG.name = "base::Wichmann-Hill", .RNG.seed = 2),
  list(.RNG.name = "base::Wichmann-Hill", .RNG.seed = 3)
))
```

This sets a reproducible set for every chain separately.

Q: How can I modify the output plots?

A: You can't, but you can use the function output to create own, modified plots.

Q: Can I change the boundaries for the central_D?

A: Yes, we made it possible, but we DO NOT recommend it, except you know what you are doing! Example: method_control = list(lower_centralD = 10))

Q: The lines in the baSAR-model appear to be in a wrong logical order?

A: This is correct and allowed (cf. JAGS manual)

Additional arguments support via the . . . argument

This list summarizes the additional arguments that can be passed to the internally used functions.

Supported argument	Corresponding function	Default	**Short description **
threshold	verify_SingleGrainData	30	change rejection threshold for curv
sheet	readxl::read_excel	1	select XLS-sheet for import
col_names	readxl::read_excel	TRUE	first row in XLS-file is header
col_types	readxl::read_excel	NULL	limit import to specific columns
skip	readxl::read_excel	0	number of rows to be skipped durir
n.records	read_BIN2R	NULL	limit records during BIN-file impor
duplicated.rm	read_BIN2R	TRUE	remove duplicated records in the B
pattern	read_BIN2R	TRUE	select BIN-file by name pattern
position	read_BIN2R	NULL	limit import to a specific position
background.count.distribution	calc_OSLLxTxRatio	"non-poisson"	set assumed count distribution
fit.weights	plot_GrowthCurve	TRUE	enables / disables fit weights
fit.bounds	plot_GrowthCurve	TRUE	enables / disables fit bounds
NumberIterations.MC	plot_GrowthCurve	100	number of MC runs for error calcul
output.plot	plot_GrowthCurve	TRUE	enables / disables dose response cu
output.plotExtended	plot_GrowthCurve	TRUE	enables / disables extended dose re

Value

Function returns results numerically and graphically:

[NUMERICAL OUTPUT]

RLum.Results-object

slot: @data

Element	Type	Description
\$summary	data.frame	statistical summary, including the central dose
\$mcmc	mcmc	object including raw output of rjags::rjags
\$models	character	implemented models used in the baSAR-model core
<pre>\$input_object</pre>	data.frame	summarising table (same format as the XLS-file) including, e.g., Lx/Tx values
<pre>\$removed_aliquots</pre>	data.frame	table with removed aliquots (e.g., NaN, or Inf Lx/Tx values). If nothing was removed

slot: @info

The original function call

[PLOT OUTPUT]

- (A) Ln/Tn curves with set integration limits,
- (B) trace plots are returned by the baSAR-model, showing the convergence of the parameters (trace) and the resulting kernel density plots. If plot_reduced = FALSE for every(!) dose a trace and a density plot is returned (this may take a long time),
- (C) dose plots showing the dose for every aliquot as boxplots and the marked HPD in within. If boxes are coloured 'orange' or 'red' the aliquot itself should be checked,
- (D) the dose response curve resulting from the monitoring of the Bayesian modelling are provided along with the Lx/Tx values and the HPD. Note: The amount for curves displayed is limited to 1000 (random choice) for performance reasons,
- (E) the final plot is the De distribution as calculated using the conventional approach and the central dose with the HPDs marked within.

Please note: If distribution was set to log_normal the central dose is given as geometric mean!

Function version

0.1.29 (2017-09-02 23:29:24)

How to cite

Mercier, N., Kreutzer, S. (2017). analyse_baSAR(): Bayesian models (baSAR) applied on luminescence data. Function version 0.1.29. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

If you provide more than one BIN-file, it is **strongly** recommanded to provide a list with the same number of elements for the following parameters:

source_doserate, signal.integral, signal.integral.Tx, background.integral, background.integral.Tx, sigmab, sig0.

Example for two BIN-files: source_doserate = list(c(0.04, 0.006), c(0.05, 0.006))

The function is currently limited to work with standard Risoe BIN-files only!

Author(s)

Norbert Mercier, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) The underlying Bayesian model based on a contribution by Combes et al., 2015. R Luminescence Package Team

References

Combes, B., Philippe, A., Lanos, P., Mercier, N., Tribolo, C., Guerin, G., Guibert, P., Lahaye, C., 2015. A Bayesian central equivalent dose model for optically stimulated luminescence dating. Quaternary Geochronology 28, 62-70. doi:10.1016/j.quageo.2015.04.001

Mercier, N., Kreutzer, S., Christophe, C., Guerin, G., Guibert, P., Lahaye, C., Lanos, P., Philippe, A., Tribolo, C., 2016. Bayesian statistics in luminescence dating: The 'baSAR'-model and its implementation in the R package 'Luminescence'. Ancient TL 34, 14-21.

Further reading

Gelman, A., Carlin, J.B., Stern, H.S., Dunson, D.B., Vehtari, A., Rubin, D.B., 2013. Bayesian Data Analysis, Third Edition. CRC Press.

Murray, A.S., Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73. doi:10.1016/S1350-4487(99)00253-X

Plummer, M., 2017. JAGS Version 4.3.0 user manual. https://sourceforge.net/projects/mcmc-jags/files/Manuals/4.x/jags_user_manual.pdf/download

See Also

read_BIN2R, calc_OSLLxTxRatio, plot_GrowthCurve, readxl::read_excel, verify_SingleGrainData, rjags::jags.model, rjags::coda.samples, boxplot.default

Examples

```
##(1) load package test data set
data(ExampleData.BINfileData, envir = environment())
##(2) selecting relevant curves, and limit dataset
CWOSL.SAR.Data <- subset(</pre>
  CWOSL.SAR.Data,
  subset = POSITION%in%c(1:3) & LTYPE == "OSL")
## Not run:
##(3) run analysis
##please not that the here selected parameters are
##choosen for performance, not for reliability
results <- analyse_baSAR(</pre>
  object = CWOSL.SAR.Data,
  source_doserate = c(0.04, 0.001),
  signal.integral = c(1:2),
  background.integral = c(80:100),
  fit.method = "LIN",
```

```
plot = FALSE,
  n.MCMC = 200
)
print(results)
##XLS file template
##copy and paste this the code below in the terminal
##you can further use the function write.csv() to export the example
XLS_file <-
structure(
list(
BIN_FILE = NA_character_,
DISC = NA_real_,
 GRAIN = NA_real_),
   .Names = c("BIN_FILE", "DISC", "GRAIN"),
   class = "data.frame",
   row.names = 1L
)
## End(Not run)
```

analyse_FadingMeasurement

Analyse fading measurements and returns the fading rate per decade (g-value)

Description

The function analysis fading measurements and returns a fading rate including an error estimation. The function is not limited to standard fading measurements, as can be seen, e.g., Huntley and Lamothe 2001. Additionally, the density of recombination centres (rho') is estimated after Kars et al. 2008.

Usage

```
analyse_FadingMeasurement(object, structure = c("Lx", "Tx"), signal.integral,
background.integral, t_star = "half", n.MC = 100, verbose = TRUE,
plot = TRUE, plot.single = FALSE, ...)
```

Arguments

object

RLum.Analysis (**required**): input object with the measurement data. Alternatively, a list containing **RLum.**Analysis objects or a data.frame with three columns (x = LxTx, y = LxTx error, z = time since irradiation) can be provided. Can also be a wide table, i.e. a data.frame with a number of colums divisible by 3 and where each triplet has the before mentioned column structure.

structure	character (with default): sets the structure of the measurement data. Allowed are 'Lx' or c('Lx', 'Tx'). Other input is ignored
signal.integra	1
	vector (required): vector with the limits for the signal integral. Not required if a data.frame with LxTx values are provided.
background.inte	egral
	vector (required): vector with the bounds for the background integral. Not required if a data. frame with LxTx values are provided.
t_star	character (with default): method for calculating the time elasped since irradiaton. Options are: 'half', which is $t_star:=t_1+(t_2-t_1)/2$ (Auclair et al., 2003) and 'end', which takes the time between irradiation and the measurement step. Default is 'half'
n.MC	integer (with default): number for Monte Carlo runs for the error estimation
verbose	logical (with default): enables/disables verbose mode
plot	logical (with default): enables/disables plot output
plot.single	logical (with default): enables/disables single plot mode, i.e. one plot window per plot. Alternatively a vector specifying the plot to be drawn, e.g., plot.single = $c(3,4)$ draws only the last two plots
•••	(optional) further arguments that can be passed to internally used functions (see details)

Details

All provided output corresponds to the tc value obtained by this analysis. Additionally in the output object the g-value normalised to 2-days is provided. The output of this function can be passed to the function calc_FadingCorr.

Fitting and error estimation

For the fitting the function stats::lm is used without applying weights. For the error estimation all input values, except tc, as the precision can be consdiered as sufficiently high enough with regard to the underlying problem, are sampled assuming a normal distribution for each value with the value as the mean and the provided uncertainty as standard deviation.

Density of recombination centres

The density of recombination centres, expressed by the dimensionless variable rho', is estimated by fitting equation 5 in Kars et al. 2008 to the data. For the fitting the function stats::nls is used without applying weights. For the error estimation the same procedure as for the g-value is applied (see above).

Value

An RLum.Results object is returned:

Slot: @data

OBJECT	TYPE	COMMENT
fading_results	data.frame	results of the fading measurement in a table
fit	lm	object returned by the used linear fitting function stats::lm
rho_prime	data.frame	results of rho' estimation after Kars et al. 2008
LxTx_table	data.frame	Lx/Tx table, if curve data had been provided
irr.times	integer	vector with the irradiation times in seconds

Slot: @info

OBJECT TYPE COMMENT

call call the original function call

Function version

0.1.5 (2017-09-02 23:27:03)

How to cite

Kreutzer, S., Burow, C. (2017). analyse_FadingMeasurement(): Analyse fading measurements and returns the fading rate per decade (g-value). Function version 0.1.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function has BETA status and should not be used for publication work!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Auclair, M., Lamothe, M., Huot, S., 2003. Measurement of anomalous fading for feldpsar IRSL using SAR. Radiation Measurements 37, 487-492. doi:10.1016/S1350-4487(03)00018-0

Huntley, D.J., Lamothe, M., 2001. Ubiquity of anomalous fading in K-feldspars and the measurement and correction for it in optical dating. Canadian Journal of Earth Sciences 38, 1093-1106. doi:10.1139/cjes-38-7-1093

Kars, R.H., Wallinga, J., Cohen, K.M., 2008. A new approach towards anomalous fading correction for feldspar IRSL dating-tests on samples in field saturation. Radiation Measurements 43, 786-790. doi:10.1016/j.radmeas.2008.01.021

See Also

```
calc_OSLLxTxRatio, read_BIN2R, read_XSYG2R, extract_IrradiationTimes
```

Examples

```
## load example data (sample UNIL/NB123, see ?ExampleData.Fading)
data("ExampleData.Fading", envir = environment())

##(1) get fading measurement data (here a three column data.frame)
fading_data <- ExampleData.Fading$fading.data$IR50

##(2) run analysis
g_value <- analyse_FadingMeasurement(
fading_data,</pre>
```

```
plot = TRUE,
verbose = TRUE,
n.MC = 10)

##(3) this can be further used in the function
## to correct the age according to Huntley & Lamothe, 2001
results <- calc_FadingCorr(
age.faded = c(100,2),
g_value = g_value,
n.MC = 10)</pre>
```

analyse_IRSAR.RF

Analyse IRSAR RF measurements

Description

Function to analyse IRSAR RF measurements on K-feldspar samples, performed using the protocol according to Erfurt et al. (2003) and beyond.

Usage

```
analyse_IRSAR.RF(object, sequence_structure = c("NATURAL", "REGENERATED"),
   RF_nat.lim = NULL, RF_reg.lim = NULL, method = "FIT",
   method.control = NULL, test_parameters = NULL, n.MC = 10,
   txtProgressBar = TRUE, plot = TRUE, plot_reduced = FALSE, ...)
```

Arguments

object

RLum.Analysis or a list of RLum.Analysis-objects (**required**): input object containing data for protocol analysis. The function expects to find at least two curves in the RLum.Analysis object: (1) RF_nat, (2) RF_reg. If a list is provided as input all other parameters can be provided as list as well to gain full control.

sequence_structure

vector character (with default): specifies the general sequence structure. Allowed steps are NATURAL, REGENERATED. In addition any other character is allowed in the sequence structure; such curves will be ignored during the analysis.

RF_nat.lim vector (with default): set minimum and maximum channel range for natural

signal fitting and sliding. If only one value is provided this will be treated as minimum value and the maximum limit will be added automatically.

RF_reg.lim vector (with default): set minimum and maximum channel range for regenerated

signal fitting and sliding. If only one value is provided this will be treated as minimum value and the maximum limit will be added automatically.

method character (with default): setting method applied for the data analysis. Possible

options are "FIT" or "SLIDE".

method.control list (optional): parameters to control the method, that can be passed to the cho-

sen method. These are for (1) method = "FIT": 'trace', 'maxiter', 'warnOnly', 'minFactor' and for (2) method = "SLIDE": 'correct_onset', 'show_density',

'show_fit', 'trace'. See details.

test_parameters

list (with default): set test parameters. Supported parameters are: curves_ratio,
residuals_slope (only for method = "SLIDE"), curves_bounds, dynamic_ratio,
lambda, beta and delta.phi. All input: numeric values, NA and NULL (s. Details)

(see Details for further information)

n.MC numeric (with default): set number of Monte Carlo runs for start parameter esti-

mation (method = "FIT") or error estimation (method = "SLIDE"). This value can be set to NULL to skip the MC runs. Note: Large values will significantly

increase the computation time

txtProgressBar logical (with default): enables TRUE or disables FALSE the progression bar during

MC runs

plot logical (with default): plot output (TRUE or FALSE)

plot_reduced logical (optional): provides a reduced plot output if enabled to allow common R

plot combinations, e.g., par(mfrow(...)). If TRUE no residual plot is returned;

it has no effect if plot = FALSE

... further arguments that will be passed to the plot output. Currently supported ar-

 $guments\ are\ main,\ xlab,\ ylab,\ xlim,\ ylim,\ log,\ legend\ (TRUE/FALSE),\ legend\ .pos,$

legend.text (passes argument to x,y in graphics::legend), xaxt

Details

The function performs an IRSAR analysis described for K-feldspar samples by Erfurt et al. (2003) assuming a negligible sensitivity change of the RF signal.

General Sequence Structure (according to Erfurt et al., 2003)

- 1. Measuring IR-RF intensity of the natural dose for a few seconds (RF_{nat})
- 2. Bleach the samples under solar conditions for at least 30 min without changing the geometry
- 3. Waiting for at least one hour
- 4. Regeneration of the IR-RF signal to at least the natural level (measuring (RF_{reg})
- 5. Fitting data with a stretched exponential function
- 6. Calculate the palaeodose D_e using the parameters from the fitting

Actually two methods are supported to obtain the D_e : method = "FIT" and method = "SLIDE": method = "FIT"

The principle is described above and follows the original suggestions by Erfurt et al., 2003. For the fitting the mean count value of the RF nat curve is used.

Function used for the fitting (according to Erfurt et al. (2003)):

$$\phi(D) = \phi_0 - \Delta\phi(1 - exp(-\lambda * D))^{\beta}$$

with $\phi(D)$ the dose dependent IR-RF flux, ϕ_0 the initial IR-RF flux, $\Delta \phi$ the dose dependent change of the IR-RF flux, λ the exponential parameter, D the dose and β the dispersive factor.

To obtain the palaeodose D_e the function is changed to:

$$D_e = ln(-(\phi(D) - \phi_0)/(-\lambda * \phi)^{1/\beta} + 1)/-\lambda$$

The fitting is done using the port algorithm of the nls function.

```
method = "SLIDE"
```

For this method the natural curve is slided along the x-axis until congruence with the regenerated curve is reached. Instead of fitting this allows to work with the original data without the need of any physical model. This approach was introduced for RF curves by Buylaert et al., 2012 and Lapp et al., 2012.

Here the sliding is done by searching for the minimum of the squared residuals. For the mathematical details of the implementation see Frouin et al., 2017

method.control

To keep the generic argument list as clear as possible, arguments to control the methods for De estimation are all preset with meaningful default parameters and can be handled using the argument method.control only, e.g., method.control = list(trace = TRUE). Supported arguments are:

ARGUMENT	METHOD	DESCRIPTION
trace	FIT, SLIDE	as in nls; shows sum of squared residuals
trace_vslide	SLIDE	logical argument to enable or disable the tracing of the vertical sliding
maxiter	FIT	as in nls
warnOnly	FIT	as in nls
minFactor	FIT	as in nls
correct_onset	SLIDE	The logical argument shifts the curves along the x-axis by the first channel, as light is ex
show_density	SLIDE	logical (with default) enables or disables KDE plots for MC run results. If the distributio
show_fit	SLIDE	logical (with default) enables or disables the plot of the fitted curve routinely obtained du
n.MC	SLIDE	integer (with default): This controls the number of MC runs within the sliding (assessing
vslide_range	SLDE	logical or numeric or character (with default): This argument sets the boundaries for a ve
cores	SLIDE	number or character (with default): set number of cores to be allocated for a parallel pr

Error estimation

For method = "FIT" the asymmetric error range is obtained by using the 2.5 % (lower) and the 97.5 % (upper) quantiles of the RF_{nat} curve for calculating the D_e error range.

For method = "SLIDE" the error is obtained by bootstrapping the residuals of the slided curve to construct new natural curves for a Monte Carlo simulation. The error is returned in two ways: (a) the standard deviation of the herewith obtained D_e from the MC runs and (b) the confidence interval using the 2.5 % (lower) and the 97.5 % (upper) quantiles. The results of the MC runs are returned with the function output.

Test parameters

The argument test_parameters allows to pass some thresholds for several test parameters, which will be evaluated during the function run. If a threshold is set and it will be exceeded the test parameter status will be set to "FAILED". Intentionally this parameter is not termed 'rejection criteria' as not all test parameters are evaluated for both methods and some parameters are calculated by not evaluated by default. Common for all parameters are the allowed argument options NA and NULL. If the parameter is set to NA the value is calculated but the result will not be evaluated, means it has no effect on the status ("OK" or "FAILED") of the parameter. Setting the parameter to NULL disables the parameter entirely and the parameter will be also removed from the function output. This might be useful in cases where a particular parameter asks for long computation times. Currently supported parameters are:

```
curves_ratio numeric (default: 1.001):
```

The ratio of RF_{nat} over RF_{reg} in the range of RF_{nat} of is calculated and should not exceed the threshold value.

```
intersection_ratio numeric (default: NA):
```

Calculated as absolute difference from 1 of the ratio of the integral of the normalised RF-curves, This value indicates intersection of the RF-curves and should be close to 0 if the curves have a similar shape. For this calculation first the corresponding time-count pair value on the RF_reg curve is obtained using the maximum count value of the RF_nat curve and only this segment (fitting to the RF_nat curve) on the RF_reg curve is taken for further calculating this ratio. If nothing is found at all, Inf is returned.

```
residuals_slope numeric (default: NA; only for method = "SLIDE"):
```

A linear function is fitted on the residuals after sliding. The corresponding slope can be used to discard values as a high (positive, negative) slope may indicate that both curves are fundamentally different and the method cannot be applied at all. Per default the value of this parameter is calculated but not evaluated.

```
curves_bounds numeric (default: max(RF_{reg_counts}):
```

This measure uses the maximum time (x) value of the regenerated curve. The maximum time (x) value of the natural curve cannot be larger than this value. However, although this is not recommended the value can be changed or disabled.

```
dynamic_ratio numeric (default: NA):
```

The dynamic ratio of the regenerated curve is calculated as ratio of the minimum and maximum count values.

```
lambda, beta and delta.phi numeric (default: NA; method = "SLIDE"):
```

The stretched exponential function suggested by Erfurt et al. (2003) describing the decay of the RF signal, comprises several parameters that might be useful to evaluate the shape of the curves. For method = "FIT" this parameter is obtained during the fitting, for method = "SLIDE" a rather rough estimation is made using the function minpack.lm::nlsLM and the equation given above. Note: As this procedure requests more computation time, setting of one of these three parameters to NULL also prevents a calculation of the remaining two.

Value

The function returns numerical output and an (optional) plot.

```
[ NUMERICAL OUTPUT ]
```

RLum.Results-object

slot: @data

[.. \$data : data.frame]

Column	Type	Description
DE	numeric	the obtained equivalent dose
DE.ERROR	numeric	(only method = "SLIDE") standard deviation obtained from MC runs
DE.LOWER	numeric	2.5% quantile for De values obtained by MC runs
DE.UPPER	numeric	97.5% quantile for De values obtained by MC runs
DE.STATUS	character	test parameter status
RF_NAT.LIM	charcter	used RF_nat curve limits
RF_REG.LIM	character	used RF_reg curve limits
POSITION	integer	(optional) position of the curves
DATE	character	(optional) measurement date
SEQUENCE_NAME	character	(optional) sequence name
UID	character	unique data set ID

[.. \$De.MC : numeric]

A numeric vector with all the De values obtained by the MC runs.

[.. \$test_parameters : data.frame]

Column	Type	Description
POSITION	numeric	aliquot position
PARAMETER	character	test parameter name
THRESHOLD	numeric	set test parameter threshold value
VALUE	numeric	the calculated test parameter value (to be compared with the threshold)
STATUS	character	test parameter status either "OK" or "FAILED"
SEQUENCE_NAME	character	name of the sequence, so far available
UID	character	unique data set ID

[.. \$fit : data.frame]

An nls object produced by the fitting.

[.. \$slide : list]

A list with data produced during the sliding. Some elements are previously reported with the summary object data. List elements are:

Element	Туре	Description
De	numeric	the final De obtained with the sliding approach
De.MC	numeric	all De values obtained by the MC runs
residuals	numeric	the obtained residuals for each channel of the curve
trend.fit	lm	fitting results produced by the fitting of the residuals
RF_nat.slided	matrix	the slided RF_nat curve
t_n.id	numeric	the index of the t_n offset
I_n	numeric	the vertical intensity offset if a vertical slide was applied
algorithm_error	numeric	the vertical sliding suffers from a systematic effect induced by the used algorithm. The
vslide_range	numeric	the range used for the vertical sliding
squared_residuals	numeric	the squared residuals (horizontal sliding)

slot: @info

The original function call (methods::language-object)

The output (data) should be accessed using the function get_RLum

[PLOT OUTPUT]

The slided IR-RF curves with the finally obtained De

Function version

0.7.2 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). analyse_IRSAR.RF(): Analyse IRSAR RF measurements. Function version 0.7.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function assumes that there is no sensitivity change during the measurements (natural vs. regenerated signal), which is in contrast to the findings by Buylaert et al. (2012). Furthermore: In course of ongoing research this function has been almost fully re-written, but further thoughtful tests are still pending! However, as a lot new package functionality was introduced with the changes made for this function and to allow a part of such tests the re-newed code was made part of the current package.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Buylaert, J.P., Jain, M., Murray, A.S., Thomsen, K.J., Lapp, T., 2012. IR-RF dating of sand-sized K-feldspar extracts: A test of accuracy. Radiation Measurements 44 (5-6), 560-565. doi: 10.1016/j.radmeas.2012.06.021

Erfurt, G., Krbetschek, M.R., 2003. IRSAR - A single-aliquot regenerative-dose dating protocol applied to the infrared radiofluorescence (IR-RF) of coarse- grain K-feldspar. Ancient TL 21, 35-42.

Erfurt, G., 2003. Infrared luminescence of Pb+ centres in potassium-rich feldspars. physica status solidi (a) 200, 429-438.

Erfurt, G., Krbetschek, M.R., 2003. Studies on the physics of the infrared radioluminescence of potassium feldspar and on the methodology of its application to sediment dating. Radiation Measurements 37, 505-510.

Erfurt, G., Krbetschek, M.R., Bortolot, V.J., Preusser, F., 2003. A fully automated multi-spectral radioluminescence reading system for geochronometry and dosimetry. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms 207, 487-499.

Frouin, M., Huot, S., Kreutzer, S., Lahaye, C., Lamothe, M., Philippe, A., Mercier, N., 2017. An improved radiofluorescence single-aliquot regenerative dose protocol for K-feldspars. Quaternary Geochronology 38, 13-24. doi:10.1016/j.quageo.2016.11.004

Lapp, T., Jain, M., Thomsen, K.J., Murray, A.S., Buylaert, J.P., 2012. New luminescence measurement facilities in retrospective dosimetry. Radiation Measurements 47, 803-808. doi:10.1016/j.radmeas.2012.02.006

Trautmann, T., 2000. A study of radioluminescence kinetics of natural feldspar dosimeters: experiments and simulations. Journal of Physics D: Applied Physics 33, 2304-2310.

Trautmann, T., Krbetschek, M.R., Dietrich, A., Stolz, W., 1998. Investigations of feldspar radioluminescence: potential for a new dating technique. Radiation Measurements 29, 421-425.

Trautmann, T., Krbetschek, M.R., Dietrich, A., Stolz, W., 1999. Feldspar radioluminescence: a new dating method and its physical background. Journal of Luminescence 85, 45-58.

Trautmann, T., Krbetschek, M.R., Stolz, W., 2000. A systematic study of the radioluminescence properties of single feldspar grains. Radiation Measurements 32, 685-690.

See Also

RLum. Analysis, RLum. Results, get_RLum, nls, minpack.lm::nlsLM, parallel::mclapply

Examples

```
##load data
data(ExampleData.RLum.Analysis, envir = environment())
##(1) perform analysis using the method 'FIT'
results <- analyse_IRSAR.RF(object = IRSAR.RF.Data)</pre>
##show De results and test paramter results
get_RLum(results, data.object = "data")
get_RLum(results, data.object = "test_parameters")
##(2) perform analysis using the method 'SLIDE'
results <- analyse_IRSAR.RF(object = IRSAR.RF.Data, method = "SLIDE", n.MC = 1)
## Not run:
##(3) perform analysis using the method 'SLIDE' and method control option
## 'trace
results <- analyse_IRSAR.RF(
 object = IRSAR.RF.Data,
method = "SLIDE",
method.control = list(trace = TRUE))
## End(Not run)
```

analyse_pIRIRSequence Analyse post-IR IRSL sequences

Description

The function performs an analysis of post-IR IRSL sequences including curve fitting on RLum. Analysis objects.

Usage

```
analyse_pIRIRSequence(object, signal.integral.min, signal.integral.max,
  background.integral.min, background.integral.max, dose.points = NULL,
  sequence.structure = c("TL", "IR50", "pIRIR225"), plot = TRUE,
  plot.single = FALSE, ...)
```

Arguments

```
object RLum.Analysis or list of RLum.Analysis objects (required): input object containing data for analysis. If a list is provided the functions tries to iteratre over the list.

signal.integral.min

integer (required): lower bound of the signal integral. Provide this value as vector for different integration limits for the different IRSL curves.

signal.integral.max

integer (required): upper bound of the signal integral. Provide this value as vector for different integration limits for the different IRSL curves.
```

background.integral.min

integer (required): lower bound of the background integral. Provide this value as vector for different integration limits for the different IRSL curves.

background.integral.max

integer (required): upper bound of the background integral. Provide this value as vector for different integration limits for the different IRSL curves.

numeric (optional): a numeric vector containing the dose points values. Using dose.points

this argument overwrites dose point values in the signal curves.

sequence.structure

vector character (with default): specifies the general sequence structure. Allowed values are "TL" and any "IR" combination (e.g., "IR50","pIRIR225"). Additionally a parameter "EXCLUDE" is allowed to exclude curves from the analysis (Note: If a preheat without PMT measurement is used, i.e. preheat as non

TL, remove the TL step.)

plot logical (with default): enables or disables plot output.

plot.single logical (with default): single plot output (TRUE/FALSE) to allow for plotting the

results in single plot windows. Requires plot = TRUE.

further arguments that will be passed to the function analyse_SAR.CWOSL and

plot_GrowthCurve

Details

To allow post-IR IRSL protocol (Thomsen et al., 2008) measurement analyses this function has been written as extended wrapper function for the function analyse_SAR.CWOSL, facilitating an entire sequence analysis in one run. With this, its functionality is strictly limited by the functionality of the function analyse_SAR.CWOSL.

If the input is a list

If the input is a list of RLum. Analysis-objects, every argument can be provided as list to allow for different sets of parameters for every single input element. For further information see analyse SAR.CWOSL.

Value

Plots (optional) and an RLum.Results object is returned containing the following elements:

DATA.OB.JECT **TYPE** DESCRIPTION ..\$data: data.frame Table with De values with the LnLxTnTx values ..\$LnLxTnTx.table: data.frame ..\$rejection.criteria: data.frame rejection criteria Function used for fitting of the dose response curve ..\$Formula: list ..\$call: call the original function call

The output should be accessed using the function get_RLum.

Function version

0.2.2 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). analyse_pIRIRSequence(): Analyse post-IR IRSL sequences. Function version 0.2.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

```
Best graphical output can be achieved by using the function pdf with the following options: pdf(file = "...", height = 15, width = 15)
```

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Murray, A.S., Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73. doi:10.1016/S1350-4487(99)00253-X

Thomsen, K.J., Murray, A.S., Jain, M., Boetter-Jensen, L., 2008. Laboratory fading rates of various luminescence signals from feldspar-rich sediment extracts. Radiation Measurements 43, 1474-1486. doi:10.1016/j.radmeas.2008.06.002

See Also

analyse_SAR.CWOSL, calc_OSLLxTxRatio, plot_GrowthCurve, RLum.Analysis, RLum.Results get_RLum

Examples

analyse_portableOSL

```
})
object <- set_RLum(class = "RLum.Analysis", records = object, protocol = "pIRIR")
##(2) Perform pIRIR analysis (for this example with quartz OSL data!)
## Note: output as single plots to avoid problems with this example
results <- analyse_pIRIRSequence(object,</pre>
     signal.integral.min = 1,
     signal.integral.max = 2,
     background.integral.min = 900,
     background.integral.max = 1000,
     fit.method = "EXP",
     sequence.structure = c("TL", "pseudoIRSL1", "pseudoIRSL2"),
     main = "Pseudo pIRIR data set based on quartz OSL",
     plot.single = TRUE)
##(3) Perform pIRIR analysis (for this example with quartz OSL data!)
## Alternative for PDF output, uncomment and complete for usage
## Not run:
pdf(file = "...", height = 15, width = 15)
  results <- analyse_pIRIRSequence(object,
         signal.integral.min = 1,
         signal.integral.max = 2,
         background.integral.min = 900,
         background.integral.max = 1000,
         fit.method = "EXP",
         main = "Pseudo pIRIR data set based on quartz OSL")
  dev.off()
## End(Not run)
```

analyse_portableOSL

Analyse portable CW-OSL measurements

Description

The function analyses CW-OSL curve data produced by a SUERC portable OSL reader and produces a combined plot of OSL/IRSL signal intensities, OSL/IRSL depletion ratios and the IRSL/OSL ratio.

Usage

```
analyse_portableOSL(object, signal.integral, invert = FALSE,
    normalise = FALSE, plot = TRUE, ...)
```

Arguments

object

RLum.Analysis (required): RLum. Analysis object produced by read_PSL2R.

analyse_portableOSL 33

signal.integral

vector (**required**): A vector of two values specifying the lower and upper channel used to calculate the OSL/IRSL signal. Can be provided in form of c(1, 5)

or 1:5.

invert logical (with default): TRUE to calculate and plot the data in reverse order.

normalise logical (with default): TRUE to normalise the OSL/IRSL signals by the mean of

all corresponding data curves.

plot logical (with default): enable/disable plot output

... currently not used.

Details

This function only works with RLum. Analysis objects produced by read_PSL2R. It further assumes (or rather requires) an equal amount of OSL and IRSL curves that are pairwise combined for calculating the IRSL/OSL ratio. For calculating the depletion ratios the cumulative signal of the last n channels (same number of channels as specified by signal.integral) is divided by cumulative signal of the first n channels (signal.integral).

Value

Returns an S4 RLum.Results object.

Function version

```
0.0.3 (2017-09-02 23:27:02)
```

How to cite

Burow, C. (2017). analyse_portableOSL(): Analyse portable CW-OSL measurements. Function version 0.0.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Christoph Burow, University of Cologne (Germany)
R Luminescence Package Team
```

See Also

RLum.Analysis, RLum.Data.Curve

Examples

```
# (1) load example data set
data("ExampleData.portableOSL", envir = environment())
# (2) merge and plot all RLum.Analysis objects
merged <- merge_RLum(ExampleData.portableOSL)
plot_RLum(merged, combine = TRUE)
merged
# (3) analyse and plot</pre>
```

```
results <- analyse_portableOSL(merged, signal.integral = 1:5, invert = FALSE, normalise = TRUE)
get_RLum(results)</pre>
```

analyse_SAR.CWOSL

Analyse SAR CW-OSL measurements

Description

The function performs a SAR CW-OSL analysis on an RLum. Analysis object including growth curve fitting.

Usage

```
analyse_SAR.CWOSL(object, signal.integral.min, signal.integral.max,
  background.integral.min, background.integral.max, rejection.criteria = NULL,
  dose.points = NULL, mtext.outer, plot = TRUE, plot.single = FALSE, ...)
```

Arguments

object

RLum.Analysis (**required**): input object containing data for analysis, alternatively a list of RLum.Analysis objects can be provided.

signal.integral.min

integer (**required**): lower bound of the signal integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the minimum signal integral for the Tx curve.

signal.integral.max

integer (**required**): upper bound of the signal integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the maximum signal integral for the Tx curve.

background.integral.min

integer (**required**): lower bound of the background integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the minimum background integral for the Tx curve.

 ${\tt background.integral.max}$

integer (**required**): upper bound of the background integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the maximum background integral for the Tx curve.

rejection.criteria

list (with default): provide a named list and set rejection criteria in **percentage** for further calculation. Can be a list in a list, if object is of type list

Allowed arguments are recycling.ratio, recuperation.rate, palaeodose.error,

testdose.error and exceed.max.regpoint = TRUE/FALSE.Example: rejection.criteria = 1 Per default all numerical values are set to 10, exceed.max.regpoint = TRUE. Every criterium can be set to NA. In this value are calculated, but not considered,

i.e. the RC.Status becomes always 'OK'

dose.points

numeric (*optional*): a numeric vector containg the dose points values Using this argument overwrites dose point values in the signal curves. Can be a list of numeric vectors, if object is of type list

mtext.outer character (optional): option to provide an outer margin mtext. Can be a list of

characters, if object is of type list

plot logical (with default): enables or disables plot output.

plot.single logical (with default) or numeric (optional): single plot output (TRUE/FALSE) to

allow for plotting the results in single plot windows. If a numerice vector is provided the plots can be selected individually, i.e. plot.single = c(1,2,3,4) will plot the TL and Lx, Tx curves but not the legend (5) or the growth curve

(6), (7) and (8) belong to rejection criteria plots. Requires plot = TRUE.

further arguments that will be passed to the function plot_GrowthCurve or calc_OSLLxTxRatio

(supported: background.count.distribution, sigmab, sig0). **Please note** that if you consider to use the early light subtraction method you should provide

your own sigmab value!

Details

The function performs an analysis for a standard SAR protocol measurements introduced by Murray and Wintle (2000) with CW-OSL curves. For the calculation of the Lx/Tx value the function calc_OSLLxTxRatio is used. For **changing the way the Lx/Tx error is calculated** use the argument background.count.distribution and sigmab, which will be passed to the function calc_OSLLxTxRatio.

Argument object is of type list

If the argument object is of type list containing **only** RLum.Analysis objects, the function recalls itself as often as elements are in the list. This is usefull if an entire measurement wanted to be analysed without writing separate for-loops. To gain in full control of the parameters (e.g., dose.points) for every aliquot (corresponding to one RLum.Analysis object in the list), in this case the arguments can be provided as list. This list should be of similar length as the list provided with the argument object, otherwise the function will create an own list of the requested lenght. Function output will be just one single RLum.Results object.

Please be careful when using this option. It may allow a fast an efficient data analysis, but the function may also break with an unclear error message, due to wrong input data.

Working with IRSL data

The function was originally designed to work just for 'OSL' curves, following the principles of the SAR protocol. An IRSL measurement protocol may follow this procedure, e.g., post-IR IRSL protocol (Thomsen et al., 2008). Therefore this functions has been enhanced to work with IRSL data, however, the function is only capable of analysing curves that follow the SAR protocol structure, i.e., to analyse a post-IR IRSL protocol, curve data have to be pre-selected by the user to fit the standards of the SAR protocol, i.e., Lx,Tx,Lx,Tx and so on.

Example: Imagine the measurement contains pIRIR50 and pIRIR225 IRSL curves. Only one curve type can be analysed at the same time: The pIRIR50 curves or the pIRIR225 curves.

Supported rejection criteria

[recycling.ratio]: calculated for every repeated regeneration dose point.

[recuperation.rate]: recuperation rate calculated by comparing the Lx/Tx values of the zero regeneration point with the Ln/Tn value (the Lx/Tx ratio of the natural signal). For methodological background see Aitken and Smith (1988).

[testdose.error]: set the allowed error for the testdose, which per default should not exceed 10%. The testdose error is calculated as Tx_net.error/Tx_net.

[palaeodose.error]: set the allowed error for the De value, which per default should not exceed 10%.

Value

A plot (optional) and an RLum.Results object is returned containing the following elements:

data data.frame containing De-values, De-error and further parameters

LnLxTnTx.values

data.frame of all calculated Lx/Tx values including signal, background counts and the dose points

rejection.criteria

data.frame with values that might by used as rejection criteria. NA is produced if no R0 dose point exists.

formula formula that have been used for the growth curve fitting

ii iio ko dose point exists.

The output should be accessed using the function get_RLum.

Function version

Formula

0.7.10 (2017-09-02 23:29:24)

How to cite

Kreutzer, S. (2017). analyse_SAR.CWOSL(): Analyse SAR CW-OSL measurements. Function version 0.7.10. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function must not be mixed up with the function Analyse_SAR.OSLdata, which works with Risoe.BINfileData objects.

The function currently does only support 'OSL' or 'IRSL' data!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Aitken, M.J. and Smith, B.W., 1988. Optical dating: recuperation after bleaching. Quaternary Science Reviews 7, 387-393.

Duller, G., 2003. Distinguishing quartz and feldspar in single grain luminescence measurements. Radiation Measurements, 37 (2), 161-165.

Murray, A.S. and Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73.

Thomsen, K.J., Murray, A.S., Jain, M., Boetter-Jensen, L., 2008. Laboratory fading rates of various luminescence signals from feldspar-rich sediment extracts. Radiation Measurements 43, 1474-1486. doi:10.1016/j.radmeas.2008.06.002

See Also

calc_OSLLxTxRatio, plot_GrowthCurve, RLum.Analysis, RLum.Results, get_RLum

Examples

```
##load data
##ExampleData.BINfileData contains two BINfileData objects
##CWOSL.SAR.Data and TL.SAR.Data
data(ExampleData.BINfileData, envir = environment())
##transform the values from the first position in a RLum.Analysis object
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
\ensuremath{\mbox{\#\#perform SAR}} analysis and set rejection criteria
results <- analyse_SAR.CWOSL(</pre>
object = object,
signal.integral.min = 1,
signal.integral.max = 2,
background.integral.min = 900,
background.integral.max = 1000,
log = "x",
fit.method = "EXP",
rejection.criteria = list(
  recycling.ratio = 10,
  recuperation.rate = 10,
  testdose.error = 10,
  palaeodose.error = 10,
  exceed.max.regpoint = TRUE)
##show De results
get_RLum(results)
##show LnTnLxTx table
get_RLum(results, data.object = "LnLxTnTx.table")
```

Analyse_SAR.OSLdata

Analyse SAR CW-OSL measurements.

Description

The function analyses SAR CW-OSL curve data and provides a summary of the measured data for every position. The output of the function is optimised for SAR OSL measurements on quartz.

Usage

```
Analyse_SAR.OSLdata(input.data, signal.integral, background.integral, position,
  run, set, dtype, keep.SEL = FALSE,
  info.measurement = "unkown measurement", output.plot = FALSE,
  output.plot.single = FALSE, cex.global = 1, ...)
```

Arguments

input.data Risoe.BINfileData (**required**): input data from a Risoe BIN file, produced by the function read_BIN2R.

signal.integral

vector (required): channels used for the signal integral, e.g. signal.integral=c(1:2)

background.integral

vector (**required**): channels used for the background integral, e.g. background.integral=c(85:100

position vector (optional): reader positions that want to be analysed (e.g. position=c(1:48).

Empty positions are automatically omitted. If no value is given all positions are

analysed by default.

run vector (optional): range of runs used for the analysis. If no value is given the

range of the runs in the sequence is deduced from the Risoe.BINfileData ob-

ject.

set vector (optional): range of sets used for the analysis. If no value is given the

range of the sets in the sequence is deduced from the Risoe.BINfileData ob-

ject.

dtype character (optional): allows to further limit the curves by their data type (DTYPE),

e.g., dtype = c("Natural", "Dose") limits the curves to this two data types. By default all values are allowed. See Risoe.BINfileData for allowed data types.

keep. SEL logical (default): option allowing to use the SEL element of the Risoe.BINfileData

manually. **NOTE:** In this case any limitation provided by run, set and dtype

are ignored!

info.measurement

character (with default): option to provide information about the measurement

on the plot output (e.g. name of the BIN or BINX file).

output.plot logical (with default): plot output (TRUE/FALSE)

output.plot.single

logical (with default): single plot output (TRUE/FALSE) to allow for plotting the

results in single plot windows. Requires output.plot = TRUE.

cex.global numeric (with default): global scaling factor.

... further arguments that will be passed to the function calc_OSLLxTxRatio (sup-

ported: background.count.distribution, sigmab, sig0; e.g., for instrumen-

tal error) and can be used to adjust the plot. Supported" mtext, log

Details

The function works only for standard SAR protocol measurements introduced by Murray and Wintle (2000) with CW-OSL curves. For the calculation of the Lx/Tx value the function calc_OSLLxTxRatio is used.

Provided rejection criteria

[recyling ratio]: calculated for every repeated regeneration dose point.

[recuperation]: recuperation rate calculated by comparing the Lx/Tx values of the zero regeneration point with the Ln/Tn value (the Lx/Tx ratio of the natural signal). For methodological background see Aitken and Smith (1988)

[IRSL/BOSL]: the integrated counts (signal.integral) of an IRSL curve are compared to the integrated counts of the first regenerated dose point. It is assumed that IRSL curves got the same dose as the first regenerated dose point. **Note:** This is not the IR depletation ratio described by Duller (2003).

Value

A plot (optional) and list is returned containing the following elements:

LnLxTnTx data.frame of all calculated Lx/Tx values including signal, background counts

and the dose points.

RejectionCriteria

data.frame with values that might by used as rejection criteria. NA is produced

if no R0 dose point exists.

SARParameters data.frame of additional measurement parameters obtained from the BIN file,

e.g. preheat or read temperature (not valid for all types of measurements).

Function version

0.2.17 (2017-09-02 23:27:02)

How to cite

Kreutzer, S., Fuchs, M.C. (2017). Analyse_SAR.OSLdata(): Analyse SAR CW-OSL measurements.. Function version 0.2.17. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Rejection criteria are calculated but not considered during the analysis to discard values.

The analysis of IRSL data is not directly supported. You may want to consider using the functions analyse_SAR.CWOSL or analyse_pIRIRSequence instead.

The development of this function will not be continued. We recommend to use the function analyse_SAR.CWOSL or instead.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Margret C. Fuchs, HZDR, Freiberg (Germany) R Luminescence Package Team

References

Aitken, M.J. and Smith, B.W., 1988. Optical dating: recuperation after bleaching. Quaternary Science Reviews 7, 387-393.

Duller, G., 2003. Distinguishing quartz and feldspar in single grain luminescence measurements. Radiation Measurements, 37 (2), 161-165.

Murray, A.S. and Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73.

See Also

calc_OSLLxTxRatio, Risoe.BINfileData, read_BIN2R, plot_GrowthCurve

40 analyse_SAR.TL

Examples

analyse_SAR.TL

Analyse SAR TL measurements

Description

The function performs a SAR TL analysis on a RLum. Analysis object including growth curve fitting.

Usage

```
analyse_SAR.TL(object, object.background, signal.integral.min,
  signal.integral.max, integral_input = "channel",
  sequence.structure = c("PREHEAT", "SIGNAL", "BACKGROUND"),
  rejection.criteria = list(recycling.ratio = 10, recuperation.rate = 10),
  dose.points, log = "", ...)
```

Arguments

analyse_SAR.TL 41

sequence.structure

vector character (with default): specifies the general sequence structure. Three steps are allowed ("PREHEAT", "SIGNAL", "BACKGROUND"), in addition a parameter "EXCLUDE". This allows excluding TL curves which are not relevant for the protocol analysis. (**Note:** None TL are removed by default)

rejection.criteria

list (with default): list containing rejection criteria in percentage for the calcula-

tion.

dose.points numeric (optional): option set dose points manually

log character (with default): a character string which contains "x" if the x axis is to

be logarithmic, "y" if the y axis is to be logarithmic and "xy" or "yx" if both axes

are to be logarithmic. See plot.default).

... further arguments that will be passed to the function plot_GrowthCurve

Details

This function performs a SAR TL analysis on a set of curves. The SAR procedure in general is given by Murray and Wintle (2000). For the calculation of the Lx/Tx value the function calc_TLLxTxRatio is used.

Provided rejection criteria

[recyling.ratio]: calculated for every repeated regeneration dose point.

[recuperation.rate]: recuperation rate calculated by comparing the Lx/Tx values of the zero regeneration point with the Ln/Tn value (the Lx/Tx ratio of the natural signal). For methodological background see Aitken and Smith (1988)

Value

A plot (optional) and an RLum.Results object is returned containing the following elements:

De. values data.frame containing De-values and further parameters

LnLxTnTx.values

data.frame of all calculated Lx/Tx values including signal, background counts and the dose points.

rejection.criteria

data.frame with values that might by used as rejection criteria. NA is produced if no R0 dose point exists.

note: the output should be accessed using the function get_RLum

Function version

0.2.0 (2017-09-02 23:29:24)

How to cite

Kreutzer, S. (2017). analyse_SAR.TL(): Analyse SAR TL measurements. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

THIS IS A BETA VERSION

None TL curves will be removed from the input object without further warning.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

References

Aitken, M.J. and Smith, B.W., 1988. Optical dating: recuperation after bleaching. Quaternary Science Reviews 7, 387-393.

Murray, A.S. and Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73.

See Also

```
calc_TLLxTxRatio, plot_GrowthCurve, RLum.Analysis, RLum.Results, get_RLum
```

Examples

apply_CosmicRayRemoval

Function to remove cosmic rays from an RLum.Data.Spectrum S4 class object

Description

The function provides several methods for cosmic ray removal and spectrum smoothing for an RLum.Data.Spectrum S4 class object

Usage

```
apply_CosmicRayRemoval(object, method = "smooth", method.Pych.smoothing = 2,
  method.Pych.threshold_factor = 3, MARGIN = 2, verbose = FALSE,
  plot = FALSE, ...)
```

Arguments

MARGIN

object RLum.Data.Spectrum (required): S4 object of class RLum.Data.Spectrum

method character (with default): Defines method that is applied for cosmic ray removal.

 $Allowed \ methods \ are \ smooth, the \ default, (smooth), smooth. spline \ (smooth.spline)$

and Pych. See details for further information.

method.Pych.smoothing

integer (with default): Smoothing parameter for cosmic ray removal according to Pych (2003). The value defines how many neighboring values in each frame are used for smoothing (e.g., 2 means that the two previous and two following values are used).

method.Pych.threshold_factor

numeric (with default): Threshold for zero-bins in the histogram. Small values mean that more peaks are removed, but signal might be also affected by this

integer (with default): on which part the function cosmic ray removal should be

applied on:

• 1 = along the time axis (line by line),

• 2 = along the wavelength axis (column by column).

Note: This argument currently only affects the methods smooth and smooth.spline

verbose logical (with default): Option to suppress terminal output.,

plot logical (with default): If TRUE the histograms used for the cosmic-ray removal

are returned as plot including the used threshold. Note: A separat plot is returned for each frame! Currently only for method = "Pych" a graphical output is

provided.

... further arguments and graphical parameters that will be passed to the smooth

function.

Details

method = "Pych"

This method applies the cosmic-ray removal algorithm described by Pych (2003). Some aspects that are different to the publication:

- For interpolation between neighbouring values the median and not the mean is used.
- The number of breaks to construct the histogram is set to: length(number.of.input.values)/2

For further details see references below.

method = "smooth"

Method uses the function smooth to remove cosmic rays.

Arguments that can be passed are: kind, twiceit

method = "smooth.spline"

Method uses the function smooth.spline to remove cosmic rays.

Arguments that can be passed are: spar

How to combine methods?

Different methods can be combined by applying the method repeatedly to the dataset (see example).

Value

Returns same object as input (RLum.Data.Spectrum)

Function version

```
0.2.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). apply_CosmicRayRemoval(): Function to remove cosmic rays from an RLum.Data.Spectrum S4 class object. Function version 0.2.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

References

```
Pych, W., 2003. A Fast Algorithm for Cosmic-Ray Removal from Single Images. Astrophysics 116, 148-153. http://arxiv.org/pdf/astro-ph/0311290.pdf?origin=publication_detail
```

See Also

RLum.Data.Spectrum, smooth, smooth.spline, apply_CosmicRayRemoval

Examples

```
##(1) - use with your own data and combine (uncomment for usage)
## run two times the default method and smooth with another method
## your.spectrum <- apply_CosmicRayRemoval(your.spectrum, method = "Pych")
## your.spectrum <- apply_CosmicRayRemoval(your.spectrum, method = "Pych")
## your.spectrum <- apply_CosmicRayRemoval(your.spectrum, method = "smooth")</pre>
```

```
apply_EfficiencyCorrection

Function to apply spectral efficiency correction to RLum.Data.Spectrum S4 class objects
```

Description

The function allows spectral efficiency corrections for RLum.Data.Spectrum S4 class objects

Usage

```
apply_EfficiencyCorrection(object, spectral.efficiency)
```

Arguments

```
object RLum.Data.Spectrum (required): S4 object of class RLum.Data.Spectrum spectral.efficiency data.frame (required): Data set containing wavelengths (x-column) and relative spectral response values (y-column) in percentage
```

Details

The efficiency correction is based on a spectral response dataset provided by the user. Usually the data set for the quantum efficiency is of lower resolution and values are interpolated for the required spectral resolution using the function stats::approx

If the energy calibration differes for both data set NA values are produces that will be removed from the matrix.

Value

Returns same object as input (RLum.Data.Spectrum)

Function version

```
0.1.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S., Friedrich, J. (2017). apply_EfficiencyCorrection(): Function to apply spectral efficiency correction to RLum.Data.Spectrum S4 class objects. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Please note that the spectral efficiency data from the camera alone may not sufficiently correct for spectral efficiency of the entire optical system (e.g., spectrometer, camera ...).

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
Johannes Friedrich, University of Bayreuth (Germany)
R Luminescence Package Team
```

See Also

RLum.Data.Spectrum

Examples

```
##(1) - use with your own data (uncomment for usage)
## spectral.efficiency <- read.csv("your data")
##
## your.spectrum <- apply_EfficiencyCorrection(your.spectrum, )</pre>
```

46 as

app_RLum

Run Luminescence shiny apps (wrapper)

Description

Wrapper for the function RLumShiny::app_RLum from the package RLumShiny::RLumShiny-package. For further details and examples please see the manual of this package.

Usage

```
app_RLum(app = NULL, ...)
```

Arguments

app character (required): name of the application to start. See details for a list of

available apps.

... further arguments passed shiny::runApp

Function version

```
0.1.1 (2017-09-02 23:27:02)
```

How to cite

Burow, C. (2017). app_RLum(): Run Luminescence shiny apps (wrapper). Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

as

as() - RLum-object coercion

Description

```
for [RLum.Analysis-class]
for [RLum.Data.Curve-class]
for [RLum.Data.Image-class]
for [RLum.Data.Spectrum-class]
for [RLum.Results-class]
```

Arguments

from RLum, list, data.frame, matrix (required): object to be coerced from

to character (required): class name to be coerced to

Details

RLum.Analysis

from to
list list

Given that the list consits of RLum. Analysis objects.

RLum.Data.Curve

from	to
list	list
data.frame	data.frame
matrix	matrix

RLum.Data.Image

from	to	
data.frame	data.frame	
matrix	matrix	

RLum.Data.Spectrum

from	to
data.frame	data.frame
matrix	matrix

RLum.Results

from to
list list

Given that the list consits of RLum.Results objects.

Note

Due to the complex structure of the RLum objects itself a coercing to standard R data structures will be always loosely!

See Also

methods::as

BaseDataSet.CosmicDoseRate

Base data set for cosmic dose rate calculation

Description

Collection of data from various sources needed for cosmic dose rate calculation

Format

values.cosmic.Softcomp: values.par.FJH:

data frame containing cosmic dose rates for shallow depths (< 167 g cm^-2) obtained using values.factor.Altitude: data frame containing altitude factors for adjusting geomagnetic field-change factors. Value data frame containing values for parameters F, J and H (read from Fig. 2 in Prescott & Hut

$$Dc = D0 * (F + J * exp((altitude/1000)/H))$$

Version

0.1

Source

The following data were carefully read from figures in mentioned sources and used for fitting procedures. The derived expressions are used in the function calc_CosmicDoseRate.

values.cosmic.Softcomp

"AGE" Program: Reference: Gruen (2009)

Polynomials in the form of

For depths between 40-167 g cm^-2:

$$y = 2 * 10^{-}6 * x^{2} - 0.0008 * x + 0.2535$$

(For depths $<40 \text{ g cm}^{-2}$)

$$y = -6 * 10^{-}8 * x^{3} + 2 * 10^{-}5 * x^{2} - 0.0025 * x + 0.2969$$

values.factor.Altitude

Prescott & Hutton (1994) Reference:

499 Page: Figure:

Fit: 2-degree polynomial in the form of

$$y = -0.026 * x^2 + 0.6628 * x + 1.0435$$

values.par.FJH

Reference: Prescott & Hutton (1994)

Page: 500 Figure: 2

Fits: 3-degree polynomials and linear fits F (non-linear part, λ < 36.5 deg.):

$$y = -7 * 10^{-} 7 * x^{3} - 8 * 10^{-} 5 * x^{2} - 0.0009 * x + 0.3988$$

F (linear part, $\lambda > 36.5$ deg.):

$$y = -0.0001 * x + 0.2347$$

J (non-linear part, λ < 34 deg.):

$$y = 5 * 10^{-}6 * x^{3} - 5 * 10^{-}5 * x^{2} + 0.0026 * x + 0.5177$$

J (linear part, $\lambda > 34$ deg.):

$$y = 0.0005 * x + 0.7388$$

H (non-linear part, λ < 36 deg.):

$$y = -3 * 10^{-}6 * x^{3} - 5 * 10^{-}5 * x^{2} - 0.0031 * x + 4.398$$

H (linear part, $\lambda > 36$ deg.):

$$y = 0.0002 * x + 4.0914$$

References

Gruen, R., 2009. The "AGE" program for the calculation of luminescence age estimates. Ancient TL, 27, pp. 45-46.

Prescott, J.R., Hutton, J.T., 1988. Cosmic ray and gamma ray dosimetry for TL and ESR. Nuclear Tracks and Radiation Measurements, 14, pp. 223-227.

Prescott, J.R., Hutton, J.T., 1994. Cosmic ray contributions to dose rates for luminescence and ESR dating: large depths and long-term time variations. Radiation Measurements, 23, pp. 497-500.

Examples

##load data
data(BaseDataSet.CosmicDoseRate)

50 bin_RLum.Data

bin_RLum.Data

Channel binning - method dispatchter

Description

Function calls the object-specific bin functions for RLum.Data S4 class objects.

Usage

```
bin_RLum.Data(object, ...)
```

Arguments

object RLum.Data (**required**): S4 object of class RLum.Data
... further arguments passed to the specific class method

Details

The function provides a generalised access point for specific RLum.Data objects. Depending on the input object, the corresponding function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum.Data class.

Value

An object of the same type as the input object is provided

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). bin_RLum.Data(): Channel binning - method dispatchter. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Currenlty only RLum. Data objects of class RLum. Data. Curve are supported!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Data.Curve

calc_AliquotSize 51

Examples

```
##load example data
data(ExampleData.CW_OSL_Curve, envir = environment())

##create RLum.Data.Curve object from this example
curve <-
    set_RLum(
        class = "RLum.Data.Curve",
        recordType = "OSL",
        data = as.matrix(ExampleData.CW_OSL_Curve)
)

##plot data without and with 2 and 4 channel binning
plot_RLum(curve)
plot_RLum(bin_RLum.Data(curve, bin_size = 2))
plot_RLum(bin_RLum.Data(curve, bin_size = 4))</pre>
```

calc_AliquotSize

Estimate the amount of grains on an aliquot

Description

Estimate the number of grains on an aliquot. Alternatively, the packing density of an aliquot is computed.

Usage

```
calc_AliquotSize(grain.size, sample.diameter, packing.density = 0.65,
   MC = TRUE, grains.counted, plot = TRUE, ...)
```

Arguments

plot

. . .

numeric (required): mean grain size (microns) or a range of grain sizes from grain.size which the mean grain size is computed (e.g. c(100, 200)). sample.diameter numeric (required): diameter (mm) of the targeted area on the sample carrier. packing.density numeric (with default): empirical value for mean packing density. If packing.density = "Inf" a hexagonal structure on an infinite plane with a packing density of 0.906... is assumed. MC logical (optional): if TRUE the function performs a monte carlo simulation for estimating the amount of grains on the sample carrier and assumes random errors in grain size distribution and packing density. Requires a vector with min and max grain size for grain. size. For more information see details. grains.counted numeric (optional): grains counted on a sample carrier. If a non-zero positive integer is provided this function will calculate the packing density of the aliquot. If more than one value is provided the mean packing density and its standard

deviation is calculated. Note that this overrides packing.density.

logical (with default): plot output (TRUE/FALSE)
further arguments to pass (main, xlab, MC.iter).

52 calc_AliquotSize

Details

This function can be used to either estimate the number of grains on an aliquot or to compute the packing density depending on the the arguments provided.

The following function is used to estimate the number of grains n:

$$n = (\pi * x^2)/(\pi * y^2) * d$$

where x is the radius of the aliquot size (microns), y is the mean radius of the mineral grains (mm) and d is the packing density (value between 0 and 1).

Packing density

The default value for packing.density is 0.65, which is the mean of empirical values determined by Heer et al. (2012) and unpublished data from the Cologne luminescence laboratory. If packing.density = "Inf" a maximum density of $\pi/\sqrt{12} = 0.9068\ldots$ is used. However, note that this value is not appropriate as the standard preparation procedure of aliquots resembles a PECC ("Packing Equal Circles in a Circle") problem where the maximum packing density is asymptotic to about 0.87.

Monte Carlo simulation

The number of grains on an aliquot can be estimated by Monte Carlo simulation when setting MC = TRUE. Each of the parameters necessary to calculate n (x, y, d) are assumed to be normally distributed with means μ_x , μ_y , μ_d and standard deviations σ_x , σ_y , σ_d .

For the mean grain size random samples are taken first from $N(\mu_y, \sigma_y)$, where $\mu_y = mean.grain.size$ and $\sigma_y = (max.grain.size - min.grain.size)/4$ so that 95% of all grains are within the provided the grain size range. This effectively takes into account that after sieving the sample there is still a small chance of having grains smaller or larger than the used mesh sizes. For each random sample the mean grain size is calculated, from which random subsamples are drawn for the Monte Carlo simulation.

The packing density is assumed to be normally distributed with an empirically determined $\mu=0.65$ (or provided value) and $\sigma=0.18$. The normal distribution is truncated at d = 0.87 as this is approximately the maximum packing density that can be achieved in PECC problem.

The sample diameter has $\mu = sample.diameter$ and $\sigma = 0.2$ to take into account variations in sample disc preparation (i.e. applying silicon spray to the disc). A lower truncation point at x = 0.5 is used, which assumes that aliquouts with smaller sample diameters of 0.5 mm are discarded. Likewise, the normal distribution is truncated at 9.8 mm, which is the diameter of the sample disc.

For each random sample drawn from the normal distributions the amount of grains on the aliquot is calculated. By default, 10⁵ iterations are used, but can be reduced/increased with MC.iter (see ...). The results are visualised in a bar- and boxplot together with a statistical summary.

Value

Returns a terminal output. In addition an RLum.Results object is returned containing the following element:

.\$summary data.frame summary of all relevant calculation results.

.\$args list used arguments
.\$call call the function call

. \$MC list results of the Monte Carlo simulation

The output should be accessed using the function get_RLum.

calc_AverageDose 53

Function version

0.31 (2017-09-02 23:27:02)

How to cite

Burow, C. (2017). calc_AliquotSize(): Estimate the amount of grains on an aliquot. Function version 0.31. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Duller, G.A.T., 2008. Single-grain optical dating of Quaternary sediments: why aliquot size matters in luminescence dating. Boreas 37, 589-612.

Heer, A.J., Adamiec, G., Moska, P., 2012. How many grains are there on a single aliquot?. Ancient TL 30, 9-16.

Further reading

Chang, H.-C., Wang, L.-C., 2010. A simple proof of Thue's Theorem on Circle Packing. http://arxiv.org/pdf/1009.4322v1.pdf, 2013-09-13.

Graham, R.L., Lubachevsky, B.D., Nurmela, K.J., Oestergard, P.R.J., 1998. Dense packings of congruent circles in a circle. Discrete Mathematics 181, 139-154.

Huang, W., Ye, T., 2011. Global optimization method for finding dense packings of equal circles in a circle. European Journal of Operational Research 210, 474-481.

Examples

calc_AverageDose

Calculate the Average Dose and the dose rate dispersion

Description

This functions calculates the Average Dose and their extrinsic dispersion and estimates the standard errors by bootstrapping based on the Average Dose Model by Guerin et al., 2017

54 calc_AverageDose

Usage

```
calc_AverageDose(data, sigma_m = NULL, Nb_BE = 500, na.rm = TRUE,
    plot = TRUE, verbose = TRUE, ...)
```

Arguments

data	RLum.Results or data.frame (required): for data.frame: two columns with De (data[,1]) and De error (values[,2])
sigma_m	numeric (required): the overdispersion resulting from a dose recovery experiment, i.e. when all grains have received the same dose. Indeed in such a case, any overdispersion (i.e. dispersion on top of analytical uncertainties) is, by definition, an unrecognised measurement uncertainty.
Nb_BE	integer (with default): sample size used for the bootstrapping
na.rm	logical (with default): exclude NA values from the data set prior to any further operation.
plot	logical (with default): enables/disables plot output
verbose	logical (with default): enables/disables terminal output
	further arguments that can be passed to graphics::hist. As three plots are returned all arguments need to be provided as list, e.g., main = list("Plot 1", "Plot 2", "Plot 3"). Note: not all arguments of hist are supported, but the output of hist is returned and can be used of own plots.

Further supported arguments: mtext (character), rug (TRUE/FALSE).

Details

 $sigma_m$

The program requires the input of a known value of sigma_m, which corresponds to the intrinsic overdispersion, as determined by a dose recovery experiment. Then the dispersion in doses (sigma_d) will be that over and above sigma_m (and individual uncertainties sigma_wi).

Value

The function returns numerical output and an (optional) plot.

slot: @data

[.. \$summary : data.frame]

ColumnTypeDescriptionAVERAGE_DOSEnumericthe obtained averge doseAVERAGE_DOSE.SEnumericthe average dose errorSIGMA_DnumericsigmaSIGMA_D.SEnumericstandard error of the sigma

calc_AverageDose 55

IC_AVERAGE_DOSE.LEVEL character confi IC_AVERAGE_DOSE.LOWER character lowe IC_AVERAGE_DOSE.UPPER character uppe IC_SIGMA_D.LEVEL integer confi IC_SIGMA_D.LOWER character lowe IC_SIGMA_D.UPPER character uppe L_MAX character maxi

confidence level average dose lower quantile of average dose upper quantile of average dose confidence level sigma lower sigma quantile upper sigma quantile maximum likelihood value

[.. \$dstar : matrix]

Matrix with bootstrap values

[.. \$hist : list]

Object as produced by the function histogram

[PLOT OUTPUT]

The function returns two different plot panels.

- (1) An abanico plot with the dose values
- (2) A histogram panel comprising 3 histograms with the equivalent dose and the bootstrapped average dose and the sigma values.

Function version

0.1.4 (2017-09-02 23:33:29)

How to cite

Christophe, C., Philippe, A., Guerin, G., Kreutzer, S. (2017). calc_AverageDose(): Calculate the Average Dose and the dose rate dispersion. Function version 0.1.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function has beta status!

Author(s)

Claire Christophe, IRAMAT-CRP2A, Universite de Nantes (France), Anne Philippe, Universite de Nantes, (France), Guillaume Guerin, IRAMAT-CRP2A, Universite Bordeaux Montaigne, (France), Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne, (France) R Luminescence Package Team

56 calc_CentralDose

References

Guerin, G., Christophe, C., Philippe, A., Murray, A.S., Thomsen, K.J., Tribolo, C., Urbanova, P., Jain, M., Guibert, P., Mercier, N., Kreutzer, S., Lahaye, C., 2017. Absorbed dose, equivalent dose, measured dose rates, and implications for OSL age estimates: Introducing the Average Dose Model. Quaternary Geochronology 1-32. doi:10.1016/j.quageo.2017.04.002

Further reading

Efron, B., Tibshirani, R., 1986. Bootstrap Methods for Standard Errors, Confidence Intervals, and Other Measures of Statistical Accuracy. Statistical Science 1, 54-75.

See Also

```
read.table, graphics::hist
```

Examples

```
##Example 01 using package example data
##load example data
data(ExampleData.DeValues, envir = environment())

##calculate Average dose
##(use only the first 56 values here)
AD <- calc_AverageDose(ExampleData.DeValues$CA1[1:56,], sigma_m = 0.1)

##plot De and set Average dose as central value
plot_AbanicoPlot(
   data = ExampleData.DeValues$CA1[1:56,],
   z.0 = AD$summary$AVERAGE_DOSE)</pre>
```

calc_CentralDose

Apply the central age model (CAM) after Galbraith et al. (1999) to a given De distribution

Description

This function calculates the central dose and dispersion of the De distribution, their standard errors and the profile log likelihood function for sigma.

Usage

```
calc_CentralDose(data, sigmab, log = TRUE, plot = TRUE, ...)
```

Arguments

data

RLum.Results or data.frame (**required**): for data.frame: two columns with De (data[,1]) and De error (data[,2])

calc_CentralDose 57

sigmab numeric (with default): additional spread in De values. This value represents the

expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). **NOTE**: For the logged model (log = TRUE) this value must be a fraction, e.g. 0.2 = 20%. If the un-logged model is used (log = FALSE), sigmab must be provided in the same absolute units of the De

values (seconds or Gray).

log logical (with default): fit the (un-)logged central age model to De data

plot logical (with default): plot output
... further arguments (trace, verbose).

Details

This function uses the equations of Galbraith & Roberts (2012). The parameters delta and sigma are estimated by numerically solving eq. 15 and 16. Their standard errors are approximated using eq. 17. In addition, the profile log-likelihood function for sigma is calculated using eq. 18 and presented as a plot. Numerical values of the maximum likelihood approach are **only** presented in the plot and **not** in the console. A detailed explanation on maximum likelihood estimation can be found in the appendix of Galbraith & Laslett (1993, 468-470) and Galbraith & Roberts (2012, 15)

Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

.\$args list used arguments
.\$call call the function call

. \$profile data.frame the log likelihood profile for sigma

The output should be accessed using the function get RLum

Function version

1.3.2 (2017-09-02 23:27:02)

How to cite

Burow, C. (2017). calc_CentralDose(): Apply the central age model (CAM) after Galbraith et al. (1999) to a given De distribution. Function version 1.3.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany) Based on a rewritten S script of Rex Galbraith, 2010 R Luminescence Package Team 58 calc_CommonDose

References

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Further reading

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology, 1 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

See Also

plot, calc_CommonDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MinDose

Examples

```
##load example data
data(ExampleData.DeValues, envir = environment())
##apply the central dose model
calc_CentralDose(ExampleData.DeValues$CA1)
```

calc_CommonDose

Apply the (un-)logged common age model after Galbraith et al. (1999) to a given De distribution

Description

Function to calculate the common dose of a De distribution.

Usage

```
calc_CommonDose(data, sigmab, log = TRUE, ...)
```

calc_CommonDose 59

Arguments

data RLum.Results or data.frame (required): for data.frame: two columns with De

(data[,1]) and De error (data[,2])

sigmab numeric (with default): additional spread in De values. This value represents the

expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). **NOTE**: For the logged model ($\log = \text{TRUE}$) this value must be a fraction, e.g. 0.2 (= 20 %). If the un-logged model is used ($\log = \text{FALSE}$), sigmab must be provided in the same absolute units of the De

values (seconds or Gray).

log logical (with default): fit the (un-)logged central age model to De data

... currently not used.

Details

(Un-)logged model

When log = TRUE this function calculates the weighted mean of logarithmic De values. Each of the estimates is weighted by the inverse square of its relative standard error. The weighted mean is then transformed back to the dose scale (Galbraith & Roberts 2012, p. 14).

The log transformation is not applicable if the De estimates are close to zero or negative. In this case the un-logged model can be applied instead (log = FALSE). The weighted mean is then calculated using the un-logged estimates of De and their absolute standard error (Galbraith & Roberts 2012, p. 14).

Value

Returns a terminal output. In addition an RLum.Results object is returned containing the following element:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

.\$args list used arguments
.\$call call the function call

The output should be accessed using the function get_RLum

Function version

0.1.1 (2017-09-02 23:27:02)

How to cite

Burow, C. (2017). calc_CommonDose(): Apply the (un-)logged common age model after Galbraith et al. (1999) to a given De distribution. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Further reading

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology, 1 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

See Also

calc_CentralDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MinDose

Examples

```
## load example data
data(ExampleData.DeValues, envir = environment())
## apply the common dose model
calc_CommonDose(ExampleData.DeValues$CA1)
```

 ${\tt calc_CosmicDoseRate}$

Calculate the cosmic dose rate

Description

This function calculates the cosmic dose rate taking into account the soft- and hard-component of the cosmic ray flux and allows corrections for geomagnetic latitude, altitude above sea-level and geomagnetic field changes.

Usage

```
calc_CosmicDoseRate(depth, density, latitude, longitude, altitude,
  corr.fieldChanges = FALSE, est.age = NA, half.depth = FALSE,
  error = 10, ...)
```

Arguments

numeric (required): depth of overburden (m). For more than one absorber use depth c(depth_1, depth_2, ..., depth_n) density numeric (required): average overburden density (g/cm³). For more than one absorber use c(density_1, density_2, ..., density_n) latitude numeric (required): latitude (decimal degree), N positive longitude numeric (required): longitude (decimal degree), E positive altitude numeric (required): altitude (m above sea-level) corr.fieldChanges logical (with default): correct for geomagnetic field changes after Prescott & Hutton (1994). Apply only when justified by the data. numeric (with default): estimated age range (ka) for geomagnetic field change est.age correction (0-80 ka allowed) half.depth logical (with default): How to overcome with varying overburden thickness. If TRUE only half the depth is used for calculation. Apply only when justified, i.e. when a constant sedimentation rate can safely be assumed. numeric (with default): general error (percentage) to be implemented on corerror

Details

. . .

This function calculates the total cosmic dose rate considering both the soft- and hard-component of the cosmic ray flux.

further arguments (verbose to disable/enable console output).

Internal calculation steps

(1) Calculate total depth of all absorber in hg/cm² (1 hg/cm² = 100 g/cm²)

rected cosmic dose rate estimate

$$absorber = depth_1 * density_1 + depth_2 * density_2 + ... + depth_n * density_n$$

(2) If half.depth = TRUE

$$absorber = absorber/2$$

- (3) Calculate cosmic dose rate at sea-level and 55 deg. latitude
- a) If absorber is > 167 g/cm² (only hard-component; Allkofer et al. 1975): apply equation given by Prescott & Hutton (1994) (c.f. Barbouti & Rastin 1983)

$$D0 = C/(((absorber + d)^{\alpha} + a) * (absober + H)) * exp(-B * absorber)$$

b) If absorber is < 167 g/cm² (soft- and hard-component): derive D0 from Fig. 1 in Prescott & Hutton (1988).

(4) Calculate geomagnetic latitude (Prescott & Stephan 1982, Prescott & Hutton 1994)

```
\lambda = arcsin(0.203 * cos(latitude) * cos(longitude - 291) + 0.979 * sin(latitude))
```

(5) Apply correction for geomagnetic latitude and altitude above sea-level. Values for F, J and H were read from Fig. 3 shown in Prescott & Stephan (1982) and fitted with 3-degree polynomials for lambda < 35 degree and a linear fit for lambda > 35 degree.

$$Dc = D0 * (F + J * exp((altitude/1000)/H))$$

(6) Optional: Apply correction for geomagnetic field changes in the last 0-80 ka (Prescott & Hutton 1994). Correction and altitude factors are given in Table 1 and Fig. 1 in Prescott & Hutton (1994). Values for altitude factor were fitted with a 2-degree polynomial. The altitude factor is operated on the decimal part of the correction factor.

$$Dc' = Dc * correctionFactor$$

Usage of depth and density

- (1) If only one value for depth and density is provided, the cosmic dose rate is calculated for exactly one sample and one absorber as overburden (i.e. depth*density).
- (2) In some cases it might be useful to calculate the cosmic dose rate for a sample that is overlain by more than one absorber, e.g. in a profile with soil layers of different thickness and a distinct difference in density. This can be calculated by providing a matching number of values for depth and density (e.g. depth = c(1, 2), density = c(1.7, 2.4))
- (3) Another possibility is to calculate the cosmic dose rate for more than one sample of the same profile. This is done by providing more than one values for depth and only one for density. For example, depth = c(1, 2, 3) and density = 1.7 will calculate the cosmic dose rate for three samples in 1, 2 and 3 m depth in a sediment of density 1.7 g/cm³.

Value

Returns a terminal output. In addition an RLum.Results-object is returned containing the following element:

summary data.frame summary of all relevant calculation results.

args list used arguments call call the function call

The output should be accessed using the function get_RLum

Function version

0.5.2 (2017-09-02 23:27:02)

How to cite

Burow, C. (2017). calc_CosmicDoseRate(): Calculate the cosmic dose rate. Function version 0.5.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Despite its universal use the equation to calculate the cosmic dose rate provided by Prescott & Hutton (1994) is falsely stated to be valid from the surface to 10⁴ hg/cm² of standard rock. The original expression by Barbouti & Rastin (1983) only considers the muon flux (i.e. hard-component) and is by their own definition only valid for depths between 10-10⁴ hg/cm².

Thus, for near-surface samples (i.e. for depths < 167 g/cm^2) the equation of Prescott & Hutton (1994) underestimates the total cosmic dose rate, as it neglects the influence of the soft-component of the cosmic ray flux. For samples at zero depth and at sea-level the underestimation can be as large as $\sim 0.1 \text{ Gy/ka}$. In a previous article, Prescott & Hutton (1988) give another approximation of Barbouti & Rastins equation in the form of

$$D = 0.21 * exp(-0.070 * absorber + 0.0005 * absorber^{2})$$

which is valid for depths between 150-5000 g/cm². For shallower depths (< 150 g/cm²) they provided a graph (Fig. 1) from which the dose rate can be read.

As a result, this function employs the equation of Prescott & Hutton (1994) only for depths > 167 g/cm^2, i.e. only for the hard-component of the cosmic ray flux. Cosmic dose rate values for depths < 167 g/cm^2 were obtained from the "AGE" programm (Gruen 2009) and fitted with a 6-degree polynomial curve (and hence reproduces the graph shown in Prescott & Hutton 1988). However, these values assume an average overburden density of 2 g/cm^3.

It is currently not possible to obtain more precise cosmic dose rate values for near-surface samples as there is no equation known to the author of this function at the time of writing.

Author(s)

Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Allkofer, O.C., Carstensen, K., Dau, W.D., Jokisch, H., 1975. Letter to the editor. The absolute cosmic ray flux at sea level. Journal of Physics G: Nuclear and Particle Physics 1, L51-L52.

Barbouti, A.I., Rastin, B.C., 1983. A study of the absolute intensity of muons at sea level and under various thicknesses of absorber. Journal of Physics G: Nuclear and Particle Physics 9, 1577-1595.

Crookes, J.N., Rastin, B.C., 1972. An investigation of the absolute intensity of muons at sea-level. Nuclear Physics B 39, 493-508.

Gruen, R., 2009. The "AGE" program for the calculation of luminescence age estimates. Ancient TL 27, 45-46.

Prescott, J.R., Hutton, J.T., 1988. Cosmic ray and gamma ray dosimetry for TL and ESR. Nuclear Tracks and Radiation Measurements 14, 223-227.

Prescott, J.R., Hutton, J.T., 1994. Cosmic ray contributions to dose rates for luminescence and ESR dating: large depths and long-term time variations. Radiation Measurements 23, 497-500.

Prescott, J.R., Stephan, L.G., 1982. The contribution of cosmic radiation to the environmental dose for thermoluminescence dating. Latitude, altitude and depth dependences. PACT 6, 17-25.

See Also

BaseDataSet.CosmicDoseRate

Examples

```
##(1) calculate cosmic dose rate (one absorber)
calc_CosmicDoseRate(depth = 2.78, density = 1.7,
                    latitude = 38.06451, longitude = 1.49646,
                    altitude = 364, error = 10)
##(2a) calculate cosmic dose rate (two absorber)
calc_CosmicDoseRate(depth = c(5.0, 2.78), density = c(2.65, 1.7),
                    latitude = 38.06451, longitude = 1.49646,
                    altitude = 364, error = 10)
##(2b) calculate cosmic dose rate (two absorber) and
##correct for geomagnetic field changes
calc_CosmicDoseRate(depth = c(5.0, 2.78), density = c(2.65, 1.7),
                    latitude = 12.04332, longitude = 4.43243,
                    altitude = 364, corr.fieldChanges = TRUE,
                    est.age = 67, error = 15)
##(3) calculate cosmic dose rate and export results to .csv file
#calculate cosmic dose rate and save to variable
results<- calc_CosmicDoseRate(depth = 2.78, density = 1.7,</pre>
                              latitude = 38.06451, longitude = 1.49646,
                              altitude = 364, error = 10)
# the results can be accessed by
get_RLum(results, "summary")
#export results to .csv file - uncomment for usage
#write.csv(results, file = "c:/users/public/results.csv")
##(4) calculate cosmic dose rate for 6 samples from the same profile
      and save to .csv file
#calculate cosmic dose rate and save to variable
results < calc_CosmicDoseRate(depth = c(0.1, 0.5, 2.1, 2.7, 4.2, 6.3),
                              density = 1.7, latitude = 38.06451,
                              longitude = 1.49646, altitude = 364,
                              error = 10)
#export results to .csv file - uncomment for usage
#write.csv(results, file = "c:/users/public/results_profile.csv")
```

calc_FadingCorr

Apply a fading correction according to Huntley & Lamothe (2001) for a given g-value and a given tc

Description

This function solves the equation used for correcting the fading affected age including the error for a given g-value according to Huntley & Lamothe (2001).

Usage

```
calc_FadingCorr(age.faded, g_value, tc = NULL, tc.g_value = tc,
    n.MC = 10000, seed = NULL, interval = c(0.01, 500),
    txtProgressBar = TRUE, verbose = TRUE)
```

Arguments

age.faded	numeric vector (required): uncorrected age with error in ka (see example)
g_value	vector (required): g-value and error obtained from separate fading measurements (see example). Alternatively an RLum.Results object can be provided produced by the function analyse_FadingMeasurement, in this case to is set automatically
tc	numeric (required): time in seconds between irradiation and the prompt measurement (cf. Huntley & Lamothe 2001). Argument will be ignored if <code>g_value</code> was an RLum.Results object
tc.g_value	numeric (with default): the time in seconds between irradiation and the prompt measurement used for estimating the g-value. If the g-value was normalised to, e.g., 2 days, this time in seconds (i.e., 172800) should be given here. If nothing is provided the time is set to tc, which is usual case for g-values obtained using the SAR method and g-values that had been not normalised to 2 days.
n.MC	integer (with default): number of Monte Carlo simulation runs for error estimation. If n.MC = 'auto' is used the function tries to find a 'stable' error for the age. Note: This may take a while!
seed	integer (optional): sets the seed for the random number generator in R using set.seed
interval	numeric (with default): a vector containing the end-points (age interval) of the interval to be searched for the root in 'ka'. This argument is passed to the function stats::uniroot used for solving the equation.
txtProgressBar	logical (with default): enables or disables txtProgressBar
verbose	logical (with default): enables or disables terminal output

Details

As the g-value sligthly depends on the time between irradiation and the prompt measurement, this is tc, always a tc value needs to be provided. If the g-value was normalised to a distinct time or evaluated with a different tc value (e.g., external irradiation), also the tc value for the g-value needs to be provided (argument tc.g_value and then the g-value is recalcualted to tc of the measurement used for estimating the age applying the following equation:

$$\kappa_{tc} = \kappa_{tc.q} / (1 - \kappa_{tc.q} * log(tc/tc.g))$$

where

$$\kappa_{tc.g} = g/100/log(10)$$

with log the natural logarithm.

The error of the fading-corrected age is determined using a Monte Carlo simulation approach. Solving of the equation is realised using uniroot. Large values for n.MC will significantly increase the

computation time.

```
n.MC = 'auto'
```

The error estimation based on a stochastic process, i.e. for a small number of MC runs the calculated error varies considerably every time the function is called, even with the same input values. The argument option n.MC = 'auto' tries to find a stable value for the standard error, i.e. the standard deviation of values calculated during the MC runs (age.corr.MC), within a given precision (2 digits) by increasing the number of MC runs stepwise and calculating the corresponding error.

If the determined error does not differ from the 9 values calculated previously within a precision of (here) 3 digits the calculation is stopped as it is assumed that the error is stable. Please note that (a) the duration depends on the input values as well as on the provided computation ressources and it may take a while, (b) the length (size) of the output vector age.corr.MC, where all the single values produced during the MC runs are stored, equals the number of MC runs (here termed observations).

To avoid an endless loop the calculation is stopped if the number of observations exceeds 10^7. This limitation can be overwritten by setting the number of MC runs manually, e.g. n.MC = 10000001. Note: For this case the function is not checking whether the calculated error is stable.

seed

This option allows to recreate previously calculated results by setting the seed for the R random number generator (see set.seed for details). This option should not be mixed up with the option n.MC = 'auto'. The results may appear similar, but they are not comparable!

FAQ

Q: Which tc value is expected?

A: to is the time in seconds between irradiation and the prompt measurement applied during your De measurement. However, this to might differ from the to used for estimating the g-value. In the case of an SAR measurement to should be similar, however, if it differs, you have to provide this to value (the one used for estimating the g-value) using the argument to.g_value.

Value

Returns an S4 object of type RLum.Results.

Slot: @data

Object Type Comment
age.corr data.frame Corrected age

age.corr.MC numeric MC simulation results with all possible ages from that simulation

Slot: @info

Object Type Comment info character the original function call

Function version

```
0.4.2 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). calc_FadingCorr(): Apply a fading correction according to Huntley & Lamothe (2001) for a given g-value and a given tc. Function version 0.4.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Special thanks to Sebastien Huot for his support and clarification via e-mail.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Huntley, D.J., Lamothe, M., 2001. Ubiquity of anomalous fading in K-feldspars and the measurement and correction for it in optical dating. Canadian Journal of Earth Sciences, 38, 1093-1106.

See Also

RLum.Results, get_RLum, uniroot

Examples

```
##run the examples given in the appendix of Huntley and Lamothe, 2001
##(1) faded age: 100 a
results <- calc_FadingCorr(</pre>
   age.faded = c(0.1,0),
   g_{value} = c(5.0, 1.0),
   tc = 2592000,
   tc.g_value = 172800,
   n.MC = 100)
##(2) faded age: 1 ka
results <- calc_FadingCorr(</pre>
   age.faded = c(1,0),
   g_{value} = c(5.0, 1.0),
   tc = 2592000,
   tc.g_value = 172800,
   n.MC = 100)
##(3) faded age: 10.0 ka
results <- calc_FadingCorr(</pre>
   age.faded = c(10,0),
   g_{value} = c(5.0, 1.0),
   tc = 2592000,
   tc.g_value = 172800,
```

68 calc_FastRatio

```
n.MC = 100)
##access the last output
get_RLum(results)
```

calc FastRatio

Calculate the Fast Ratio for CW-OSL curves

Description

Function to calculate the fast ratio of quartz CW-OSL single grain or single aliquot curves after Durcan & Duller (2011).

Usage

```
calc_FastRatio(object, stimulation.power = 30.6, wavelength = 470,
    sigmaF = 2.6e-17, sigmaM = 4.28e-18, Ch_L1 = 1, Ch_L2 = NULL,
    Ch_L3 = NULL, x = 1, x2 = 0.1, dead.channels = c(0, 0),
    fitCW.sigma = FALSE, fitCW.curve = FALSE, plot = TRUE, ...)
```

Arguments

plot

object RLum.Analysis, RLum.Data.Curve or data.frame (required): x, y data of measured values (time and counts). stimulation.power numeric (with default): Stimulation power in mW/cm² numeric (with default): Stimulation wavelength in nm wavelength sigmaF numeric (with default): Photoionisation cross-section (cm²) of the fast component. Default value after Durcan & Duller (2011). numeric (with default): Photoionisation cross-section (cm^2) of the medium sigmaM component. Default value after Durcan & Duller (2011). Ch_L1 numeric (with default): An integer specifying the channel for L1. Ch_L2 numeric (optional): An integer specifying the channel for L2. Ch_L3 numeric (optional): A vector of length 2 with integer values specifying the start and end channels for L3 (e.g., c(40, 50)). numeric (with default): % of signal remaining from the fast component. Used Х to define the location of L2 and L3 (start). numeric (with default): % of signal remaining from the medium component. x2 Used to define the location of L3 (end). numeric (with default): Vector of length 2 in the form of c(x, y). Channels dead.channels that do not contain OSL data, i.e. at the start or end of measurement. fitCW.sigma logical (optional): fit CW-OSL curve using fit_CWCurve to calculate sigmaF and sigmaM (experimental). logical (optional): fit CW-OSL curve using fit_CWCurve and derive the counts fitCW.curve of L2 and L3 from the fitted OSL curve (**experimental**).

logical (with default): plot output (TRUE/FALSE)

available options: verbose (logical). Further arguments passed to fit_CWCurve.

calc_FastRatio 69

Details

This function follows the equations of Durcan & Duller (2011). The energy required to reduce the fast and medium quartz OSL components to x and x2 % respectively using eq. 3 to determine channels L2 and L3 (start and end). The fast ratio is then calculated from: (L1 - L3)/(L2 - L3).

Value

Returns a plot (*optional*) and an S4 object of type RLum.Results. The slot data contains a list with the following elements:

summary	data.frame summary of all relevant results
data	the original input data
fit	${\bf RLum. Results\ object\ if\ either\ fit CW. sigma\ or\ fit CW. curve\ is\ TRUE}$
args	list of used arguments
call	[call] the function call

Function version

```
0.1.1 (2017-09-02 23:27:03)
```

How to cite

King, G., Durcan, J., Burow, C. (2017). calc_FastRatio(): Calculate the Fast Ratio for CW-OSL curves. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Georgina King, University of Cologne (Germany) Julie A. Durcan, University of Oxford (United Kingdom) Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Durcan, J.A. & Duller, G.A.T., 2011. The fast ratio: A rapid measure for testing the dominance of the fast component in the initial OSL signal from quartz. Radiation Measurements 46, 1065-1072.

Madsen, A.T., Duller, G.A.T., Donnelly, J.P., Roberts, H.M. & Wintle, A.G., 2009. A chronology of hurricane landfalls at Little Sippewissett Marsh, Massachusetts, USA, using optical dating. Geomorphology 109, 36-45.

Further reading

Steffen, D., Preusser, F. & Schlunegger, 2009. OSL quartz age underestimation due to unstable signal components. Quaternary Geochronology 4, 353-362.

See Also

fit_CWCurve, get_RLum, RLum.Analysis, RLum.Results, RLum.Data.Curve

70 calc_FiniteMixture

Examples

```
# load example CW-OSL curve
data("ExampleData.CW_OSL_Curve")

# calculate the fast ratio w/o further adjustments
res <- calc_FastRatio(ExampleData.CW_OSL_Curve)

# show the summary table
get_RLum(res)</pre>
```

calc_FiniteMixture

Apply the finite mixture model (FMM) after Galbraith (2005) to a given De distribution

Description

This function fits a k-component mixture to a De distribution with differing known standard errors. Parameters (doses and mixing proportions) are estimated by maximum likelihood assuming that the log dose estimates are from a mixture of normal distributions.

Usage

```
calc_FiniteMixture(data, sigmab, n.components, grain.probability = FALSE,
  dose.scale, pdf.weight = TRUE, pdf.sigma = "sigmab",
  pdf.colors = "gray", pdf.scale, plot.proportions = TRUE, plot = TRUE,
  ...)
```

Arguments

data RLum.Results or data.frame (required): for data.frame: two columns with De

(data[,1]) and De error (values[,2])

sigmab numeric (required): spread in De values given as a fraction (e.g. 0.2). This

value represents the expected overdispersion in the data should the sample be

well-bleached (Cunningham & Wallinga 2012, p. 100).

n. components numeric (required): number of components to be fitted. If a vector is provided

(e.g. c(2:8)) the finite mixtures for 2, 3 ... 8 components are calculated and a plot and a statistical evaluation of the model performance (BIC score and maxi-

mum log-likelihood) is provided.

grain.probability

logical (with default): prints the estimated probabilities of which component

each grain is in

dose.scale numeric: manually set the scaling of the y-axis of the first plot with a vector in

the form of c(min, max)

pdf.weight logical (with default): weight the probability density functions by the compo-

nents proportion (applies only when a vector is provided for n.components)

pdf.sigma character (with default): if "sigmab" the components normal distributions are

plotted with a common standard deviation (i.e. sigmab) as assumed by the FFM. Alternatively, "se" takes the standard error of each component for the sigma

parameter of the normal distribution

calc_FiniteMixture 71

pdf. colors character (with default): color coding of the components in the the plot. Possible

options are "gray", "colors" and "none"

pdf.scale numeric: manually set the max density value for proper scaling of the x-axis of

the first plot

plot.proportions

logical (with default): plot barplot showing the proportions of components

plot logical (with default): plot output

further arguments to pass. See details for their usage.

Details

This model uses the maximum likelihood and Bayesian Information Criterion (BIC) approaches. Indications of overfitting are:

· increasing BIC

· repeated dose estimates

· covariance matrix not positive definite

· covariance matrix produces NaNs

· convergence problems

Plot

If a vector (c(k.min:k.max)) is provided for n. components a plot is generated showing the the k components equivalent doses as normal distributions. By default pdf.weight is set to FALSE, so that the area under each normal distribution is always 1. If TRUE, the probability density functions are weighted by the components proportion for each iteration of k components, so the sum of areas of each component equals 1. While the density values are on the same scale when no weights are used, the y-axis are individually scaled if the probability density are weighted by the components proportion.

The standard deviation (sigma) of the normal distributions is by default determined by a common sigmab (see pdf.sigma). For pdf.sigma = "se" the standard error of each component is taken instead.

The stacked barplot shows the proportion of each component (in per cent) calculated by the FFM. The last plot shows the achieved BIC scores and maximum log-likelihood estimates for each iteration of k.

Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

. \$data data.frame original input data

.\$args list used arguments
.\$call call the function call

. \$mle covariance matrices of the log likelhoods

.\$BIC BIC score

.\$11ik maximum log likelihood

.\$grain.probability

probabilities of a grain belonging to a component

72 calc_FiniteMixture

.\$components matrix estimates of the de, de error and proportion for each component data.frame single componente FFM estimate

If a vector for n.components is provided (e.g. c(2:8)), mle and grain.probability are lists containing matrices of the results for each iteration of the model.

The output should be accessed using the function get_RLum

Function version

0.4 (2017-09-02 23:27:02)

How to cite

Burow, C. (2017). calc_FiniteMixture(): Apply the finite mixture model (FMM) after Galbraith (2005) to a given De distribution. Function version 0.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany) Based on a rewritten S script of Rex Galbraith, 2006. R Luminescence Package Team

References

Galbraith, R.F. & Green, P.F., 1990. Estimating the component ages in a finite mixture. Nuclear Tracks and Radiation Measurements 17, 197-206.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Roberts, R.G., Galbraith, R.F., Yoshida, H., Laslett, G.M. & Olley, J.M., 2000. Distinguishing dose populations in sediment mixtures: a test of single-grain optical dating procedures using mixtures of laboratory-dosed quartz. Radiation Measurements 32, 459-465.

Galbraith, R.F., 2005. Statistics for Fission Track Analysis, Chapman & Hall/CRC, Boca Raton.

Further reading

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology 1, 109-120.

Rodnight, H. 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

See Also

calc_CentralDose, calc_CommonDose, calc_FuchsLang2001, calc_MinDose

calc_FuchsLang2001 73

Examples

```
## load example data
data(ExampleData.DeValues, envir = environment())
## (1) apply the finite mixture model
## NOTE: the data set is not suitable for the finite mixture model,
## which is why a very small sigmab is necessary
calc_FiniteMixture(ExampleData.DeValues$CA1,
                   sigmab = 0.2, n.components = 2,
                   grain.probability = TRUE)
\#\# (2) repeat the finite mixture model for 2, 3 and 4 maximum number of fitted
## components and save results
## NOTE: The following example is computationally intensive. Please un-comment
## the following lines to make the example work.
FMM<- calc_FiniteMixture(ExampleData.DeValues$CA1,
                         sigmab = 0.2, n.components = c(2:4),
                         pdf.weight = TRUE, dose.scale = c(0, 100))
## show structure of the results
FMM
## show the results on equivalent dose, standard error and proportion of
## fitted components
get_RLum(object = FMM, data.object = "components")
```

calc_FuchsLang2001

Apply the model after Fuchs & Lang (2001) to a given De distribution.

Description

This function applies the method according to Fuchs & Lang (2001) for heterogeneously bleached samples with a given coefficient of variation threshold.

Usage

```
calc_FuchsLang2001(data, cvThreshold = 5, startDeValue = 1, plot = TRUE,
...)
```

Arguments

data	RLum.Results or data.frame (required): for data.frame: two columns with De (data[,1]) and De error (values[,2])
cvThreshold	<pre>numeric (with default): coefficient of variation in percent, as threshold for the method, e.g. cvThreshold = 3. See details .</pre>
startDeValue	numeric (with default): number of the first aliquot that is used for the calculations
plot	logical (with default): plot output TRUE/FALSE
	further arguments and graphical parameters passed to plot

Details

Used values

If the coefficient of variation (c[v]) of the first two values is larger than the threshold $c[v_threshold]$, the first value is skipped. Use the startDeValue argument to define a start value for calculation (e.g. 2nd or 3rd value).

Basic steps of the approach

- 1. Estimate natural relative variation of the sample using a dose recovery test
- 2. Sort the input values ascendingly
- 3. Calculate a running mean, starting with the lowermost two values and add values iteratively.
- 4. Stop if the calculated c[v] exceeds the specified cvThreshold

Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

summary data.frame summary of all relevant model results.

data data.frame original input data

args list used arguments
call call the function call

usedDeValues data.frame containing the used values for the calculation

Function version

0.4.1 (2017-09-02 23:27:02)

How to cite

Kreutzer, S., Burow, C. (2017). calc_FuchsLang2001(): Apply the model after Fuchs & Lang (2001) to a given De distribution.. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Please consider the requirements and the constraints of this method (see Fuchs & Lang, 2001)

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Fuchs, M. & Lang, A., 2001. OSL dating of coarse-grain fluvial quartz using single-aliquot protocols on sediments from NE Peloponnese, Greece. In: Quaternary Science Reviews 20, 783-787.

Fuchs, M. & Wagner, G.A., 2003. Recognition of insufficient bleaching by small aliquots of quartz for reconstructing soil erosion in Greece. Quaternary Science Reviews 22, 1161-1167.

calc_gSGC 75

See Also

plot, calc_MinDose, calc_FiniteMixture, calc_CentralDose, calc_CommonDose, RLum.Results

Examples

```
## load example data
data(ExampleData.DeValues, envir = environment())
## calculate De according to Fuchs & Lang (2001)
temp<- calc_FuchsLang2001(ExampleData.DeValues$BT998, cvThreshold = 5)</pre>
```

calc_gSGC

Calculate De value based on the gSGC by Li et al., 2015

Description

Function returns De value and De value error using the global standardised growth curve (gSGC) assumption proposed by Li et al., 2015 for OSL dating of sedimentary quartz

Usage

```
calc_gSGC(data, gSGC.type = "0-250", gSGC.parameters, n.MC = 100,
  verbose = TRUE, plot = TRUE, ...)
```

Arguments

data

data.frame (required): input data of providing the following columns: 'LnTn', 'LnTn.error', Lr1Tr1', 'Lr1Tr1.error', 'Dr1' Note: column names are not required. The function expect the input data in the given order character (with default): define the function parameters that should be used for gSGC.type the iteration procedure: Li et al., 2015 (Table 2) presented function parameters for two dose ranges: "0-450" and "0-250" gSGC.parameters list (optional): option to provide own function parameters used for fitting as named list. Nomenclature follows Li et al., 2015, i.e. list(A, A. error, D0, D0. error, c, c. error, Y0 range requires a vector for the range the function is considered as valid, e.g. range = c(0,250)

> Using this option overwrites the default parameter list of the gSGC, meaning the argument gSGC. type will be without effect

integer (with default): number of Monte Carlo simulation runs for error estiman.MC

tion, see details.

verbose logical: enable or disable terminal output

logical: enable or disable graphical feedback as plot plot

parameters will be passed to the plot output . . .

Details

The error of the De value is determined using a Monte Carlo simulation approach. Solving of the equation is realised using uniroot. Large values for n.MC will significantly increase the computation time.

76 calc_gSGC

Value

```
Returns an S4 object of type RLum.Results.
```

```
@data
$ De.value (data.frame)
... $ De
... $ De.error
... $ Eta
$ De.MC (list) contains the matrices from the error estimation.
$ uniroot (list) contains the uniroot outputs of the De estimations
@info
'$ call" (call) the original function call
```

Function version

```
0.1.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). calc_gSGC(): Calculate De value based on the gSGC by Li et al., 2015. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montagine (France) R Luminescence Package Team
```

References

Li, B., Roberts, R.G., Jacobs, Z., Li, S.-H., 2015. Potential of establishing a 'global standardised growth curve' (gSGC) for optical dating of quartz from sediments. Quaternary Geochronology 27, 94-104. doi:10.1016/j.quageo.2015.02.011

See Also

RLum.Results, get_RLum, uniroot

```
results <- calc_gSGC(data = data.frame(
LnTn = 2.361, LnTn.error = 0.087,
Lr1Tr1 = 2.744, Lr1Tr1.error = 0.091,
Dr1 = 34.4))
get_RLum(results, data.object = "De")</pre>
```

calc_HomogeneityTest Apply a simple homogeneity test after Galbraith (2003)

Description

A simple homogeneity test for De estimates

Usage

```
calc_HomogeneityTest(data, log = TRUE, ...)
```

Arguments

data	RLum.Results or data.frame (required): for data.frame: two columns with De (data[,1]) and De error (values[,2])
log	logical (with default): perform the homogeneity test with (un-)logged data
	further arguments (for internal compatibility only).

Details

For details see Galbraith (2003).

Value

Returns a terminal output. In addition an RLum.Results-object is returned containing the following elements:

summary data.frame summary of all relevant model results.

data data.frame original input data

args list used arguments
call call the function call

The output should be accessed using the function get_RLum

Function version

```
0.2.2 (2017-09-02 23:29:24)
```

How to cite

Burow, C. (2017). calc_HomogeneityTest(): Apply a simple homogeneity test after Galbraith (2003). Function version 0.2.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Christoph Burow, University of Cologne (Germany)
R Luminescence Package Team
```

78 calc_IEU

References

Galbraith, R.F., 2003. A simple homogeneity test for estimates of dose obtained using OSL. Ancient TL 21, 75-77.

See Also

pchisq

Examples

```
## load example data
data(ExampleData.DeValues, envir = environment())
## apply the homogeneity test
calc_HomogeneityTest(ExampleData.DeValues$BT998)
```

calc_IEU

Apply the internal-external-uncertainty (IEU) model after Thomsen et al. (2007) to a given De distribution

DI ym Dagylta ar data frama (nagyinad), far data frama, tyya aalymna yyith Da

Description

Function to calculate the IEU De for a De data set.

Usage

```
calc_IEU(data, a, b, interval, decimal.point = 2, plot = TRUE, ...)
```

Arguments

data	(data[,1]) and De error (values[,2])
a	numeric (required): slope
b	numeric (required): intercept
interval	$\begin{array}{l} \textbf{numeric} \; (\textbf{required}) \text{:} \; \text{fixed interval (e.g. 5 Gy) used for iteration of Dbar, from} \\ \text{the mean to Lowest.De used to create Graph.IEU [Dbar.Fixed vs Z]} \end{array}$
decimal.point	<pre>numeric (with default): number of decimal points for rounding calculations (e.g. 2)</pre>
plot	logical (with default): plot output
	further arguments (trace, verbose).

Details

This function uses the equations of Thomsen et al. (2007). The parameters a and b are estimated from dose-recovery experiments.

calc_IEU 79

Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

.\$args list used arguments
.\$call call the function call

.\$tables list a list of data frames containing all calculation tables

The output should be accessed using the function get_RLum.

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Smedley, R.K. (2017). calc_IEU(): Apply the internal-external-uncertainty (IEU) model after Thomsen et al. (2007) to a given De distribution. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Rachel Smedley, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Based on an excel spreadsheet and accompanying macro written by Kristina Thomsen. R Luminescence Package Team

References

Smedley, R.K., 2015. A new R function for the Internal External Uncertainty (IEU) model. Ancient TL 33, 16-21.

Thomsen, K.J., Murray, A.S., Boetter-Jensen, L. & Kinahan, J., 2007. Determination of burial dose in incompletely bleached fluvial samples using single grains of quartz. Radiation Measurements 42, 370-379.

See Also

 $plot, calc_CommonDose, calc_CentralDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MinDose$

```
## load data
data(ExampleData.DeValues, envir = environment())
## apply the IEU model
ieu <- calc_IEU(ExampleData.DeValues$CA1, a = 0.2, b = 1.9, interval = 1)</pre>
```

80 calc_Kars2008

calc_Kars2008

Apply the Kars et al. (2008) model

Description

A function to calculate the expected sample specific fraction of saturation following Kars et al. (2008) and Huntley (2006).

Usage

```
calc_Kars2008(data, LnTn = NULL, rhop, ddot, readerDdot, normalise = TRUE,
    summary = TRUE, plot = TRUE, ...)
```

Arguments

data

data.frame (required): A data.frame with one of the following structures:

- A **three column** data frame with numeric values on a) dose (s), b) LxTx and and c) LxTx error.
- If a **two column** data frame is provided it is automatically assumed that errors on LxTx are missing. A third column will be attached with an arbitrary 5 % error on the provided LxTx values.
- Can also be a **wide table**, i.e. a data.frame with a number of colums divisible by 3 and where each triplet has the aforementioned column structure.

```
(optional)
    | dose (s)| LxTx | LxTx error |
    | [ ,1] | [ ,2]|
                        [ ,3]
    |-----|
[1, ]| 0
             | LnTn | LnTn error | (optional, see arg 'LnTn')
             | L1T1 | L1T1 error |
[2, ]
      R1
 . . . |
             1 ... 1
                        . . .
[x, ]|
      Rx
             | LxTx | LxTx error |
```

NOTE: The function assumes the first row of the function to be the Ln/Tn-value. If you want to provide more than one Ln/Tn-value consider using the argument LnTn.

LnTn

data.frame (**optional**): This argument should **only** be used to provide more than one Ln/Tn-value. It assumes a two column data frame with the following structure:

The function will calculate a **mean** Ln/Tn-value and uses either the standard deviation or the highest individual error, whichever is larger. If another mean value (e.g. a weighted mean or median) or error is preferred, this value must be

calc_Kars2008 81

calculated beforehand and used in the first row in the data frame for argument data.

NOTE: If you provide LnTn-values with this argument the data frame for the data-argument **must not** contain any LnTn-values!

rhop numeric (required): The density of recombination centres (

numeric (**required**): The density of recombination centres (ρ ') and its error (see Huntley 2006), given as numeric vector of length two. Note that ρ ' must **not** be provided as the common logarithm. Example: rhop = c(2.92e-06, 4.93e-07).

ddot numeric (required): Environmental dose rate and its error, given as a numeric

vector of length two. Expected unit: Gy/ka. Example: ddot = c(3.7, 0.4).

readerDdot numeric (required): Dose rate of the irradiation source of the OSL reader and

its error, given as a numeric vector of length two. Expected unit: Gy/s. Example:

readerDdot = c(0.08, 0.01).

normalise logical (with default): If TRUE (the default) all measured and computed LxTx

values are normalised by the pre-exponential factor A (see details).

summary logical (with default): If TRUE (the default) various parameters provided by the

user and calculated by the model are added as text on the right-hand side of the

plot.

plot logical (with default): enables/disables plot output.

.. Further parameters:

• verbose logical: Show or hide console output

• n.MC numeric: Number of Monte Carlo iterations (default = 1000)

All other arguments are passed to plot and plot_GrowthCurve.

Details

This function applies the approach described in Kars et al. (2008), developed from the model of Huntley (2006) to calculate the expected sample specific fraction of saturation of a feldspar and also to calculate fading corrected age using this model. ρ' (rhop), the density of recombination centres, is a crucial parameter of this model and must be determined separately from a fading measurement. The function analyse_FadingMeasurement can be used to calculate the sample specific ρ' value.

Firstly the unfaded D0 value is determined through applying equation 5 of Kars et al. (2008) to the measured LxTx data as a function of irradiation time, and fitting the data with a single saturating exponential of the form:

$$LxTx(t*) = Ax\phi(t*)x(1 - exp(-(t*/D0)))$$

where

$$\phi(t*) = exp(-\rho'xln(1.8xs_tildext*)^3)$$

after King et al. (2016) where A is a pre-exponential factor, t* (s) is the irradiation time, starting at the mid-point of irradiation (Auclair et al. 2003) and s_tilde (3x10^15 s^-1) is the athermal frequency factor after Huntley (2006).

Using fit parameters A and D0, the function then computes a natural dose response curve using the environmental dose rate, D_dot (Gy/s) and equations [1] and [2]. Computed LxTx values are then fitted using the plot_GrowthCurve function and the laboratory measured LnTn can then be interpolated onto this curve to determine the fading corrected De value, from which the fading corrected age is calculated.

82 calc_Kars2008

The calc_Kars2008 function also calculates the level of saturation (n/N) and the field saturation (i.e. athermal steady state, (n/N)_SS) value for the sample under investigation using the sample specific ρ ', unfaded D0 and D_dot values, following the approach of Kars et al. (2008).

Uncertainties are reported at 1 sigma and are assumed to be normally distributed and are estimated using monte-carlo resamples (n.MC = 1000) of ρ ' and LxTx during dose response curve fitting, and of ρ ' in the derivation of (n/N) and (n/N)_SS.

Age calculated from 2*D0 of the simulated natural DRC

In addition to the age calculated from the equivalent dose derived from Ln/Tn projected on the simulated natural dose response curve (DRC), this function also calculates an age from twice the characteristic saturation dose (D0) of the simulated natural DRC. This can be a useful information for (over)saturated samples (ie. no intersect of Ln/Tn on the natural DRC) to obtain at least a "minimum age" estimate of the sample. In the console output this value is denoted by "Age @2D0 (ka):".

Value

An RLum.Results object is returned:

Slot: @data

ODIECE

OBJECT	TYPE	COMMENT
results	data.frame	results of the of Kars et al. 2008 model
data	data.frame	original input data
Ln	numeric	Ln and its error
LxTx_tables	list	A list of data. frames containing data on dose, LxTx and LxTx error for each of the dose
fits	list	A list of nls objects produced by minpack.lm::nlsLM when fitting the dose response curv

Slot: @info

OBJECT	TYPE	COMMENT
call	call	the original function call
args	list	arguments of the original function call

Function version

0.2.0 (2017-09-02 23:27:03)

How to cite

King, G., Burow, C. (2017). calc_Kars2008(): Apply the Kars et al. (2008) model. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function has BETA status and should not be used for publication work!

calc_Kars2008 83

Author(s)

Georgina King, University of Cologne (Germany) Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Kars, R.H., Wallinga, J., Cohen, K.M., 2008. A new approach towards anomalous fading correction for feldspar IRSL dating-tests on samples in field saturation. Radiation Measurements 43, 786-790. doi:10.1016/j.radmeas.2008.01.021

Huntley, D.J., 2006. An explanation of the power-law decay of luminescence. Journal of Physics: Condensed Matter 18, 1359-1365. doi:10.1088/0953-8984/18/4/020

King, G.E., Herman, F., Lambert, R., Valla, P.G., Guralnik, B., 2016. Multi-OSL-thermochronometry of feldspar. Quaternary Geochronology 33, 76-87. doi:10.1016/j.quageo.2016.01.004

Further reading

Morthekai, P., Jain, M., Cunha, P.P., Azevedo, J.M., Singhvi, A.K., 2011. An attempt to correct for the fading in million year old basaltic rocks. Geochronometria 38(3), 223-230.

```
## Load example data (sample UNIL/NB123, see ?ExampleData.Fading)
data("ExampleData.Fading", envir = environment())
## (1) Set all relevant parameters
# a. fading measurement data (IR50)
fading_data <- ExampleData.Fading$fading.data$IR50</pre>
# b. Dose response curve data
data <- ExampleData.Fading$equivalentDose.data$IR50</pre>
## (2) Define required function parameters
ddot <- c(7.00, 0.004)
readerDdot <- c(0.134, 0.0067)
# Analyse fading measurement and get an estimate of rho'.
# Note that the RLum.Results object can be directly used for further processing.
# The number of MC runs is reduced for this example
rhop <- analyse_FadingMeasurement(fading_data, plot = TRUE, verbose = FALSE, n.MC = 10)</pre>
## (3) Apply the Kars et al. (2008) model to the data
kars <- calc_Kars2008(data = data,</pre>
                       rhop = rhop,
                       ddot = ddot,
                       readerDdot = readerDdot,
                       n.MC = 50)
\mbox{\#} You can also provide LnTn values separately via the 'LnTn' argument.
# Note, however, that the data frame for 'data' must then NOT contain
# a LnTn value. See argument descriptions!
LnTn \leftarrow data.frame(LnTn = c(1.84833, 2.24833),
                    LnTn.error = c(0.17, 0.22))
```

84 *calc_MaxDose*

calc_MaxDose

Apply the maximum age model to a given De distribution

Description

Function to fit the maximum age model to De data. This is a wrapper function that calls calc_MinDose() and applies a similiar approach as described in Olley et al. (2006).

Usage

```
calc_MaxDose(data, sigmab, log = TRUE, par = 3, bootstrap = FALSE,
  init.values, plot = TRUE, ...)
```

Arguments

data	RLum.Results or data.frame (required): for data.frame: two columns with De (data[,1]) and De error (data[,2]).
sigmab	numeric (required): additional spread in De values. This value represents the expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). NOTE : For the logged model (log = TRUE) this value must be a fraction, e.g. 0.2 (= 20 %). If the un-logged model is used (log = FALSE), sigmab must be provided in the same absolute units of the De values (seconds or Gray). See details (calc_MinDose.
log	logical (with default): fit the (un-)logged three parameter minimum dose model to De data
par	numeric (with default): apply the 3- or 4-parametric minimum age model (par=3 or par=4).
bootstrap	logical (with default): apply the recycled bootstrap approach of Cunningham & Wallinga (2012).
init.values	numeric (with default): starting values for gamma, sigma, p0 and mu. Custom values need to be provided in a vector of length three in the form of c(gamma, sigma, p0).
plot	logical (with default): plot output (TRUE/FALSE)
	further arguments for bootstrapping (bs.M, bs.N, bs.h, sigmab.sd). See details for their usage.

calc_MaxDose 85

Details

Data transformation

To estimate the maximum dose population and its standard error, the three parameter minimum age model of Galbraith et al. (1999) is adapted. The measured De values are transformed as follows:

- 1. convert De values to natural logs
- 2. multiply the logged data to creat a mirror image of the De distribution
- 3. shift De values along x-axis by the smallest x-value found to obtain only positive values
- 4. combine in quadrature the measurement error associated with each De value with a relative error specified by sigmab
- 5. apply the MAM to these data

When all calculations are done the results are then converted as follows

- 1. subtract the x-offset
- 2. multiply the natural logs by -1
- 3. take the exponent to obtain the maximum dose estimate in Gy

Further documentation

Please see calc_MinDose.

Value

Please see calc_MinDose.

Function version

0.3.1 (2017-09-02 23:27:02)

How to cite

Burow, C. (2017). calc_MaxDose(): Apply the maximum age model to a given De distribution. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany) Based on a rewritten S script of Rex Galbraith, 2010 R Luminescence Package Team

References

Arnold, L.J., Roberts, R.G., Galbraith, R.F. & DeLong, S.B., 2009. A revised burial dose estimation procedure for optical dating of young and modern-age sediments. Quaternary Geochronology 4, 306-325.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F., 2005. Statistics for Fission Track Analysis, Chapman & Hall/CRC, Boca Raton.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Olley, J.M., Roberts, R.G., Yoshida, H., Bowler, J.M., 2006. Single-grain optical dating of grave-infill associated with human burials at Lake Mungo, Australia. Quaternary Science Reviews 25, 2469-2474

Further reading

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology 1, 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

See Also

calc_CentralDose, calc_CommonDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MinDose

Examples

```
## load example data
data(ExampleData.DeValues, envir = environment())
# apply the maximum dose model
calc_MaxDose(ExampleData.DeValues$CA1, sigmab = 0.2, par = 3)
```

calc_MinDose

Apply the (un-)logged minimum age model (MAM) after Galbraith et al. (1999) to a given De distribution

Description

Function to fit the (un-)logged three or four parameter minimum dose model (MAM-3/4) to De data.

Usage

```
calc_MinDose(data, sigmab, log = TRUE, par = 3, bootstrap = FALSE,
init.values, level = 0.95, plot = TRUE, multicore = FALSE, ...)
```

Arguments

data RLum.Results or data.frame (**required**): for data.frame: two columns with De

(data[,1]) and De error (data[,2]).

sigmab numeric (required): additional spread in De values. This value represents the

expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). **NOTE**: For the logged model (log = TRUE) this value must be a fraction, e.g. 0.2 = 20%. If the un-logged model is used (log = FALSE), sigmab must be provided in the same absolute units of the De

values (seconds or Gray). See details.

logical (with default): fit the (un-)logged minimum dose model to De data.

par numeric (with default): apply the 3- or 4-parametric minimum age model (par=3

or par=4). The MAM-3 is used by default.

bootstrap logical (with default): apply the recycled bootstrap approach of Cunningham &

Wallinga (2012).

init.values numeric (optional): a named list with starting values for gamma, sigma, p0 and

mu (e.g. list(gamma=100, sigma=1.5, p0=0.1, mu=100)). If no values are

provided reasonable values are tried to be estimated from the data.

level logical (with default): the confidence level required (defaults to 0.95).

plot logical (with default): plot output (TRUE/FALSE)

multicore logical (with default): enable parallel computation of the bootstrap by creating

a multicore SNOW cluster. Depending on the number of available logical CPU cores this may drastically reduce the computation time. Note that this option is

highly experimental and may not work on all machines. (TRUE/FALSE)

... (optional) further arguments for bootstrapping (bs.M, bs.N, bs.h, sigmab.sd).

See details for their usage. Further arguments are

• verbose to de-/activate console output (logical),

• debug for extended console output (logical) and

 cores (integer) to manually specify the number of cores to be used when multicore=TRUE.

Details

Parameters

This model has four parameters:

gamma: minimum dose on the log scale

mu: mean of the non-truncated normal distribution

sigma: spread in ages above the minimum p0: proportion of grains at gamma

If par=3 (default) the 3-parametric minimum age model is applied, where gamma=mu. For par=4 the 4-parametric model is applied instead.

(Un-)logged model

In the original version of the minimum dose model, the basic data are the natural logarithms of the De estimates and relative standard errors of the De estimates. The value for sigmab must be provided as a ratio (e.g, 0.2 for 20 %). This model will be applied if log = TRUE.

If log=FALSE, the modified un-logged model will be applied instead. This has essentially the same form as the original version. gamma and sigma are in Gy and gamma becomes the minimum true dose in the population. **Note** that the un-logged model requires sigmab to be in the same absolute unit as the provided De values (seconds or Gray).

While the original (logged) version of the minimum dose model may be appropriate for most samples (i.e. De distributions), the modified (un-logged) version is specially designed for modernage and young samples containing negative, zero or near-zero De estimates (Arnold et al. 2009, p. 323).

Initial values & boundaries

The log likelihood calculations use the nlminb function for box-constrained optimisation using PORT routines. Accordingly, initial values for the four parameters can be specified via init.values. If no values are provided for init.values reasonable starting values are estimated from the input data. If the final estimates of *gamma*, *mu*, *sigma* and *p0* are totally off target, consider providing custom starting values via init.values. In contrast to previous versions of this function the boundaries for the individual model parameters are no longer required to be explicitly specified. If you want to override the default boundary values use the arguments gamma.lower, gamma.upper, sigma.lower, sigma.upper, p0.lower, p0.upper, mu.lower and mu.upper.

Bootstrap

When bootstrap=TRUE the function applies the bootstrapping method as described in Wallinga & Cunningham (2012). By default, the minimum age model produces 1000 first level and 3000 second level bootstrap replicates (actually, the number of second level bootstrap replicates is three times the number of first level replicates unless specified otherwise). The uncertainty on sigmab is 0.04 by default. These values can be changed by using the arguments bs.M (first level replicates), bs.N (second level replicates) and sigmab.sd (error on sigmab). With bs.h the bandwidth of the kernel density estimate can be specified. By default, h is calculated as

$$h = (2 * \sigma_{DE})/\sqrt{n}$$

Multicore support

This function supports parallel computing and can be activated by multicore=TRUE. By default, the number of available logical CPU cores is determined automatically, but can be changed with cores. The multicore support is only available when bootstrap=TRUE and spawns n R instances for each core to get MAM estimates for each of the N and M boostrap replicates. Note that this option is highly experimental and may or may not work for your machine. Also the performance gain increases for larger number of bootstrap replicates. Also note that with each additional core and hence R instance and depending on the number of bootstrap replicates the memory usage can significantly increase. Make sure that memory is always availabe, otherwise there will be a massive perfomance hit.

Likelihood profiles

The likelihood profiles are generated and plotted by the bbmle package. The profile likelihood plots look different to ordinary profile likelihood as

"[...] the plot method for likelihood profiles displays the square root of the deviance difference (twice the difference in negative log-likelihood from the best fit), so it will be V-shaped for cases where the quadratic approximation works well [...]." (Bolker 2016).

For more details on the profile likelihood calculations and plots please see the vignettes of the bbmle package (also available here: https://CRAN.R-project.org/package=bbmle).

Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

. \$data data.frame original input data

args list used arguments
call call the function call

.\$mle mle2 object containing the maximum log likelhood functions for all parameters

BIC numeric BIC score

.\$confint data.frame confidence intervals for all parameters

. \$profile profile.mle2 the log likelihood profiles

.\$bootstrap list bootstrap results

The output should be accessed using the function get RLum

Function version

0.4.4 (2017-09-02 23:29:24)

How to cite

Burow, C. (2017). calc_MinDose(): Apply the (un-)logged minimum age model (MAM) after Galbraith et al. (1999) to a given De distribution. Function version 0.4.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The default starting values for gamma, mu, sigma and p0 may only be appropriate for some De data sets and may need to be changed for other data. This is especially true when the un-logged version is applied.

Also note that all R warning messages are suppressed when running this function. If the results seem odd consider re-running the model with debug=TRUE which provides extended console output and forwards all internal warning messages.

Author(s)

Christoph Burow, University of Cologne (Germany)

Based on a rewritten S script of Rex Galbraith, 2010

The bootstrap approach is based on a rewritten MATLAB script of Alastair Cunningham.

Alastair Cunningham is thanked for his help in implementing and cross-checking the code.

R Luminescence Package Team

References

Arnold, L.J., Roberts, R.G., Galbraith, R.F. & DeLong, S.B., 2009. A revised burial dose estimation procedure for optical dating of young and modern-age sediments. Quaternary Geochronology 4, 306-325.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F., 2005. Statistics for Fission Track Analysis, Chapman & Hall/CRC, Boca Raton.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Olley, J.M., Roberts, R.G., Yoshida, H., Bowler, J.M., 2006. Single-grain optical dating of grave-infill associated with human burials at Lake Mungo, Australia. Quaternary Science Reviews 25, 2469-2474.

Further reading

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bolker, B., 2016. Maximum likelihood estimation analysis with the bbmle package. In: Bolker, B., R Development Core Team, 2016. bbmle: Tools for General Maximum Likelihood Estimation. R package version 1.0.18. https://CRAN.R-project.org/package=bbmle

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology 1, 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

See Also

calc_CentralDose, calc_CommonDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MaxDose

```
## Load example data
data(ExampleData.DeValues, envir = environment())
# (1) Apply the minimum age model with minimum required parameters.
# By default, this will apply the un-logged 3-parametric MAM.
calc_MinDose(data = ExampleData.DeValues$CA1, sigmab = 0.1)
## Not run:
# (2) Re-run the model, but save results to a variable and turn
```

```
# plotting of the log-likelihood profiles off.
mam <- calc_MinDose(data = ExampleData.DeValues$CA1,</pre>
                    sigmab = 0.1,
                    plot = FALSE)
# Show structure of the RLum.Results object
# Show summary table that contains the most relevant results
res <- get_RLum(mam, "summary")</pre>
# Plot the log likelihood profiles retroactively, because before
# we set plot = FALSE
plot_RLum(mam)
# Plot the dose distribution in an abanico plot and draw a line
# at the minimum dose estimate
plot_AbanicoPlot(data = ExampleData.DeValues$CA1,
                 main = "3-parameter Minimum Age Model",
                 line = mam, polygon.col = "none",
                 hist = TRUE,
                 rug = TRUE,
                 summary = c("n", "mean", "mean.weighted", "median", "in.ci"),
                 centrality = res$de,
                 line.col = "red",
                 grid.col = "none"
                 line.label = paste0(round(res$de, 1), "\U00B1",
                                      round(res$de_err, 1), " Gy"),
                 bw = 0.1,
                 ylim = c(-25, 18),
                 summary.pos = "topleft",
                 mtext = bquote("Parameters: " ~
                                  sigma[b] == .(get_RLum(mam, "args")$sigmab) ~ ", " ~
                                   gamma == .(round(log(res$de), 1)) ~ ", " ~
                                   sigma == .(round(res$sig, 1)) ~ ", " ~
                                   rho == .(round(res p0, 2)))
# (3) Run the minimum age model with bootstrap
# NOTE: Bootstrapping is computationally intensive
# (3.1) run the minimum age model with default values for bootstrapping
calc_MinDose(data = ExampleData.DeValues$CA1,
             sigmab = 0.15,
             bootstrap = TRUE)
# (3.2) Bootstrap control parameters
mam <- calc_MinDose(data = ExampleData.DeValues$CA1,</pre>
                    sigmab = 0.15,
                    bootstrap = TRUE,
                    bs.M = 300,
                    bs.N = 500,
                    bs.h = 4,
                    sigmab.sd = 0.06,
                    plot = FALSE)
```

92 calc_OSLLxTxRatio

```
# Plot the results
plot_RLum(mam)
# save bootstrap results in a separate variable
bs <- get_RLum(mam, "bootstrap")</pre>
# show structure of the bootstrap results
str(bs, max.level = 2, give.attr = FALSE)
# print summary of minimum dose and likelihood pairs
summary(bs$pairs$gamma)
# Show polynomial fits of the bootstrap pairs
bs$poly.fits$poly.three
# Plot various statistics of the fit using the generic plot() function
par(mfcol=c(2,2))
plot(bs$poly.fits$poly.three, ask = FALSE)
# Show the fitted values of the polynomials
summary(bs$poly.fits$poly.three$fitted.values)
## End(Not run)
```

calc_OSLLxTxRatio

Calculate Lx/Tx ratio for CW-OSL curves

Description

Calculate Lx/Tx ratios from a given set of CW-OSL curves assuming late light background subtraction.

Usage

```
calc_OSLLxTxRatio(Lx.data, Tx.data = NULL, signal.integral,
  signal.integral.Tx = NULL, background.integral,
  background.integral.Tx = NULL,
  background.count.distribution = "non-poisson", use_previousBG = FALSE,
  sigmab = NULL, sig0 = 0, digits = NULL)
```

Arguments

Lx.data RLum.Data.Curve or data.frame (**required**): requires a CW-OSL shine down curve (x = time, y = counts)

Tx.data RLum.Data.Curve or data.frame (*optional*): requires a CW-OSL shine down curve (x = time, y = counts). If no input is given the Tx.data will be treated as NA and no Lx/Tx ratio is calculated. signal.integral vector (**required**): vector with the limits for the signal integral.

signal.integral.Tx

vector (optional): vector with the limits for the signal integral for the Tx curve.

If nothing is provided the value from signal.integral is used.

calc_OSLLxTxRatio 93

background.integral

vector (required): vector with the bounds for the background integral.

background.integral.Tx

vector (*optional*): vector with the limits for the background integral for the Tx curve. If nothing is provided the value from background.integral is used.

background.count.distribution

character (with default): sets the count distribution assumed for the error calculation. Possible arguments poisson or non-poisson. See details for further

information

use_previousBG logical (with default): If set to TRUE the background of the Lx-signal is sub-

stracted also from the Tx-signal. Please note that in this case separat signal

integral limits for the Tx signal are not allowed and will be reset.

sigmab numeric (optional): option to set a manual value for the overdispersion (for

LnTx and TnTx), used for the Lx/Tx error calculation. The value should be provided as absolute squared count values, e.g. sigmab = c(300,300). **Note:** If only one value is provided this value is taken for both (LnTx and TnTx) signals.

sig0 numeric (with default): allow adding an extra component of error to the final

Lx/Tx error value (e.g., instrumental error, see details).

digits integer (with default): round numbers to the specified digits. If digits is set to

NULL nothing is rounded.

Details

The integrity of the chosen values for the signal and background integral is checked by the function; the signal integral limits have to be lower than the background integral limits. If a vector is given as input instead of a data.frame, an artificial data.frame is produced. The error calculation is done according to Galbraith (2002).

Please note: In cases where the calculation results in NaN values (for example due to zero-signal, and therefore a division of 0 by 0), these NaN values are replaced by 0.

sigmab

The default value of sigmab is calculated assuming the background is constant and **would not** applicable when the background varies as, e.g., as observed for the early light substraction method.

sig0

This argument allows to add an extra component of error to the final Lx/Tx error value. The input will be treated as factor that is multiplied with the already calculated LxTx and the result is add up by:

$$se(LxTx) = \sqrt{(se(LxTx)^2 + (LxTx * sig0)^2)}$$

background.count.distribution

This argument allows selecting the distribution assumption that is used for the error calculation. According to Galbraith (2002, 2014) the background counts may be overdispersed (i.e. do not follow a poisson distribution, which is assumed for the photomultiplier counts). In that case (might be the normal case) it has to be accounted for the overdispersion by estimating σ^2 (i.e. the overdispersion value). Therefore the relative standard error is calculated as:

• poisson

$$rse(\mu_S) \approx \sqrt{(Y_0 + Y_1/k^2)/Y_0} - Y_1/k$$

94 calc_OSLLxTxRatio

• non-poisson

$$rse(\mu_S) \approx \sqrt{(Y_0 + Y_1/k^2 + \sigma^2(1+1/k))/Y_0 - Y_1/k}$$

Please note that when using the early background subtraction method in combination with the 'non-poisson' distribution argument, the corresponding Lx/Tx error may considerably increase due to a high sigmab value. Please check whether this is valid for your data set and if necessary consider to provide an own sigmab value using the corresponding argument sigmab.

Value

Returns an S4 object of type RLum.Results.

Slot data contains a list with the following structure:

@data

```
$LxTx.table (data.frame)
.. $ LnLx
.. $ LnLx.BG
.. $ TnTx
.. $ TnTx.BG
.. $ Net_LnLx
.. $ Net_LnLx.Error
.. $ Net_TnTx.Error
.. $ LxTx
.. $ LxTx.Error
$ calc.parameters (list)
.. $ sigmab.LnTx
.. $ sigmab.TnTx
.. $ k
```

\$ call (original function call)

Function version

0.7.0 (2017-09-02 23:27:03)

How to cite

Kreutzer, S. (2017). calc_OSLLxTxRatio(): Calculate Lx/Tx ratio for CW-OSL curves. Function version 0.7.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The results of this function have been cross-checked with the Analyst (vers. 3.24b). Access to the results object via get_RLum.

Caution: If you are using early light subtraction (EBG), please either provide your own sigmab value or use background.count.distribution = "poisson".

calc_SourceDoseRate 95

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

 $\label{lem:condition} Duller, G., 2007. \ Analyst. \ http://www.nutech.dtu.dk/english/~/media/Andre_Universitetsenheder/Nutech/Produkter%20og%20services/Dosimetri/radiation_measurement_instruments/tl_osl_reader/Manuals/analyst_manual_v3_22b.ashx$

Galbraith, R.F., 2002. A note on the variance of a background-corrected OSL count. Ancient TL, 20 (2), 49-51.

Galbraith, R.F., 2014. A further note on the variance of a background-corrected OSL count. Ancient TL, 31 (2), 1-3.

See Also

RLum.Data.Curve, Analyse_SAR.OSLdata, plot_GrowthCurve, analyse_SAR.CWOSL

Examples

calc_SourceDoseRate

Calculation of the source dose rate via the date of measurement

Description

Calculating the dose rate of the irradiation source via the date of measurement based on: source calibration date, source dose rate, dose rate error. The function returns a data.frame that provides the input argument dose_rate for the function Second2Gray.

Usage

```
calc_SourceDoseRate(measurement.date, calib.date, calib.dose.rate, calib.error,
   source.type = "Sr-90", dose.rate.unit = "Gy/s", predict = NULL)
```

96 calc_SourceDoseRate

Arguments

measurement.date

character or Date (required): date of measurement in "YYYY-MM-DD". Exceptionally, if no value is provided, the date will be set to today. The argument can be provided as vector.

calib.date character or Date (required): date of source calibration in "YYYY-MM-DD"

calib.dose.rate

numeric (required): dose rate at date of calibration in Gy/s or Gy/min

calib.error numeric (required): error of dose rate at date of calibration Gy/s or Gy/min character (with default): specify irrdiation source (Sr-90 or Co-60 or Am-214), source.type

see details for further information

dose.rate.unit character (with default): specify dose rate unit for input (Gy/min or Gy/s), the

output is given in Gy/s as valid for the function Second2Gray

predict integer (with default): option allowing to predicit the dose rate of the source

> over time in days set by the provided value. Starting date is the value set with measurement.date, e.g., calc_SourceDoseRate(..., predict = 100) cal-

culates the source dose rate for the next 100 days.

Details

Calculation of the source dose rate based on the time elapsed since the last calibration of the irradiation source. Decay parameters assume a Sr-90 beta source.

$$dose.rate = D0 * exp(-log(2)/T.1/2 * t)$$

with: D0 <- calibration dose rate T.1/2 <- half-life of the source nuclide (here in days) t <- time since source calibration (in days) log(2) / T.1/2 equals the decay constant lambda

Information on the date of measurements may be taken from the data's original .BIN file (using e.g., BINfile <- readBIN2R() and the slot BINfile@METADATA\$DATE)

Allowed source types and related values

#	Source type	T.1/2	Reference
[1]	Sr-90	28.90 y	NNDC, Brookhaven National Laboratory
[2]	Am-214	432.6 y	NNDC, Brookhaven National Laboratory
[3]	Co-60	5.274 y	NNDC, Brookhaven National Laboratory

Value

Returns an S4 object of type RLum.Results. Slot data contains a list with the following structure:

```
$ dose.rate (data.frame)
.. $ dose.rate
.. $ dose.rate.error
.. $ date (corresponding measurement date)
$ parameters (list)
.. $ source.type
.. $ halflife
.. $ dose.rate.unit
$ call (the original function call)
```

calc_SourceDoseRate 97

The output should be accessed using the function get_RLum. A plot method of the output is provided via plot RLum

Function version

```
0.3.0 (2017-09-02 23:27:02)
```

How to cite

Fuchs, M.C., Kreutzer, S. (2017). calc_SourceDoseRate(): Calculation of the source dose rate via the date of measurement. Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Please be careful when using the option predict, especially when a multiple set for measurement.date and calib.date is provided. For the source dose rate prediction the function takes the last value measurement.date and predicts from that the source source dose rate for the number of days requested, means: the (multiple) orignal input will be replaced. However, the function do not change entries for the calibration dates, but mix them up. Therefore, it is not recommended to use this option when multiple calibration dates (calib.date) are provided.

Author(s)

Margret C. Fuchs, HZDR, Helmholtz-Institute Freiberg for Resource Technology (Germany) Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

NNDC, Brookhaven National Laboratory http://www.nndc.bnl.gov/

See Also

```
Second2Gray, get_RLum, plot_RLum
```

98 calc_Statistics

calc_Statistics

Function to calculate statistic measures

Description

This function calculates a number of descriptive statistics for estimates with a given standard error (SE), most fundamentally using error-weighted approaches.

Usage

```
calc_Statistics(data, weight.calc = "square", digits = NULL, n.MCM = NULL,
na.rm = TRUE)
```

Arguments

data	data.frame or RLum.Results object (required): for data.frame two columns: De (data[,1]) and De error (data[,2]). To plot several data sets in one plot the data sets must be provided as list, e.g. list(data.1, data.2).
weight.calc	character: type of weight calculation. One out of "reciprocal" (weight is 1/error), "square" (weight is 1/error^2). Default is "square".
digits	integer (with default): round numbers to the specified digits. If digits is set to NULL nothing is rounded.
n.MCM	numeric (with default): number of samples drawn for Monte Carlo-based statistics. NULL (the default) disables MC runs.
na.rm	logical (with default): indicating whether NA values should be stripped before the computation proceeds.

calc_Statistics 99

Details

The option to use Monte Carlo Methods (n.MCM) allows calculating all descriptive statistics based on random values. The distribution of these random values is based on the Normal distribution with De values as means and De_error values as one standard deviation. Increasing the number of MCM-samples linearly increases computation time. On a Lenovo X230 machine evaluation of 25 Aliquots with n.MCM = 1000 takes 0.01 s, with n = 100000, ca. 1.65 s. It might be useful to work with logarithms of these values. See Dietze et al. (2016, Quaternary Geochronology) and the function plot_AbanicoPlot for details.

Value

Returns a list with weighted and unweighted statistic measures.

Function version

```
0.1.7 (2017-09-02 23:27:02)
```

How to cite

Dietze, M. (2017). calc_Statistics(): Function to calculate statistic measures. Function version 0.1.7. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
R Luminescence Package Team
```

100 calc_ThermalLifetime

Calculates the Thermal Lifetime using the Arrhenius equation calc_ThermalLifetime

Description

The function calculates the thermal lifetime of charges for given E (in eV), s (in 1/s) and T (in deg. C.) parameters. The function can be used in two operational modes:

Usage

```
calc_ThermalLifetime(E, s, T = 20, output_unit = "Ma", profiling = FALSE,
  profiling_config = NULL, verbose = TRUE, plot = TRUE, ...)
```

Arguments

`		
	Е	<pre>numeric (required): vector of trap depths in eV, if profiling = TRUE only the first two elements are considered</pre>
	S	<pre>numeric (required): vector of frequency factor in 1/s, if profiling = TRUE only the first two elements are considered</pre>
	Т	numeric (with default): temperature in deg. C for which the lifetime(s) will be calculted. A vector can be provided.
	output_unit	<pre>character (with default): output unit of the calculated lifetimes, accepted entries are: "Ma", "ka", "a", "d", "h", "min", "s"</pre>
	profiling	logical (with default): this option allows to estimate uncertainties based on given E and s parameters and their corresponding standard error (cf. details and examples section)
profiling_config		
		list (optional): allows to set configurate parameters used for the profiling (and only have an effect here). Supported parameters are:
		• n (number of MC runs),

• E. distribution (distribution used for the resampling for E) and

• s. distribution (distribution used for the resampling for s).

 $Currently \ only \ the \ normal \ distribution \ is \ supported \ (e.g., \texttt{profiling_config} = \texttt{list}(\texttt{E.distribution}) \ and \ an instance \ an instance \ and \ an instance \ an instance \ and \ an instance \ an instance \ and \ an instance \ an instance \ and \ an instance \ an instance \ and \ an instance \ an instance \ an instance \ and \ an instance \ an instance \ an instance \ an instance \ and \ an instance \ an instanc$

verbose logical: enables/disables verbose mode

logical: enables/disables output plot, currenlty only in combination with profiling = TRUE. plot

further arguments that can be passed in combination with the plot output. Standard plot parameters are supported (plot.default)

Details

```
Mode 1 (profiling = FALSE)
```

An arbitrary set of input parameters (E, s, T) can be provided and the function calculates the thermal lifetimes using the Arrhenius equation for all possible combinations of these input parameters. An array with 3-dimensions is returned that can be used for further analyses or graphical output (see example 1)

```
Mode 2 (profiling = TRUE)
```

calc_ThermalLifetime 101

This mode tries to profile the variation of the thermal lifetime for a chosen temperature by accounting for the provided E and s parameters and their corresponding standard errors, e.g., E = c(1.600, 0.001) The calculation based on a Monte Carlo simulation, where values are sampled from a normal distribution (for E and s).

Used equation (Arrhenius equation)

$$\tau = 1/sexp(E/kT)$$

where: τ in s as the mean time an electron spends in the trap for a given T, E trap depth in eV, s the frequency factor in 1/s, T the temperature in K and k the Boltzmann constant in eV/K (cf. Furetta, 2010).

Value

A RLum.Results object is returned a along with a plot (for profiling = TRUE). The output object contain the following slots:

@data

Object	Type	Description
lifetimes	array or numeric	calculated lifetimes
<pre>profiling_matrix</pre>	matrix	profiling matrix used for the MC runs

@info

Object Type Description
call call the original function call

Function version

0.1.0 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). calc_ThermalLifetime(): Calculates the Thermal Lifetime using the Arrhenius equation. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The profiling is currently based on resampling from a normal distribution, this distribution assumption might be, however, not valid for given E and s paramters.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Furetta, C., 2010. Handbook of Thermoluminescence, Second Edition. ed. World Scientific.

102 calc_TLLxTxRatio

See Also

```
graphics::matplot, stats::rnorm, get_RLum
```

Examples

```
##EXAMPLE 1
##calculation for two trap-depths with similar frequency factor for different temperatures
E <- c(1.66, 1.70)
s <- 1e+13
T <- 10:20
temp <- calc_ThermalLifetime(</pre>
 E = E,
 s = s,
 T = T,
 output_unit = "Ma"
contour(x = E, y = T, z = temp$lifetimes[1,,],
        ylab = "Temperature [\u00B0C]",
        xlab = "Trap depth [eV]",
        main = "Thermal Lifetime Contour Plot"
mtext(side = 3, "(values quoted in Ma)")
##EXAMPLE 2
##profiling of thermal life time for {\sf E} and {\sf s} and their standard error
E <- c(1.600, 0.003)
s <- c(1e+13,1e+011)
T <- 20
calc_ThermalLifetime(
 E = E,
  s = s,
 T = T,
  profiling = TRUE,
  output\_unit = "Ma"
```

calc_TLLxTxRatio

Calculate the Lx/Tx ratio for a given set of TL curves [beta version]

Description

Calculate Lx/Tx ratio for a given set of TL curves.

Usage

```
calc_TLLxTxRatio(Lx.data.signal, Lx.data.background = NULL, Tx.data.signal,
   Tx.data.background = NULL, signal.integral.min, signal.integral.max)
```

calc_TLLxTxRatio 103

Arguments

```
Lx.data.signal RLum.Data.Curve or data.frame (required): TL data (x = temperature, y = temperature)
                  counts) (TL signal)
Lx.data.background
                  RLum.Data.Curve or data.frame (optional): TL data (x = temperature, y =
                  counts). If no data are provided no background subtraction is performed.
Tx.data.signal RLum.Data.Curve or data.frame (required): TL data (x = temperature, y =
                  counts) (TL test signal)
Tx.data.background
                  RLum.Data.Curve or data.frame (optional): TL data (x = temperature, y =
                  counts). If no data are provided no background subtraction is performed.
signal.integral.min
                  integer (required): channel number for the lower signal integral bound (e.g.
                  signal.integral.min = 100)
signal.integral.max
                  integer (required): channel number for the upper signal integral bound (e.g.
                  signal.integral.max = 200)
```

Details

Uncertainty estimation

The standard errors are calculated using the following generalised equation:

$$SE_{signal} < -abs(Signal_{net} * BG_f/BG_{signal})$$

where BG_f is a term estimated by calculating the standard deviation of the sum of the L_x background counts and the sum of the T_x background counts. However, if both signals are similar the error becomes zero.

Value

Returns an S4 object of type RLum.Results. Slot data contains a list with the following structure:

```
$ LxTx.table
```

- .. \$ LnLx
- .. \$ LnLx.BG
- .. \$ TnTx
- .. \$ TnTx.BG
- .. \$ Net_LnLx
- .. \$ Net_LnLx.Error

Function version

0.3.2 (2017-09-02 23:29:24)

How to cite

Kreutzer, S., Schmidt, C. (2017). calc_TLLxTxRatio(): Calculate the Lx/Tx ratio for a given set of TL curves [beta version]. Function version 0.3.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

104 calc_WodaFuchs2008

Note

This function has still BETA status! Please further note that a similar background for both curves results in a zero error and is therefore set to NA.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
Christoph Schmidt, University of Bayreuth (Germany)
R Luminescence Package Team
```

See Also

```
RLum.Results, analyse_SAR.TL
```

Examples

calc_WodaFuchs2008

Obtain the equivalent dose using the approach of Woda and Fuchs 2008

Description

The function generates a histogram-like reorganisation of the data, to assess counts per bin. The log-transformed counts per bin are used to calculate the second derivative of the data (i.e., the curcature of the curve) and to find the central value of the bin hosting the distribution maximum. A normal distribution model is fitted to the counts per bin data to estimate the dose distribution parameters. The uncertainty of the model is estimated based on all input equivalent doses smaller that the modelled central value.

Usage

```
calc_WodaFuchs2008(data, breaks = NULL, plot = TRUE, ...)
```

calc_WodaFuchs2008 105

Arguments

data	data.frame or RLum.Results object (required): for data.frame: two columns: De (values[,1]) and De error (values[,2]). For plotting multiple data sets, these must be provided as list (e.g. list(dataset1, dataset2)).
breaks	numeric: Either number or locations of breaks. See [hist] for details. If missing, the number of breaks will be estimated based on the bin width (as function of median error).
plot	logical (with default): enable plot output.
	Further plot arguments passed to the function.

Function version

```
0.2.0 (2017-09-02 23:29:24)
```

How to cite

Kreutzer, S., Dietze, M. (2017). calc_WodaFuchs2008(): Obtain the equivalent dose using the approach of Woda and Fuchs 2008. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France),
Michael Dietze, GFZ Potsdam (Germany)
R Luminescence Package Team
```

References

Woda, C., Fuchs, M., 2008. On the applicability of the leading edge method to obtain equivalent doses in OSL dating and dosimetry. Radiation Measurements 43, 26-37.

See Also

```
calc_FuchsLang2001, calc_CentralDose
```

```
## read example data set
data(ExampleData.DeValues, envir = environment())
results <- calc_WodaFuchs2008(
  data = ExampleData.DeValues$CA1,
    xlab = expression(paste(D[e], " [Gy]"))
)</pre>
```

convert_Activity2Concentration

Convert Nuclide Activities to Concentrations and Vice Versa

Description

The function performs the conversion of the specific activities into concentrations and vice versa for the nuclides U-238, Th-232 and K-40 to harmonise the measurement unit with the required data input unit of potential analytical tools for, e.g. dose rate calculation or related functions such as use_DRAC.

Usage

convert_Activity2Concentration(data, input_unit = "Bq/kg", verbose = TRUE)

Arguments

data.frame (required): provide dose rate data (activity or concentration) in three

columns. The first column indicates the nuclides, the 2nd column measured value and in the 3rd column its error value. Allowed nuclide data are 'U-238',

'Th-232' and 'K-40'. See examples for an example.

input_unit character (with default): specify unit of input data given in the dose rate data

frame, choose between 'Bq/kg' and 'ppm/%' the default is 'Bq/kg'

verbose logical (with default): enable or disable verbose mode

Details

The conversion from nuclide activity of a sample to nuclide concentration is performed using conversion factors that are based on the mass-related specific activity of the respective nuclides. The factors can be calculated using the equation:

A = avogadronumber * N.freq/N.mol.mass * ln(2)/N.half.life

$$f = A/10^6$$

where:

- A specific activity of the nuclide
- N. freq natural frequency of the isotop
- N.mol.mass molare mass
- n.half.life half-life of the nuclide

example for U238:

- $avogadronumber = 6.02214199 * 10^23$
- $uran.half.life = 1.41 * 10^17$ (in s)
- uran.mol.mass = 0.23802891 (in kg/mol)
- uran.freq = 0.992745 (in mol)
- A.U = avogadronumber * uran.freq/uran.mol.mass * ln(2)/uran.half.life (specific activity in Bq/kg)
- $f.U = A.kg/10^6$

convert_BIN2CSV 107

Function version

0.1.0 (2017-09-02 23:27:02)

How to cite

Fuchs, M.C. (2017). convert_Activity2Concentration(): Convert Nuclide Activities to Concentrations and Vice Versa. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Margret C. Fuchs, Helmholtz-Institut Freiberg for Resource Technology (Germany) R Luminescence Package Team

References

Debertin, K., Helmer, R.G., 1988. Gamma- and X-ray Spectrometry with Semiconductor Detectors, Elsevier Science Publishers, p.283

Wiechen, A., Ruehle, H., Vogl, K., 2013. Bestimmung der massebezogenen Aktivitaet von Radionukliden. AEQUIVAL/MASSAKT, ISSN 1865-8725, http://www.bmub.bund.de/fileadmin/Daten_BMU/Download_PDF/Strahlenschutz/aequival-massakt_v2013-07_bf.pdf

Examples

```
##construct data.frame
data <- data.frame(
   NUCLIDES = c("U-238", "Th-232", "K-40"),
   VALUE = c(40,80,100),
   VALUE_ERROR = c(4,8,10),
   stringsAsFactors = FALSE)

##perform analysis
convert_Activity2Concentration(data)</pre>
```

convert_BIN2CSV

Export Risoe BIN-file(s) to CSV-files

Description

This function is a wrapper function around the functions read_BIN2R and write_RLum2CSV and it imports a Risoe BIN-file and directly exports its content to CSV-files. If nothing is set for the argument path (write_RLum2CSV) the input folder will become the output folder.

Usage

```
convert_BIN2CSV(file, ...)
```

108 convert_BIN2CSV

Arguments

file	character (required): name of the BIN-file to be converted to CSV-files
	further arguments that will be passed to the function read_BIN2R and write_RLum2CSV

Value

The function returns either a CSV-file (or many of them) or for the option export == FALSE a list comprising objects of type data.frame and matrix

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). convert_BIN2CSV(): Export Risoe BIN-file(s) to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write_RLum2CSV, read_BIN2R

```
##transform Risoe.BINfileData values to a list
data(ExampleData.BINfileData, envir = environment())
convert_BIN2CSV(subset(CWOSL.SAR.Data, POSITION == 1), export = FALSE)

## Not run:
##select your BIN-file
file <- file.choose()

##convert
convert_BIN2CSV(file)</pre>

## End(Not run)
```

 ${\it convert_Daybreak 2CSV} \quad \textit{Export measurement data produced by a Daybreak luminescence reader to CSV-files}$

Description

This function is a wrapper function around the functions read_Daybreak2R and write_RLum2CSV and it imports an Daybreak-file (TXT-file, DAT-file) and directly exports its content to CSV-files. If nothing is set for the argument path (write_RLum2CSV) the input folder will become the output folder.

Usage

```
convert_Daybreak2CSV(file, ...)
```

Arguments

file character (required): name of the Daybreak-file (TXT-file, DAT-file) to be con-

verted to CSV-files

.. further arguments that will be passed to the function read_Daybreak2R and

write_RLum2CSV

Value

The function returns either a CSV-file (or many of them) or for the option export = FALSE a list comprising objects of type data.frame and matrix

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). convert_Daybreak2CSV(): Export measurement data produced by a Daybreak luminescence reader to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write_RLum2CSV, read_Daybreak2R

110 convert_PSL2CSV

Examples

```
## Not run:
##select your BIN-file
file <- file.choose()

##convert
convert_Daybreak2CSV(file)

## End(Not run)</pre>
```

convert_PSL2CSV

Export PSL-file(s) to CSV-files

Description

This function is a wrapper function around the functions read_PSL2R and write_RLum2CSV and it imports an PSL-file (SUERC portable OSL reader file format) and directly exports its content to CSV-files. If nothing is set for the argument path (write_RLum2CSV) the input folder will become the output folder.

Usage

```
convert_PSL2CSV(file, ...)
```

Arguments

file character (**required**): name of the PSL-file to be converted to CSV-files

... further arguments that will be passed to the function read_PSL2R and write_RLum2CSV

Value

The function returns either a CSV-file (or many of them) or for the option export = FALSE a list comprising objects of type data.frame and matrix

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). convert_PSL2CSV(): Export PSL-file(s) to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write_RLum2CSV, read_PSL2R

Examples

```
## Not run:
##select your BIN-file
file <- file.choose()
##convert
convert_PSL2CSV(file)
## End(Not run)</pre>
```

convert_RLum2Risoe.BINfileData

Converts RLum.Analysis-objects and RLum.Data.Curve-objects to RLum2Risoe.BINfileData-objects

Description

The functions converts RLum.Analysis and RLum.Data.Curve objects and a list of those to Risoe.BINfileData objects. The funtion intends to provide a minimum of compatibility between both formats. The created RLum.Analysis object can be later exported to a BIN-file using the function write R2BIN.

Usage

```
convert_RLum2Risoe.BINfileData(object)
```

Arguments

object

RLum.Analysis or RLum.Data.Curve (required): input object to be converted

Value

The function returns a Risoe.BINfileData object.

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). convert_RLum2Risoe.BINfileData(): Converts RLum.Analysis-objects and RLum.Data.Curve-objects to RLum2Risoe.BINfileData-objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

112 convert_XSYG2CSV

Note

The conversion can be never perfect. The RLum objects may contain information which are not part of the Risoe.BINfileData definition.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Analysis, RLum.Data.Curve, write_R2BIN

Examples

```
##simple conversion using the example dataset
data(ExampleData.RLum.Analysis, envir = environment())
convert_RLum2Risoe.BINfileData(IRSAR.RF.Data)
```

convert_XSYG2CSV

Export XSYG-file(s) to CSV-files

Description

This function is a wrapper function around the functions read_XSYG2R and write_RLum2CSV and it imports an XSYG-file and directly exports its content to CSV-files. If nothing is set for the argument path (write_RLum2CSV) the input folder will become the output folder.

Usage

```
convert_XSYG2CSV(file, ...)
```

Arguments

file character (**required**): name of the XSYG-file to be converted to CSV-files

... further arguments that will be passed to the function read_XSYG2R and write_RLum2CSV

Value

The function returns either a CSV-file (or many of them) or for the option export = FALSE a list comprising objects of type data.frame and matrix

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). convert_XSYG2CSV(): Export XSYG-file(s) to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write_RLum2CSV, read_XSYG2R

Examples

```
##transform XSYG-file values to a list
data(ExampleData.XSYG, envir = environment())
convert_XSYG2CSV(OSL.SARMeasurement$Sequence.Object[1:10], export = FALSE)

## Not run:
##select your BIN-file
file <- file.choose()

##convert
convert_XSYG2CSV(file)</pre>

## End(Not run)
```

CW2pHMi

Transform a CW-OSL curve into a pHM-OSL curve via interpolation under hyperbolic modulation conditions

Description

This function transforms a conventionally measured continuous-wave (CW) OSL-curve to a pseudo hyperbolic modulated (pHM) curve under hyperbolic modulation conditions using the interpolation procedure described by Bos & Wallinga (2012).

Usage

```
CW2pHMi(values, delta)
```

Arguments

values RLum.Data.Curve or data.frame (required): RLum.Data.Curve or data.frame

with measured curve data of type stimulation time (t) (values[,1]) and mea-

sured counts (cts) (values[,2]).

delta vector (optional): stimulation rate parameter, if no value is given, the optimal

value is estimated automatically (see details). Smaller values of delta produce

more points in the rising tail of the curve.

Details

The complete procedure of the transformation is described in Bos & Wallinga (2012). The input data. frame consists of two columns: time (t) and count values (CW(t))

Internal transformation steps

(1) log(CW-OSL) values

(2) Calculate t' which is the transformed time:

$$t' = t - (1/\delta) * log(1 + \delta * t)$$

- (3) Interpolate CW(t'), i.e. use the log(CW(t)) to obtain the count values for the transformed time
- (t'). Values beyond min(t) and max(t) produce NA values.
- (4) Select all values for t' < min(t), i.e. values beyond the time resolution of t. Select the first two values of the transformed data set which contain no NA values and use these values for a linear fit using lm.
- (5) Extrapolate values for t' < min(t) based on the previously obtained fit parameters.
- (6) Transform values using

$$pHM(t) = (\delta * t/(1 + \delta * t)) * c * CW(t')$$

$$c = (1 + \delta * P)/\delta * P$$

$$P = length(stimulation\ period)$$

(7) Combine all values and truncate all values for t' > max(t)

NOTE: The number of values for t' < min(t) depends on the stimulation rate parameter delta. To avoid the production of too many artificial data at the raising tail of the determined pHM curve, it is recommended to use the automatic estimation routine for delta, i.e. provide no value for delta.

Value

The function returns the same data type as the input data type with the transformed curve values.

RLum.Data.Curve

\$CW2pHMi.x.t : transformed time values

\$CW2pHMi.method: used method for the production of the new data points

data.frame

\$x : time

\$y.t : transformed count values\$x.t : transformed time values

\$method : used method for the production of the new data points

Function version

0.2.2 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). CW2pHMi(): Transform a CW-OSL curve into a pHM-OSL curve via interpolation under hyperbolic modulation conditions. Function version 0.2.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

According to Bos & Wallinga (2012), the number of extrapolated points should be limited to avoid artificial intensity data. If delta is provided manually and more than two points are extrapolated, a warning message is returned.

The function approx may produce some Inf and NaN data. The function tries to manually interpolate these values by calculating the mean using the adjacent channels. If two invalid values are succeeding, the values are removed and no further interpolation is attempted. In every case a warning message is shown.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Based on comments and suggestions from:
Adrie J.J. Bos, Delft University of Technology, The Netherlands
R Luminescence Package Team

References

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

Further Reading

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

See Also

CW2pLM, CW2pLMi, CW2pPMi, fit_LMCurve, lm, RLum.Data.Curve

Examples

```
##(1) - simple transformation
##load CW-OSL curve data
data(ExampleData.CW_OSL_Curve, envir = environment())
##transform values
values.transformed<-CW2pHMi(ExampleData.CW_OSL_Curve)</pre>
```

```
plot(values.transformed$x, values.transformed$y.t, log = "x")
##(2) - load CW-OSL curve from BIN-file and plot transformed values
##load BINfile
#BINfileData<-readBIN2R("[path to BIN-file]")</pre>
data(ExampleData.BINfileData, envir = environment())
##grep first CW-OSL curve from ALQ 1
curve.ID<-CWOSL.SAR.Data@METADATA[CWOSL.SAR.Data@METADATA[,"LTYPE"]=="OSL" &</pre>
                                     CWOSL.SAR.Data@METADATA[,"POSITION"]==1
                                    ,"ID"]
curve.HIGH<-CWOSL.SAR.Data@METADATA[CWOSL.SAR.Data@METADATA[,"ID"]==curve.ID[1]</pre>
                                      ,"HIGH"]
curve.NPOINTS<-CWOSL.SAR.Data@METADATA[CWOSL.SAR.Data@METADATA[,"ID"]==curve.ID[1]</pre>
                                         ,"NPOINTS"]
##combine curve to data set
curve<-data.frame(x = seq(curve.HIGH/curve.NPOINTS,curve.HIGH,</pre>
                           by = curve.HIGH/curve.NPOINTS),
                   y=unlist(CWOSL.SAR.Data@DATA[curve.ID[1]]))
##transform values
curve.transformed <- CW2pHMi(curve)</pre>
##plot curve
plot(curve.transformed$x, curve.transformed$y.t, log = "x")
##(3) - produce Fig. 4 from Bos & Wallinga (2012)
##load data
data(ExampleData.CW_OSL_Curve, envir = environment())
values <- CW_Curve.BosWallinga2012</pre>
##open plot area
plot(NA, NA,
     xlim=c(0.001,10),
     ylim=c(0,8000),
     ylab="pseudo OSL (cts/0.01 s)",
     xlab="t [s]",
     log="x",
     main="Fig. 4 - Bos & Wallinga (2012)")
values.t<-CW2pLMi(values, P=1/20)</pre>
lines(values[1:length(values.t[,1]),1],CW2pLMi(values, P=1/20)[,2],
      col="red" ,lwd=1.3)
text(0.03,4500,"LM", col="red",cex=.8)
values.t<-CW2pHMi(values, delta=40)</pre>
```

CW2pLM 117

CW2pLM

Transform a CW-OSL curve into a pLM-OSL curve

Description

Transforms a conventionally measured continuous-wave (CW) curve into a pseudo linearly modulated (pLM) curve using the equations given in Bulur (2000).

Usage

CW2pLM(values)

Arguments

values

RLum.Data.Curve or data.frame (**required**): RLum.Data.Curve data object. Alternatively, a data.frame of the measured curve data of type stimulation time (t) (values[,1]) and measured counts (cts) (values[,2]) can be provided.

Details

According to Bulur (2000) the curve data are transformed by introducing two new parameters P (stimulation period) and u (transformed time):

$$P = 2 * max(t)$$

$$u = \sqrt{(2 * t * P)}$$

The new count values are then calculated by

$$ctsNEW = cts(u/P)$$

and the returned data.frame is produced by: data.frame(u,ctsNEW)

The output of the function can be further used for LM-OSL fitting.

Value

The function returns the same data type as the input data type with the transformed curve values (data.frame or RLum.Data.Curve).

Function version

```
0.4.1 (2017-09-02 23:27:02)
```

118 *CW2pLM*

How to cite

Kreutzer, S. (2017). CW2pLM(): Transform a CW-OSL curve into a pLM-OSL curve. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The transformation is recommended for curves recorded with a channel resolution of at least 0.05 s/channel.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

Further Reading

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

See Also

CW2pHMi, CW2pLMi, CW2pPMi, fit_LMCurve, lm, RLum.Data.Curve

Examples

CW2pLMi 119

CW2pLMi	Transform a CW-OSL curve into a pLM-OSL curve via interpolation
	under linear modulation conditions

Description

Transforms a conventionally measured continuous-wave (CW) OSL-curve into a pseudo linearly modulated (pLM) curve under linear modulation conditions using the interpolation procedure described by Bos & Wallinga (2012).

Usage

```
CW2pLMi(values, P)
```

Arguments

values RLum.Data.Curve or data.frame (required): RLum.Data.Curve or data.frame

with measured curve data of type stimulation time (t) (values[,1]) and mea-

sured counts (cts) (values[,2])

P vector (optional): stimulation time in seconds. If no value is given the optimal

value is estimated automatically (see details). Greater values of P produce more

points in the rising tail of the curve.

Details

The complete procedure of the transformation is given in Bos & Wallinga (2012). The input data.frame consists of two columns: time (t) and count values (CW(t))

Nomenclature

- P = stimulation time (s)
- 1/P = stimulation rate (1/s)

Internal transformation steps

- (1) log(CW-OSL) values
- (2) Calculate t' which is the transformed time:

$$t' = 1/2 * 1/P * t^2$$

- (3) Interpolate CW(t'), i.e. use the log(CW(t)) to obtain the count values for the transformed time
- (t'). Values beyond min(t) and max(t) produce NA values.
- (4) Select all values for t' < min(t), i.e. values beyond the time resolution of t. Select the first two values of the transformed data set which contain no NA values and use these values for a linear fit using lm.
- (5) Extrapolate values for t' < min(t) based on the previously obtained fit parameters.
- (6) Transform values using

$$pLM(t) = t/P * CW(t')$$

(7) Combine values and truncate all values for t' > max(t)

NOTE: The number of values for t' < min(t) depends on the stimulation period (P) and therefore on the stimulation rate 1/P. To avoid the production of too many artificial data at the raising tail of the determined pLM curves it is recommended to use the automatic estimation routine for P, i.e. provide no own value for P.

120 CW2pLMi

Value

The function returns the same data type as the input data type with the transformed curve values.

RLum.Data.Curve

\$CW2pLMi.x.t : transformed time values

\$CW2pLMi.method : used method for the production of the new data points

Function version

```
0.3.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). CW2pLMi(): Transform a CW-OSL curve into a pLM-OSL curve via interpolation under linear modulation conditions. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

According to Bos & Wallinga (2012) the number of extrapolated points should be limited to avoid artificial intensity data. If P is provided manually and more than two points are extrapolated, a warning message is returned.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne

Based on comments and suggestions from:

Adrie J.J. Bos, Delft University of Technology, The Netherlands

R Luminescence Package Team

References

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

Further Reading

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

See Also

```
CW2pLM, CW2pHMi, CW2pPMi, fit_LMCurve, RLum.Data.Curve
```

Examples

```
##(1)
##load CW-OSL curve data
data(ExampleData.CW_OSL_Curve, envir = environment())
```

CW2pPMi 121

```
##transform values
values.transformed <- CW2pLMi(ExampleData.CW_OSL_Curve)</pre>
##plot
plot(values.transformed$x, values.transformed$y.t, log = "x")
##(2) - produce Fig. 4 from Bos & Wallinga (2012)
##load data
data(ExampleData.CW_OSL_Curve, envir = environment())
values <- CW_Curve.BosWallinga2012</pre>
##open plot area
plot(NA, NA,
     xlim = c(0.001, 10),
     ylim = c(0,8000),
     ylab = "pseudo OSL (cts/0.01 s)",
     xlab = "t [s]",
     log = "x",
     main = "Fig. 4 - Bos & Wallinga (2012)")
values.t <- CW2pLMi(values, P = 1/20)</pre>
lines(values[1:length(values.t[,1]),1],CW2pLMi(values, P = 1/20)[,2],
      col = "red", lwd = 1.3)
text(0.03,4500,"LM", col = "red", cex = .8)
values.t <- CW2pHMi(values, delta = 40)</pre>
lines(values[1:length(values.t[,1]),1],CW2pHMi(values, delta = 40)[,2],
      col = "black", lwd = 1.3)
text(0.005,3000,"HM", cex = .8)
values.t <- CW2pPMi(values, P = 1/10)</pre>
lines(values[1:length(values.t[,1]),1], CW2pPMi(values, P = 1/10)[,2],
      col = "blue", lwd = 1.3)
text(0.5,6500,"PM", col = "blue", cex = .8)
```

CW2pPMi

Transform a CW-OSL curve into a pPM-OSL curve via interpolation under parabolic modulation conditions

Description

Transforms a conventionally measured continuous-wave (CW) OSL-curve into a pseudo parabolic modulated (pPM) curve under parabolic modulation conditions using the interpolation procedure described by Bos & Wallinga (2012).

Usage

```
CW2pPMi(values, P)
```

122 CW2pPMi

Arguments

values RLum.Data.Curve or data.frame (required): RLum.Data.Curve or data.frame

sured counts (cts) (values[,2])

P vector (*optional*): stimulation period in seconds. If no value is given, the optimal value is estimated automatically (see details). Greater values of P produce more

points in the rising tail of the curve.

Details

The complete procedure of the transformation is given in Bos & Wallinga (2012). The input data. frame consists of two columns: time (t) and count values (CW(t))

Nomenclature

• P = stimulation time (s)

• 1/P = stimulation rate (1/s)

Internal transformation steps

(1) log(CW-OSL) values

(2) Calculate t' which is the transformed time:

$$t' = (1/3) * (1/P^2)t^3$$

(3) Interpolate CW(t'), i.e. use the log(CW(t)) to obtain the count values for the transformed time

(t'). Values beyond min(t) and max(t) produce NA values.

(4) Select all values for t' < min(t), i.e. values beyond the time resolution of t. Select the first two values of the transformed data set which contain no NA values and use these values for a linear fit using lm.

(5) Extrapolate values for t' < min(t) based on the previously obtained fit parameters. The extrapolation is limited to two values. Other values at the beginning of the transformed curve are set to

(6) Transform values using

$$pLM(t) = t^2/P^2 * CW(t')$$

(7) Combine all values and truncate all values for t' > max(t)

NOTE: The number of values for t' < min(t) depends on the stimulation period P. To avoid the production of too many artificial data at the raising tail of the determined pPM curve, it is recommended to use the automatic estimation routine for P, i.e. provide no value for P.

Value

The function returns the same data type as the input data type with the transformed curve values.

RLum.Data.Curve

\$CW2pPMi.x.t : transformed time values

\$CW2pPMi.method : used method for the production of the new data points

data.frame

\$x : time

CW2pPMi 123

\$y.t : transformed count values\$x.t : transformed time values

\$method : used method for the production of the new data points

Function version

```
0.2.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). CW2pPMi(): Transform a CW-OSL curve into a pPM-OSL curve via interpolation under parabolic modulation conditions. Function version 0.2.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

According to Bos & Wallinga (2012), the number of extrapolated points should be limited to avoid artificial intensity data. If P is provided manually, not more than two points are extrapolated.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Based on comments and suggestions from: Adrie J.J. Bos, Delft University of Technology, The Netherlands R Luminescence Package Team

References

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

Further Reading

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

See Also

```
CW2pLM, CW2pLMi, CW2pHMi, fit_LMCurve, RLum.Data.Curve
```

Examples

```
##(1)
##load CW-OSL curve data
data(ExampleData.CW_OSL_Curve, envir = environment())
##transform values
values.transformed <- CW2pPMi(ExampleData.CW_OSL_Curve)
##plot</pre>
```

```
plot(values.transformed$x,values.transformed$y.t, log = "x")
##(2) - produce Fig. 4 from Bos & Wallinga (2012)
##load data
data(ExampleData.CW_OSL_Curve, envir = environment())
values <- CW_Curve.BosWallinga2012</pre>
##open plot area
plot(NA, NA,
     xlim = c(0.001, 10),
     ylim = c(0,8000),
     ylab = "pseudo OSL (cts/0.01 s)",
     xlab = "t [s]",
     log = "x",
     main = "Fig. 4 - Bos & Wallinga (2012)")
values.t <- CW2pLMi(values, P = 1/20)</pre>
lines(values[1:length(values.t[,1]),1],CW2pLMi(values, P = 1/20)[,2],
      col = "red", lwd = 1.3)
text(0.03,4500,"LM", col = "red", cex = .8)
values.t <- CW2pHMi(values, delta = 40)</pre>
lines(values[1:length(values.t[,1]),1], CW2pHMi(values, delta = 40)[,2],
      col = "black", lwd = 1.3)
text(0.005,3000,"HM", cex = .8)
values.t <- CW2pPMi(values, P = 1/10)</pre>
lines(values[1:length(values.t[,1]),1], CW2pPMi(values, P = 1/10)[,2],
      col = "blue", lwd = 1.3)
text(0.5,6500,"PM", col = "blue", cex = .8)
```

ExampleData.BINfileData

Example data from a SAR OSL and SAR TL measurement for the package Luminescence

Description

Example data from a SAR OSL and TL measurement for package Luminescence directly extracted from a Risoe BIN-file and provided in an object of type Risoe.BINfileData

Format

```
{\tt CWOSL.SAR.Data:} \ SAR\ OSL\ measurement\ data
```

TL. SAR. Data: SAR TL measurement data

Each class object contains two slots: (a) METADATA is a data.frame with all metadata stored in the BIN file of the measurements and (b) DATA contains a list of vectors of the measured data (usually count values).

Version

0.1

Note

Please note that this example data cannot be exported to a BIN-file using the function writeR2BIN as it was generated and implemented in the package long time ago. In the meantime the BIN-file format changed.

Source

CWOSL.SAR.Data

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT607

Location: Saxony/Germany

Material: Middle grain quartz measured on aluminum cups on a Risoe TL/OSL DA-15 reader

Reference: unpublished

TL.SAR.Data

Lab: Luminescence Laboratory of Cologne

Lab-Code: LP1_5 Location: Spain Material: Flint

Setup: Risoe TL/OSL DA-20 reader (Filter: Semrock Brightline, HC475/50, N2, unpolished steel discs)

Reference: unpublished

Remarks: dataset limited to one position

References

CWOSL.SAR.Data: unpublished data TL.SAR.Data: unpublished data

Examples

```
## show first 5 elements of the METADATA and DATA elements in the terminal
data(ExampleData.BINfileData, envir = environment())
CWOSL.SAR.Data@METADATA[1:5,]
CWOSL.SAR.Data@DATA[1:5]
```

ExampleData.CW_OSL_Curve

Example CW-OSL curve data for the package Luminescence

Description

```
data. frame containing CW-OSL curve data (time, counts)
```

Format

Data frame with 1000 observations on the following 2 variables:

list("x") a numeric vector, time
list("y") a numeric vector, counts

Source

ExampleData.CW_OSL_Curve

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT607

Location: Saxony/Germany

Material: Middle grain quartz measured on aluminum cups on a Risoe TL/OSL DA-15 reader.

Reference: unpublished data

CW_Curve.BosWallinga2012

Lab: Netherlands Centre for Luminescence Dating (NCL)

Lab-Code: NCL-2108077

Location: Guadalentin Basin, Spain Material: Coarse grain quartz

Reference: Bos & Wallinga (2012) and Baartman et al. (2011)

References

Baartman, J.E.M., Veldkamp, A., Schoorl, J.M., Wallinga, J., Cammeraat, L.H., 2011. Unravelling Late Pleistocene and Holocene landscape dynamics: The Upper Guadalentin Basin, SE Spain. Geomorphology, 125, 172-185.

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

Examples

```
data(ExampleData.CW_OSL_Curve, envir = environment())
plot(ExampleData.CW_OSL_Curve)
```

ExampleData.DeValues Example De data sets for the package Luminescence

Description

Equivalent dose (De) values measured for a fine grain quartz sample from a loess section in Rottewitz (Saxony/Germany) and for a coarse grain quartz sample from a fluvial deposit in the rock shelter of Cueva Anton (Murcia/Spain).

Format

A list with two elements, each containing a two column data.frame:

\$BT998: De and De error values for a fine grain quartz sample from a loess section in Rotte-witz.

\$CA1: Single grain De and De error values for a coarse grain quartz sample from a fluvial deposit in the rock shelter of Cueva Anton

ExampleData.Fading 127

References

BT998

Unpublished data

CA₁

Burow, C., Kehl, M., Hilgers, A., Weniger, G.-C., Angelucci, D., Villaverde, V., Zapata, J. and Zilhao, J. (2015). Luminescence dating of fluvial deposits in the rock shelter of Cueva Anton, Spain. Geochronometria 52, 107-125.

BT998

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT998

Location: Rottewitz (Saxony/Germany)

Material: Fine grain quartz measured on aluminum discs on a Risoe TL/OSL DA-15 reader

Units: Values are given in seconds

Dose Rate: Dose rate of the beta-source at measurement ca. 0.0438 Gy/s +/- 0.0019 Gy/s

Measurement Date: 2012-01-27

CA₁

Lab: Cologne Luminescence Laboratory (CLL)

Lab-Code: C-L2941

Location: Cueva Anton (Murcia/Spain)

Material: Coarse grain quartz (200-250 microns) measured on single grain discs on a Risoe TL/OSL DA-20 r

Units: Values are given in Gray

Measurement Date: 2012

Examples

ExampleData.Fading

Example data for feldspar fading measurements

Description

Example data set for fading measurements of the IR50, IR100, IR150 and IR225 feldspar signals of sample UNIL/NB123. It further contains regular equivalent dose measurement data of the same sample, which can be used to apply a fading correction to.

Format

A list with two elements, each containing a further list of data.frames containing the data on the fading and equivalent dose measurements:

\$fading.data: A named list of data.frames, each having three named columns (LxTx, LxTx.error, timeSinceI

- ...\$IR50: Fading data of the IR50 signal.
- ..\$IR100: Fading data of the IR100 signal.
- .. \$IR150: Fading data of the IR150 signal.
- . . \$IR225: Fading data of the IR225 signal.

\$equivalentDose.data: A named of data.frames, each having three named columns (dose, LxTx, LxTx.error).

- ..\$IR50: Equivalent dose measurement data of the IR50 signal.
- ..\$IR100: Equivalent dose measurement data of the IR100 signal.
- ..\$IR150: Equivalent dose measurement data of the IR150 signal.
- .. \$IR225: Equivalent dose measurement data of the IR225 signal.

Source

These data were kindly provided by Georgina King. Detailed information on the sample UNIL/NB123 can be found in the reference given below. The raw data can be found in the accompanying supplementary information.

References

King, G.E., Herman, F., Lambert, R., Valla, P.G., Guralnik, B., 2016. Multi-OSL-thermochronometry of feldspar. Quaternary Geochronology 33, 76-87. doi:10.1016/j.quageo.2016.01.004

Details

Lab: University of Lausanne

Lab-Code: UNIL/NB123

Location: Namche Barwa (eastern Himalaya)

Material: Coarse grained (180-212 microns) potassium feldspar

Units: Values are given in seconds

Lab Dose Rate: Dose rate of the beta-source at measurement ca. 0.1335 +/- 0.004 Gy/s

Environmental Dose Rate: 7.00 +/- 0.92 Gy/ka (includes internal dose rate)

Examples

```
## Load example data
data("ExampleData.Fading", envir = environment())
## Get fading measurement data of the IR50 signal
IR50_fading <- ExampleData.Fading$fading.data$IR50
head(IR50_fading)
## Determine g-value and rho' for the IR50 signal
IR50_fading.res <- analyse_FadingMeasurement(IR50_fading)
## Show g-value and rho' results
gval <- get_RLum(IR50_fading.res)
rhop <- get_RLum(IR50_fading.res, "rho_prime")</pre>
```

ExampleData.FittingLM Example data for fit_LMCurve() in the package Luminescence

Description

Lineraly modulated (LM) measurement data from a quartz sample from Norway including background measurement. Measurements carried out in the luminescence laboratory at the University of Bayreuth.

Format

Two objects (data.frames) with two columns (time and counts).

Source

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT900 Location: Norway

Material: Beach deposit, coarse grain quartz measured on aluminum discs on a Risoe TL/OSL DA-15 reader

References

Fuchs, M., Kreutzer, S., Fischer, M., Sauer, D., Soerensen, R., 2012. OSL and IRSL dating of raised beach sand deposits along the southeastern coast of Norway. Quaternary Geochronology, 10, 195-200.

Examples

```
##show LM data
data(ExampleData.FittingLM, envir = environment())
plot(values.curve,log="x")
```

Description

LxTx data from a SAR measurement for the package Luminescence.

Format

```
A data.frame with 4 columns (Dose, LxTx, LxTx.Error, TnTx).
```

Source

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT607

Location: Ostrau (Saxony-Anhalt/Germany)

Material: Middle grain (38-63 μ m) quartz measured on a Risoe TL/OSL DA-15 reader.

References

unpublished data

Examples

```
## plot Lx/Tx data vs dose [s]
data(ExampleData.LxTxData, envir = environment())
plot(LxTxData$Dose,LxTxData$LxTx)
```

ExampleData.LxTxOSLData

Example Lx and Tx curve data from an artificial OSL measurement

Description

Lx and Tx data of continous wave (CW-) OSL signal curves.

Format

Two data. frames containing time and count values.

Source

Arbitrary OSL measurement.

References

unpublished data

Examples

```
##load data
data(ExampleData.LxTxOSLData, envir = environment())
##plot data
plot(Lx.data)
plot(Tx.data)
```

ExampleData.portableOSL

Example portable OSL curve data for the package Luminescence

Description

A list of RLum. Analysis objects, each containing the same number of RLum. Data. Curve objects representing individual OSL, IRSL and dark count measurements of a sample.

Source

ExampleData.portableOSL

Lab: Cologne Luminescence Laboratory

Lab-Code: <none>

Location: Nievenheim/Germany Material: Fine grain quartz Reference: unpublished data

Examples

```
data(ExampleData.portableOSL, envir = environment())
plot_RLum(ExampleData.portableOSL)
```

ExampleData.RLum.Analysis

Example data as RLum. Analysis objects

Description

Collection of different RLum. Analysis objects for protocol analysis.

Format

IRSAR.RF.Data: IRSAR.RF.Data on coarse grain feldspar Each object contains data needed for the given protocol analysis.

Version

0.1

Source

IRSAR.RF.Data

These data were kindly provided by Tobias Lauer and Matthias Krbetschek.

Lab: Luminescence Laboratory TU Bergakademie Freiberg

Lab-Code: ZEU/SA1

Location: Zeuchfeld (Zeuchfeld Sandur; Saxony-Anhalt/Germany)

Material: K-feldspar (130-200 μ m) Reference: Kreutzer et al. (2014)

References

IRSAR.RF.Data

Kreutzer, S., Lauer, T., Meszner, S., Krbetschek, M.R., Faust, D., Fuchs, M., 2014. Chronology of the Quaternary profile Zeuchfeld in Saxony-Anhalt / Germany - a preliminary luminescence dating study. Zeitschrift fuer Geomorphologie 58, 5-26. doi: 10.1127/0372-8854/2012/S-00112

Examples

```
##load data
data(ExampleData.RLum.Analysis, envir = environment())
##plot data
plot_RLum(IRSAR.RF.Data)
```

ExampleData.RLum.Data.Image

Example data as RLum.Data.Image objects

Description

Measurement of Princton Instruments camera imported with the function read_SPE2R to R to produce an RLum.Data.Image object.

Format

Object of class RLum.Data.Image

Version

0.1

ExampleData.XSYG 133

Source

ExampleData.RLum.Data.Image

These data were kindly provided by Regina DeWitt.

Lab.: Department of Physics, East-Carolina University, NC, USA

Lab-Code: -Location: -Material: -Reference: -

Image data is a measurement of fluorescent ceiling lights with a cooled Princeton Instruments (TM) camera fitted on Risoe DA-20 TL/OSL reader.

Examples

```
##load data
data(ExampleData.RLum.Data.Image, envir = environment())
##plot data
plot_RLum(ExampleData.RLum.Data.Image)
```

ExampleData.XSYG

Example data for a SAR OSL measurement and a TL spectrum using a lexsyg reader

Description

Example data from a SAR OSL measurement and a TL spectrum for package Luminescence imported from a Freiberg Instruments XSYG file using the function read_XSYG2R.

Format

OSL.SARMeasurement: SAR OSL measurement data

The data contain two elements: (a) \$Sequence.Header is a data.frame with metadata from the measurement,(b) Sequence.Object contains an RLum.Analysis object for further analysis.

TL. Spectrum: TL spectrum data

RLum.Data.Spectrum object for further analysis. The spectrum was cleaned from cosmic-rays using the function

apply_CosmicRayRemoval. Note that no quantum efficiency calibration was performed.

Version

0.1

Source

OSL.SARMeasurement

134 ExampleData.XSYG

Lab: Luminescence Laboratory Giessen

Lab-Code: no code Location: not specified

Material: Coarse grain quartz on steel cups on lexsyg research reader

Reference: unpublished

TL.Spectrum

Lab: Luminescence Laboratory Giessen

Lab-Code: BT753

Location: Dolni Vestonice/Czech Republic

Material: Fine grain polymineral on steel cups on lexsyg rearch reader

Reference: Fuchs et al., 2013

Spectrum: Integration time 19 s, channel time 20 s

Heating: 1 K/s, up to 500 deg. C

References

Unpublished data measured to serve as example data for that package. Location origin of sample BT753 is given here:

Fuchs, M., Kreutzer, S., Rousseau, D.D., Antoine, P., Hatte, C., Lagroix, F., Moine, O., Gauthier, C., Svoboda, J., Lisa, L., 2013. The loess sequence of Dolni Vestonice, Czech Republic: A new OSL-based chronology of the Last Climatic Cycle. Boreas, 42, 664–677.

See Also

read_XSYG2R, RLum.Analysis, RLum.Data.Spectrum, plot_RLum.Pot_RLum.Analysis, plot_RLum.Data.Spectrum

Examples

```
data(ExampleData.XSYG, envir = environment())
## ==============
##(1) OSL.SARMeasurement
OSL.SARMeasurement
##show $Sequence.Object
OSL.SARMeasurement$Sequence.Object
##grep OSL curves and plot the first curve
OSLcurve <- get_RLum(OSL.SARMeasurement$Sequence.Object,</pre>
recordType="OSL")[[1]]
plot_RLum(OSLcurve)
##(2) TL.Spectrum
TL.Spectrum
##plot simple spectrum (2D)
plot_RLum.Data.Spectrum(TL.Spectrum,
                     plot.type="contour",
                     xlim = c(310,750),
                     ylim = c(0,300),
```

extdata 135

```
bin.rows=10,
bin.cols = 1)

##plot 3d spectrum (uncomment for usage)
# plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="persp",
# xlim = c(310,750), ylim = c(0,300), bin.rows=10,
# bin.cols = 1)
```

extdata

Collection of External Data

Description

Description and listing of data provided in the folder data/extdata

Details

The \mathbf{R} package Luminescence includes a number of raw data files, which are mostly used in the example sections of appropriate functions. They are also used internally for testing corresponding functions using the testthat package (see files in tests/testthat/) to ensure their operational reliability.

Accessibility

If the **R** package Luminescence is installed correctly the preferred way to access and use these data from within **R** is as follows:

```
system.file("extdata/<FILENAME>", package = "Luminescence")
```

Individual file descriptions

»Daybreak_TestFile.DAT/.txt«

Type: raw measurement data
Device: Daybreak OSL/TL reader
Measurement date: unknown

Location: unknown **Provided by:** unknown

Related R function(s): read_Daybreak2R()

Reference: unknown »DorNie_0016.psl«

Type: raw measurement data

Device: SUERC portable OSL reader **Measurement date:** 19/05/2016

Location: Dormagen-Nievenheim, Germany

Provided by: Christoph Burow (University of Cologne)

Related R function(s): read_PSL2R()

Reference: unpublished

Additional information: Sample measured at an archaeological site near

Dormagen-Nievenheim (Germany) during a practical course on Luminesence dating in 2016.

»QNL84_2_bleached.txt, QNL84_2_unbleached.txt«

Type: Test data for exponential fits

Reference: Berger, G.W., Huntley, D.J., 1989. Test data for exponential fits. Ancient TL 7, 43-46.

»STRB87_1_bleached.txt, STRB87_1_unbleached.txt«

Type: Test data for exponential fits

Reference: Berger, G.W., Huntley, D.J., 1989. Test data for exponential fits. Ancient TL 7, 43-46.

extract_IrradiationTimes

Extract Irradiation Times from an XSYG-file

Description

Extracts irradiation times, dose and times since last irradiation, from a Freiberg Instruments XSYG-file. These information can be further used to update an existing BINX-file.

Usage

```
extract_IrradiationTimes(object, file.BINX, recordType = c("irradiation (NA)",
   "IRSL (UVVIS)", "OSL (UVVIS)", "TL (UVVIS)"), compatibility.mode = TRUE,
   txtProgressBar = TRUE)
```

Arguments

object character, RLum.Analysis or list (**required**): path and file name of the XSYG

file or an RLum. Analysis produced by the function read_XSYG2R; alternatively

a list of RLum. Analysis can be provided.

Note: If an RLum. Analysis is used, any input for the arguments file. BINX and

recordType will be ignored!

file.BINX character (optional): path and file name of an existing BINX-file. If a file name

is provided the file will be updated with the information from the XSYG file in

the same folder as the original BINX-file.

Note: The XSYG and the BINX-file have to be originate from the same mea-

surement!

recordType character (with default): select relevant curves types from the XSYG file or

RLum.Analysis object. As the XSYG-file format comprises much more information than usually needed for routine data analysis and allowed in the BINX-file format, only the relevant curves are selected by using the function get_RLum.

The argument recordType works as described for this function.

Note: A wrong selection will causes a function error. Please change this argu-

ment only if you have reasons to do so.

 $compatibility.\,mode$

logical (with default): this option is parsed only if a BIN/BINX file is produced and it will reset all position values to a max. value of 48, cf.write_R2BIN

txtProgressBar logical (with default): enables TRUE or disables FALSE the progression bars dur-

ing import and export

Details

The function was written to compensate missing information in the BINX-file output of Freiberg Instruments lexsyg readers. As all information are available within the XSYG-file anyway, these information can be extracted and used for further analysis or/and to stored in a new BINX-file, which can be further used by other software, e.g., Analyst (Geoff Duller).

Typical application example: g-value estimation from fading measurements using the Analyst or any other self written script.

Beside the some simple data transformation steps the function applies the functions read_XSYG2R, read_BIN2R, write_R2BIN for data import and export.

Value

An RLum.Results object is returned with the following structure:

```
.. $irr.times (data.frame)
```

If a BINX-file path and name is set, the output will be additionally transferred into a new BINX-file with the function name as suffix. For the output the path of the input BINX-file itself is used. Note that this will not work if the input object is a file path to an XSYG-file, instead of a link to only one file. In this case the argument input for file.BINX is ignored.

In the self call mode (input is a list of RLum.Analysis objects a list of RLum.Results is returned.

Function version

```
0.3.1 (2017-09-02 23:29:24)
```

How to cite

Kreutzer, S. (2017). extract_IrradiationTimes(): Extract Irradiation Times from an XSYG-file. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The produced output object contains still the irradiation steps to keep the output transparent. However, for the BINX-file export this steps are removed as the BINX-file format description does not allow irradiations as separat sequences steps.

BINX-file 'Time Since Irradiation' value differs from the table output?

The way the value 'Time Since Irradiation' is defined differs. In the BINX-file the 'Time Since Irradiation' is calculated as the 'Time Since Irradiation' plus the 'Irradiation Time'. The table output returns only the real 'Time Since Irradiation', i.e. time between the end of the irradiation and the next step.

Negative values for TIMESINCELAS. STEP?

Yes, this is possible and no bug, as in the XSYG-file multiple curves are stored for one step. Example: TL step may comprise three curves:

- (a) counts vs. time,
- (b) measured temperature vs. time and
- (c) predefined temperature vs. time.

Three curves, but they are all belonging to one TL measurement step, but with regard to the time stamps this could produce negative values as the important function (read_XSYG2R) do not change the order of entries for one step towards a correct time order.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Duller, G.A.T., 2015. The Analyst software package for luminescence data: overview and recent improvements. Ancient TL 33, 35-42.

See Also

RLum.Analysis, RLum.Results, Risoe.BINfileData, read_XSYG2R, read_BIN2R, write_R2BIN

Examples

```
## (1) - example for your own data
##
## set files and run function
#
   file.XSYG <- file.choose()</pre>
   file.BINX <- file.choose()</pre>
#
#
      output <- extract_IrradiationTimes(file.XSYG = file.XSYG, file.BINX = file.BINX)</pre>
#
#
      get_RLum(output)
## export results additionally to a CSV.file in the same directory as the XSYG-file
#
        write.table(x = get_RLum(output),
                     file = paste0(file.BINX,"_extract_IrradiationTimes.csv"),
#
                     sep = ";",
#
#
                     row.names = FALSE)
```

fit_CWCurve

Nonlinear Least Squares Fit for CW-OSL curves [beta version]

Description

The function determines the weighted least-squares estimates of the component parameters of a CW-OSL signal for a given maximum number of components and returns various component parameters. The fitting procedure uses the nls function with the port algorithm.

Usage

```
fit_CWCurve(values, n.components.max, fit.failure_threshold = 5,
  fit.method = "port", fit.trace = FALSE, fit.calcError = FALSE,
  LED.power = 36, LED.wavelength = 470, cex.global = 0.6,
  sample_code = "Default", output.path, output.terminal = TRUE,
  output.terminalAdvanced = TRUE, plot = TRUE, ...)
```

Arguments

values RLum.Data.Curve or data.frame (**required**): x, y data of measured values (time

and counts). See examples.

n.components.max

vector (optional): maximum number of components that are to be used for fit-

ting. The upper limit is 7.

fit.failure_threshold

vector (with default): limits the failed fitting attempts.

fit.method character (with default): select fit method, allowed values: 'port' and 'LM'.

'port' uses the 'port' routine usint the funtion nls 'LM' utilises the function nlsLM from the package minpack.lm and with that the Levenberg-Marquardt

algorithm.

fit.trace logical (with default): traces the fitting process on the terminal.

fit.calcError logical (with default): calculate 1-sigma error range of components using confint

LED. power (max.) used for intensity ramping in mW/cm^2.

Note: The value is used for the calculation of the absolute photoionisation cross

section.

LED. wavelength numeric (with default): LED wavelength used for stimulation in nm. Note: The

value is used for the calculation of the absolute photoionisation cross section.

cex.global numeric (with default): global scaling factor.

sample_code character (optional): sample code used for the plot and the optional output table

(mtext).

output.path character (optional): output path for table output containing the results of the fit.

The file name is set automatically. If the file already exists in the directory, the

values are appended.

output.terminal

logical (with default): terminal ouput with fitting results.

output.terminalAdvanced

logical (with default): enhanced terminal output. Requires output.terminal = TRUE.

If output.terminal = FALSE no advanced output is possible.

plot logical (with default): returns a plot of the fitted curves.
... further arguments and graphical parameters passed to plot.

Details

Fitting function

The function for the CW-OSL fitting has the general form:

$$y = I0_1 * \lambda_1 * exp(-\lambda_1 * x) + \dots + I0_i * \lambda_i * exp(-\lambda_i * x)$$

where 0 < i < 8

and λ is the decay constant

and I0 the intial number of trapped electrons.

(for the used equation cf. Boetter-Jensen et al., 2003, Eq. 2.31)

Start values

Start values are estimated automatically by fitting a linear function to the logarithmized input data set. Currently, there is no option to manually provide start parameters.

Goodness of fit

The goodness of the fit is given as pseudoR^2 value (pseudo coefficient of determination). According to Lave (1970), the value is calculated as:

$$pseudoR^2 = 1 - RSS/TSS$$

where $RSS = Residual\ Sum\ of\ Squares$ and $TSS = Total\ Sum\ of\ Squares$

Error of fitted component parameters

The 1-sigma error for the components is calculated using the function confint. Due to considerable calculation time, this option is deactived by default. In addition, the error for the components can be estimated by using internal R functions like summary. See the nls help page for more information.

For details on the nonlinear regression in R, see Ritz & Streibig (2008).

Value

plot (optional)

the fitted CW-OSL curves are returned as plot.

table (optional)

an output table (*.csv) with parameters of the fitted components is provided if the output.path is set.

RLum.Results

Beside the plot and table output options, an RLum.Results object is returned.

fit: an nls object (\$fit) for which generic R functions are provided, e.g. summary, confint, profile. For more details, see nls.

output.table: a data.frame containing the summarised parameters including the error

component.contribution.matrix: matrix containing the values for the component to sum contribution plot (\$component.contribution.matrix).

Matrix structure:

Column 1 and 2: time and rev(time) values

Additional columns are used for the components, two for each component, containing I0 and n0. The last columns cont. provide information on the relative component contribution for each time interval including the row sum for this values.

object

beside the plot and table output options, an RLum.Results object is returned.

fit: an nls object (\$fit) for which generic R functions are provided, e.g. summary, confint, profile. For more details, see nls.

output.table: a data.frame containing the summarised parameters including the error component.contribution.matrix: matrix containing the values for the component to sum contribution plot (\$component.contribution.matrix).

Matrix structure:

Column 1 and 2: time and rev(time) values

Additional columns are used for the components, two for each component, containing I0 and n0. The last columns cont. provide information on the relative component contribution for each time interval including the row sum for this values.

Function version

```
0.5.2 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). fit_CWCurve(): Nonlinear Least Squares Fit for CW-OSL curves [beta version]. Function version 0.5.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Beta version - This function has not been properly tested yet and should therefore not be used for publication purposes!

The pseudo-R^2 may not be the best parameter to describe the goodness of the fit. The trade off between the n.components and the pseudo-R^2 value is currently not considered.

The function **does not** ensure that the fitting procedure has reached a global minimum rather than a local minimum!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Boetter-Jensen, L., McKeever, S.W.S., Wintle, A.G., 2003. Optically Stimulated Luminescence Dosimetry. Elsevier Science B.V.

Lave, C.A.T., 1970. The Demand for Urban Mass Transportation. The Review of Economics and Statistics, 52 (3), 320-323.

Ritz, C. & Streibig, J.C., 2008. Nonlinear Regression with R. In: R. Gentleman, K. Hornik, G. Parmigiani, eds., Springer, p. 150.

See Also

fit_LMCurve, plot,nls, RLum.Data.Curve, RLum.Results, get_RLum, minpack.lm::nlsLM

Examples

142 fit_LMCurve

fit_LMCurve

Nonlinear Least Squares Fit for LM-OSL curves

Description

The function determines weighted nonlinear least-squares estimates of the component parameters of an LM-OSL curve (Bulur 1996) for a given number of components and returns various component parameters. The fitting procedure uses the function nls with the port algorithm.

Usage

```
fit_LMCurve(values, values.bg, n.components = 3, start_values,
  input.dataType = "LM", fit.method = "port", sample_code = "",
  sample_ID = "", LED.power = 36, LED.wavelength = 470,
  fit.trace = FALSE, fit.advanced = FALSE, fit.calcError = FALSE,
  bg.subtraction = "polynomial", verbose = TRUE, plot = TRUE,
  plot.BG = FALSE, ...)
```

Arguments

values	RLum.Data.Curve or data.frame (required): x,y data of measured values (time and counts). See examples.
values.bg	RLum.Data.Curve or data.frame (optional): x,y data of measured values (time and counts) for background subtraction.
n.components	integer (with default): fixed number of components that are to be recognised during fitting (min = 1 , max = 7).
start_values	data.frame (<i>optional</i>): start parameters for lm and xm data for the fit. If no start values are given, an automatic start value estimation is attempted (see details).
input.dataType	character (with default): alter the plot output depending on the input data: "LM" or "pLM" (pseudo-LM). See: CW2pLM
fit.method	character (with default): select fit method, allowed values: 'port' and 'LM'. 'port' uses the 'port' routine usint the funtion nls 'LM' utilises the function nlsLM from the package minpack.lm and with that the Levenberg-Marquardt algorithm.
sample_code	character (optional): sample code used for the plot and the optional output table (mtext).
sample_ID	character (optional): additional identifier used as column header for the table output.
LED.power	numeric (with default): LED power (max.) used forintensity ramping in mW/cm^2. Note: This value is used for the calculation of the absolute photoionisation cross section.
LED.wavelength	numeric (with default): LED wavelength in nm used for stimulation. Note: This value is used for the calculation of the absolute photoionisation cross section.
fit.trace	logical (with default): traces the fitting process on the terminal.
fit.advanced	logical (<i>with default</i>): enables advanced fitting attempt for automatic start parameter recognition. Works only if no start parameters are provided. Note: It may take a while and it is not compatible with fit.method = "LM".

fit_LMCurve 143

fit.calcError logical (with default): calculate 1-sigma error range of components using confint.

bg.subtraction character (with default): specifies method for background subtraction (polynomial, linear, channel, see Details). Note: requires input for values.bg.

verbose logical (with default): terminal output with fitting results.

plot logical (with default): returns a plot of the fitted curves.

plot.BG logical (with default): returns a plot of the background values with the fit used for the background subtraction.

Further arguments that may be passed to the plot output, e.g. xlab, xlab, main,

Details

Fitting function

The function for the fitting has the general form:

$$y = (exp(0.5)*Im_1*x/xm_1)*exp(-x^2/(2*xm_1^2))+, \dots, +exp(0.5)*Im_i*x/xm_i)*exp(-x^2/(2*xm_i^2))$$

where 1 < i < 8

This function and the equations for the conversion to b (detrapping probability) and n0 (proportional to initially trapped charge) have been taken from Kitis et al. (2008):

$$xm_i = \sqrt{max(t)/b_i}$$

$$Im_i = exp(-0.5)n0/xm_i$$

Background subtraction

Three methods for background subtraction are provided for a given background signal (values.bg).

• polynomial: default method. A polynomial function is fitted using glm and the resulting function is used for background subtraction:

$$y = a * x^4 + b * x^3 + c * x^2 + d * x + e$$

• linear: a linear function is fitted using glm and the resulting function is used for background subtraction:

$$y = a * x + b$$

channel: the measured background signal is subtracted channelwise from the measured signal.

Start values

The choice of the initial parameters for the nls-fitting is a crucial point and the fitting procedure may mainly fail due to ill chosen start parameters. Here, three options are provided:

(a) If no start values (start_values) are provided by the user, a cheap guess is made by using the detrapping values found by Jain et al. (2003) for quartz for a maximum of 7 components. Based on these values, the pseudo start parameters xm and Im are recalculated for the given data set. In all cases, the fitting starts with the ultra-fast component and (depending on n.components) steps through the following values. If no fit could be achieved, an error plot (for plot = TRUE) with the pseudo curve (based on the pseudo start parameters) is provided. This may give the opportunity to identify appropriate start parameters visually.

144 fit_LMCurve

- (b) If start values are provided, the function works like a simple nls fitting approach.
- (c) If no start parameters are provided and the option fit.advanced = TRUE is chosen, an advanced start parameter estimation is applied using a stochastical attempt. Therefore, the recalculated start parameters (a) are used to construct a normal distribution. The start parameters are then sampled randomly from this distribution. A maximum of 100 attempts will be made. **Note:** This process may be time consuming.

Goodness of fit

The goodness of the fit is given by a pseudoR^2 value (pseudo coefficient of determination). According to Lave (1970), the value is calculated as:

$$pseudoR^2 = 1 - RSS/TSS$$

where $RSS = Residual\ Sum\ of\ Squares$ and $TSS = Total\ Sum\ of\ Squares$

Error of fitted component parameters

The 1-sigma error for the components is calculated using the function confint. Due to considerable calculation time, this option is deactived by default. In addition, the error for the components can be estimated by using internal R functions like summary. See the nls help page for more information.

For more details on the nonlinear regression in R, see Ritz & Streibig (2008).

Value

Various types of plots are returned. For details see above. Furthermore an RLum.Results object is returned with the following structure:

@data:

- .. \$data: data.frame with fitting results
- .. \$fit : nls (nls object)
- .. \$component.contribution.matrix: list component distribution matrix

info:

.. \$call: call the original function call

Matrix structure for the distribution matrix:

Column 1 and 2: time and rev(time) values

Additional columns are used for the components, two for each component, containing I0 and n0. The last columns cont. provide information on the relative component contribution for each time interval including the row sum for this values.

Function version

0.3.2 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). fit_LMCurve(): Nonlinear Least Squares Fit for LM-OSL curves. Function version 0.3.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

fit_LMCurve 145

Note

The pseudo- R^2 may not be the best parameter to describe the goodness of the fit. The trade off between the n. components and the pseudo- R^2 value currently remains unconsidered.

The function **does not** ensure that the fitting procedure has reached a global minimum rather than a local minimum! In any case of doubt, the use of manual start values is highly recommended.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 5, 701-709.

Jain, M., Murray, A.S., Boetter-Jensen, L., 2003. Characterisation of blue-light stimulated luminescence components in different quartz samples: implications for dose measurement. Radiation Measurements, 37 (4-5), 441-449.

Kitis, G. & Pagonis, V., 2008. Computerized curve deconvolution analysis for LM-OSL. Radiation Measurements, 43, 737-741.

Lave, C.A.T., 1970. The Demand for Urban Mass Transportation. The Review of Economics and Statistics, 52 (3), 320-323.

Ritz, C. & Streibig, J.C., 2008. Nonlinear Regression with R. R. Gentleman, K. Hornik, & G. Parmigiani, eds., Springer, p. 150.

See Also

fit CWCurve, plot, nls, minpack.lm::nlsLM, get RLum

Examples

```
##(1) fit LM data without background subtraction
data(ExampleData.FittingLM, envir = environment())
fit_LMCurve(values = values.curve, n.components = 3, log = "x")
##(2) fit LM data with background subtraction and export as JPEG
## -alter file path for your preferred system
##jpeg(file = "~/Desktop/Fit_Output\%03d.jpg", quality = 100,
## height = 3000, width = 3000, res = 300)
data(ExampleData.FittingLM, envir = environment())
fit_LMCurve(values = values.curve, values.bg = values.curveBG,
            n.components = 2, log = "x", plot.BG = TRUE)
##dev.off()
##(3) fit LM data with manual start parameters
data(ExampleData.FittingLM, envir = environment())
fit_LMCurve(values = values.curve,
            values.bg = values.curveBG,
            n.components = 3,
            log = "x".
            start_values = data.frame(Im = c(170, 25, 400), xm = c(56, 200, 1500)))
```

146 get_Layout

get_Layout

Collection of layout definitions

Description

This helper function returns a list with layout definitions for homogeneous plotting.

Usage

```
get_Layout(layout)
```

Arguments

layout

character or list object (**required**): name of the layout definition to be returned. If name is provided the respective definition is returned. One of the following supported layout definitions is possible: "default", "journal.1", "small", "empty".

User-specific layout definitions must be provided as a list object of predefined structure, see details.

Details

The easiest way to create a user-specific layout definition is perhaps to create either an empty or a default layout object and fill/modify the definitions (user.layout <- get_Layout(data = "empty")).

Value

A list object with layout definitions for plot functions.

Function version

```
0.1 (2017-09-02 23:27:03)
```

How to cite

Dietze, M. (2017). get_Layout(): Collection of layout definitions. Function version 0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
R Luminescence Package Team
```

Examples

```
## read example data set
data(ExampleData.DeValues, envir = environment())
## show structure of the default layout definition
layout.default <- get_Layout(layout = "default")</pre>
```

get_Quote 147

get_Quote

Function to return essential quotes

Description

This function returns one of the collected essential quotes in the growing library. If called without any parameters, a random quote is returned.

Usage

```
get_Quote(ID, author, separated = FALSE)
```

Arguments

ID character (optional): qoute ID to be returned.

author character (optional): all quotes by specified author.

separated logical (with default): return result in separated form.

Value

Returns a character with quote and respective (false) author.

Function version

```
0.1.1 (2017-09-02 23:27:02)
```

How to cite

Dietze, M. (2017). get_Quote(): Function to return essential quotes. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
R Luminescence Package Team
```

148 get_rightAnswer

Examples

```
## ask for an arbitrary qoute
get_Quote()
```

get_rightAnswer

Function to get the right answer

Description

This function returns just the right answer

Usage

```
get_rightAnswer(...)
```

Arguments

.. you can pass an infinite number of further arguments

Value

Returns the right answer

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

NA, NA, , (2017). get_rightAnswer(): Function to get the right answer. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
inspired by R.G.
R Luminescence Package Team
```

Examples

```
## you really want to know?
get_rightAnswer()
```

get_Risoe.BINfileData 149

get_Risoe.BINfileData General accessor function for RLum S4 class objects

Description

Function calls object-specific get functions for RisoeBINfileData S4 class objects.

Usage

```
get_Risoe.BINfileData(object, ...)
```

Arguments

object Risoe.BINfileData (required): S4 object of class RLum

... further arguments that one might want to pass to the specific get function

Details

The function provides a generalised access point for specific Risoe.BINfileData objects. Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding Risoe.BINfileData class.

Value

Return is the same as input objects as provided in the list

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). get_Risoe.BINfileData(): General accessor function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

Risoe.BINfileData

150 get_RLum

get_RLum

General accessor function for RLum S4 class objects

Description

Function calls object-specific get functions for RLum S4 class objects. Method to handle NULL if the user calls get_RLum

Usage

```
get_RLum(object, ...)
## S4 method for signature 'list'
get_RLum(object, null.rm = FALSE, ...)
## S4 method for signature '`NULL`'
get_RLum(object, ...)
```

Arguments

object	RLum (required): S4 object of class RLum or an object of type list containing only objects of type RLum
	further arguments that will be passed to the object specific methods. For furter details on the supported arguments please see the class documentation: RLum.Data.Curve, RLum.Data.Spectrum, RLum.Data.Image, RLum.Analysis and RLum.Results
null.rm	logical (with default): option to get rid of empty and NULL objects

Details

The function provides a generalised access point for specific RLum objects. Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

Value

Return is the same as input objects as provided in the list.

Methods (by class)

- list: Returns a list of RLum objects that had been passed to get_RLum
- NULL: Returns NULL

Function version

```
0.3.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). get_RLum(): General accessor function for RLum S4 class objects. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

GitHub-API 151

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

Examples

```
##Example based using data and from the calc_CentralDose() function
##load example data
data(ExampleData.DeValues, envir = environment())
##apply the central dose model 1st time
temp1 <- calc_CentralDose(ExampleData.DeValues$CA1)
##get results and store them in a new object
temp.get <- get_RLum(object = temp1)</pre>
```

GitHub-API

GitHub API

Description

R Interface to the GitHub API v3.

Usage

```
github_commits(user = "r-lum", repo = "luminescence", branch = "master",
    n = 5)
github_branches(user = "r-lum", repo = "luminescence")
github_issues(user = "r-lum", repo = "luminescence", verbose = TRUE)
```

Arguments

user	character (with default): GitHub user name (defaults to 'r-lum').	
repo	character (with default): name of a GitHub repository (defaults to 'lumines-cence').	
branch	character (with default): branch of a GitHub repository (defaults to 'master').	
n	integer (with default): number of commits returned (defaults to 5).	
verbose	logical (with default): print the output to the console (defaults to TRUE).	

152 GitHub-API

Details

These functions can be used to query a specific repository hosted on GitHub.

github_commits lists the most recent n commits of a specific branch of a repository.

github_branches can be used to list all current branches of a repository and returns the corresponding SHA hash as well as an installation command to install the branch in R via the 'devtools' package.

github_issues lists all open issues for a repository in valid YAML.

Value

github_commits: data.frame with columns:

[,1] SHA
[,2] AUTHOR
[,3] DATE
[,4] MESSAGE

github_branches: data.frame with columns:

[,1] BRANCH [,2] SHA [,3] INSTALL

github_commits: Nested list with n elements. Each commit element is a list with elements:

[[1]] **NUMBER** [[2]] TITLE [[3]] **BODY CREATED** [[4]] [[5]] **UPDATED** [[6]] **CREATOR** [[7]] URL [[8]] **STATUS**

[[1]: R:[1 [[2]: R:[2 [[3]: R:[3 [[4]: R:[4 [[5]: R:[5 [[6]: R:[6 [[7]: R:[7 [[8]: R:[8

Function version

0.1.0

How to cite

Burow, C. (2017). GitHub-API(): GitHub API. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Christoph Burow, University of Cologne (Germany)
R Luminescence Package Team
```

References

GitHub Developer API v3. https://developer.github.com/v3/, last accessed: 10/01/2017.

Examples

```
## Not run:
github_branches(user = "r-lum", repo = "luminescence")
github_issues(user = "r-lum", repo = "luminescence")
github_commits(user = "r-lum", repo = "luminescence", branch = "master", n = 10)
## End(Not run)
```

install_DevelopmentVersion

Attempts to install the development version of the 'Luminescence' package

Description

This function is a convenient method for installing the development version of the R package 'Luminescence' directly from GitHub.

Usage

```
install_DevelopmentVersion(force_install = FALSE)
```

Arguments

force_install

logical (optional): If FALSE (the default) the function produces and prints the required code to the console for the user to run manually afterwards. When TRUE and all requirements are fulfilled (see details) this function attempts to install the package itself.

Details

This function uses Luminescence::github_branches to check which development branches of the R package 'Luminescence' are currently available on GitHub. The user is then prompted to choose one of the branches to be installed. It further checks whether the R package 'devtools' is currently installed and available on the system. Finally, it prints R code to the console that the user can copy and paste to the R console in order to install the desired development version of the package.

If force_install=TRUE the functions checks if 'devtools' is available and then attempts to install the chosen development branch via devtools::install_github.

154 length_RLum

Value

This function requires user input at the command prompt to choose the desired development branch to be installed. The required R code to install the package is then printed to the console.

Examples

```
## Not run:
install_DevelopmentVersion()
## End(Not run)
```

length_RLum

General accessor function for RLum S4 class objects

Description

Function calls object-specific get functions for RLum S4 class objects.

Usage

```
length_RLum(object)
```

Arguments

object

RLum (required): S4 object of class RLum

Details

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

Value

Return is the same as input objects as provided in the list.

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). length_RLum(): General accessor function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

```
merge_Risoe.BINfileData
```

Merge Risoe.BINfileData objects or Risoe BIN-files

Description

Function allows merging Risoe BIN/BINX files or Risoe.BINfileData objects.

Usage

```
merge_Risoe.BINfileData(input.objects, output.file,
  keep.position.number = FALSE, position.number.append.gap = 0)
```

Arguments

input.objects character with Risoe.BINfileData objects (required): Character vector with path

and files names (e.g. input.objects = c("path/file1.bin", "path/file2.bin") or Risoe.BINfileData objects (e.g. input.objects = c(object1, object2)).

Alternatively a list is supported.

 $\verb|output.file| & character| (optional): File output path and name. If no value is given, a Risoe. BIN file Data| \\$

is returned instead of a file.

keep.position.number

logical (with default): Allows keeping the original position numbers of the input objects. Otherwise the position numbers are recalculated.

position.number.append.gap

integer (with default): Set the position number gap between merged BIN-file sets, if the option keep.position.number = FALSE is used. See details for further information.

Details

The function allows merging different measurements to one file or one object. The record IDs are recalculated for the new object. Other values are kept for each object. The number of input objects is not limited.

```
position.number.append.gap option
```

If the option keep.position.number = FALSE is used, the position numbers of the new data set are recalculated by adding the highest position number of the previous data set to the each position number of the next data set. For example: The highest position number is 48, then this number will be added to all other position numbers of the next data set (e.g. 1 + 48 = 49)

However, there might be cases where an additional addend (summand) is needed before the next position starts. Example:

- Position number set (A): 1,3,5,7
- Position number set (B): 1,3,5,7

With no additional summand the new position numbers would be: 1,3,5,7,8,9,10,11. That might be unwanted. Using the argument position.number.append.gap = 1 it will become: 1,3,5,7,9,11,13,15,17.

merge_RLum

Value

Returns a file or a Risoe.BINfileData object.

Function version

```
0.2.7 (2017-09-02 23:29:24)
```

How to cite

Kreutzer, S. (2017). merge_Risoe.BINfileData(): Merge Risoe.BINfileData objects or Risoe BINfiles. Function version 0.2.7. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The validity of the output objects is not further checked.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

References

```
Duller, G., 2007. Analyst.
```

See Also

Risoe.BINfileData, read_BIN2R, write_R2BIN

Examples

```
##merge two objects
data(ExampleData.BINfileData, envir = environment())

object1 <- CWOSL.SAR.Data
object2 <- CWOSL.SAR.Data
object.new <- merge_Risoe.BINfileData(c(object1, object2))</pre>
```

merge_RLum

General merge function for RLum S4 class objects

Description

Function calls object-specific merge functions for RLum S4 class objects.

Usage

```
merge_RLum(objects, ...)
```

merge_RLum 157

Arguments

objects list of RLum (**required**): list of S4 object of class RLum
... further arguments that one might want to pass to the specific merge function

Details

The function provides a generalised access point for merge specific RLum objects. Depending on the input object, the corresponding merge function will be selected. Allowed arguments can be found in the documentations of each merge function. Empty list elements (NULL) are automatically removed from the input list.

objectcorresponding merge functionRLum.Data.Curve: merge_RLum.Data.CurveRLum.Analysis: merge_RLum.AnalysisRLum.Results: merge_RLum.Results

Value

Return is the same as input objects as provided in the list.

Function version

```
0.1.2 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). merge_RLum(): General merge function for RLum S4 class objects. Function version 0.1.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

So far not for every RLum object a merging function exists.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

Examples

```
##Example based using data and from the calc_CentralDose() function
##load example data
data(ExampleData.DeValues, envir = environment())
##apply the central dose model 1st time
```

```
temp1 <- calc_CentralDose(ExampleData.DeValues$CA1)
##apply the central dose model 2nd time
temp2 <- calc_CentralDose(ExampleData.DeValues$CA1)
##merge the results and store them in a new object
temp.merged <- get_RLum(merge_RLum(objects = list(temp1, temp2)))</pre>
```

merge_RLum.Analysis

Merge function for RLum. Analysis S4 class objects

Description

Function allows merging of RLum. Analysis objects and adding of allowed objects to an RLum. Analysis.

Usage

```
merge_RLum.Analysis(objects)
```

Arguments

objects

list of RLum.Analysis (**required**): list of S4 objects of class RLum.Analysis. Furthermore other objects of class RLum can be added, see details.

Details

This function simply allowing to merge RLum.Analysis objects. Additionally other RLum objects can be added to an existing RLum.Analysis object. Supported objects to be added are: RLum.Data.Curve, RLum.Data.Spectrum and RLum.Data.Image.

The order in the new RLum. Analysis object is the object order provided with the input list.

Value

Return an RLum. Analysis object.

Function version

0.2.0 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). merge_RLum.Analysis(): Merge function for RLum.Analysis S4 class objects. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The information for the slot 'protocol' is taken from the first RLum. Analysis object in the input list. Therefore at least one object of type RLum. Analysis has to be provided.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

merge RLum, RLum. Analysis, RLum. Data. Curve, RLum. Data. Spectrum, RLum. Data. Image, RLum

Examples

```
##merge different RLum objects from the example data
data(ExampleData.RLum.Analysis, envir = environment())
data(ExampleData.BINfileData, envir = environment())

object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)
curve <- get_RLum(object)[[2]]

temp.merged <- merge_RLum.Analysis(list(curve, IRSAR.RF.Data, IRSAR.RF.Data))</pre>
```

merge_RLum.Data.Curve Merge function for RLum.Data.Curve S4 class objects

Description

Function allows merging of RLum.Data.Curve objects in different ways

Usage

```
merge_RLum.Data.Curve(object, merge.method = "mean", method.info)
```

Arguments

object list of RLum.Data.Curve (required): list of S4 objects of class RLum.Curve.

merge.method character (required): method for combining of the objects, e.g. 'mean', 'sum',

see details for further information and allowed methods. Note: Elements in slot

info will be taken from the first curve in the list.

method.info numeric (optional): allows to specify how info elements of the input objects are

combined, e.g. 1 means that just the elements from the first object are kept, 2 keeps only the info elements from the 2 object etc. If nothing is provided all

elements are combined.

Details

This function simply allowing to merge RLum.Data.Curve objects without touching the objects itself. Merging is always applied on the 2nd colum of the data matrix of the object.

Supported merge operations are RLum.Data.Curve

"sum'

All count values will be summed up using the function rowSums.

"mean"

The mean over the count values is calculated using the function rowMeans.

"median"

The median over the count values is calculated using the function matrixStats::rowMedians.

"sd"

The standard deviation over the count values is calculated using the function matrixStats::rowSds.

"var"

The variance over the count values is calculated using the function matrixStats::rowVars.

"min"

The min values from the count values is chosen using the function matrixStats::rowMins.

"max"

The max values from the count values is chosen using the function matrixStats::rowMins.

"append"

Appends count values of all curves to one combined data curve. The channel width is automatically re-calculated, but requires a constant channel width of the original data.

"_·

The row sums of the last objects are subtracted from the first object.

"*"

The row sums of the last objects are mulliplied with the first object.

" / "

Values of the first object are divided by row sums of the last objects.

Value

Returns an RLum.Data.Curve object.

S3-generic support

This function is fully operational via S3-generics: +, -, /, *, merge

Function version

0.2.0 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). merge_RLum.Data.Curve(): Merge function for RLum.Data.Curve S4 class objects. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The information from the slot recordType is taken from the first RLum.Data.Curve object in the input list. The slot 'curveType' is filled with the name merged.

merge_RLum.Results 161

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

```
merge_RLum, RLum.Data.Curve
```

Examples

```
##load example data
data(ExampleData.XSYG, envir = environment())

##grep first and 3d TL curves
TL.curves <- get_RLum(OSL.SARMeasurement$Sequence.Object, recordType = "TL (UVVIS)")
TL.curve.1 <- TL.curves[[1]]
TL.curve.3 <- TL.curves[[3]]

##plot single curves
plot_RLum(TL.curve.1)
plot_RLum(TL.curve.3)

##subtract the 1st curve from the 2nd and plot
TL.curve.merged <- merge_RLum.Data.Curve(list(TL.curve.3, TL.curve.1), merge.method = "/")
plot_RLum(TL.curve.merged)</pre>
```

merge_RLum.Results

Merge function for RLum.Results S4-class objects

Description

Function merges objects of class RLum.Results. The slots in the objects are combined depending on the object type, e.g., for data.frame and matrix rows are appended.

Usage

```
merge_RLum.Results(objects)
```

Arguments

```
objects list (required): a list of RLum.Results objects
```

Function version

```
0.2.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). merge_RLum.Results(): Merge function for RLum.Results S4-class objects. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The originator is taken from the first element and not reset to merge_RLum

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

methods_RLum

methods_RLum

Description

Methods for S3-generics implemented for the package 'Luminescence'. This document summarises all implemented S3-generics. The name of the function is given before the first dot, after the dot the name of the object that is supported by this method is given, e.g. plot.RLum.Data.Curve can be called by plot(object, ...), where object is the RLum.Data.Curve object.

Usage

```
## S3 method for class 'list'
plot(x, y, ...)
## S3 method for class 'RLum.Results'
plot(x, y, ...)
## S3 method for class 'RLum.Analysis'
plot(x, y, ...)
## S3 method for class 'RLum.Data.Curve'
plot(x, y, ...)
## S3 method for class 'RLum.Data.Spectrum'
plot(x, y, ...)
## S3 method for class 'RLum.Data.Image'
plot(x, y, ...)
## S3 method for class 'Risoe.BINfileData'
plot(x, y, ...)
## S3 method for class 'RLum.Results'
hist(x, ...)
```

```
## S3 method for class 'RLum.Data.Image'
hist(x, ...)
## S3 method for class 'RLum.Data.Curve'
hist(x, ...)
## S3 method for class 'RLum.Analysis'
hist(x, ...)
## S3 method for class 'RLum.Results'
summary(object, ...)
## S3 method for class 'RLum.Analysis'
summary(object, ...)
## S3 method for class 'RLum.Data.Image'
summary(object, ...)
## S3 method for class 'RLum.Data.Curve'
summary(object, ...)
## S3 method for class 'Risoe.BINfileData'
subset(x, subset, records.rm = TRUE, ...)
## S3 method for class 'RLum.Analysis'
subset(x, subset, ...)
bin.RLum.Data.Curve(x, ...)
## S3 method for class 'RLum.Results'
length(x, ...)
## S3 method for class 'RLum.Analysis'
length(x, ...)
## S3 method for class 'RLum.Data.Curve'
length(x, ...)
## S3 method for class 'Risoe.BINfileData'
length(x, ...)
## S3 method for class 'RLum.Data.Curve'
dim(x)
## S3 method for class 'RLum.Data.Spectrum'
dim(x)
## S3 method for class 'RLum'
rep(x, ...)
## S3 method for class 'RLum.Data.Curve'
names(x, ...)
```

```
## S3 method for class 'RLum.Data.Spectrum'
names(x, ...)
## S3 method for class 'RLum.Data.Image'
names(x, ...)
## S3 method for class 'RLum.Analysis'
names(x, ...)
## S3 method for class 'RLum.Results'
names(x, ...)
## S3 method for class 'Risoe.BINfileData'
names(x)
## S3 method for class 'RLum.Data.Spectrum'
row.names(x, ...)
## S3 method for class 'RLum.Data.Curve'
as.data.frame(x, row.names = NULL,
  optional = FALSE, ...)
## S3 method for class 'RLum.Data.Spectrum'
as.data.frame(x, row.names = NULL,
  optional = FALSE, ...)
## S3 method for class 'RLum.Results'
as.list(x, ...)
## S3 method for class 'RLum.Data.Curve'
as.list(x, ...)
## S3 method for class 'RLum.Analysis'
as.list(x, ...)
## S3 method for class 'RLum.Data.Curve'
as.matrix(x, ...)
## S3 method for class 'RLum.Data.Spectrum'
as.matrix(x, ...)
is.RLum(x, ...)
is.RLum.Data(x, ...)
is.RLum.Data.Curve(x, ...)
is.RLum.Data.Spectrum(x, ...)
is.RLum.Data.Image(x, ...)
```

```
is.RLum.Analysis(x, ...)
is.RLum.Results(x, ...)
## S3 method for class 'RLum'
merge(x, y, ...)
## S3 method for class 'RLum.Analysis'
unlist(x, recursive = TRUE, ...)
## S3 method for class 'RLum.Data.Curve'
x + y
## S3 method for class 'RLum.Data.Curve'
x - y
## S3 method for class 'RLum.Data.Curve'
x * y
## S3 method for class 'RLum.Data.Curve'
x / y
## S3 method for class 'RLum.Data.Curve'
x[y, z, drop = TRUE]
## S3 method for class 'RLum.Data.Spectrum'
x[y, z, drop = TRUE]
## S3 method for class 'RLum.Data.Image'
x[y, z, drop = TRUE]
## S3 method for class 'RLum.Analysis'
x[i, drop = FALSE]
## S3 method for class 'RLum.Results'
x[i, drop = TRUE]
## S3 replacement method for class 'RLum.Data.Curve'
x[i, j] \leftarrow value
## S3 method for class 'RLum.Analysis'
x[[i]]
## S3 method for class 'RLum.Results'
x[[i]]
## S3 method for class 'RLum.Data.Curve'
## S3 method for class 'RLum.Analysis'
x$i
```

```
## S3 method for class 'RLum.Results'
x$i
```

Arguments

X	RLum or Risoe.BINfileData (required): input opject
У	integer (optional): the row index of the matrix, data.frame
	further arguments that can be passed to the method
object	RLum (required): input opject
subset	[subset] expression (required): logical expression indicating elements or rows to keep, this function works in Risoe.BINfileData objects like subset.data.frame, but takes care of the object structure
records.rm	subset logical (with default): remove records from data set, can be disabled, to just set the column SET to TRUE or FALSE
row.names	logical (with default): enables or disables row names (as.data.frame)
optional	logical (with default): logical. If TRUE, setting row names and converting column names (to syntactic names: see make.names) is optional (see base::as.data.frame)
recursive	logical (with default): enables or disables further subsetting (unlist)
z	integer (optional): the column index of the matrix, data.frame
drop	logical (with default): keep object structure or drop it
i	character (optional): name of the wanted record type or data object or row in the RLum.Data.Curve object
j	integer (optional): column of the data matrix in the RLum. Data. Curve object
value	<pre>numeric (required): numeric value which replace the value in the RLum.Data.Curve object</pre>

Details

The term S3-generics sounds complicated, however, it just means that something has been implemented in the package to increase the usability for users new in R and who are not familiar with the underlying RLum-object structure of the package. The practical outcome is that operations and functions presented in standard books on R can be used without knowing the specifica of the R package 'Luminescence'. For examples see the example section.

Note

methods_RLum are not really new functions, everything given here are mostly just surrogates for existing functions in the package.

Examples

```
##load example data
data(ExampleData.RLum.Analysis, envir = environment())

##combine curve is various ways
curve1 <- IRSAR.RF.Data[[1]]
curve2 <- IRSAR.RF.Data[[1]]
curve1 + curve2</pre>
```

```
curve1 - curve2
curve1 / curve2
curve1 * curve2

##`$` access curves
IRSAR.RF.Data$RF
```

model_LuminescenceSignals

Model Luminescence Signals (wrapper)

Description

Wrapper for the function RLumModel::model_LuminescenceSignals from the package RLumModel::RLumModel-package. For the further details and examples please see the manual of this package.

Usage

```
model_LuminescenceSignals(model, sequence, lab.dose_rate = 1,
    simulate_sample_history = FALSE, plot = TRUE, verbose = TRUE,
    show_structure = FALSE, own_parameters = NULL,
    own_state_parameters = NULL, own_start_temperature = NULL, ...)
```

Arguments

character (required): set model to be used. Available models are: "Baimode1 ley2001", "Bailey2002", "Bailey2004", "Pagonis2007", "Pagonis2008" and "Friedrich2017". list (required): set sequence to model as list or as *.seq file from the Riso sequence sequence editor. To simulate SAR measurements there is an extra option to set the sequence list (cf. details). numeric (with default): laboratory dose rate in XXX Gy/s for calculating seclab.dose rate onds into Gray in the *.seq file. simulate_sample_history logical (with default): FALSE (with default): simulation begins at laboratory conditions, TRUE: simulations begins at crystallization (all levels 0) process plot logical (with default): Enables or disables plot output verbose logical (with default): Verbose mode on/off show_structure logical (with default): Shows the structure of the result. Recommended to show record.id to analyse concentrations.

• N: Concentration of electron- and hole traps [cm^(-3)]

own_parameters list (with default): This argument allows the user to submit own parameter

sets. The list has to contain the following items:

- E: Electron/Hole trap depth [eV
- s: Frequency factor [s^(-1)]
- A: Conduction band to electron trap and valence band to hole trap transition probability [s^(-1) * cm^(3)]. CAUTION: Not every publication uses the same definition of parameter A and B! See vignette "RLumModel Usage with own parameter sets" for further details

168 names_RLum

- B: Conduction band to hole centre transition probability [s^(-1) * cm^(3)].
- Th: Photo-eviction constant or photoionisation cross section, respectively
- E_th: Thermal assistence energy [eV]
- k_B: Boltzman constant 8.617e-05 [eV/K]
- W: activation energy 0.64 [eV] (for UV)
- K: 2.8e7 (dimensionless constant)
- model: "customized"
- R (optional): Ionisation rate (pair production rate) equivalent to 1 Gy/s [s^(-1) * cm^(-3)]

For further details see Bailey 2001, Wintle 1975, vignette "RLumModel - Using own parameter sets" and example 3.

own_state_parameters

numeric (with default): Some publications (e.g. Pagonis 2009) offer state parameters. With this argument the user can submit this state parameters. **Note:** You have to submit the state parameters for the conduction band and the valence band, too. For further details see vignette ""RLumModel - Using own parameter sets" and example 3.

own_start_temperature

numeric (with default): Parameter to control the start temperature (in deg. C) of a simulation. This parameter takes effect only when 'model = "customized"' is choosen.

further arguments and graphical parameters passed to plot.default. See details for further information.

Function version

0.1.3 (2017-09-02 23:27:02)

How to cite

Friedrich, J., Kreutzer, S. (2017). model_LuminescenceSignals(): Model Luminescence Signals (wrapper). Function version 0.1.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Johannes Friedrich, University of Bayreuth (Germany) Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaige (France) R Luminescence Package Team

names_RLum

S4-names function for RLum S4 class objects

Description

Function calls object-specific names functions for RLum S4 class objects.

Usage

```
names_RLum(object)
```

Arguments

object RLum (required): S4 object of class RLum

Details

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding 'names' function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

Value

Returns a character

Function version

0.1.0 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). names_RLum(): S4-names function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

plot_AbanicoPlot

Function to create an Abanico Plot.

Description

A plot is produced which allows comprehensive presentation of data precision and its dispersion around a central value as well as illustration of a kernel density estimate, histogram and/or dot plot of the dose values.

Usage

```
plot_AbanicoPlot(data, na.rm = TRUE, log.z = TRUE, z.0 = "mean.weighted",
 dispersion = "qr", plot.ratio = 0.75, rotate = FALSE, mtext, summary,
 summary.pos, summary.method = "MCM", legend, legend.pos, stats,
 rug = FALSE, kde = TRUE, hist = FALSE, dots = FALSE,
 boxplot = FALSE, y.axis = TRUE, error.bars = FALSE, bar, bar.col,
 polygon.col, line, line.col, line.lty, line.label, grid.col, frame = 1,
 bw = "SJ", output = TRUE, interactive = FALSE, ...)
```

Arguments

data.frame or RLum.Results object (required): for data.frame two columns: data De (data[,1]) and De error (data[,2]). To plot several data sets in one plot

the data sets must be provided as list, e.g. list(data.1, data.2).

logical (with default): exclude NA values from the data set prior to any further na.rm

operations.

log.z logical (with default): Option to display the z-axis in logarithmic scale. Default

is TRUE.

character or numeric: User-defined central value, used for centering of data. z.0

One out of "mean", "mean.weighted" and "median" or a numeric value (not

its logarithm). Default is "mean.weighted".

dispersion character (with default): measure of dispersion, used for drawing the scatter

polygon. One out of

• "qr" (quartile range), • "pnn" (symmetric percentile range with nn the lower percentile, e.g.

• "p05" depicting the range between 5 and 95

• "sd" (standard deviation) and

• "2sd" (2 standard deviations),

The default is "qr". Note that "sd" and "2sd" are only meaningful in combination with "z.0 = 'mean'" because the unweighted mean is used to center the

polygon.

numeric: Relative space, given to the radial versus the cartesian plot part, default plot.ratio

is 0.75.

logical: Option to turn the plot by 90 degrees. rotate

mtext character: additional text below the plot title.

character (optional): add statistic measures of centrality and dispersion to the summary

> plot. Can be one or more of several keywords. See details for available keywords. Results differ depending on the log-option for the z-scale (see details).

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this

latter option in only possible if mtext is not used.

summary.method character (with default): keyword indicating the method used to calculate the statistic summary. One out of

• "unweighted",

· "weighted" and

• "MCM".

See calc_Statistics for details.

legend character vector (optional): legend content to be added to the plot.

legend.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the legend to be plotted.

stats character: additional labels of statistically important values in the plot. One or

more out of the following:

"min","max","median".

rug logical: Option to add a rug to the KDE part, to indicate the location of individ-

ual values.

kde logical: Option to add a KDE plot to the dispersion part, default is TRUE.

hist logical: Option to add a histogram to the dispersion part. Only meaningful when

not more than one data set is plotted.

dots logical: Option to add a dot plot to the dispersion part. If number of dots exceeds

space in the dispersion part, a square indicates this.

boxplot logical: Option to add a boxplot to the dispersion part, default is FALSE.
y.axis logical: Option to hide y-axis labels. Useful for data with small scatter.

error.bars logical: Option to show De-errors as error bars on De-points. Useful in combi-

nation with y.axis = FALSE, bar.col = "none".

bar numeric (with default): option to add one or more dispersion bars (i.e., bar show-

ing the 2-sigma range) centered at the defined values. By default a bar is drawn

according to "z.0". To omit the bar set "bar = FALSE".

bar.col character or numeric (with default): colour of the dispersion bar. Default is

"grey60".

polygon.col character or numeric (with default): colour of the polygon showing the data

scatter. Sometimes this polygon may be omitted for clarity. To disable it use

FALSE or polygon = FALSE. Default is "grey80".

line numeric: numeric values of the additional lines to be added.

line.col character or numeric: colour of the additional lines.

line.lty integer: line type of additional lines character: labels for the additional lines.

grid.col character or numeric (with default): colour of the grid lines (originating at [0,0]

and strechting to the z-scale). To disable grid lines use FALSE. Default is "grey".

frame numeric (with default): option to modify the plot frame type. Can be one out of

• 0 (no frame),

• 1 (frame originates at 0,0 and runs along min/max isochrons),

• 2 (frame embraces the 2-sigma bar),

• 3 (frame embraces the entire plot as a rectangle).

Default is 1.

bw character (with default): bin-width for KDE, choose a numeric value for manual

setting.

output logical: Optional output of numerical plot parameters. These can be useful to

reproduce similar plots. Default is TRUE.

interactive logical (with default): create an interactive abanico plot (requires the 'plotly'

package)

... Further plot arguments to pass. xlab must be a vector of length 2, specifying

the upper and lower x-axes labels.

Details

The Abanico Plot is a combination of the classic Radial Plot (plot_RadialPlot) and a kernel density estimate plot (e.g plot_KDE). It allows straightforward visualisation of data precision, error scatter around a user-defined central value and the combined distribution of the values, on the actual scale of the measured data (e.g. seconds, equivalent dose, years). The principle of the plot is shown in Galbraith & Green (1990). The function authors are thankful for the thoughtprovocing figure in this article.

The semi circle (z-axis) of the classic Radial Plot is bent to a straight line here, which actually is the basis for combining this polar (radial) part of the plot with any other cartesian visualisation method (KDE, histogram, PDF and so on). Note that the plot allows dispaying two measures of distribution. One is the 2-sigma bar, which illustrates the spread in value errors, and the other is the polygon, which stretches over both parts of the Abanico Plot (polar and cartesian) and illustrates the actual spread in the values themselves.

Since the 2-sigma-bar is a polygon, it can be (and is) filled with shaded lines. To change density (lines per inch, default is 15) and angle (default is 45 degrees) of the shading lines, specify these parameters. See ?polygon() for further help.

The Abanico Plot supports other than the weighted mean as measure of centrality. When it is obvious that the data is not (log-)normally distributed, the mean (weighted or not) cannot be a valid measure of centrality and hence central dose. Accordingly, the median and the weighted median can be chosen as well to represent a proper measure of centrality (e.g. centrality = "median.weighted"). Also user-defined numeric values (e.g. from the central age model) can be used if this appears appropriate.

The proportion of the polar part and the cartesian part of the Abanico Plot can be modfied for display reasons (plot.ratio = 0.75). By default, the polar part spreads over 75 % and leaves 25 % for the part that shows the KDE graph.

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples)
- "mean" (mean De value)
- "median" (median of the De values)
- "sd.rel" (relative standard deviation in percent)
- "sd.abs" (absolute standard deviation)
- "se.rel" (relative standard error)
- "se.abs" (absolute standard error)
- "in.2s" (percent of samples in 2-sigma range)
- "kurtosis" (kurtosis)
- "skewness" (skewness)

Note that the input data for the statistic summary is sent to the function calc_Statistics() depending on the log-option for the z-scale. If "log.z = TRUE", the summary is based on the logarithms of the input data. If "log.z = FALSE" the linearly scaled data is used.

Note as well, that "calc_Statistics()" calculates these statistic measures in three different ways: unweighted, weighted and MCM-based (i.e., based on Monte Carlo Methods). By default, the MCM-based version is used. If you wish to use another method, indicate this with the appropriate keyword using the argument summary.method.

The optional parameter layout allows to modify the entire plot more sophisticated. Each element of the plot can be addressed and its properties can be defined. This includes font type, size and

decoration, colours and sizes of all plot items. To infer the definition of a specific layout style cf. get_Layout() or type eg. for the layout type "journal" get_Layout("journal"). A layout type can be modified by the user by assigning new values to the list object.

It is possible for the z-scale to specify where ticks are to be drawn by using the parameter at, e.g. at = seq(80, 200, 20), cf. function documentation of axis. Specifying tick positions manually overrides a zlim-definition.

Value

returns a plot object and, optionally, a list with plot calculus data.

Function version

0.1.10 (2017-09-02 23:27:02)

How to cite

Dietze, M., Kreutzer, S. (2017). plot_AbanicoPlot(): Function to create an Abanico Plot. Function version 0.1.10. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
Sebastian Kreutzer, RAMAT-CRP2A, Universite Bordeaux Montaigne (France)
Inspired by a plot introduced by Galbraith & Green (1990)
R Luminescence Package Team
```

References

Galbraith, R. & Green, P., 1990. Estimating the component ages in a finite mixture. International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements, 17 (3), 197-206.

Dietze, M., Kreutzer, S., Burow, C., Fuchs, M.C., Fischer, M., Schmidt, C., 2015. The abanico plot: visualising chronometric data with individual standard errors. Quaternary Geochronology. doi:10.1016/j.quageo.2015.09.003

See Also

```
plot_RadialPlot, plot_KDE, plot_Histogram
```

Examples

```
## load example data and recalculate to Gray
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <- ExampleData.DeValues$CA1

## plot the example data straightforward
plot_AbanicoPlot(data = ExampleData.DeValues)

## now with linear z-scale
plot_AbanicoPlot(data = ExampleData.DeValues,</pre>
```

```
log.z = FALSE)
## now with output of the plot parameters
plot1 <- plot_AbanicoPlot(data = ExampleData.DeValues,</pre>
                          output = TRUE)
str(plot1)
plot1$zlim
## now with adjusted z-scale limits
plot_AbanicoPlot(data = ExampleData.DeValues,
                 zlim = c(10, 200))
## now with adjusted x-scale limits
plot_AbanicoPlot(data = ExampleData.DeValues,
                 xlim = c(0, 20)
## now with rug to indicate individual values in KDE part
plot_AbanicoPlot(data = ExampleData.DeValues,
                 rug = TRUE)
## now with a smaller bandwidth for the KDE plot
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bw = 0.04)
\#\# now with a histogram instead of the KDE plot
plot_AbanicoPlot(data = ExampleData.DeValues,
                 hist = TRUE,
                 kde = FALSE)
## now with a KDE plot and histogram with manual number of bins
plot_AbanicoPlot(data = ExampleData.DeValues,
                 hist = TRUE,
                 breaks = 20)
## now with a KDE plot and a dot plot
plot_AbanicoPlot(data = ExampleData.DeValues,
                 dots = TRUE)
## now with user-defined plot ratio
plot_AbanicoPlot(data = ExampleData.DeValues,
                 plot.ratio = 0.5)
## now with user-defined central value
plot_AbanicoPlot(data = ExampleData.DeValues,
                 z.0 = 70)
## now with median as central value
plot_AbanicoPlot(data = ExampleData.DeValues,
                 z.0 = "median")
## now with the 17-83 percentile range as definition of scatter
plot_AbanicoPlot(data = ExampleData.DeValues,
                 z.0 = "median",
                 dispersion = "p17")
## now with user-defined green line for minimum age model
CAM <- calc_CentralDose(ExampleData.DeValues,</pre>
                        plot = FALSE)
```

```
plot_AbanicoPlot(data = ExampleData.DeValues,
                 line = CAM,
                 line.col = "darkgreen",
                 line.label = "CAM")
## now create plot with legend, colour, different points and smaller scale
plot_AbanicoPlot(data = ExampleData.DeValues,
                 legend = "Sample 1",
                 col = "tomato4",
                 bar.col = "peachpuff",
                 pch = "R",
                 cex = 0.8)
## now without 2-sigma bar, polygon, grid lines and central value line
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bar.col = FALSE,
                 polygon.col = FALSE,
                 grid.col = FALSE,
                 y.axis = FALSE,
                 1wd = 0)
## now with direct display of De errors, without 2-sigma bar
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bar.col = FALSE,
                 ylab = "",
                 y.axis = FALSE,
                 error.bars = TRUE)
## now with user-defined axes labels
plot_AbanicoPlot(data = ExampleData.DeValues,
                 xlab = c("Data error (%)",
                          "Data precision"),
                 ylab = "Scatter",
                 zlab = "Equivalent dose [Gy]")
## now with minimum, maximum and median value indicated
plot_AbanicoPlot(data = ExampleData.DeValues,
                 stats = c("min", "max", "median"))
## now with a brief statistical summary as subheader
plot_AbanicoPlot(data = ExampleData.DeValues,
                 summary = c("n", "in.2s"))
## now with another statistical summary
plot_AbanicoPlot(data = ExampleData.DeValues,
                 summary = c("mean.weighted", "median"),
                 summary.pos = "topleft")
## now a plot with two 2-sigma bars for one data set
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bar = c(30, 100)
## now the data set is split into sub-groups, one is manipulated
data.1 <- ExampleData.DeValues[1:30,]</pre>
data.2 <- ExampleData.DeValues[31:62,] * 1.3</pre>
```

```
## now a common dataset is created from the two subgroups
data.3 <- list(data.1, data.2)</pre>
## now the two data sets are plotted in one plot
plot_AbanicoPlot(data = data.3)
## now with some graphical modification
plot_AbanicoPlot(data = data.3,
                 z.0 = "median".
                 col = c("steelblue4", "orange4"),
                 bar.col = c("steelblue3", "orange3"),
                 polygon.col = c("steelblue1", "orange1"),
                 pch = c(2, 6),
                 angle = c(30, 50),
                 summary = c("n", "in.2s", "median"))
## create Abanico plot with predefined layout definition
plot_AbanicoPlot(data = ExampleData.DeValues,
                 layout = "journal")
## now with predefined layout definition and further modifications
plot_AbanicoPlot(data = data.3,
                 z.0 = "median"
                 layout = "journal",
                 col = c("steelblue4", "orange4"),
                 bar.col = adjustcolor(c("steelblue3", "orange3"),
                                       alpha.f = 0.5),
                 polygon.col = c("steelblue3", "orange3"))
## for further information on layout definitions see documentation
## of function get_Layout()
## now with manually added plot content
## create empty plot with numeric output
AP <- plot_AbanicoPlot(data = ExampleData.DeValues,
                       pch = NA,
                       output = TRUE)
## identify data in 2 sigma range
in_2sigma <- AP$data[[1]]$data.in.2s</pre>
## restore function-internal plot parameters
par(AP$par)
## add points inside 2-sigma range
points(x = AP$data[[1]]$precision[in_2sigma],
       y = AP$data[[1]]$std.estimate.plot[in_2sigma],
       pch = 16)
## add points outside 2-sigma range
points(x = AP$data[[1]]$precision[!in_2sigma],
       y = AP$data[[1]]$std.estimate.plot[!in_2sigma],
       pch = 1)
```

plot_DetPlot 177

plot_DetPlot

Create De(t) plot

Description

Plots the equivalent dose (De) in dependency of the chosen signal integral (cf. Bailey et al., 2003). The function is simply passing several arguments to the function plot and the used analysis functions and runs it in a loop. Example: legend.pos for legend position, legend for legend text.

Usage

```
plot_DetPlot(object, signal.integral.min, signal.integral.max,
  background.integral.min, background.integral.max, method = "shift",
  signal_integral.seq = NULL, analyse_function = "analyse_SAR.CWOSL",
  analyse_function.control = list(), n.channels = NULL,
  show_ShineDownCurve = TRUE, respect_RC.Status = FALSE, verbose = TRUE,
  ...)
```

Arguments

haracter (with default): method applied for constructing the De(t) plot.

• shift (*the default*): the chosen signal integral is shifted the shine down curve,

• expansion: the chosen signal integral is expanded each time by its length

signal_integral.seq

numeric (optional): argument to provide an own signal integral sequence for constructing the De(t) plot

analyse_function

character (with default): name of the analyse function to be called. Supported functions are: 'analyse_SAR.CWOSL', 'analyse_pIRIRSequence'

analyse_function.control

list (optional): arguments to be passed to the supported analyse functions ('analyse_SAR.CWOSL',
'analyse_pIRIRSequence')

n.channels

integer (*optional*): number of channels used for the De(t) plot. If nothing is provided all De-values are calculated and plotted until the start of the background integral.

show_ShineDownCurve

logical (with default): enables or disables shine down curve in the plot output

178 plot_DetPlot

respect_RC.Status

logical (with default): remove De-values with 'FAILED' RC.Status from the

plot (cf. analyse_SAR.CWOSL and analyse_pIRIRSequence)

verbose logical (with default): enables or disables terminal feedback

... further arguments and graphical parameters passed to plot.default, analyse_SAR.CWOSL

and analyse_pIRIRSequence. See details for further information.

Details

method

The original method presented by Baiely et al., 2003 shifted the signal integrals and slightly extended them accounting for changes in the counting statistics. Example: c(1:3, 3:5, 5:7). However, here also another method is provided allowing to expand the signal integral by consectutively expaning the integral by its chosen length. Example: c(1:3, 1:5, 1:7)

Note that in both cases the integral limits are overlap. The finally applied limits are part of the function output.

Value

A plot and an RLum.Results object with the produced De values @data:

Object	Type	Description
De.values	data.frame	table with De values
signal_integral.seq	numeric	integral sequence used for the calculation

@info:

Object Type Description call the original function call

Function version

0.1.1 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). plot_DetPlot(): Create De(t) plot. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The entire analysis is based on the used analysis functions, namely analyse_SAR.CWOSL and analyse_pIRIRSequence. However, the integrity checks of this function are not that thoughtful as in these functions itself. It means, that every sequence should be checked carefully before running long calculations using serveral hundreds of channels.

plot_DRTResults 179

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Bailey, R.M., Singarayer, J.S., Ward, S., Stokes, S., 2003. Identification of partial resetting using De as a function of illumination time. Radiation Measurements 37, 511-518. doi:10.1016/S1350-4487(03)00063-5

See Also

```
plot, analyse_SAR.CWOSL, analyse_pIRIRSequence
```

Examples

 ${\tt plot_DRTResults}$

Visualise dose recovery test results

Description

The function provides a standardised plot output for dose recovery test measurements.

Usage

```
plot_DRTResults(values, given.dose = NULL, error.range = 10, preheat,
boxplot = FALSE, mtext, summary, summary.pos, legend, legend.pos,
par.local = TRUE, na.rm = FALSE, ...)
```

180 plot_DRTResults

Arguments

values RLum.Results or data.frame (required): input values containing at least De and

De error. To plot more than one data set in one figure, a list of the individual

data sets must be provided (e.g. list(dataset.1, dataset.2)).

given.dose numeric (optional): given dose used for the dose recovery test to normalise data.

> If only one given dose is provided this given dose is valid for all input data sets (i.e., values is a list). Oherwise a given dose for each input data set has to be provided (e.g., given.dose = c(100, 200)). If given.dose in NULL the values are plotted without normalisation (might be useful for preheat plateau tests).

> **Note:** Unit has to be the same as from the input values (e.g., Seconds or Gray).

numeric: symmetric error range in percent will be shown as dashed lines in the error.range plot. Set error.range to 0 to void plotting of error ranges.

numeric: optional vector of preheat temperatures to be used for grouping the De preheat

values. If specified, the temperatures are assigned to the x-axis.

logical: optionally plot values, that are grouped by preheat temperature as boxboxplot

plots. Only possible when preheat vector is specified.

character: additional text below the plot title. mtext

summary character (optional): adds numerical output to the plot. Can be one or more out

of:

• "n" (number of samples),

• "mean" (mean De value),

• "weighted\$mean" (error-weighted mean),

• "median" (median of the De values),

• "sd.rel" (relative standard deviation in percent),

• "sd.abs" (absolute standard deviation),

• "se.rel" (relative standard error) and

"se.abs" (absolute standard error)

and all other measures returned by the function calc_Statistics.

numeric or character (with default): optional position coordinates or keyword summary.pos

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this

latter option in only possible if mtext is not used.

legend character vector (optional): legend content to be added to the plot.

numeric or character (with default): optional position coordinates or keyword legend.pos

(e.g. "topright") for the legend to be plotted.

par.local logical (with default): use local graphical parameters for plotting, e.g. the plot

is shown in one column and one row. If par.local = FALSE, global parameters

are inherited, i.e. parameters provided via par() work

logical: indicating wether NA values are removed before plotting from the input na.rm

further arguments and graphical parameters passed to plot.

Details

Procedure to test the accuracy of a measurement protocol to reliably determine the dose of a specific sample. Here, the natural signal is erased and a known laboratory dose administered which is treated as unknown. Then the De measurement is carried out and the degree of congruence between administered and recovered dose is a measure of the protocol's accuracy for this sample. In the plot the normalised De is shown on the y-axis, i.e. obtained De/Given Dose.

plot_DRTResults 181

Value

A plot is returned.

Function version

```
0.1.11 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S., Dietze, M. (2017). plot_DRTResults(): Visualise dose recovery test results. Function version 0.1.11. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Further data and plot arguments can be added by using the appropriate R commands.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
Michael Dietze, GFZ Potsdam (Germany)
R Luminescence Package Team
```

References

Wintle, A.G., Murray, A.S., 2006. A review of quartz optically stimulated luminescence characteristics and their relevance in single-aliquot regeneration dating protocols. Radiation Measurements, 41, 369-391.

See Also

plot

```
## some more user-defined plot parameters
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                pch = c(2, 5),
                col = c("orange", "blue"),
                xlim = c(0, 8),
                ylim = c(0.85, 1.15),
                xlab = "Sample aliquot")
## plot the data with user-defined statistical measures as legend
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                summary = c("n", "mean.weighted", "sd"))
## plot the data with user-defined statistical measures as sub-header
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                summary = c("n", "mean.weighted", "sd"),
                summary.pos = "sub")
## plot the data grouped by preheat temperatures
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800,
                preheat = c(200, 200, 200, 240, 240))
## read example data set and misapply them for this plot type
data(ExampleData.DeValues, envir = environment())
## plot values
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800, mtext = "Example data")
## plot two data sets grouped by preheat temperatures
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                preheat = c(200, 200, 200, 240, 240))
## plot the data grouped by preheat temperatures as boxplots
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800,
                preheat = c(200, 200, 200, 240, 240),
                boxplot = TRUE)
```

plot_FilterCombinations

Plot filter combinations along with the (optional) net transmission window

Description

The function allows to plot transmission windows for different filters. Missing data for specific wavelenghts are automatically interpolated for the given filter data using the function approx. With that a standardised output is reached and a net transmission window can be shown.

Usage

```
plot_FilterCombinations(filters, wavelength_range = 200:1000,
    show_net_transmission = TRUE, interactive = FALSE, plot = TRUE, ...)
```

Arguments

filters list (required): a named list of filter data for each filter to be shown. The filter

data itself should be either provided as data.frame or matrix. (for more options

s. Details)

wavelength_range

numeric (with default): wavelength range used for the interpolation

show_net_transmission

logical (with default): show net transmission window as polygon.

interactive logical (with default): enable/disable interactive plot logical (with default): enables or disables the plot output

further arguments that can be passed to control the plot output. Suppored are

main, xlab, ylab, xlim, ylim, type, lty, lwd. For non common plotting pa-

rameters see the details section.

Details

Calculations

Net transmission window

The net transmission window of two filters is approximated by

$$T_{final} = T_1 * T_2$$

Optical density

$$OD = -log(T)$$

Total optical density

$$OD_{total} = OD_1 + OD_2$$

Please consider using own calculations for more precise values.

How to provide input data?

CASE 1

The function expects that all filter values are either of type matrix or data.frame with two columns. The first columns contains the wavelength, the second the relative transmission (but not in percentage, i.e. the maximum transmission can be only become 1).

In this case only the transmission window is show as provided. Changes in filter thickness and relection factor are not considered.

CASE 2

The filter data itself are provided as list element containing a matrix or data. frame and additional information on the thickness of the filter, e.g., $list(filter1 = list(filter_matrix, d = 2))$. The given filter data are always considered as standard input and the filter thickness value is taken into account by

 $Transmission = Transmission^{(d)}$

with d given in the same dimension as the original filter data.

CASE 3

Same as CASE 2 but additionally a reflection factor P is provided, e.g., $list(filter1 = list(filter_matrix, d = 2, The final transmission becomes:$

 $Transmission = Transmission^{(d)} * P$

Advanced plotting parameters

The following further non-common plotting parameters can be passed to the function:

Argument	Datatype	Description
legend	logical	enable/disable legend
legend.pos	character	change legend position (graphics::legend)
legend.text	character	same as the argument legend in (graphics::legend)
<pre>net_transmission.col</pre>	col	colour of net transmission window polygon
<pre>net_transmission.col_lines</pre>	col	colour of net transmission window polygon lines
<pre>net_transmission.density</pre>	numeric	specify line density in the transmission polygon
grid	list	full list of arguments that can be passd to the function graphics::grid

For further modifications standard additional R plot functions are recommend, e.g., the legend can be fully customised by disabling the standard legend and use the function graphics::legend instead.

Value

Returns an S4 object of type RLum.Results.

@data

Object	Type Description	
net_transmission_window	matrix	the resulting net transmission window
OD_total	matrix	the total optical density
filter_matrix	matrix	the filter matrix used for plotting

@info

Object	Type Description	
call	call	the original function call

Function version

0.3.0 (2017-09-02 23:29:24)

How to cite

Kreutzer, S. (2017). plot_FilterCombinations(): Plot filter combinations along with the (optional) net transmission window. Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montagine (France) R Luminescence Package Team

See Also

RLum.Results, approx

Examples

```
## (For legal reasons no real filter data are provided)
## Create filter sets
filter1 <- density(rnorm(100, mean = 450, sd = 20))
filter1 <- matrix(c(filter1$x, filter1$y/max(filter1$y)), ncol = 2)</pre>
filter2 <- matrix(c(200:799,rep(c(0,0.8,0),each = 200)), ncol = 2)
## Example 1 (standard)
plot_FilterCombinations(filters = list(filter1, filter2))
## Example 2 (with d and P value and name for filter 2)
results <- plot_FilterCombinations(</pre>
filters = list(filter_1 = filter1, Rectangle = list(filter2, d = 2, P = 0.6)))
results
## Example 3 show optical density
plot(results$OD_total)
## Not run:
##Example 4
##show the filters using the interative mode
plot_FilterCombinations(filters = list(filter1, filter2), interative = TRUE)
## End(Not run)
```

plot_GrowthCurve

Fit and plot a growth curve for luminescence data (Lx/Tx against dose)

Description

A dose response curve is produced for luminescence measurements using a regenerative or additive protocol. The function supports interpolation and extraxpolation to calculate the equivalent dose.

Usage

```
plot_GrowthCurve(sample, na.rm = TRUE, mode = "interpolation",
  fit.method = "EXP", fit.force_through_origin = FALSE,
  fit.weights = TRUE, fit.includingRepeatedRegPoints = TRUE,
  fit.NumberRegPoints = NULL, fit.NumberRegPointsReal = NULL,
```

```
fit.bounds = TRUE, NumberIterations.MC = 100, output.plot = TRUE,
output.plotExtended = TRUE, output.plotExtended.single = FALSE,
cex.global = 1, txtProgressBar = TRUE, verbose = TRUE, ...)
```

Arguments

sample

data.frame (**required**): data frame with three columns for x=Dose,y=LxTx,z=LxTx.Error, y1=TnTx. The column for the test dose response is optional, but requires 'TnTx' as column name if used. For exponential fits at least three dose points (including the natural) should be provided.

na.rm

logical (with default): excludes NA values from the data set prior to any further operations.

mode

character (with default): selects calculation mode of the function.

- "interpolation" (default) calculates the De by interpolation,
- "extrapolation" calculates the De by extrapolation and
- "alternate" calculates no De and just fits the data points.

Please note that for option "regenrative" the first point is considered as natural dose

fit.method

character (with default): function used for fitting. Possible options are:

- LIN,
- · QDR,
- EXP,
- EXP OR LIN,
- EXP+LIN or
- EXP+EXP.

See details.

fit.force_through_origin

logical (with default) allow to force the fitted function through the origin. For method = "EXP+EXP" the function will go to the origin in either case, so this option will have no effect.

fit.weights

logical (with default): option whether the fitting is done with or without weights. See details.

fit.includingRepeatedRegPoints

logical (with default): includes repeated points for fitting (TRUE/FALSE).

fit.NumberRegPoints

integer (*optional*): set number of regeneration points manually. By default the number of all (!) regeneration points is used automatically.

fit.NumberRegPointsReal

integer (*optional*): if the number of regeneration points is provided manually, the value of the real, regeneration points = all points (repeated points) including reg 0, has to be inserted.

fit.bounds

logical (with default): set lower fit bounds for all fitting parameters to 0. Limited for the use with the fit methods EXP, EXP+LIN and EXP OR LIN. Argument to be inserted for experimental application only!

NumberIterations.MC

integer (with default): number of Monte Carlo simulations for error estimation. See details.

output.plot logical (with default): plot output (TRUE/FALSE).

output.plotExtended

logical (with default): If' TRUE, 3 plots on one plot area are provided:

1. growth curve,

2. histogram from Monte Carlo error simulation and

3. a test dose response plot.

If FALSE, just the growth curve will be plotted. **Requires:** output.plot = TRUE.

output.plotExtended.single

logical (with default): single plot output (TRUE/FALSE) to allow for plotting the

results in single plot windows. Requires output.plot = TRUE and output.plotExtended = TRUE.

cex.global numeric (with default): global scaling factor.

txtProgressBar logical (with default): enables or disables txtProgressBar. If verbose = FALSE

also no txtProgressBar is shown.

verbose logical (with default): enables or disables terminal feedback.

Further arguments and graphical parameters to be passed. Note: Standard ar-

guments will only be passed to the growth curve plot. Supported: xlim, ylim,

main, xlab, ylab

Details

Fitting methods

For all options (except for the LIN, QDR and the EXP OR LIN), the minpack.lm::nlsLM function with the LM (Levenberg-Marquardt algorithm) algorithm is used. Note: For historical reasons for the Monte Carlo simulations partly the function nls using the port algorithm.

The solution is found by transforming the function or using uniroot.

LIN: fits a linear function to the data using lm:

$$y = m * x + n$$

QDR: fits a linear function to the data using lm:

$$y = a + b * x + c * x^2$$

EXP: try to fit a function of the form

$$y = a * (1 - exp(-(x+c)/b))$$

Parameters b and c are approximated by a linear fit using lm. Note: b = D0

EXP OR LIN: works for some cases where an EXP fit fails. If the EXP fit fails, a LIN fit is done instead.

EXP+LIN: tries to fit an exponential plus linear function of the form:

$$y = a * (1 - exp(-(x+c)/b) + (g * x))$$

The De is calculated by iteration.

Note: In the context of luminescence dating, this function has no physical meaning. Therefore, no D0 value is returned.

EXP+EXP: tries to fit a double exponential function of the form

$$y = (a1 * (1 - exp(-(x)/b1))) + (a2 * (1 - exp(-(x)/b2)))$$

This fitting procedure is not robust against wrong start parameters and should be further improved.

Fit weighting

If the option fit.weights = TRUE is chosen, weights are calculated using provided signal errors (Lx/Tx error):

$$fit.weights = 1/error/(sum(1/error))$$

Error estimation using Monte Carlo simulation

Error estimation is done using a Monte Carlo (MC) simulation approach. A set of Lx/Tx values is constructed by randomly drawing curve data from samled from normal distributions. The normal distribution is defined by the input values (mean = value, sd = value.error). Then, a growth curve fit is attempted for each dataset resulting in a new distribution of single De values. The sd of this distribution is becomes then the error of the De. With increasing iterations, the error value becomes more stable. **Note:** It may take some calculation time with increasing MC runs, especially for the composed functions (EXP+LIN and EXP+EXP).

Each error estimation is done with the function of the chosen fitting method.

DESCRIPTION

Subtitle information

DATA ORIECT TYPE

To avoid plotting the subtitle information, provide an empty user mtext mtext = "". To plot any other subtitle text, use mtext.

Value

Along with a plot (so far wanted) an RLum.Results object is returned containing, the slot data contains the following elements:

Dillinobale	1111	DESCRIPTION
\$De:	data.frame	Table with De values
\$De.MC:	numeric	Table with De values from MC runs
\$Fit:	nls or lm	object from the fitting for EXP, EXP+LIN and EXP+EXP. In case of a resulting linear fit w
\$Formula:	expression	Fitting formula as R expression
\$call:	call	The original function call

Function version

1.9.9 (2017-09-02 23:29:24)

How to cite

Kreutzer, S., Dietze, M. (2017). plot_GrowthCurve(): Fit and plot a growth curve for luminescence data (Lx/Tx against dose). Function version 1.9.9. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Michael Dietze, GFZ Potsdam (Germany) R Luminescence Package Team

References

Berger, G.W., Huntley, D.J., 1989. Test data for exponential fits. Ancient TL 7, 43-46.

See Also

nls, RLum.Results, get_RLum, minpack.lm::nlsLM, lm, uniroot

```
##(1) plot growth curve for a dummy data.set and show De value
data(ExampleData.LxTxData, envir = environment())
temp <- plot_GrowthCurve(LxTxData)</pre>
get_RLum(temp)
##(1a) to access the fitting value try
get_RLum(temp, data.object = "Fit")
##(2) plot the growth curve only - uncomment to use
##pdf(file = "~/Desktop/Growth_Curve_Dummy.pdf", paper = "special")
plot_GrowthCurve(LxTxData)
##dev.off()
##(3) plot growth curve with pdf output - uncomment to use, single output
##pdf(file = "~/Desktop/Growth_Curve_Dummy.pdf", paper = "special")
plot_GrowthCurve(LxTxData, output.plotExtended.single = TRUE)
##dev.off()
##(4) plot resulting function for given intervall x
x < - seq(1,10000, by = 100)
plot(
x = x,
y = eval(temp$Formula),
 type = "1"
##(5) plot using the 'extrapolation' mode
LxTxData[1,2:3] <- c(0.5, 0.001)
print(plot_GrowthCurve(LxTxData,mode = "extrapolation"))
##(6) plot using the 'alternate' mode
LxTxData[1,2:3] \leftarrow c(0.5, 0.001)
print(plot_GrowthCurve(LxTxData,mode = "alternate"))
##(7) import and fit test data set by Berger & Huntley 1989
QNL84_2_unbleached <-
read.table(system.file("extdata/QNL84_2_unbleached.txt", package = "Luminescence"))
results <- plot_GrowthCurve(
 QNL84_2_unbleached,
 mode = "extrapolation",
plot = FALSE,
 verbose = FALSE)
#calculate confidence interval for the parameters
#as alternative error estimation
confint(results$Fit, level = 0.68)
## Not run:
```

190 plot_Histogram

```
QNL84_2_bleached <-
read.table(system.file("extdata/QNL84_2_bleached.txt", package = "Luminescence"))
STRB87_1_unbleached <-
read.table(system.file("extdata/STRB87_1_unbleached.txt", package = "Luminescence"))
STRB87_1_bleached <-
read.table(system.file("extdata/STRB87_1_bleached.txt", package = "Luminescence"))
print(
plot_GrowthCurve(
QNL84_2_bleached,
mode = "alternate",
plot = FALSE,
 verbose = FALSE)$Fit)
print(
plot_GrowthCurve(
 STRB87_1_unbleached,
 mode = "alternate",
 plot = FALSE,
 verbose = FALSE)$Fit)
print(
 plot_GrowthCurve(
 STRB87_1_bleached,
mode = "alternate",
plot = FALSE,
 verbose = FALSE)$Fit)
## End(Not run)
```

plot_Histogram

Plot a histogram with separate error plot

Description

Function plots a predefined histogram with an accompanying error plot as suggested by Rex Galbraith at the UK LED in Oxford 2010.

Usage

```
plot_Histogram(data, na.rm = TRUE, mtext, cex.global, se, rug, normal_curve,
    summary, summary.pos, colour, interactive = FALSE, ...)
```

Arguments

data	data.frame or RLum.Results object ($required$): for data.frame: two columns: De (data[,1]) and De error (data[,2])
na.rm	logical (with default): excludes NA values from the data set prior to any further operations.
mtext	character (optional): further sample information (mtext).
cex.global	numeric (with default): global scaling factor.

plot_Histogram 191

se logical (optional): plots standard error points over the histogram, default is

FALSE.

rug logical (optional): adds rugs to the histogram, default is TRUE.

normal_curve logical (with default): adds a normal curve to the histogram. Mean and sd are

calculated from the input data. More see details section.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only possible if mtext is not used. In case of coordinate specifi-

cation, y-coordinate refers to the right y-axis.

colour numeric or character (with default): optional vector of length 4 which specifies

the colours of the following plot items in exactly this order: histogram bars, rug

lines, normal distribution curve and standard error points (e.g., c("grey", "black", "red", "grey")

interactive logical (with default): create an interactive histogram plot (requires the 'plotly'

package)

.. further arguments and graphical parameters passed to plot or hist. If y-axis

labels are provided, these must be specified as a vector of length 2 since the plot features two axes (e.g. ylab = c("axis label 1", "axis label 2")). Y-axes limits (ylim) must be provided as vector of length four, with the first two elements specifying the left axes limits and the latter two elements giving the

right axis limits.

Details

If the normal curve is added, the y-axis in the histogram will show the probability density.

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples),
- "mean" (mean De value),
- "mean.weighted" (error-weighted mean),
- "median" (median of the De values),
- "sdrel" (relative standard deviation in percent),
- "sdrel.weighted" (error-weighted relative standard deviation in percent),
- "sdabs" (absolute standard deviation),
- "sdabs.weighted" (error-weighted absolute standard deviation),
- "serel" (relative standard error),
- "serel.weighted" (error-weighted relative standard error),
- "seabs" (absolute standard error),
- "seabs.weighted" (error-weighted absolute standard error),
- "kurtosis" (kurtosis) and
- "skewness" (skewness).

192 plot_Histogram

Function version

```
0.4.4 (2017-09-02 23:27:02)
```

How to cite

Dietze, M., Kreutzer, S. (2017). plot_Histogram(): Plot a histogram with separate error plot. Function version 0.4.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The input data is not restricted to a special type.

Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
R Luminescence Package Team
```

See Also

hist, plot

```
## load data
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <-</pre>
  Second2Gray(ExampleData.DeValues$BT998, dose.rate = c(0.0438,0.0019))
## plot histogram the easiest way
plot_Histogram(ExampleData.DeValues)
## plot histogram with some more modifications
plot_Histogram(ExampleData.DeValues,
                rug = TRUE,
                normal_curve = TRUE,
                cex.global = 0.9,
                pch = 2,
                colour = c("grey", "black", "blue", "green"),
summary = c("n", "mean", "sdrel"),
                summary.pos = "topleft",
                main = "Histogram of De-values",
                mtext = "Example data set",
                ylab = c(expression(paste(D[e], " distribution")),
                          "Standard error"),
                xlim = c(100, 250),
                ylim = c(0, 0.1, 5, 20))
```

plot_KDE 193

plot_KDE Plot	kernel density estimate with statistics
---------------	---

Description

Plot a kernel density estimate of measurement values in combination with the actual values and associated error bars in ascending order. If enabled, the boxplot will show the usual distribution parameters (median as bold line, box delimited by the first and third quartile, whiskers defined by the extremes and outliers shown as points) and also the mean and standard deviation as pale bold line and pale polygon, respectively.

Usage

```
plot_KDE(data, na.rm = TRUE, values.cumulative = TRUE, order = TRUE,
boxplot = TRUE, rug = TRUE, summary, summary.pos,
summary.method = "MCM", bw = "nrd0", output = TRUE, ...)
```

Arguments

data.frame or RLum.Results object (required): for data.frame: two columns:

De (values[,1]) and De error (values[,2]). For plotting multiple data sets,

these must be provided as list (e.g. list(dataset1, dataset2)).

na.rm logical (with default): exclude NA values from the data set prior to any further

operation.

values.cumulative

logical (with default): show cumulative individual data.

order logical: Order data in ascending order.

boxplot logical (with default): optionally show a boxplot (depicting median as thick

central line, first and third quartile as box limits, whiskers denoting +/- 1.5 in-

terquartile ranges and dots further outliers).

rug logical (with default): optionally add rug.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only possible if mtext is not used. In case of coordinate specifi-

cation, y-coordinate refers to the right y-axis.

summary.method character (with default): keyword indicating the method used to calculate the

statistic summary. One out of "unweighted", "weighted" and "MCM". See

calc_Statistics for details.

bw character (with default): bin-width, chose a numeric value for manual setting.

output logical: Optional output of numerical plot parameters. These can be useful to

reproduce similar plots. Default is TRUE.

further arguments and graphical parameters passed to plot.

194 plot_KDE

Details

The function allows passing several plot arguments, such as main, xlab, cex. However, as the figure is an overlay of two separate plots, ylim must be specified in the order: c(ymin_axis1, ymax_axis1, ymin_axis2, ymax_axis2) when using the cumulative values plot option. See examples for some further explanations. For details on the calculation of the bin-width (parameter bw) see density.

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples)
- "mean" (mean De value)
- "median" (median of the De values)
- "sd.rel" (relative standard deviation in percent)
- "sd.abs" (absolute standard deviation)
- "se.rel" (relative standard error)
- "se.abs" (absolute standard error)
- "in.2s" (percent of samples in 2-sigma range)
- "kurtosis" (kurtosis)
- "skewness" (skewness)

Note that the input data for the statistic summary is sent to the function calc_Statistics() depending on the log-option for the z-scale. If "log.z = TRUE", the summary is based on the logarithms of the input data. If "log.z = FALSE" the linearly scaled data is used.

Note as well, that "calc_Statistics()" calculates these statistic measures in three different ways: unweighted, weighted and MCM-based (i.e., based on Monte Carlo Methods). By default, the MCM-based version is used. If you wish to use another method, indicate this with the appropriate keyword using the argument summary.method.

Function version

3.5.5 (2017-09-02 23:27:03)

How to cite

Dietze, M., Kreutzer, S. (2017). plot_KDE(): Plot kernel density estimate with statistics. Function version 3.5.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The plot output is no 'probability density' plot (cf. the discussion of Berger and Galbraith in Ancient TL; see references)!

Author(s)

Michael Dietze, GFZ Potsdam (Germany) Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne R Luminescence Package Team plot_KDE

See Also

density, plot

```
## read example data set
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <-</pre>
  Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))
## create plot straightforward
plot_KDE(data = ExampleData.DeValues)
## create plot with logarithmic x-axis
plot_KDE(data = ExampleData.DeValues,
         log = "x")
## create plot with user-defined labels and axes limits
plot_KDE(data = ExampleData.DeValues,
         main = "Dose distribution",
         xlab = "Dose (s)",
         ylab = c("KDE estimate", "Cumulative dose value"),
         xlim = c(100, 250),
         ylim = c(0, 0.08, 0, 30))
## create plot with boxplot option
plot_KDE(data = ExampleData.DeValues,
         boxplot = TRUE)
## create plot with statistical summary below header
plot_KDE(data = ExampleData.DeValues,
         summary = c("n", "median", "skewness", "in.2s"))
## create plot with statistical summary as legend
plot_KDE(data = ExampleData.DeValues,
         summary = c("n", "mean", "sd.rel", "se.abs"),
         summary.pos = "topleft")
\ensuremath{\mbox{\#\#}} split data set into sub-groups, one is manipulated, and merge again
data.1 <- ExampleData.DeValues[1:15,]</pre>
data.2 <- ExampleData.DeValues[16:25,] * 1.3</pre>
data.3 <- list(data.1, data.2)</pre>
## create plot with two subsets straightforward
plot_KDE(data = data.3)
## create plot with two subsets and summary legend at user coordinates
plot_KDE(data = data.3,
         summary = c("n", "median", "skewness"),
         summary.pos = c(110, 0.07),
         col = c("blue", "orange"))
## example of how to use the numerical output of the function
## return plot output to draw a thicker KDE line
KDE_out <- plot_KDE(data = ExampleData.DeValues,</pre>
```

196 plot_NRt

```
output = TRUE)
```

plot_NRt

Visualise natural/regenerated signal ratios

Description

This function creates a Natural/Regenerated signal vs. time (NR(t)) plot as shown in Steffen et al. 2009

Usage

```
plot_NRt(data, log = FALSE, smooth = c("none", "spline", "rmean"), k = 3,
  legend = TRUE, legend.pos = "topright", ...)
```

Arguments

data	list, data.frame, matrix or RLum.Analysis (required): X,Y data of measured values (time and counts). See details on individual data structure.
log	character (optional): logarithmic axes (c("x", "y", "xy")).
smooth	character (<i>optional</i>): apply data smoothing. Use "rmean" to calculate the rolling where k determines the width of the rolling window (see rollmean). "spline" applies a smoothing spline to each curve (see smooth.spline)
k	integer (with default): integer width of the rolling window.
legend	logical (with default): show or hide the plot legend.
legend.pos	character (with default): keyword specifying the position of the legend (see legend).

... further parameters passed to plot (also see par).

Details

This function accepts the individual curve data in many different formats. If data is a list, each element of the list must contain a two column data. frame or matrix containing the XY data of the curves (time and counts). Alternatively, the elements can be objects of class RLum.Data.Curve.

Input values can also be provided as a data. frame or matrix where the first column contains the time values and each following column contains the counts of each curve.

Value

Returns a plot and RLum. Analysis object.

How to cite

Burow, C. (2017). plot_NRt(): Visualise natural/regenerated signal ratios. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany)

plot_NRt 197

References

Steffen, D., Preusser, F., Schlunegger, F., 2009. OSL quartz underestimation due to unstable signal components. Quaternary Geochronology, 4, 353-362.

See Also

plot

```
## load example data
data("ExampleData.BINfileData", envir = environment())
## EXAMPLE 1
## convert Risoe.BINfileData object to RLum.Analysis object
data <- Risoe.BINfileData2RLum.Analysis(object = CWOSL.SAR.Data, pos = 8, ltype = "OSL")</pre>
## extract all OSL curves
allCurves <- get_RLum(data)</pre>
## keep only the natural and regenerated signal curves
pos < - seq(1, 9, 2)
curves <- allCurves[pos]</pre>
## plot a standard NR(t) plot
plot_NRt(curves)
## re-plot with rolling mean data smoothing
plot_NRt(curves, smooth = "rmean", k = 10)
## re-plot with a logarithmic x-axis
plot_NRt(curves, log = "x", smooth = "rmean", k = 5)
## re-plot with custom axes ranges
plot_NRt(curves, smooth = "rmean", k = 5,
         xlim = c(0.1, 5), ylim = c(0.4, 1.6),
         legend.pos = "bottomleft")
## re-plot with smoothing spline on log scale
plot_NRt(curves, smooth = "spline", log = "x",
         legend.pos = "top")
## EXAMPLE 2
# you may also use this function to check whether all
\# TD curves follow the same shape (making it a TnTx(t) plot).
posTD <- seq(2, 14, 2)
curves <- allCurves[posTD]</pre>
plot_NRt(curves, main = "TnTx(t) Plot",
         smooth = "rmean", k = 20,
         ylab = "TD natural / TD regenerated",
         xlim = c(0, 20), legend = FALSE)
```

```
## EXAMPLE 3
# extract data from all positions
data <- lapply(1:24, FUN = function(pos) {</pre>
   Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos = pos, ltype = "OSL")
})
# get individual curve data from each aliquot
aliquot <- lapply(data, get_RLum)</pre>
# set graphical parameters
par(mfrow = c(2, 2))
# create NR(t) plots for all aliquots
for (i in 1:length(aliquot)) {
   plot_NRt(aliquot[[i]][pos],
            main = paste0("Aliquot #", i),
            smooth = "rmean", k = 20,
            xlim = c(0, 10),
            cex = 0.6, legend.pos = "bottomleft")
}
# reset graphical parameters
par(mfrow = c(1, 1))
```

plot_RadialPlot

Function to create a Radial Plot

Description

A Galbraith's radial plot is produced on a logarithmic or a linear scale.

Usage

```
plot_RadialPlot(data, na.rm = TRUE, log.z = TRUE, central.value,
  centrality = "mean.weighted", mtext, summary, summary.pos, legend,
  legend.pos, stats, rug = FALSE, plot.ratio, bar.col, y.ticks = TRUE,
  grid.col, line, line.col, line.label, output = FALSE, ...)
```

Arguments

data	data.frame or RLum.Results object (required): for data.frame two columns: De (data[,1]) and De error (data[,2]). To plot several data sets in one plot, the data sets must be provided as list, e.g. list(data.1, data.2).
na.rm	logical (with default): excludes NA values from the data set prior to any further operations.
log.z	logical (with default): Option to display the z-axis in logarithmic scale. Default is TRUE.
central.value	numeric: User-defined central value, primarily used for horizontal centering of the z-axis.

centrality

character or numeric (with default): measure of centrality, used for automatically centering the plot and drawing the central line. Can either be one out of

- "mean",
- "median",
- "mean.weighted" and
- "median.weighted" or a
- numeric value used for the standardisation.

mtext character: additional text below the plot title.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this

latter option is only possible if mtext is not used.

legend character vector (optional): legend content to be added to the plot.

legend.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the legend to be plotted.

stats character: additional labels of statistically important values in the plot. One or

more out of the following:

- "min",
- "max",
- "median".

rug logical: Option to add a rug to the z-scale, to indicate the location of individual

values

plot.ratio numeric: User-defined plot area ratio (i.e. curvature of the z-axis). If omitted,

the default value (4.5/5.5) is used and modified automatically to optimise the z-axis curvature. The parameter should be decreased when data points are plotted

outside the z-axis or when the z-axis gets too elliptic.

bar.col character or numeric (with default): colour of the bar showing the 2-sigma range

around the central value. To disable the bar, use "none". Default is "grey".

y.ticks logical: Option to hide y-axis labels. Useful for data with small scatter.

grid.col character or numeric (with default): colour of the grid lines (originating at [0,0]

and stretching to the z-scale). To disable grid lines, use "none". Default is

"grey".

line numeric: numeric values of the additional lines to be added.

line.col character or numeric: colour of the additional lines.

line.label character: labels for the additional lines.

output logical: Optional output of numerical plot parameters. These can be useful to

reproduce similar plots. Default is FALSE.

... Further plot arguments to pass. xlab must be a vector of length 2, specifying

the upper and lower x-axes labels.

Details

Details and the theoretical background of the radial plot are given in the cited literature. This function is based on an S script of Rex Galbraith. To reduce the manual adjustments, the function has been rewritten. Thanks to Rex Galbraith for useful comments on this function.

Plotting can be disabled by adding the argument plot = "FALSE", e.g. to return only numeric plot output.

Earlier versions of the Radial Plot in this package had the 2-sigma-bar drawn onto the z-axis. However, this might have caused misunderstanding in that the 2-sigma range may also refer to the z-scale, which it does not! Rather it applies only to the x-y-coordinate system (standardised error vs. precision). A spread in doses or ages must be drawn as lines originating at zero precision (x0) and zero standardised estimate (y0). Such a range may be drawn by adding lines to the radial plot (line, line.col, line.label, cf. examples).

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples),
- "mean" (mean De value),
- "mean.weighted" (error-weighted mean),
- "median" (median of the De values),
- "sdre1" (relative standard deviation in percent),
- "sdrel.weighted" (error-weighted relative standard deviation in percent),
- "sdabs" (absolute standard deviation),
- "sdabs.weighted" (error-weighted absolute standard deviation),
- "serel" (relative standard error),
- "serel.weighted" (error-weighted relative standard error),
- "seabs" (absolute standard error),
- "seabs.weighted" (error-weighted absolute standard error),
- "in.2s" (percent of samples in 2-sigma range),
- "kurtosis" (kurtosis) and
- "skewness" (skewness).

Value

Returns a plot object.

Function version

0.5.4 (2017-09-02 23:29:24)

How to cite

Dietze, M., Kreutzer, S. (2017). plot_RadialPlot(): Function to create a Radial Plot. Function version 0.5.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Michael Dietze, GFZ Potsdam (Germany) Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Based on a rewritten S script of Rex Galbraith, 2010 R Luminescence Package Team

References

Galbraith, R.F., 1988. Graphical Display of Estimates Having Differing Standard Errors. Technometrics, 30 (3), 271-281.

Galbraith, R.F., 1990. The radial plot: Graphical assessment of spread in ages. International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements, 17 (3), 207-214.

Galbraith, R. & Green, P., 1990. Estimating the component ages in a finite mixture. International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements, 17 (3) 197-206.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks And Radiation Measurements, 21 (4), 459-470.

Galbraith, R.F., 1994. Some Applications of Radial Plots. Journal of the American Statistical Association, 89 (428), 1232-1242.

Galbraith, R.F., 2010. On plotting OSL equivalent doses. Ancient TL, 28 (1), 1-10.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology, 11, 1-27.

See Also

```
plot, plot_KDE, plot_Histogram
```

```
## load example data
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <- Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))</pre>
## plot the example data straightforward
plot_RadialPlot(data = ExampleData.DeValues)
## now with linear z-scale
plot_RadialPlot(data = ExampleData.DeValues,
                log.z = FALSE)
## now with output of the plot parameters
plot1 <- plot_RadialPlot(data = ExampleData.DeValues,</pre>
                         log.z = FALSE,
                          output = TRUE)
plot1
plot1$zlim
## now with adjusted z-scale limits
plot_RadialPlot(data = ExampleData.DeValues,
```

```
log.z = FALSE,
               zlim = c(100, 200)
## now the two plots with serious but seasonally changing fun
#plot_RadialPlot(data = data.3, fun = TRUE)
## now with user-defined central value, in log-scale again
plot_RadialPlot(data = ExampleData.DeValues,
                central.value = 150)
## now with a rug, indicating individual De values at the z-scale
plot_RadialPlot(data = ExampleData.DeValues,
                rug = TRUE)
## now with legend, colour, different points and smaller scale
plot_RadialPlot(data = ExampleData.DeValues,
                legend.text = "Sample 1",
                col = "tomato4",
                bar.col = "peachpuff",
                pch = "R"
                cex = 0.8)
## now without 2-sigma bar, y-axis, grid lines and central value line
plot_RadialPlot(data = ExampleData.DeValues,
                bar.col = "none",
                grid.col = "none",
                y.ticks = FALSE,
                1wd = 0)
## now with user-defined axes labels
plot_RadialPlot(data = ExampleData.DeValues,
                xlab = c("Data error (%)",
                         "Data precision"),
                ylab = "Scatter",
                zlab = "Equivalent dose [Gy]")
## now with minimum, maximum and median value indicated
plot_RadialPlot(data = ExampleData.DeValues,
                central.value = 150,
                stats = c("min", "max", "median"))
## now with a brief statistical summary
plot_RadialPlot(data = ExampleData.DeValues,
                summary = c("n", "in.2s"))
## now with another statistical summary as subheader
plot_RadialPlot(data = ExampleData.DeValues,
                summary = c("mean.weighted", "median"),
                summary.pos = "sub")
## now the data set is split into sub-groups, one is manipulated
data.1 <- ExampleData.DeValues[1:15,]</pre>
data.2 <- ExampleData.DeValues[16:25,] * 1.3</pre>
## now a common dataset is created from the two subgroups
data.3 <- list(data.1, data.2)</pre>
```

1,

plot_Risoe.BINfileData

Plot single luminescence curves from a BIN file object

Description

Plots single luminescence curves from an object returned by the read_BIN2R function.

Usage

```
plot_Risoe.BINfileData(BINfileData, position, run, set, sorter = "POSITION",
  ltype = c("IRSL", "OSL", "TL", "RIR", "RBR", "RL"), curve.transformation,
  dose_rate, temp.lab, cex.global = 1, ...)
```

Arguments

	BINfileData	Risoe.BINfileData (required): requires an S4 object returned by the read_BIN2R function.
	position	vector (optional): option to limit the plotted curves by position (e.g. position = 1 position = $c(1,3,5)$).
	run	vector (optional): option to limit the plotted curves by run (e.g., run = 1 , run = $c(1,3,5)$).
	set	vector (optional): option to limit the plotted curves by set (e.g., set = 1 , set = $c(1,3,5)$).
	sorter	character (with default): the plot output can be ordered by "POSITION", "SET" or "RUN". POSITION, SET and RUN are options defined in the Risoe Sequence Editor.
	ltype	character (with default): option to limit the plotted curves by the type of luminescence stimulation. Allowed values: "IRSL", "OSL", "TL", "RIR", "RBR" (corresponds to LM-OSL), "RL". All type of curves are plotted by default.
curve.transformation		
		character (<i>optional</i>): allows transforming CW-OSL and CW-IRSL curves to pseudo-LM curves via transformation functions. Allowed values are: CW2pLM, CW2pLMi, CW2pHMi and CW2pPMi. See details.
	dose_rate	numeric (<i>optional</i>): dose rate of the irradition source at the measurement date. If set, the given irradiation dose will be shown in Gy. See details.

temp.lab character (optional): option to allow for different temperature units. If no value

is set deg. C is chosen.

cex.global numeric (with default): global scaling factor.

... further undocumented plot arguments.

Details

Nomenclature

See Risoe.BINfileData

curve.transformation

This argument allows transforming continuous wave (CW) curves to pseudo (linear) modulated curves. For the transformation, the functions of the package are used. Currently, it is not possible to pass further arguments to the transformation functions. The argument works only for 1type OSL and IRSL.

Irradiation time

Plotting the irradiation time (s) or the given dose (Gy) requires that the variable IRR_TIME has been set within the BIN-file. This is normally done by using the 'Run Info' option within the Sequence Editor or by editing in R.

Value

Returns a plot.

Function version

0.4.1 (2017-09-02 23:27:02)

How to cite

Kreutzer, S., Dietze, M. (2017). plot_Risoe.BINfileData(): Plot single luminescence curves from a BIN file object. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The function has been successfully tested for the Sequence Editor file output version 3 and 4.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Michael Dietze, GFZ Potsdam (Germany) R Luminescence Package Team

References

Duller, G., 2007. Analyst. pp. 1-45.

See Also

Risoe.BINfileData,read_BIN2R, CW2pLM, CW2pLMi, CW2pPMi, CW2pHMi

plot_RLum 205

Examples

```
##load data
data(ExampleData.BINfileData, envir = environment())

##plot all curves from the first position to the desktop
#pdf(file = "~/Desktop/CurveOutput.pdf", paper = "a4", height = 11, onefile = TRUE)

##example - load from *.bin file
#BINfile<- file.choose()
#BINfileData<-read_BIN2R(BINfile)

#par(mfrow = c(4,3), oma = c(0.5,1,0.5,1))
#plot_Risoe.BINfileData(CWOSL.SAR.Data,position = 1)
#mtext(side = 4, BINfile, outer = TRUE, col = "blue", cex = .7)
#dev.off()</pre>
```

plot_RLum

General plot function for RLum S4 class objects

Description

Function calls object specific plot functions for RLum S4 class objects.

Usage

```
plot_RLum(object, ...)
```

Arguments

object

RLum (**required**): S4 object of class RLum. Optional a list containing objects of class RLum can be provided. In this case the function tries to plot every object in this list according to its RLum class.

. . .

further arguments and graphical parameters that will be passed to the specific plot functions. The only argument that is supported directly is main (setting the plot title). In contrast to the normal behaviour main can be here provided as list and the arguments in the list will dispatched to the plots if the object is of type list as well.

Details

The function provides a generalised access point for plotting specific RLum objects. Depending on the input object, the corresponding plot function will be selected. Allowed arguments can be found in the documentations of each plot function.

objectcorresponding plot functionRLum.Data.Curve: plot_RLum.Data.CurveRLum.Data.Spectrum: plot_RLum.Data.SpectrumRLum.Data.Image: plot_RLum.Data.ImageRLum.Analysis: plot_RLum.AnalysisRLum.Results: plot_RLum.Results

Value

Returns a plot.

Function version

```
0.4.3 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). plot_RLum(): General plot function for RLum S4 class objects. Function version 0.4.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The provided plot output depends on the input object.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

plot_RLum.Data.Curve, RLum.Data.Curve, plot_RLum.Data.Spectrum, RLum.Data.Spectrum, plot_RLum.Data.Image.RLum.Data.Image, plot_RLum.Analysis, RLum.Analysis, plot_RLum.Results

Examples

```
#load Example data
data(ExampleData.CW_OSL_Curve, envir = environment())
#transform data.frame to RLum.Data.Curve object
temp <- as(ExampleData.CW_OSL_Curve, "RLum.Data.Curve")
#plot RLum object
plot_RLum(temp)</pre>
```

plot_RLum.Analysis

Plot function for an RLum. Analysis S4 class object

Description

The function provides a standardised plot output for curve data of an RLum. Analysis S4 class object

Usage

```
plot_RLum.Analysis(object, subset = NULL, nrows, ncols, abline = NULL,
  combine = FALSE, curve.transformation, plot.single = FALSE, ...)
```

plot_RLum.Analysis 207

Arguments

object	RLum.Analysis (required): S4 object of class RLum.Analysis	
subset	named list (optional): subsets elements for plotting. The arguments in the named list will be directly passed to the function get_RLum (e.g., subset = list(curveType = "measured")	
nrows	integer (optional): sets number of rows for plot output, if nothing is set the function tries to find a value.	
ncols	integer (optional): sets number of columns for plot output, if nothing is set the function tries to find a value.	
abline	list (optional): allows to add ablines to the plot. Argument are provided in a list and will be forwared to the function abline, e.g., $list(v = c(10, 100))$ adds two vertical lines add 10 and 100 to all plots. In contrast $list(v = c(10), v = c(100))$ adds a vertical at 10 to the first and a vertical line at 100 to the 2nd plot.	
combine	logical (with default): allows to combine all RLum.Data.Curve objects in one single plot.	
curve.transformation		
	character (<i>optional</i>): allows transforming CW-OSL and CW-IRSL curves to pseudo-LM curves via transformation functions. Allowed values are: CW2pLM, CW2pLMi, CW2pHMi and CW2pPMi. See details.	
plot.single	logical (with default): global par settings are considered, normally this should end in one plot per page	
	further arguments and graphical parameters will be passed to the plot function.	
	Supported arguments: main, mtext, log, lwd, lty type, pch, col, norm, xlim, ylim, xlab, ylab	
	and for combine = TRUE also: sub, legend, legend.text, legend.pos (typical plus 'outside'), legend.col, smooth.	
	All arguments can be provided as vector or list to gain in full control of all plot settings.	

Details

The function produces a multiple plot output. A file output is recommended (e.g., pdf).

curve.transformation

This argument allows transforming continuous wave (CW) curves to pseudo (linear) modulated curves. For the transformation, the functions of the package are used. Currently, it is not possible to pass further arguments to the transformation functions. The argument works only for 1type OSL and IRSL.

Please note: The curve transformation within this functions works roughly, i.e. every IRSL or OSL curve is transformed, without considerung whether it is measured with the PMT or not! However, for a fast look it might be helpful.

Value

Returns multiple plots.

Function version

0.3.8 (2017-09-02 23:27:03)

How to cite

Kreutzer, S. (2017). plot_RLum.Analysis(): Plot function for an RLum.Analysis S4 class object. Function version 0.3.8. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Not all arguments available for plot will be passed! Only plotting of RLum. Data. Curve and RLum. Data. Spectrum objects are currently supported.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

plot, plot_RLum, plot_RLum.Data.Curve

```
##load data
data(ExampleData.BINfileData, envir = environment())
##convert values for position 1
temp <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
##(1) plot (combine) TL curves in one plot
plot_RLum.Analysis(
subset = list(recordType = "TL"),
combine = TRUE,
norm = TRUE,
abline = list(v = c(110))
)
##(2) same as example (1) but using
## the argument smooth = TRUE
plot_RLum.Analysis(
temp,
subset = list(recordType = "TL"),
combine = TRUE,
norm = TRUE,
smooth = TRUE,
abline = list(v = c(110))
```

plot_RLum.Data.Curve Plot function for an RLum.Data.Curve S4 class object

Description

The function provides a standardised plot output for curve data of an RLum.Data.Curve S4 class object

Usage

```
plot_RLum.Data.Curve(object, par.local = TRUE, norm = FALSE,
    smooth = FALSE, ...)
```

Arguments

object	RLum.Data.Curve (required): S4 object of class RLum.Data.Curve
par.local	logical (with default): use local graphical parameters for plotting, e.g. the plot is shown in one column and one row. If par.local = FALSE, global parameters are inherited.
norm	logical (with default): allows curve normalisation to the highest count value
smooth	logical (with default): provides an automatic curve smoothing based on zoo::rollmean
	further arguments and graphical parameters that will be passed to the plot function

Details

Only single curve data can be plotted with this function. Arguments according to plot.

Value

Returns a plot.

Function version

```
0.2.3 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). plot_RLum.Data.Curve(): Plot function for an RLum.Data.Curve S4 class object. Function version 0.2.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Not all arguments of plot will be passed!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

```
plot, plot_RLum
```

Examples

```
##plot curve data
#load Example data
data(ExampleData.CW_OSL_Curve, envir = environment())
#transform data.frame to RLum.Data.Curve object
temp <- as(ExampleData.CW_OSL_Curve, "RLum.Data.Curve")
#plot RLum.Data.Curve object
plot_RLum.Data.Curve(temp)</pre>
```

```
plot_RLum.Data.Image Plot function for an RLum.Data.Image S4 class object
```

Description

The function provides a standardised plot output for image data of an RLum.Data.ImageS4 class object, mainly using the plot functions provided by the raster package.

Usage

```
plot_RLum.Data.Image(object, par.local = TRUE, plot.type = "plot.raster",
    ...)
```

Arguments

object	RLum.Data.Image (required): S4 object of class RLum.Data.Image
par.local	logical (with default): use local graphical parameters for plotting, e.g. the plot is shown in one column and one row. If par.local = FALSE global parameters are inherited.
plot.type	$\frac{\text{character}(\textit{with}\textit{default})\text{: plot}\text{types.}\text{Supported}\text{types}\text{are}\text{plot}.\text{raster},\text{plot}\text{RGB}\text{or}\text{contour}$
•••	further arguments and graphical parameters that will be passed to the specific plot functions.

Details

Details on the plot functions

Image is visualised as 2D plot usinng generic plot types provided by other packages.

Supported plot types:

```
plot.type = "plot.raster"
```

Uses the standard plot function for raster data from the package raster::raster: raster::plot. For each raster layer in a raster brick one plot is produced.

Arguments that are passed through the function call:

```
\verb|main|, \verb|axes|, \verb|xlab|, \verb|ylab|, \verb|xlim|, \verb|ylim|, \verb|col|
```

```
plot.type = "plotRGB"
```

Uses the function raster::plotRGB from the raster::raster package. Only one image plot is produced as all layers in a brick a combined. This plot type is useful to see whether any signal is recorded by the camera.

Arguments that are passed through the function call:

```
main,axes, xlab, ylab, ext, interpolate, maxpixels, alpha, colNA, stretch
```

```
plot.type = "contour"
```

Uses the function contour plot function from the raster function (raster::contour). For each raster layer one contour plot is produced. Arguments that are passed through the function call:

```
main,axes, xlab, ylab, xlim, ylim, col
```

Value

Returns a plot.

Function version

```
0.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). plot_RLum.Data.Image(): Plot function for an RLum.Data.Image S4 class object. Function version 0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function has been created to faciliate the plotting of image data imported by the function read_SPE2R. However, so far the function is not optimized to handle image data > ca. 200 MByte and thus plotting of such data is extremely slow.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Data.Image, plot, plot_RLum, raster::raster

Examples

```
##load data
data(ExampleData.RLum.Data.Image, envir = environment())
##plot data
plot_RLum.Data.Image(ExampleData.RLum.Data.Image)
```

```
plot_RLum.Data.Spectrum
```

Plot function for an RLum.Data.Spectrum S4 class object

Description

The function provides a standardised plot output for spectrum data of an RLum.Data.Spectrum S4 class object

Usage

```
plot_RLum.Data.Spectrum(object, par.local = TRUE, plot.type = "contour",
  optical.wavelength.colours = TRUE, bg.channels, bin.rows = 1,
  bin.cols = 1, rug = TRUE, limit_counts = NULL, xaxis.energy = FALSE,
  legend.text, ...)
```

Arguments

object RLum.Data.Spectrum or matrix (**required**): S4 object of class RLum.Data.Spectrum

or a matrix containing count values of the spectrum.

Please note that in case of a matrix rownames and colnames are set automatically

if not provided.

par.local logical (with default): use local graphical parameters for plotting, e.g. the plot

is shown in one column and one row. If par.local = FALSE global parameters

are inherited.

plot.type character (with default): plot type, for 3D-plot use persp, or interactive, for

a 2D-plot contour, single or multiple.lines (along the time or temperature

axis) or transect (along the wavelength axis)

optical.wavelength.colours

logical (with default): use optical wavelength colour palette. Note: For this, the spectrum range is limited: c(350,750). Own colours can be set with the

argument col.

bg.channels vector (optional): defines channel for background subtraction If a vector is pro-

vided the mean of the channels is used for subtraction.

Note: Background subtraction is applied prior to channel binning

bin.rows integer (with defaul): allow summing-up wavelength channels (horizontal bin-

ning), e.g. bin.rows = 2 two channels are summed up

bin.cols integer (with default): allow summing-up channel counts (vertical binning) for

plotting, e.g. bin.cols = 2 two channels are summed up

rug	logical (with default): enables or disables colour rug. Currently only implemented for plot type multiple.lines and single
limit_counts	numeric (optional): value to limit all count values to this value, i.e. all count values above this threshold will be replaced by this threshold. This is helpful especially in case of TL-spectra.
xaxis.energy	logical (with default): enables or disables energy instead of wavelength axis. Note: This option means not only simply redrawing the axis, instead the spectrum in terms of intensity is recalculated, s. details.
legend.text	<pre>character (with default): possiblity to provide own legend text. This argument is only considered for plot types providing a legend, e.g. plot.type="transect"</pre>
	further arguments and graphical parameters that will be passed to the plot function.

Details

Matrix structure

(cf. RLum.Data.Spectrum)

- rows (x-values): wavelengths/channels (xlim, xlab)
- columns (y-values): time/temperature (ylim, ylab)
- cells (z-values): count values (zlim, zlab)

Note: This nomenclature is valid for all plot types of this function!

Nomenclature for value limiting

- xlim: Limits values along the wavelength axis
- ylim: Limits values along the time/temperature axis
- zlim: Limits values along the count value axis

Energy axis re-calculation

If the argument xaxis.energy = TRUE is chosen, instead intensity vs. wavelength the spectrum is plotted as intensity vs. energy. Therefore the entire spectrum is re-recaluated (e.g., Appendix 4 in Blasse and Grabmeier, 1994):

The intensity of the spectrum (z-values) is re-calcualted using the following equation:

$$\phi_E = \phi_\lambda * \lambda^2 / (hc)$$

with ϕ_E the intensity per interval of energy E (eV), ϕ_{λ} the intensity per interval of wavelength λ (nm) and h (eV/s) the Planck constant and c (m/s) the velocity of light.

For transforming the wavelength axis (x-values) the equation

$$E = hc/\lambda$$

is used. For further details please see the cited the literature.

Details on the plot functions

Spectrum is visualised as 3D or 2D plot. Both plot types are based on internal R plot functions.

Arguments that will be passed to persp:

shade: default is 0.4
phi: default is 15
theta: default is -30
expand: default is 1

• ticktype: default is detailed, r: default is 10

Note: Further parameters can be adjusted via par. For example to set the background transparent and reduce the thickness of the lines use: par(bg = NA, 1wd = 0.7) previous the function call.

```
plot.type = "single"
```

Per frame a single curve is returned. Frames are time or temperature steps.

```
plot.type = "multiple.lines"
All frames plotted in one frame.
```

```
plot.type = "transect"
```

Depending on the selected wavelength/channel range a transect over the time/temperature (y-axis) will be plotted along the wavelength/channels (x-axis). If the range contains more than one channel, values (z-values) are summed up. To select a transect use the xlim argument, e.g. xlim = c(300, 310) plot along the summed up count values of channel 300 to 310.

Further arguments that will be passed (depending on the plot type)

xlab, ylab, zlab, xlim, ylim, zlim, main, mtext, pch, type ("single", "multiple.lines", "interactive"), col, border, box lwd, bty, showscale ("interactive")

Value

Returns a plot.

Function version

0.5.3 (2017-09-02 23:29:24)

How to cite

Kreutzer, S. (2017). plot_RLum.Data.Spectrum(): Plot function for an RLum.Data.Spectrum S4 class object. Function version 0.5.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Not all additional arguments (...) will be passed similarly!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Blasse, G., Grabmaier, B.C., 1994. Luminescent Materials. Springer.

See Also

RLum.Data.Spectrum, plot, plot_RLum, persp, plotly::plot_ly, contour

```
##load example data
data(ExampleData.XSYG, envir = environment())
##(1)plot simple spectrum (2D) - contour
plot_RLum.Data.Spectrum(TL.Spectrum,
                        plot.type="contour",
                        xlim = c(310,750),
                        ylim = c(0,300),
                        bin.rows=10,
                        bin.cols = 1)
##(2) plot spectrum (3D)
plot_RLum.Data.Spectrum(TL.Spectrum,
                        plot.type="persp",
                        xlim = c(310,750),
                        ylim = c(0,100),
                        bin.rows=10,
                        bin.cols = 1)
##(3) plot multiple lines (2D) - multiple.lines (with ylim)
plot_RLum.Data.Spectrum(TL.Spectrum,
                        plot.type="multiple.lines",
                        xlim = c(310,750),
                        ylim = c(0,100),
                        bin.rows=10,
                        bin.cols = 1)
## Not run:
 ##(4) interactive plot using the package plotly ("surface")
 plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="interactive",
 xlim = c(310,750), ylim = c(0,300), bin.rows=10,
 bin.cols = 1)
 ##(5) interactive plot using the package plotly ("contour")
 plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="interactive",
 xlim = c(310,750), ylim = c(0,300), bin.rows=10,
 bin.cols = 1,
 type = "contour"
 showscale = TRUE)
 ##(6) interactive plot using the package plotly ("heatmap")
 plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="interactive",
 xlim = c(310,750), ylim = c(0,300), bin.rows=10,
 bin.cols = 1,
 type = "heatmap",
 showscale = TRUE)
 ##(7) alternative using the package fields
 fields::image.plot(get_RLum(TL.Spectrum))
 contour(get_RLum(TL.Spectrum), add = TRUE)
```

216 plot_RLum.Results

```
## End(Not run)
```

plot_RLum.Results

Plot function for an RLum.Results S4 class object

Description

The function provides a standardised plot output for data of an RLum.Results S4 class object

Usage

```
plot_RLum.Results(object, single = TRUE, ...)
```

Arguments

object RLum.Results (required): S4 object of class RLum.Results

single logical (with default): single plot output (TRUE/FALSE) to allow for plotting the

results in as few plot windows as possible.

... further arguments and graphical parameters will be passed to the plot function.

Details

The function produces a multiple plot output. A file output is recommended (e.g., pdf).

Value

Returns multiple plots.

Function version

```
0.2.1 (2017-09-02 23:27:02)
```

How to cite

Burow, C., Kreutzer, S. (2017). plot_RLum.Results(): Plot function for an RLum.Results S4 class object. Function version 0.2.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Not all arguments available for plot will be passed! Only plotting of RLum.Results objects are supported.

Author(s)

```
Christoph Burow, University of Cologne (Germany)
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
R Luminescence Package Team
```

plot_ViolinPlot 217

See Also

```
plot, plot_RLum
```

Examples

```
###load data
data(ExampleData.DeValues, envir = environment())

# apply the un-logged minimum age model
mam <- calc_MinDose(data = ExampleData.DeValues$CA1, sigmab = 0.2, log = TRUE, plot = FALSE)

##plot
plot_RLum.Results(mam)

# estimate the number of grains on an aliquot
grains<- calc_AliquotSize(grain.size = c(100,150), sample.diameter = 1, plot = FALSE, MC.iter = 100)

##plot
plot_RLum.Results(grains)</pre>
```

plot_ViolinPlot

Create a violin plot

Description

Draws a kernal density plot in combination with a boxplot in its middle. The shape of the violin is constructed using a mirrored density curve. This plot is especially designed for cases where the individual errors are zero or to small to be visualised. The idea for this plot is based on the the 'volcano plot' in the ggplot2 package by Hadely Wickham and Winston Chang. The general idea for the Violin Plot seems to be introduced by Hintze and Nelson (1998).

Usage

```
plot_ViolinPlot(data, boxplot = TRUE, rug = TRUE, summary = NULL,
    summary.pos = "sub", na.rm = TRUE, ...)
```

Arguments

data numeric or RLum.Results (required): input data for plotting. Alternatively a

data.frame or a matrix can be provided, but only the first column will be consid-

ered by the function

boxplot logical (with default): enable or disable boxplot rug logical (with default): enable or disable rug

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

218 plot_ViolinPlot

numeric or character (with default): optional position keywords (cf., legend) for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only possible if mtext is not used.
 logical (with default): exclude NA values from the data set prior to any further operations.
 further arguments and graphical parameters passed to plot.default, stats::density and boxplot. See details for further information

Details

The function is passing several arguments to the function plot, stats::density, graphics::boxplot: Supported arguments are: xlim, main, xlab, ylab, col.violin, col.boxplot, mtext, cex, mtext Valid summary keywords

```
'n', 'mean', 'median', 'sd.abs', 'sd.rel', 'se.abs', 'se.rel'. 'skewness', 'kurtosis'
```

Function version

0.1.4 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). plot_ViolinPlot(): Create a violin plot. Function version 0.1.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Although the code for this function was developed independently and just the idea for the plot was based on the 'ggplot2' package plot type 'volcano', it should be mentioned that, beyond this, two other R packages exist providing a possibility to produces this kind of plot, namely: 'vioplot' and 'violinmplot' (see References for details).

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Daniel Adler (2005). vioplot: A violin plot is a combination of a box plot and a kernel density plot. R package version 0.2 http://CRAN.R-project.org/package=violplot

Hintze, J.L., Nelson, R.D., 1998. A Box Plot-Density Trace Synergism. The American Statistician 52, 181-184.

Raphael W. Majeed (2012). violinmplot: Combination of violin plot with mean and standard deviation. R package version 0.2.1. http://CRAN.R-project.org/package=violinmplot

Wickham. H (2009). ggplot2: elegant graphics for data analysis. Springer New York.

See Also

stats::density, plot, boxplot, rug, calc_Statistics

PSL2Risoe.BINfileData 219

Examples

```
## read example data set
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <- Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))
## create plot straightforward
plot_ViolinPlot(data = ExampleData.DeValues)</pre>
```

PSL2Risoe.BINfileData Convert portable OSL data to an Risoe.BINfileData object

Description

Converts an RLum. Analysis object produced by the function read_PSL2R() to an Risoe.BINfileData object (BETA).

Usage

```
PSL2Risoe.BINfileData(object, ...)
```

Arguments

```
object RLum.Analysis (required): RLum.Analysis object produced by read_PSL2R ... currently not used.
```

Details

This function converts an RLum.Analysis object that was produced by the read_PSL2R function to an Risoe.BINfileData. The Risoe.BINfileData can be used to write a Risoe BIN file via write_R2BIN.

Value

Returns an S4 Risoe.BINfileData object that can be used to write a BIN file using write_R2BIN.

Function version

```
0.0.1 (2017-09-02 23:27:02)
```

How to cite

Burow, C. (2017). PSL2Risoe.BINfileData(): Convert portable OSL data to an Risoe.BINfileData object. Function version 0.0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Christoph Burow, University of Cologne (Germany)
R Luminescence Package Team
```

220 read_BIN2R

See Also

RLum.Analysis, RLum.Data.Curve, Risoe.BINfileData

Examples

```
# (1) load and plot example data set
data("ExampleData.portableOSL", envir = environment())
plot_RLum(ExampleData.portableOSL)

# (2) merge all RLum.Analysis objects into one
merged <- merge_RLum(ExampleData.portableOSL)
merged

# (3) convert to RisoeBINfile object
bin <- PSL2Risoe.BINfileData(merged)
bin

# (4) write Risoe BIN file
## Not run:
write_R2BIN(bin, "~/portableOSL.binx")

## End(Not run)</pre>
```

read_BIN2R

Import Risoe BIN-file into R

Description

Import a *.bin or a *.binx file produced by a Risoe DA15 and DA20 TL/OSL reader into R.

Usage

```
read_BIN2R(file, show.raw.values = FALSE, position = NULL,
    n.records = NULL, zero_data.rm = TRUE, duplicated.rm = FALSE,
    fastForward = FALSE, show.record.number = FALSE, txtProgressBar = TRUE,
    forced.VersionNumber = NULL, ignore.RECTYPE = FALSE, pattern = NULL,
    verbose = TRUE, ...)
```

Arguments

file

character or list (**required**): path and file name of the BIN/BINX file (URLs are supported). If input is a list it should comprise only characters representing each valid path and BIN/BINX-file names. Alternatively the input character can be just a directory (path), in this case the the function tries to detect and import all BIN/BINX files found in the directory.

show.raw.values

logical (with default): shows raw values from BIN file for LTYPE, DTYPE and LIGHTSOURCE without translation in characters. Can be provided as list if file is a list.

read_BIN2R 221

position numeric (optional): imports only the selected position. Note: the import perfor-

mance will not benefit by any selection made here. Can be provided as list if

file is a list.

n.records raw (optional): limits the number of imported records. Can be used in combina-

 $tion\ with\ show.\ record.\ number\ for\ debugging\ purposes,\ e.g.\ corrupt\ BIN-files.$

Can be provided as list if file is a list.

zero_data.rm logical (with default): remove erroneous data with no count values. As such

data are usally not needed for the subsequent data analysis they will be removed

by default. Can be provided as list if file is a list.

duplicated.rm logical (with default): remove duplicated entries if TRUE. This may happen due

to an erroneous produced BIN/BINX-file. This option compares only predec-

cessor and successor. Can be provided as list if file is a list.

fastForward logical (with default): if TRUE for a more efficient data processing only a list of

 ${\tt RLum.Analysis\ objects\ is\ returned\ instead\ of\ a\ Risoe.} {\tt BINfileData\ object.\ Can}$

be provided as list if file is a list.

show.record.number

logical (with default): shows record number of the imported record, for debug-

ging usage only. Can be provided as list if file is a list.

txtProgressBar logical (with default): enables or disables txtProgressBar.

forced.VersionNumber

integer (optional): allows to cheat the version number check in the function by own values for cases where the BIN-file version is not supported. Can be

provided as list if file is a list.

Note: The usage is at own risk, only supported BIN-file versions have been

tested.

ignore.RECTYPE logical (with default): this argument allows to ignore values in the byte 'REC-

TYPE' (BIN-file version 08), in case there are not documented or faulty set. In

this case the corrupted records are skipped.

pattern character (optional): argument that is used if only a path is provided. The argu-

ment will than be passed to the function list.files used internally to construct a

list of wanted files

verbose logical (with default): enables or disables verbose mode

... further arguments that will be passed to the function Risoe.BINfileData2RLum.Analysis.

Please note that any matching argument automatically sets fastForward = TRUE

Details

The binary data file is parsed byte by byte following the data structure published in the Appendices of the Analyst manual p. 42.

For the general BIN-file structure, the reader is referred to the Risoe website: http://www.nutech.dtu.dk/

Value

Returns an S4 Risoe.BINfileData object containing two slots:

METADATA A data.frame containing all variables stored in the bin-file.

DATA A list containing a numeric vector of the measured data. The ID corresponds to

the record ID in METADATA.

If fastForward = TRUE a list of RLum.Analysis object is returned. The internal coercing is done using the function Risoe.BINfileData2RLum.Analysis

222 read_Daybreak2R

Function version

```
0.15.7 (2017-09-02 23:29:24)
```

How to cite

Kreutzer, S., Fuchs, M.C. (2017). read_BIN2R(): Import Risoe BIN-file into R. Function version 0.15.7. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The function works for BIN/BINX-format versions 03, 04, 06, 07 and 08. The version number depends on the used Sequence Editor.

ROI data sets introduced with BIN-file version 8 are not supported and skipped durint import.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
Margret C. Fuchs, HZDR Freiberg, (Germany)
R Luminescence Package Team
```

References

```
DTU Nutech, 2016. The Squence Editor, Users Manual, February, 2016. http://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/manuals
```

See Also

write_R2BIN, Risoe.BINfileData, base::readBin, merge_Risoe.BINfileData, RLum.Analysis utils::txtProgressBar, list.files

Examples

```
##(1) import Risoe BIN-file to R (uncomment for usage)
#FILE <- file.choose()
#temp <- read_BIN2R(FILE)
#temp</pre>
```

read_Daybreak2R

Import measurement data produced by a Daybreak TL/OSL reader into R

Description

Import a TXT-file (ASCII file) or a DAT-file (binary file) produced by a Daybreak reader into R. The import of the DAT-files is limited to the file format described for the software TLAPLLIC v.3.2 used for a Daybreak, model 1100.

read_Daybreak2R 223

Usage

```
read_Daybreak2R(file, raw = FALSE, verbose = TRUE, txtProgressBar = TRUE)
```

Arguments

file character or list (required): path and file name of the file to be imported. Alter-

natively a list of file names can be provided or just the path a folder containing measurement data. Please note that the specific, common, file extension (txt) is likely leading to function failures during import when just a path is provided.

raw logical (with default): if the input is a DAT-file (binary) a data.table::data.table

instead of the RLum. Analysis object can be returned for debugging purposes.

verbose logical (with default): enables or disables terminal feedback txtProgressBar logical (with default): enables or disables txtProgressBar.

Value

A list of RLum. Analysis objects (each per position) is provided.

Function version

```
0.3.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S., Zink, A. (2017). read_Daybreak2R(): Import measurement data produced by a Daybreak TL/OSL reader into R. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

[BETA VERSION] This function still needs to be tested properly. In particular the function has underwent only very rough rests using a few files.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Anotine Zink, C2RMF, Palais du Louvre, Paris (France)

The ASCII-file import is based on a suggestion by Willian Amidon and Andrew Louis Gorin R Luminescence Package Team

See Also

RLum.Analysis, RLum.Data.Curve, data.table::data.table

Examples

```
## Not run:
file <- file.choose()
temp <- read_Daybreak2R(file)
## End(Not run)</pre>
```

224 read_PSL2R

read_PSL2R	Import PSL files to R	
------------	-----------------------	--

Description

Imports PSL files produced by a SUERC portable OSL reader into R (BETA).

Usage

```
read_PSL2R(file, drop_bg = FALSE, as_decay_curve = TRUE, smooth = FALSE,
  merge = FALSE, ...)
```

Arguments

file	character (required): path and file name of the PSL file. If input is a vector it should comprise only characters representing valid paths and PSL file names. Alternatively the input character can be just a directory (path). In this case the the function tries to detect and import all PSL files found in the directory.
drop_bg	logical (with default): TRUE to automatically remove all non-OSL/IRSL curves.
as_decay_curve	logical (with default): Portable OSL Reader curves are often given as cumulative light sum curves. Use TRUE (default) to convert the curves to the more usual decay form.
smooth	logical (with default): TRUE to apply Tukey's Running Median Smoothing for OSL and IRSL decay curves. Smoothing is encouraged if you see random signal drops within the decay curves related to hardware errors.
merge	logical (with default): TRUE to merge all RLum. Analysis objects. Only applicable if multiple files are imported.
	currently not used.

Details

This function provides an import routine for the SUERC portable OSL Reader PSL format. PSL files are just plain text and can be viewed with any text editor. Due to the formatting of PSL files this import function relies heavily on regular expression to find and extract all relevant information. See **note**.

Value

Returns an S4 RLum. Analysis object containing RLum. Data. Curve objects for each curve.

Function version

```
0.0.1 (2017-09-14 09:26:37)
```

How to cite

Burow, C. (2017). read_PSL2R(): Import PSL files to R. Function version 0.0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

read_SPE2R 225

Note

Because this function relies heavily on regular expressions to parse PSL files it is currently only in beta status. If the routine fails to import a specific PSL file please report to christoph.burow@uni-koeln.de so the function can be updated.

Author(s)

```
Christoph Burow, University of Cologne (Germany)
R Luminescence Package Team
```

See Also

RLum.Analysis, RLum.Data.Curve, RLum.Data.Curve

Examples

```
# (1) Import PSL file to R
file <- system.file("extdata", "DorNie_0016.psl", package = "Luminescence")
psl <- read_PSL2R(file, drop_bg = FALSE, as_decay_curve = TRUE, smooth = TRUE, merge = FALSE)
print(str(psl, max.level = 3))
plot(psl, combine = TRUE)</pre>
```

read_SPE2R

Import Princeton Intruments (TM) SPE-file into R

Description

Function imports Princeton Instruments (TM) SPE-files into R environment and provides RLum objects as output.

Usage

```
read_SPE2R(file, output.object = "RLum.Data.Image", frame.range,
    txtProgressBar = TRUE, verbose = TRUE)
```

Arguments

226 read_SPE2R

Details

Function provides an import routine for the Princton Instruments SPE format. Import functionality is based on the file format description provided by Princton Instruments and a MatLab script written by Carl Hall (s. references).

Value

Depending on the chosen option the functions returns three different type of objects:

output.object

RLum.Data.Spectrum

An object of type RLum.Data.Spectrum is returned. Row sums are used to integrate all counts over one channel.

RLum.Data.Image

An object of type RLum.Data.Image is returned. Due to performace reasons the import is aborted for files containing more than 100 frames. This limitation can be overwritten manually by using the argument frame.frange.

matrix

Returns a matrix of the form: Rows = Channels, columns = Frames. For the transformation the function get_RLum is used, meaning that the same results can be obtained by using the function get_RLum on an RLum.Data.Spectrum or RLum.Data.Image object.

Function version

0.1.1 (2017-09-14 11:57:33)

How to cite

Kreutzer, S. (2017). read_SPE2R(): Import Princeton Intruments (TM) SPE-file into R. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The function does not test whether the input data are spectra or pictures for spatial resolved analysis!

The function has been successfully tested for SPE format versions 2.x.

Currently not all information provided by the SPE format are supported.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Princeton Instruments, 2014. Princeton Instruments SPE 3.0 File Format Specification, Version 1.A (for document URL please use an internet search machine)

 $Hall, C., 2012: read SPE.m.\ http://www.mathworks.com/matlabcentral/fileexchange/35940-read spe/content/read SPE.m.$

read_XSYG2R 227

See Also

readBin, RLum.Data.Spectrum, raster::raster

Examples

```
## to run examples uncomment lines and run the code
##(1) Import data as RLum.Data.Spectrum object
#file <- file.choose()</pre>
#temp <- read_SPE2R(file)</pre>
#temp
##(2) Import data as RLum.Data.Image object
#file <- file.choose()</pre>
#temp <- read_SPE2R(file, output.object = "RLum.Data.Image")</pre>
#temp
##(3) Import data as matrix object
#file <- file.choose()</pre>
#temp <- read_SPE2R(file, output.object = "matrix")</pre>
#temp
##(4) Export raw data to csv, if temp is a RLum.Data.Spectrum object
# write.table(x = get_RLum(temp),
              file = "[your path and filename]",
               sep = ";", row.names = FALSE)
#
```

read_XSYG2R

Import XSYG files to R

Description

Imports XSYG files produced by a Freiberg Instrument lexsyg reader into R.

Usage

```
read_XSYG2R(file, recalculate.TL.curves = TRUE, fastForward = FALSE,
import = TRUE, pattern = ".xsyg", verbose = TRUE,
txtProgressBar = TRUE)
```

Arguments

file

character or list (**required**): path and file name of the XSYG file. If input is a list it should comprise only characters representing each valid path and xsyg-file names. Alternatively the input character can be just a directory (path), in this case the the function tries to detect and import all xsyg files found in the directory.

228 read_XSYG2R

recalculate.TL.curves

logical (with default): if set to TRUE, TL curves are returned as temperature against count values (see details for more information) Note: The option overwrites the time vs. count TL curve. Select FALSE to import the raw data delivered

by the lexsyg. Works for TL curves and spectra.

fastForward logical (with default): if TRUE for a more efficient data processing only a list of

RLum. Analysis objects is returned.

import logical (with default): if set to FALSE, only the XSYG file structure is shown.

pattern regex (with default): optional regular expression if file is a link to a folder, to

select just specific XSYG-files

verbose logical (with default): enable or disable verbose mode. If verbose is FALSE the

txtProgressBar is also switched off

txtProgressBar logical (with default): enables TRUE or disables FALSE the progression bar during

import

Details

How does the import function work?

The function uses the xml package to parse the file structure. Each sequence is subsequently translated into an RLum.Analysis object.

General structure XSYG format

So far, each XSYG file can only contain one <Sample></Sample>, but multiple sequences.

Each record may comprise several curves.

TL curve recalculation

On the FI lexsyg device TL curves are recorded as time against count values. Temperature values are monitored on the heating plate and stored in a separate curve (time vs. temperature). If the option recalculate.TL.curves = TRUE is chosen, the time values for each TL curve are replaced by temperature values.

Practically, this means combining two matrices (Time vs. Counts and Time vs. Temperature) with different row numbers by their time values. Three cases are considered:

- 1. HE: Heating element
- 2. PMT: Photomultiplier tube
- 3. Interpolation is done using the function approx

```
CASE(1): nrow(matrix(PMT)) > nrow(matrix(HE))
```

Missing temperature values from the heating element are calculated using time values from the PMT measurement.

read_XSYG2R 229

```
CASE(2): nrow(matrix(PMT)) < nrow(matrix(HE))</pre>
```

Missing count values from the PMT are calculated using time values from the heating element measurement.

```
CASE(3): nrow(matrix(PMT)) == nrow(matrix(HE))
```

A new matrix is produced using temperature values from the heating element and count values from the PMT.

Note: Please note that due to the recalculation of the temperature values based on values delivered by the heating element, it may happen that mutiple count values exists for each temperature value and temperature values may also decrease during heating, not only increase.

Advanced file import

To allow for a more efficient usage of the function, instead of single path to a file just a directory can be passed as input. In this particular case the function tries to extract all XSYG-files found in the directory and import them all. Using this option internally the function constructs as list of the XSYG-files found in the directory. Please note no recursive detection is supported as this may lead to endless loops.

Value

Using the option import = FALSE

A list consisting of two elements is shown:

- data.frame with information on file.
- data.frame with information on the sequences stored in the XSYG file.

Using the option import = TRUE (default)

A list is provided, the list elements contain:

```
Sequence.Header
```

data.frame with information on the sequence.

Sequence.Object

RLum. Analysis containing the curves.

Function version

```
0.6.4 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). read_XSYG2R(): Import XSYG files to R. Function version 0.6.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function is a beta version as the XSYG file format is not yet fully specified. Thus, further file operations (merge, export, write) should be done using the functions provided with the package xml.

So far, no image data import is provided!

Corresponding values in the XSXG file are skipped.

230 replicate_RLum

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

References

Grehl, S., Kreutzer, S., Hoehne, M., 2013. Documentation of the XSYG file format. Unpublished Technical Note. Freiberg, Germany

Further reading

```
XML: http://en.wikipedia.org/wiki/XML
```

See Also

```
xml, RLum. Analysis, RLum. Data. Curve, approx
```

Examples

```
##(1) import XSYG file to R (uncomment for usage)
#FILE <- file.choose()</pre>
#temp <- read_XSYG2R(FILE)</pre>
##(2) additional examples for pure XML import using the package XML
      (uncomment for usage)
  ##import entire XML file
  #FILE <- file.choose()</pre>
  #temp <- XML::xmlRoot(XML::xmlTreeParse(FILE))</pre>
  ##search for specific subnodes with curves containing 'OSL'
  #getNodeSet(temp, "//Sample/Sequence/Record[@recordType = 'OSL']/Curve")
##(2) How to extract single curves ... after import
data(ExampleData.XSYG, envir = environment())
##grep one OSL curves and plot the first curve
OSLcurve <- get_RLum(OSL.SARMeasurement$Sequence.Object, recordType="OSL")[[1]]
##(3) How to see the structure of an object?
structure_RLum(OSL.SARMeasurement$Sequence.Object)
```

replicate_RLum

General replication function for RLum S4 class objects

Description

Function replicates RLum S4 class objects and returns a list for this objects

Usage

```
replicate_RLum(object, times = NULL)
```

report_RLum 231

Arguments

object RLum (required): an RLum object

times integer (optional): number for times each element is repeated element

Value

Returns a list of the object to be repeated

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). replicate_RLum(): General replication function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

RLum

report_RLum

Create a HTML report for (RLum) objects

Description

This function creates a HTML report for a given object, listing its complete structure and content. The object itself is saved as a serialised .Rds file. The report file serves both as a convenient way of browsing through objects with complex data structures as well as a mean of properly documenting and saving objects.

Usage

```
report_RLum(object, file = tempfile(), title = "RLum.Report",
  compact = TRUE, timestamp = TRUE, launch.browser = FALSE,
  css.file = NULL, quiet = TRUE, clean = TRUE, ...)
```

232 report_RLum

Arguments

object	(required): The object to be reported on, preferably of any RLum-class.
file	character (with default): A character string naming the output file. If no filename is provided a temporary file is created.
title	character (with default): A character string specifying the title of the document.
compact	logical (with default): When TRUE the following report components are hidden: @.pid, @.uid, 'Object structure', 'Session Info' and only the first and last 5 rows of long matrices and data frames are shown. See details.
timestamp	logical (with default): TRUE to add a timestamp to the filename (suffix).
launch.browser	logical (with default): TRUE to open the HTML file in the system's default web browser after it has been rendered.
css.file	character (optional): Path to a CSS file to change the default styling of the HTML document.
quiet	logical (with default): TRUE to supress printing of the pandoc command line.
clean	${\color{blue} \textbf{logical}} \ (\textit{with default}) : \ \textbf{TRUE} \ \textbf{to clean intermediate files created during rendering}.$
•••	further arguments passed to or from other methods and to control the document's structure (see details).

Details

The HTML report is created with rmarkdown::render and has the following structure:

Section	Description
Header	A summary of general characteristics of the object
Object conten	t A comprehensive list of the complete structure and content of the provided object.
Object struct	ure Summary of the objects structure given as a table
File	Information on the saved RDS file
Session Info	Captured output from sessionInfo()
Plots	(optional) For RLum-class objects a variable number of plots

The structure of the report can be controlled individually by providing one or more of the following arguments (all logical):

Argument	Description
header	Hide or show general information on the object
main	Hide or show the object's content
structure	Hide or show object's structure
rds	Hide or show information on the saved RDS file
session	Hide or show the session info
plot	Hide or show the plots (depending on object)

Note that these arguments have higher precedence than compact.

Further options that can be provided via the . . . argument:

Argument	Description
short_table	If TRUE only show the first and last 5 rows of lang tables.
theme	Specifies the Bootstrap theme to use for the report. Valid themes include "default", "cerulean", "journal",

report_RLum 233

highlight Specifies the syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "

TRUE or FALSE to enable/disable custom CSS styling

The following arguments can be used to customise the report via CSS (Cascading Style Sheets):

Argument Description font_family Define the font family of the HTML document (default: arial) headings_size Size of the <h1> to <h6> tags used to define HTML headings (default: 166%). Color of the object's content (default: #a72925).

Note that these arguments must all be of class character and follow standard CSS syntax. For exhaustive CSS styling you can provide a custom CSS file for argument css.file. CSS styling can be turned of using css = FALSE.

Value

Writes a HTML and .Rds file.

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Burow, C. (2017). report_RLum(): Create a HTML report for (RLum) objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function requires the R packages 'rmarkdown', 'pander' and 'rstudioapi'.

Author(s)

Christoph Burow, University of Cologne (Germany)

R Luminescence Package Team

See Also

rmarkdown::render, pander::pander_return, pander::openFileInOS, rstudioapi::viewer, browseURL

Examples

```
## Not run:
## Example: RLum.Results ----
# load example data
data("ExampleData.DeValues")
```

```
# apply the MAM-3 age model and save results
mam <- calc_MinDose(ExampleData.DeValues$CA1, sigmab = 0.2)</pre>
# create the HTML report
report_RLum(object = mam, file = "~/CA1_MAM.Rmd",
            timestamp = FALSE,
            title = "MAM-3 for sample CA1")
# when creating a report the input file is automatically saved to a
# .Rds file (see saveRDS()).
mam_report <- readRDS("~/CA1_MAM.Rds")</pre>
all.equal(mam, mam_report)
## Example: Temporary file & Viewer/Browser ----
# (a)
# Specifying a filename is not necessarily required. If no filename is provided,
# the report is rendered in a temporary file. If you use the RStudio IDE, the
# temporary report is shown in the interactive Viewer pane.
report_RLum(object = mam)
# (b)
# Additionally, you can view the HTML report in your system's default web browser.
report_RLum(object = mam, launch.browser = TRUE)
## Example: RLum.Analysis ----
data("ExampleData.RLum.Analysis")
# create the HTML report (note that specifying a file
# extension is not necessary)
report_RLum(object = IRSAR.RF.Data, file = "~/IRSAR_RF")
## Example: RLum.Data.Curve ----
data.curve <- get_RLum(IRSAR.RF.Data)[[1]]</pre>
# create the HTML report
report_RLum(object = data.curve, file = "~/Data_Curve")
## Example: Any other object ----
x <- list(x = 1:10,
          y = runif(10, -5, 5),
          z = data.frame(a = LETTERS[1:20], b = dnorm(0:9)),
report_RLum(object = x, file = "~/arbitray_list")
## End(Not run)
```

```
Risoe.BINfileData-class
```

Class "Risoe.BINfileData"

Description

S4 class object for luminescence data in R. The object is produced as output of the function read BIN2R.

Usage

```
## S4 method for signature 'Risoe.BINfileData'
show(object)

## S4 method for signature 'ANY'
set_Risoe.BINfileData(METADATA = data.frame(),
    DATA = list(), .RESERVED = list())

## S4 method for signature 'Risoe.BINfileData'
get_Risoe.BINfileData(object, ...)
```

Arguments

object an object of class Risoe.BINfileData

METADATA Object of class "data.frame" containing the meta information for each curve.

DATA Object of class "list" containing numeric vector with count data.

.RESERVED Object of class "list" containing list of undocumented raw values for internal use

only.

... other arguments that might be passed

Methods (by generic)

- show: Show structure of RLum and Risoe.BINfile class objects
- set_Risoe.BINfileData: The Risoe.BINfileData is normally produced as output of the function read_BIN2R. This construction method is intended for internal usage only.
- get_Risoe.BINfileData: Formal get-method for Risoe.BINfileData object. It does not allow accessing the object directly, it is just showing a terminal message.

Slots

```
METADATA Object of class "data.frame" containing the meta information for each curve.
```

DATA Object of class "list" containing numeric vector with count data.

.RESERVED Object of class "list" containing list of undocumented raw values for internal use only.

Objects from the Class

Objects can be created by calls of the form new("Risoe.BINfileData", ...).

Function version

0.3.3

How to cite

Kreutzer, S. (2017). Risoe.BINfileData-class(): Class 'Risoe.BINfileData'. Function version 0.3.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Internal METADATA - object structure

This structure is compatible with BIN-files version 03-08, however, it does not follow (in its sequential arrangment) the manual provided by the manufacturer, but an own structure accounting for the different versions.

#	Name	Data Type	V	Description
[,1]	ID	numeric	RLum	Unique record ID (same ID as in slot DATA)
[,2]	SEL	logic	RLum	Record selection, not part official BIN-format, triggered by TA
[,3]	VERSION	raw	03-08	BIN-file version number
[,4]	LENGTH	integer	03-08	Length of this record
[,5]	PREVIOUS	integer	03-08	Length of previous record
[,6]	NPOINTS	integer	03-08	Number of data points in the record
[,7]	RECTYPE	integer	08	Record type
[,8]	RUN	integer	03-08	Run number
[,9]	SET	integer	03-08	Set number
[,10]	POSITION	integer	03-08	Position number
[,11]	GRAIN	integer	03-04	Grain number
[,12]	GRAINNUMBER	integer	06-08	Grain number
[,13]	CURVENO	integer	06-08	Curve number
[,14]	XCOORD	integer	03-08	X position of a single grain
[,15]	YCOORD	integer	03-08	Y position of a single grain
[,16]	SAMPLE	factor	03-08	Sample name
[,17]	COMMENT	factor	03-08	Comment name
[,18]	SYSTEMID	integer	03-08	Risoe system id
[,19]	FNAME	factor	06-08	File name (.bin/.binx)
[,20]	USER	facotr	03-08	User name
[,21]	TIME	character	03-08	Data collection time (hh-mm-ss)
[,22]	DATE	factor	03-08	Data collection date (ddmmyy)
[,23]	DTYPE	character	03-08	Data type
[,24]	BL_TIME	numeric	03-08	Bleaching time
[,25]	BL_UNIT	integer	03-08	Bleaching unit (mJ, J, secs, mins, hrs)
[,26]	NORM1	numeric	03-08	Normalisation factor (1)
[,27]	NORM2	numeric	03-08	Normalisation factor (2)
[,28]	NORM3	numeric	03-08	Normalisation factor (3)
[,29]	BG	numeric	03-08	Background level
[,30]	SHIFT	integer	03-08	Number of channels to shift data
[,31]	TAG	integer	03-08	Tag, triggers SEL
[,32]	LTYPE	character	03-08	Luminescence type
[,33]	LIGHTSOURCE	character	03-08	Light source
[,34]	LPOWER	numeric	03-08	Optical stimulation power
[,35]	LIGHTPOWER	numeric	06-08	Optical stimulation power
[,36]	LOW	numeric	03-08	Low (temperature, time, wavelength)
[,37]	HIGH	numeric	03-08	High (temperature, time, wavelength)
[,38]	RATE	numeric	03-08	Rate (heating rate, scan rate)

[,39]	TEMPERATURE	integer	03-08	Sample temperature
[,40]	MEASTEMP	integer	06-08	Measured temperature
[,41]	AN_TEMP	numeric	03-08	Annealing temperature
[,42]	AN_TIME	numeric	03-08	Annealing time
[,43]	TOLDELAY	integer	03-08	TOL 'delay' channels
[,44]	TOLON	integer	03-08	TOL 'on' channels
[,45]	TOLOFF	integer	03-08	TOL 'off' channels
[,46]	IRR_TIME	numeric	03-08	Irradiation time
[,47]	IRR_TYPE	integer	03-08	Irradiation type (alpha, beta or gamma)
[,48]	IRR_UNIT	integer	03-04	Irradiation unit (Gy, Rads, secs, mins, hrs)
[,49]	IRR_DOSERATE	numeric	06-08	Irradiation dose rate (Gy/s)
[,50]	IRR_DOSERATEERR	numeric	06-08	Irradiation dose rate error (Gy/s)
[,51]	TIMESINCEIRR	integer	06-08	Time since irradiation (s)
[,52]	TIMETICK	numeric	06-08	Time tick for pulsing (s)
[,53]	ONTIME	integer	06-08	On-time for pulsing (in time ticks)
[,54]	OFFTIME	integer	03	Off-time for pulsed stimulation (in s)
[,55]	STIMPERIOD	integer	06-08	Stimulation period (on+off in time ticks)
[,56]	GATE_ENABLED	raw	06-08	PMT signal gating enabled
[,57]	ENABLE_FLAGS	raw	06-08	PMT signal gating enabled
[,58]	GATE_START	integer	06-08	Start gating (in time ticks)
[,59]	GATE_STOP	ingeter	06-08	Stop gating (in time ticks), 'Gateend' for version 04, here only
[,60]	PTENABLED	raw	06-08	Photon time enabled
[,61]	DTENABLED	raw	06-08	PMT dead time correction enabled
[,62]	DEADTIME	numeric	06-08	PMT dead time (s)
[,63]	MAXLPOWER	numeric	06-08	Stimulation power to 100 percent (mW/cm^2)
[,64]	XRF_ACQTIME	numeric	06-08	XRF acquisition time (s)
[,65]	XRF_HV	numeric	06-08	XRF X-ray high voltage (V)
[,66]	XRF_CURR	integer	06-08	XRF X-ray current (uA)
[,67]	XRF_DEADTIMEF	numeric	06-08	XRF dead time fraction
[,68]	DETECTOR_ID	raw	07-08	Detector ID
[,69]	LOWERFILTER_ID	integer	07-08	Lower filter ID in reader
[,70]	UPPERFILTER_ID	integer	07-08	Uper filter ID in reader
[,71]	ENOISEFACTOR	numeric	07-08	Excess noise filter, usage unknown
[,72]	MARKPOS_X1	numeric	08	Coordinates marker position 1
[,73]	MARKPOS_Y1	numeric	08	Coordinates marker position 1
[,74]	MARKPOS_X2	numeric	08	Coordinates marker position 2
[,75]	MARKPOS_Y2	numeric	08	Coordinates marker position 2
[,76]	MARKPOS_X3	numeric	08	Coordinates marker position 3
[,77]	MARKPOS_Y3	numeric	08	Coordinates marker position 3
[,78]	EXTR_START	numeric	08	usage unknown
[,79]	EXTR_END	numeric	08	usage unknown
[,80]	SEQUENCE	character	03-04	Sequence name

V = BIN-file version (RLum means that it does not depend on a specific BIN version)

Note that the Risoe.BINfileData object combines all values from different versions from the BIN-file, reserved bits are skipped, however, the function write_R2BIN reset arbitrary reserved bits. Invalid values for a specific version are set to NA. Furthermore, the internal R data types do not necessarily match the required data types for the BIN-file data import! Data types are converted during data import.

LTYPE values

TL	: Thermoluminescence
OSL	: Optically stimulated luminescence
IRSL	: Infrared stimulated luminescence
M-IR	: Infrared monochromator scan
M-VIS	: Visible monochromator scan
TOL	: Thermo-optical luminescence
TRPOSL	: Time Resolved Pulsed OSL
RIR	: Ramped IRSL
RBR	: Ramped (Blue) LEDs
USER	: User defined
POSL	: Pulsed OSL
SGOSL	: Single Grain OSL
RL	: Radio Luminescence
XRF	: X-ray Fluorescence
	OSL IRSL M-IR M-VIS TOL TRPOSL RIR RBR USER POSL SGOSL RL

DTYPE values

[,0]	0	Natural
[,1]	1	N+dose
[,2]	2	Bleach
[,3]	3	Bleach+dose
[,4]	4	Natural (Bleach)
[,5]	5	N+dose (Bleach)
[,6]	6	Dose
Γ.77	7	Background

LIGHTSOURCE values

[,0]	0	None
[,1]	1	Lamp
[,2]	2	IR diodes/IR Laser
[,3]	3	Calibration LED
[,4]	4	Blue Diodes
[,5]	5	White lite
[,6]	6	Green laser (single grain)
Γ77	7	IR laser (single grain)

(information on the BIN/BINX file format are kindly provided by Risoe, DTU Nutech)

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

References

Risoe DTU, 2013. The Sequence Editor User Manual - Feb 2013 and Risoe DTU, 2016.

The Sequence Editor User Manual - Feburar 2016

http://www.nutech.dtu.dk/

See Also

 $plot_Risoe. BIN file Data, read_BIN 2R, write_R2BIN, merge_Risoe. BIN file Data, Risoe. BIN file Data 2RLum. Analysis$

Examples

```
showClass("Risoe.BINfileData")
```

Risoe.BINfileData2RLum.Analysis

Convert Risoe.BINfileData object to an RLum.Analysis object

Description

Converts values from one specific position of a Risoe.BINfileData S4-class object to an RLum.Analysis object.

Usage

```
Risoe.BINfileData2RLum.Analysis(object, pos = NULL, grain = NULL,
run = NULL, set = NULL, ltype = NULL, dtype = NULL,
protocol = "unknown", keep.empty = TRUE, txtProgressBar = FALSE)
```

Arguments

object	Risoe.BINfileData (required): Risoe.BINfileData object
pos	numeric (optional): position number of the Risoe.BINfileData object for which the curves are stored in the RLum.Analysis object. If length(position)>1 a list of RLum.Analysis objects is returned. If nothing is provided every position will be converted. If the position is not valid NA is returned.
grain	vector, numeric (optional): grain number from the measurement to limit the converted data set (e.g., grain = c(1:48)). Please be aware that this option may lead to unwanted effects, as the output is strictly limited to the choosen grain number for all position numbers
run	vector, numeric ($optional$): run number from the measurement to limit the converted data set (e.g., run = $c(1:48)$).
set	vector, numeric (<i>optional</i>): set number from the measurement to limit the converted data set (e.g., set = $c(1:48)$).
ltype	vector, character (optional): curve type to limit the converted data. Commonly allowed values are: IRSL, OSL, TL, RIR, RBR and USER (see also Risoe.BINfileData)
dtype	vector, character (optional): data type to limit the converted data. Commonly allowed values are listed in Risoe.BINfileData
protocol	character (<i>optional</i>): sets protocol type for analysis object. Value may be used by subsequent analysis functions.
keep.empty	logical (with default): If TRUE (default) an RLum. Analysis object is returned even if it does not contain any records. Set to FALSE to discard all empty objects.
txtProgressBar	logical (with default): enables or disables txtProgressBar.

240 RLum-class

Details

The RLum.Analysis object requires a set of curves for specific further protocol analyses. However, the Risoe.BINfileData usually contains a set of curves for different aliquots and different protocol types that may be mixed up. Therefore, a conversion is needed.

Value

Returns an RLum. Analysis object.

Function version

```
0.4.2 (2017-09-02 23:27:03)
```

How to cite

Kreutzer, S. (2017). Risoe.BINfileData2RLum.Analysis(): Convert Risoe.BINfileData object to an RLum.Analysis object. Function version 0.4.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The protocol argument of the RLum. Analysis object is set to 'unknown' if not stated otherwise.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

Risoe.BINfileData, RLum.Analysis, read_BIN2R

Examples

```
##load data
data(ExampleData.BINfileData, envir = environment())
##convert values for position 1
Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos = 1)
```

RLum-class

Class "RLum"

Description

Abstract class for data in the package Luminescence

RLum-class 241

Usage

```
## S4 method for signature 'RLum'
replicate_RLum(object, times = NULL)
```

Arguments

object RLum (required): an object of class RLum

times integer (optional): number for times each element is repeated element

Methods (by generic)

• replicate_RLum: Replication method RLum-objects

Slots

originator Object of class character containing the name of the producing function for the object. Set automatically by using the function set_RLum.

info Object of class list for additional information on the object itself

.uid Object of class character for a unique object identifier. This id is usually calculated using the internal function create_UID() if the funtion set_RLum is called.

.pid Object of class character for a parent id. This allows nesting RLum-objects at will. The parent id can be the uid of another object.

Objects from the Class

A virtual Class: No objects can be created from it.

Class version

0.4.0

How to cite

Kreutzer, S. (2017). RLum-class(): Class 'RLum'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

RLum is a virtual class.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

RLum.Data, RLum.Analysis

Examples

```
showClass("RLum")
```

242 RLum.Analysis-class

```
RLum. Analysis-class Class "RLum. Analysis"
```

Description

Object class to represent analysis data for protocol analysis, i.e. all curves, spectra etc. from one measurements. Objects from this class are produced, by e.g. read_XSYG2R, read_Daybreak2R

Usage

```
## S4 method for signature 'RLum.Analysis'
show(object)
## S4 method for signature 'RLum.Analysis'
set_RLum(class, originator, .uid, .pid,
 protocol = NA_character_, records = list(), info = list())
## S4 method for signature 'RLum.Analysis'
get_RLum(object, record.id = NULL,
  recordType = NULL, curveType = NULL, RLum.type = NULL,
 protocol = "UNKNOWN", get.index = NULL, drop = TRUE, recursive = TRUE,
  info.object = NULL, subset = NULL, env = parent.frame(2))
## S4 method for signature 'RLum.Analysis'
structure_RLum(object, fullExtent = FALSE)
## S4 method for signature 'RLum.Analysis'
length_RLum(object)
## S4 method for signature 'RLum.Analysis'
names_RLum(object)
## S4 method for signature 'RLum.Analysis'
smooth_RLum(object, ...)
```

Arguments

object	$\verb get_RLum , \verb names_RLum , \verb length_RLum , \verb structure_RLum (\textbf{required}): an object of class RLum. Analysis$
class	set_RLum character (required): name of the RLum class to be created
originator	set_RLum character (<i>automatic</i>): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	<pre>set_RLum character (automatic): sets an unique ID for this object using the internal C++ function create_UID.</pre>
.pid	<pre>set_RLum character (with default): option to provide a parent id for nesting at will.</pre>
protocol	set_RLum character (<i>optional</i>): sets protocol type for analysis object. Value may be used by subsequent analysis functions.
records	set_RLum list (required): list of RLum.Analysis objects

RLum.Analysis-class 243

info set_RLum list (optional): a list containing additional info data for the object

set_RLum:

Returns an RLum. Analysis object.

record.id get_RLum; numeric or logical (optional): IDs of specific records. If of type

logical the entire id range is assumed and TRUE and FALSE indicates the selec-

recordType get_RLum; character (optional): record type (e.g., "OSL"). Can be also a vector,

for multiple matching, e.g., recordType = c("OSL", "IRSL")

get_RLum; character (optional): curve type (e.g. "predefined" or "measured") curveType RLum.type

get_RLum; character (optional): RLum object type. Defaults to "RLum.Data.Curve"

and "RLum.Data.Spectrum".

get_RLum; logical (optional): return a numeric vector with the index of each get.index

element in the RLum. Analysis object.

get_RLum; logical (with default): coerce to the next possible layer (which are drop

RLum. Data-objects), drop = FALSE keeps the original RLum. Analysis

get_RLum; logical (with default): if TRUE (the default) and the result of the recursive

> 'get_RLum' request is a single object this object will be unlisted, means only the object itself and no list containing exactly one object is returned. Mostly this makes things easier, however, if this method is used within a loop this might

undesired.

info.object get_RLum; character (optional): name of the wanted info element

subset expression (optional): logical expression indicating elements or rows to keep:

missing values are taken as false. This argument takes precedence over all other

arguments, meaning they are not considered when subsetting the object.

env environment (with default): An environment passed to eval as the enclosure.

This argument is only relevant when subsetting the object and should not be

used manually.

fullExtent structure RLum; logical (with default): extents the returned data. frame to its

full extent, i.e. all info elements are part of the return as well. The default value

is FALSE as the data frame might become rather big.

further arguments passed to underlying methods

Value

get_RLum:

Returns:

- 1. list of RLum.Data objects or
- 2. Single RLum.Data object, if only one object is contained and recursive = FALSE or
- 3. RLum. Analysis ojects for drop = FALSE

structure_RLum:

Returns data.frame showing the structure.

length_RLum

Returns the number records in this object.

names_RLum

Returns the names of the record types (recordType) in this object.

smooth_RLum

Same object as input, after smoothing

Methods (by generic)

- show: Show structure of RLum. Analysis object
- set_RLum: Construction method for RLum.Analysis objects.
- get_RLum: Accessor method for RLum. Analysis object.

The slots record.id, recordType, curveType and RLum.type are optional to allow for records limited by their id (list index number), their record type (e.g. recordType = "OSL") or object type.

Example: curve type (e.g. curveType = "predefined" or curveType = "measured")

The selection of a specific RLum.type object superimposes the default selection. Currently supported objects are: RLum.Data.Curve and RLum.Data.Spectrum

- structure_RLum: Method to show the structure of an RLum.Analysis object.
- length_RLum: Returns the length of the object, i.e., number of stored records.
- names_RLum: Returns the names of the RLum.Data objects objects (same as shown with the show method)
- smooth_RLum: Smoothing of RLum.Data objects contained in this RLum.Analysis object zoo::rollmean or zoo::rollmedian. In particular the internal function . smoothing is used.

Slots

protocol Object of class character describing the applied measurement protocol records Object of class list containing objects of class RLum.Data

Objects from the Class

Objects can be created by calls of the form set_RLum("RLum.Analysis", ...).

Class version

0.4.11

How to cite

Kreutzer, S. (2017). RLum.Analysis-class(): Class 'RLum.Analysis'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The method structure_RLum is currently just available for objects containing RLum.Data.Curve.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

Risoe.BINfileData2RLum.Analysis, Risoe.BINfileData, RLum

RLum.Data-class 245

Examples

```
showClass("RLum.Analysis")

##set empty object
set_RLum(class = "RLum.Analysis")

###use example data
##load data
data(ExampleData.RLum.Analysis, envir = environment())

##show curves in object
get_RLum(IRSAR.RF.Data)

##show only the first object, but by keeping the object
get_RLum(IRSAR.RF.Data, record.id = 1, drop = FALSE)
```

RLum.Data-class

Class "RLum.Data"

Description

Generalized virtual data class for luminescence data.

Objects from the Class

A virtual Class: No objects can be created from it.

Class version

0.2.1

Note

Just a virtual class.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

RLum, RLum.Data.Curve, RLum.Data.Spectrum

Examples

```
showClass("RLum.Data")
```

246 RLum.Data.Curve-class

```
RLum.Data.Curve-class Class "RLum.Data.Curve"
```

Description

Class for representing luminescence curve data.

Usage

```
## S4 method for signature 'RLum.Data.Curve'
show(object)
## S4 method for signature 'RLum.Data.Curve'
set_RLum(class, originator, .uid, .pid,
 recordType = NA_character_, curveType = NA_character_, data = matrix(0,
 ncol = 2), info = list())
## S4 method for signature 'RLum.Data.Curve'
get_RLum(object, info.object = NULL)
## S4 method for signature 'RLum.Data.Curve'
length_RLum(object)
## S4 method for signature 'RLum.Data.Curve'
names_RLum(object)
## S4 method for signature 'RLum.Data.Curve'
bin_RLum.Data(object, bin_size = 2)
## S4 method for signature 'RLum.Data.Curve'
smooth_RLum(object, k = NULL, fill = NA,
 align = "right", method = "mean")
```

Arguments

object	$\verb get_RLum , \verb length_RLum , \verb names_RLum (\textbf{required}): an object of class RLum. Data. Curve$
class	set_RLum; character (required): name of the RLum class to create
originator	set_RLum; character (<i>automatic</i>): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	<pre>set_RLum; character (automatic): sets an unique ID for this object using the internal C++ function create_UID.</pre>
.pid	set_RLum; character (with default): option to provide a parent id for nesting at will.
recordType	set_RLum; character (optional): record type (e.g., "OSL")
curveType	set_RLum; character (optional): curve type (e.g., "predefined" or "measured")
data	<pre>set_RLum; matrix (required): raw curve data. If data itself is a RLum.Data.Curve- object this can be used to re-construct the object (s. Details)</pre>
info	<pre>set_RLum; list (optional): info elements</pre>

RLum.Data.Curve-class 247

info.object	get_RLum character (optional): name of the wanted info element
bin_size	<pre>integer (with default): set number of channels used for each bin, e.g. bin_size = 2 means that two channels are binned.</pre>
k	smooth_RLum; integer (with default): window for the rolling mean; must be odd for rollmedian. If nothing is set k is set automatically
fill	smooth_RLum; numeric (with default): a vector defining the left and the right hand data
align	<pre>smooth_RLum; character (with default): specifying whether the index of the re- sult should be left- or right-aligned or centered (default) compared to the rolling window of observations, allowed "right", "center" and "left"</pre>
method	<pre>smooth_RLum; character (with default): defines which method should be applied for the smoothing: "mean" or "median"</pre>

Value

set_RLum

Returns an RLum.Data.Curve object.

get_RLum

- 1. A matrix with the curve values or
- 2. only the info object if info.object was set.

length_RLum

Number of channels in the curve (row number of the matrix)

'names RLum'

Names of the info elements (slot 'info')

bin_RLum.Data

Same object as input, after applying the binning.

smooth_RLum

Same object as input, after smoothing

Methods (by generic)

- show: Show structure of RLum. Data. Curve object
- set_RLum: Construction method for RLum.Data.Curve object. The slot info is optional and predefined as empty list by default.
- get_RLum: Accessor method for RLum.Data.Curve object. The argument info.object is optional to directly access the info elements. If no info element name is provided, the raw curve data (matrix) will be returned.
- length_RLum: Returns the length of the curve object, which is the maximum of the value time/temperature of the curve (corresponding to the stimulation length)
- names_RLum: Returns the names info elements coming along with this curve object
- bin_RLum.Data: Allows binning of specific objects
- smooth_RLum: Smoothing of RLum.Data.Curve objects using the function zoo::rollmean or zoo::rollmedian. In particular the internal function . smoothing is used.

248 RLum.Data.Curve-class

Slots

```
recordType Object of class "character" containing the type of the curve (e.g. "TL" or "OSL") curveType Object of class "character" containing curve type, allowed values are measured or predefined
```

data Object of class matrix containing curve x and y data. 'data' can also be of type RLum. Data. Curve to change object values without deconstructing the object. For example:

would just change the recordType. Missing arguements the value is taken from the input object in 'data' (which is already an RLum.Data.Curve object in this example)

Create objects from this Class

Objects can be created by calls of the form set_RLum(class = "RLum.Data.Curve", ...).

Class version

0.5.0

How to cite

Kreutzer, S. (2017). RLum.Data.Curve-class(): Class 'RLum.Data.Curve'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The class should only contain data for a single curve. For additional elements the slot info can be used (e.g. providing additional heating ramp curve). Objects from the class RLum.Data.Curve are produced by other functions (partyl within RLum.Analysis objects), namely: Risoe.BINfileData2RLum.Analysis, read_XSYG2R

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

RLum, RLum.Data, plot_RLum, merge_RLum

Examples

```
showClass("RLum.Data.Curve")
##set empty curve object
set_RLum(class = "RLum.Data.Curve")
```

```
RLum.Data.Image-class Class "RLum.Data.Image"
```

Description

Class for representing luminescence image data (TL/OSL/RF). Such data are for example produced by the function $read_SPE2R$

Usage

```
## S4 method for signature 'RLum.Data.Image'
show(object)

## S4 method for signature 'RLum.Data.Image'
set_RLum(class, originator, .uid, .pid,
    recordType = "Image", curveType = NA_character_,
    data = raster::brick(raster::raster(matrix())), info = list())

## S4 method for signature 'RLum.Data.Image'
get_RLum(object, info.object)

## S4 method for signature 'RLum.Data.Image'
names_RLum(object)
```

Arguments

object	get_RLum, names_RLum (required): an object of class RLum.Data.Image
class	set_RLum; character: name of the RLum class to create
originator	set_RLum; character (<i>automatic</i>): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	<pre>set_RLum; character (automatic): sets an unique ID for this object using the internal C++ function create_UID.</pre>
.pid	<pre>set_RLum; character (with default): option to provide a parent id for nesting at will.</pre>
recordType	set_RLum; character: record type (e.g. "OSL")
curveType	<pre>set_RLum; character: curve type (e.g. "predefined" or "measured")</pre>
data	<pre>set_RLum; matrix: raw curve data. If data is of type RLum.Data.Image this can be used to re-construct the object.</pre>
info	set_RLum; list: info elements
info.object	<pre>get_RLum; character: name of the info object to returned</pre>

Value

```
set_RLum
Returns an object from class RLum.Data.Image
get_RLum
```

1. Returns the data object (raster::brick)

2. only the info object if info. object was set.

names_RLum

Returns the names of the info elements

Methods (by generic)

- show: Show structure of RLum. Data. Image object
- set_RLum: Construction method for RLum.Data.Image object. The slot info is optional and predefined as empty list by default..
- get_RLum: Accessor method for RLum.Data.Image object. The argument info.object is optional to directly access the info elements. If no info element name is provided, the raw image data (RasterBrick) will be returned.
- names_RLum: Returns the names info elements coming along with this curve object

Slots

```
recordType Object of class character containing the type of the curve (e.g. "OSL image", "TL image")
```

curveType Object of class character containing curve type, allowed values are measured or predefined

data Object of class raster::brick containing images (raster data).

info Object of class list containing further meta information objects

Objects from the Class

Objects can be created by calls of the form set_RLum("RLum.Data.Image", ...).

Class version

0.4.0

How to cite

Kreutzer, S. (2017). RLum.Data.Image-class(): Class 'RLum.Data.Image'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The class should only contain data for a set of images. For additional elements the slot info can be used.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

RLum, RLum.Data, plot_RLum, read_SPE2R

Examples

```
showClass("RLum.Data.Image")
##create empty RLum.Data.Image object
set_RLum(class = "RLum.Data.Image")
```

```
{\tt RLum.Data.Spectrum-class}
```

Class "RLum.Data.Spectrum"

Description

Class for representing luminescence spectra data (TL/OSL/RF).

Usage

```
## S4 method for signature 'RLum.Data.Spectrum'
show(object)

## S4 method for signature 'RLum.Data.Spectrum'
set_RLum(class, originator, .uid, .pid,
    recordType = "Spectrum", curveType = NA_character_, data = matrix(),
    info = list())

## S4 method for signature 'RLum.Data.Spectrum'
get_RLum(object, info.object)

## S4 method for signature 'RLum.Data.Spectrum'
names_RLum(object)
```

Arguments

object	get_RLum, names_RLum (required): an object of class RLum.Data.Spectrum
class	<pre>set_RLum; character (automatic): name of the RLum class to create.</pre>
originator	character (<i>automatic</i>): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	<pre>set_RLum; character (automatic): sets an unique ID for this object using the internal C++ function create_UID.</pre>
.pid	set_RLum; character (with default): option to provide a parent id for nesting at will.
recordType	set_RLum; character: record type (e.g. "OSL")
curveType	<pre>set_RLum; character: curve type (e.g. "predefined" or "measured")</pre>
data	<pre>set_RLum; matrix: raw curve data. If data is of type RLum.Data.Spectrum, this can be used to re-construct the object.</pre>
info	set_RLum list: info elements
info.object	<pre>get_RLum; character (optional): the name of the info object to be called</pre>

Value

[set_RLum]

An object from the class RLum.Data.Spectrum get_RLum

- 1. A matrix with the spectrum values or
- 2. only the info object if info. object was set.

names_RLum

The names of the info objects

Methods (by generic)

- show: Show structure of RLum. Data. Spectrum object
- set_RLum: Construction method for RLum.Data.Spectrum object. The slot info is optional and predefined as empty list by default
- get_RLum: Accessor method for RLum.Data.Spectrum object. The argument info.object is optional to directly access the info elements. If no info element name is provided, the raw curve data (matrix) will be returned
- names_RLum: Returns the names info elements coming along with this curve object

Slots

recordType Object of class character containing the type of the curve (e.g. "TL" or "OSL")

curveType Object of class character containing curve type, allowed values are measured or predefined

data Object of class matrix containing spectrum (count) values. Row labels indicate wavelength/pixel values, column labels are temperature or time values.

info Object of class list containing further meta information objects

Objects from the Class

Objects can be created by calls of the form set_RLum("RLum.Data.Spectrum", ...).

Class version

0.4.0

How to cite

Kreutzer, S. (2017). RLum.Data.Spectrum-class(): Class 'RLum.Data.Spectrum'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The class should only contain data for a single spectra data set. For additional elements the slot info can be used. Objects from this class are automatically created by, e.g., read_XSYG2R

RLum.Results-class 253

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

```
RLum, RLum.Data, plot_RLum
```

Examples

```
showClass("RLum.Data.Spectrum")
##show example data
data(ExampleData.XSYG, envir = environment())
TL.Spectrum
##show data matrix
get_RLum(TL.Spectrum)
##plot spectrum
## Not run:
plot_RLum(TL.Spectrum)
## End(Not run)
```

RLum.Results-class

Class "RLum.Results"

Description

Object class contains results data from functions (e.g., analyse_SAR.CWOSL).

Usage

```
## S4 method for signature 'RLum.Results'
show(object)

## S4 method for signature 'RLum.Results'
set_RLum(class, originator, .uid, .pid,
    data = list(), info = list())

## S4 method for signature 'RLum.Results'
get_RLum(object, data.object, info.object = NULL,
    drop = TRUE)

## S4 method for signature 'RLum.Results'
length_RLum(object)

## S4 method for signature 'RLum.Results'
names_RLum(object)
```

254 RLum.Results-class

Arguments

object	$\begin{tabular}{ll} \tt get_RLum; & RLum.Results & (\textbf{required}): & an object of class & RLum.Results & to be evaluated \\ \end{tabular}$
class	set_RLum; character (required): name of the RLum class to create
originator	set_RLum; character (<i>automatic</i>): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	<pre>set_RLum; character (automatic): sets an unique ID for this object using the internal C++ function create_UID.</pre>
.pid	<pre>set_RLum; character (with default): option to provide a parent id for nesting at will.</pre>
data	set_RLum; list (optional): a list containing the data to be stored in the object
info	set_RLum; list (optional): a list containing additional info data for the object
data.object	get_RLum; character or numeric: name or index of the data slot to be returned
info.object	get_RLum; character (optional): name of the wanted info element
drop	<pre>get_RLum; logical (with default): coerce to the next possible layer (which are data objects, drop = FALSE keeps the original RLum.Results</pre>

Value

set RLum:

Returns an object from the class RLum.Results

get_RLum:

Returns:

- 1. Data object from the specified slot
- 2. list of data objects from the slots if 'data.object' is vector or
- 3. an RLum.Results for drop = FALSE.

length_RLum

Returns the number of data elements in the RLum. Results object.

names_RLum

Returns the names of the data elements in the object.

Methods (by generic)

- show: Show structure of RLum. Results object
- set_RLum: Construction method for an RLum.Results object.
- get_RLum: Accessor method for RLum.Results object. The argument data.object allows directly accessing objects delivered within the slot data. The default return object depends on the object originator (e.g., fit_LMCurve). If nothing is specified always the first data.object will be returned.

Note: Detailed specification should be made in combination with the originator slot in the receiving function if results are pipped.

- length_RLum: Returns the length of the object, i.e., number of stored data.objects
- names_RLum: Returns the names data.objects

RLum.Results-class 255

Slots

data Object of class "list" containing output data

Objects from the Class

Objects can be created by calls of the form new("RLum.Results", ...).

Class version

0.5.2

How to cite

Kreutzer, S. (2017). RLum.Results-class(): Class 'RLum.Results'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

The class is intended to store results from functions to be used by other functions. The data in the object should always be accessed by the method get_RLum.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)

See Also

RLum, plot_RLum, merge_RLum

```
showClass("RLum.Results")
##create an empty object from this class
set_RLum(class = "RLum.Results")
##use another function to show how it works
##Basic calculation of the dose rate for a specific date
 dose.rate <- calc_SourceDoseRate(</pre>
   measurement.date = "2012-01-27",
   calib.date = "2014-12-19",
   calib.dose.rate = 0.0438,
   calib.error = 0.0019)
##show object
dose.rate
##get results
get_RLum(dose.rate)
##get parameters used for the calcualtion from the same object
get_RLum(dose.rate, data.object = "parameters")
```

256 Second2Gray

##alternatively objects can be accessed using S3 generics, such as
dose.rate\$parameters

Second2Gray

Converting equivalent dose values from seconds (s) to gray (Gy)

Description

Conversion of absorbed radiation dose in seconds (s) to the SI unit gray (Gy) including error propagation. Normally used for equivalent dose data.

Usage

Second2Gray(data, dose.rate, error.propagation = "omit")

Arguments

data data.frame (required): input values, structure: data (values[,1]) and data error

(values [,2]) are required

dose.rate RLum.Results, data.frame or numeric (required): RLum.Results needs to be

orginated from the function calc_SourceDoseRate, for vector dose rate in Gy/s

and dose rate error in Gy/s

error.propagation

character (with default): error propagation method used for error calculation

(omit, gaussian or absolute), see details for further information

Details

Calculation of De values from seconds (s) to gray (Gy)

$$De[Gy] = De[s] * DoseRate[Gy/s])$$

Provided calculation error propagation methods for error calculation (with 'se' as the standard error and 'DR' of the dose rate of the beta-source):

(1) omit (default)

$$se(De)[Gy] = se(De)[s] * DR[Gy/s]$$

In this case the standard error of the dose rate of the beta-source is treated as systematic (i.e. non-random), it error propagation is omitted. However, the error must be considered during calculation of the final age. (cf. Aitken, 1985, pp. 242). This approach can be seen as method (2) (gaussian) for the case the (random) standard error of the beta-source calibration is 0. Which particular method is requested depends on the situation and cannot be prescriptive.

(2) gaussian error propagation

$$se(De)[Gy] = \sqrt{((DR[Gy/s] * se(De)[s])^2 + (De[s] * se(DR)[Gy/s])^2)}$$

Applicable under the assumption that errors of De and se are uncorrelated.

Second2Gray 257

(3) absolute error propagation

$$se(De)[Gy] = abs(DR[Gy/s] * se(De)[s]) + abs(De[s] * se(DR)[Gy/s])$$

Applicable under the assumption that errors of De and se are not uncorrelated.

Value

Returns a data.frame with converted values.

Function version

```
0.6.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S., Dietze, M., Fuchs, M.C. (2017). Second2Gray(): Converting equivalent dose values from seconds (s) to gray (Gy). Function version 0.6.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

If no or a wrong error propagation method is given, the execution of the function is stopped. Furthermore, if a data. frame is provided for the dose rate values is has to be of the same length as the data frame provided with the argument data

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France)
Michael Dietze, GFZ Potsdam (Germany)
Margret C. Fuchs, HZDR, Helmholtz-Institute Freiberg for Resource Technology (Germany)
R Luminescence Package Team
```

References

Aitken, M.J., 1985. Thermoluminescence dating. Academic Press.

See Also

calc_SourceDoseRate

```
##(A) for known source dose rate at date of measurement
## - load De data from the example data help file
data(ExampleData.DeValues, envir = environment())
## - convert De(s) to De(Gy)
Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))
```

258 set_Risoe.BINfileData

set_Risoe.BINfileData General accessor function for RLum S4 class objects

Description

Function calls object-specific get functions for RisoeBINfileData S4 class objects.

Usage

```
set_Risoe.BINfileData(METADATA = data.frame(), DATA = list(),
    .RESERVED = list())
```

Arguments

METADATA x
DATA x
.RESERVED x

Details

The function provides a generalised access point for specific Risoe.BINfileData objects. Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding Risoe.BINfileData class.

Value

Return is the same as input objects as provided in the list.

Function version

```
0.1 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). set_Risoe.BINfileData(): General accessor function for RLum S4 class objects. Function version 0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

set_RLum 259

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

Risoe.BINfileData

set_RLum	General set function for RLum S4 class objects	

Description

Function calls object-specific set functions for RLum S4 class objects.

Usage

```
set_RLum(class, originator, .uid = create_UID(), .pid = NA_character_, ...)
```

Arguments

class	RLum (required): name of the S4 class to create
originator	character (<i>automatic</i>): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	character (<i>automatic</i>): sets an unique ID for this object using the internal C++ function create_UID.
.pid	character (with default): option to provide a parent id for nesting at will.
	further arguments that one might want to pass to the specific set method

Details

The function provides a generalised access point for specific RLum objects.

Depending on the given class, the corresponding method to create an object from this class will be selected. Allowed additional arguments can be found in the documentations of the corresponding RLum class:

- RLum.Data.Curve,
- RLum.Data.Image,
- RLum.Data.Spectrum,
- RLum.Analysis,
- RLum.Results

Value

Returns an object of the specified class.

Function version

```
0.3.0 (2017-09-02 23:27:02)
```

260 smooth_RLum

How to cite

Kreutzer, S. (2017). set_RLum(): General set function for RLum S4 class objects. Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

Examples

```
##produce empty objects from each class
set_RLum(class = "RLum.Data.Curve")
set_RLum(class = "RLum.Data.Spectrum")
set_RLum(class = "RLum.Data.Spectrum")
set_RLum(class = "RLum.Analysis")
set_RLum(class = "RLum.Results")

##produce a curve object with arbitrary curve values
object <- set_RLum(
class = "RLum.Data.Curve",
curveType = "arbitrary",
recordType = "OSL",
data = matrix(c(1:100,exp(-c(1:100))),ncol = 2))

##plot this curve object
plot_RLum(object)</pre>
```

smooth_RLum

Smoothing of data

Description

Function calls the object-specific smooth functions for provided RLum S4-class objects.

Usage

```
smooth_RLum(object, ...)
## S4 method for signature 'list'
smooth_RLum(object, ...)
```

Arguments

```
object RLum (required): S4 object of class RLum
... further arguments passed to the specific class method
```

smooth_RLum 261

Details

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class. The smoothing is based on an internal function called .smoothing.

Value

An object of the same type as the input object is provided

Methods (by class)

• list: Returns a list of RLum objects that had been passed to smooth_RLum

Function version

```
0.1.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). smooth_RLum(): Smoothing of data. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

Currenlty only RLum objects of class RLum.Data.Curve and RLum.Analysis (with curve data) are supported!

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Data.Curve, RLum.Analysis

```
##load example data
data(ExampleData.CW_OSL_Curve, envir = environment())
##create RLum.Data.Curve object from this example
curve <-
    set_RLum(
        class = "RLum.Data.Curve",
        recordType = "OSL",
        data = as.matrix(ExampleData.CW_OSL_Curve)
)
##plot data without and with smoothing
plot_RLum(curve)</pre>
```

262 sTeve

```
plot_RLum(smooth_RLum(curve))
```

sTeve

sTeve - sophisticated tool for efficient data validation and evaluation

Description

This function provides a sophisticated routine for comprehensive luminescence dating data analysis.

Usage

```
sTeve(n_frames = 10, t_animation = 2, n.tree = 7, type)
```

Arguments

n_frames integer (with default): n frames t_animation integer (with default): t animation

n. tree integer (with default): how many trees do you want to cut?

type integer (optional): Make a decision: 1, 2 or 3

Details

This amazing sophisticated function validates your data seriously.

Value

Validates your data.

How to cite

NA, NA, , (2017). sTeve(): sTeve - sophisticated tool for efficient data validation and evaluation. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function should not be taken too seriously.

Author(s)

R Luminescence Team, 2012-2046

See Also

```
plot_KDE
```

```
##no example available
```

structure_RLum 263

structure_RLum

General structure function for RLum S4 class objects

Description

Function calls object-specific get functions for RLum S4 class objects.

Usage

```
structure_RLum(object, ...)
```

Arguments

object RLum (required): S4 object of class RLum

... further arguments that one might want to pass to the specific structure method

Details

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding structure function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

Value

Returns a data. frame with structure of the object.

Function version

```
0.2.0 (2017-09-02 23:27:02)
```

How to cite

Kreutzer, S. (2017). structure_RLum(): General structure function for RLum S4 class objects. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

264 template_DRAC

Examples

```
##load example data
data(ExampleData.XSYG, envir = environment())
##show structure
structure_RLum(OSL.SARMeasurement$Sequence.Object)
```

template_DRAC

Create a DRAC input data template (v1.1)

Description

This function returns a DRAC input template (v1.1) to be used in conjunction with the use_DRAC() function

Usage

```
template_DRAC(nrow = 1, notification = TRUE)
```

Arguments

nrow integer (with default): specifies the number of rows of the template (i.e., the

number of data sets you want to submit)

notification logical (with default): show or hide the notification

Value

A list.

How to cite

Burow, C. (2017). template_DRAC(): Create a DRAC input data template (v1.1). In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Christoph Burow, University of Cologne (Germany)

References

Durcan, J.A., King, G.E., Duller, G.A.T., 2015. DRAC: Dose Rate and Age Calculator for trapped charge dating. Quaternary Geochronology 28, 54-61. doi:10.1016/j.quageo.2015.03.012

See Also

```
as.data.frame, list
```

tune_Data 265

Examples

```
# create a new DRAC input input
input <- template_DRAC()</pre>
# show content of the input
print(input)
print(input$`Project ID`)
print(input[[4]])
## Example: DRAC Quartz example
# note that you only have to assign new values where they
# are different to the default values
input$`Project ID` <- "DRAC-Example"</pre>
input$`Sample ID` <- "Quartz"</pre>
input$`Conversion factors` <- "AdamiecAitken1998"</pre>
input$`External U (ppm)` <- 3.4</pre>
input$`errExternal U (ppm)` <- 0.51</pre>
input$`External Th (ppm)` <- 14.47</pre>
input$`errExternal Th (ppm)` <- 1.69</pre>
input\External\ K\ (\%) <- 1.2
input
$`errExternal K (%)` <- 0.14
input$`Calculate external Rb from K conc?` <- "N"</pre>
input$`Calculate internal Rb from K conc?` <- "N"</pre>
input$`Scale gammadoserate at shallow depths?` <- "N"</pre>
input$`Grain size min (microns)` <- 90</pre>
input$`Grain size max (microns)` <- 125</pre>
input$`Water content ((wet weight - dry weight)/dry weight) %' <- 5</pre>
input$`errWater content %` <- 2</pre>
input\Depth (m) < -2.2
input\ensuremath{\text{`errDepth}} (m) \ensuremath{\text{`}} <- 0.22
input^{\circ}Overburden density (g cm-3)^{\circ} <- 1.8
input
$`errOverburden density (g cm-3)` <- 0.1
input\`Latitude (decimal degrees)` <- 30.0000
input$`Longitude (decimal degrees)` <- 70.0000</pre>
input\`Altitude (m)` <- 150
input$`De (Gy)` <- 20</pre>
input\ensuremath{\text{`errDe (Gy)`}} < - 0.2
# use DRAC
## Not run:
output <- use_DRAC(input)</pre>
## End(Not run)
```

tune_Data

Tune data for experimental purpose

Description

The error can be reduced and sample size increased for specific purpose.

266 tune_Data

Usage

```
tune_Data(data, decrease.error = 0, increase.data = 0)
```

Arguments

```
data.frame (required): input values, structure: data (values[,1]) and data error (values [,2]) are required

decrease.error numeric: factor by which the error is decreased, ranges between 0 and 1.

increase.data numeric: factor by which the error is decreased, ranges between 0 and inf.
```

Value

Returns a data.frame with tuned values.

Function version

```
0.5.0 (2017-09-02 23:27:02)
```

How to cite

Dietze, M. (2017). tune_Data(): Tune data for experimental purpose. Function version 0.5.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

You should not use this function to improve your poor data set!

Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
R Luminescence Package Team
```

use_DRAC 267

use_DRAC	Use DRAC to calculate dose rate data

Description

The function provides an interface from R to DRAC. An R-object or a pre-formatted XLS/XLSX file is passed to the DRAC website and the results are re-imported into R.

Usage

```
use_DRAC(file, name, ...)
```

Arguments

file	character (required): spreadsheet to be passed to the DRAC website for calculation. Can also be a DRAC template object obtained from template_DRAC().
name	character (with defautl): Optional user name submitted to DRAC. If omitted, a random name will be generated
	Further arguments.
	 url character: provide an alternative URL to DRAC

- verbose logical: show or hide console output

Value

Returns an RLum.Results object containing the following elements:

DRAC list: a named list containing the following elements in slot @data:

\$highlights	data.frame	summary of 25 most important input/output fields
\$header	character	HTTP header from the DRAC server response
\$labels	data.frame	descriptive headers of all input/output fields
\$content	data.frame	complete DRAC input/output table
\$input	data.frame	DRAC input table
\$output	data.frame	DRAC output table

character or list path to the input spreadsheet or a DRAC template data call call the function call list used arguments args

The output should be accessed using the function get_RLum.

Function version

```
0.1.1 (2017-09-02 23:27:03)
```

How to cite

Kreutzer, S., Dietze, M., Burow, C. (2017). use_DRAC(): Use DRAC to calculate dose rate data. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, 268 use_DRAC

M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) Michael Dietze, GFZ Potsdam (Germany) Christoph Burow, University of Cologne (Germany) R Luminescence Package Team

References

Durcan, J.A., King, G.E., Duller, G.A.T., 2015. DRAC: Dose Rate and Age Calculator for trapped charge dating. Quaternary Geochronology 28, 54-61. doi:10.1016/j.quageo.2015.03.012

```
## (1) Method using the DRAC spreadsheet
file <- "/PATH/TO/DRAC_Input_Template.csv"</pre>
# send the actual IO template spreadsheet to DRAC
## Not run:
use_DRAC(file = file)
## End(Not run)
## (2) Method using an R template object
# Create a template
input <- template_DRAC()</pre>
# Fill the template with values
input$`Project ID` <- "DRAC-Example"</pre>
input$`Sample ID` <- "Quartz"</pre>
input$`Conversion factors` <- "AdamiecAitken1998"</pre>
input$`External U (ppm)` <- 3.4</pre>
input$`errExternal U (ppm)` <- 0.51</pre>
input$`External Th (ppm)` <- 14.47</pre>
input$`errExternal Th (ppm)` <- 1.69</pre>
input\External K (%) <- 1.2
input$`errExternal K (%)` <- 0.14</pre>
input$`Calculate external Rb from K conc?` <- "N"</pre>
input
$`Calculate internal Rb from K conc?` <- "N"  
input
$`Scale gammadoserate at shallow depths?` <- "N"  
input$`Grain size min (microns)` <- 90</pre>
input\Grain\ size\ max\ (microns) <- 125
input\`Water content ((wet weight - dry weight)/dry weight) \% <- 5
input$`errWater content %` <- 2</pre>
input^Depth (m) < -2.2
input$`errDepth (m)` <- 0.22</pre>
input$`Overburden density (g cm-3)` <- 1.8
input$`errOverburden density (g cm-3)` <- 0.1
```

```
input$`Latitude (decimal degrees)` <- 30.0000
input$`Longitude (decimal degrees)` <- 70.0000
input$`Altitude (m)` <- 150
input$`De (Gy)` <- 20
input$`errDe (Gy)` <- 0.2

# use DRAC
## Not run:
output <- use_DRAC(input)

## End(Not run)</pre>
```

verify_SingleGrainData

Verify single grain data sets and check for invalid grains, i.e. zero-light level grains

Description

This function tries to identify automatically zero-light level curves (grains) from single grain data measurements.

Usage

```
verify_SingleGrainData(object, threshold = 10, cleanup = FALSE,
    cleanup_level = "aliquot", verbose = TRUE, plot = FALSE)
```

Arguments

object Risoe.BINfileData or RLum.Analysis (required): input object. The function

also accepts a list with objects of allowed type.

threshold numeric (with default): numeric threshold value for the allowed difference be-

tween the mean and the var of the count values (see details)

cleanup logical (with default): if set to TRUE curves indentified as zero light level curves

are automatically removed. Ouput is an object as same type as the input, i.e.

either Risoe.BINfileData or RLum.Analysis

cleanup_level character (with default): selects the level for the cleanup of the input data sets.

Two options are allowed: "curve" or "aliquot":

• If "curve" is selected every single curve marked as invalid is removed.

• If "aliquot" is selected, curves of one aliquot (grain or disc) can be marked as invalid, but will not be removed. An aliquot will be only removed if all

curves of this aliquot are marked as invalid.

verbose logical (with default): enables or disables the terminal feedback

plot logical (with default): enables or disables the graphical feedback

Details

How does the method work?

The function compares the expected values (E(X)) and the variance (Var(X)) of the count values for each curve. Assuming that the background roughly follows a poisson distribution the absolute difference of both values should be zero or at least around zero as

$$E(x) = Var(x) = \lambda$$

Thus the function checks for:

$$abs(E(x) - Var(x)) >= \Theta$$

With Θ an arbitray, user defined, threshold. Values above the threshold indicating curves comprising a signal.

Note: the absolute difference of E(X) and Var(x) instead of the ratio was chosen as both terms can become 0 which would result in 0 or Inf, if the ratio is calculated.

Value

The function returns

[NUMERICAL OUTPUT]

RLum.Results-object

slot:****@data

Element	Type	Description
<pre>\$unique_pairs</pre>	data.frame	the unique position and grain pairs
<pre>\$selection_id</pre>	numeric	the selection as record ID
<pre>\$selection_full</pre>	data.frame	implemented models used in the baSAR-model core

slot:****@info

The original function call

Output variation

For cleanup = TRUE the same object as the input is returned, but cleaned up (invalid curves were removed). This means: Either an Risoe.BINfileData or an RLum.Analysis object is returned in such cases. An Risoe.BINfileData object can be exported to a BIN-file by using the function write_R2BIN.

Function version

0.2.0 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). verify_SingleGrainData(): Verify single grain data sets and check for invalid grains, i.e. zero-light level grains. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M.,

Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Note

This function can work with Risoe.BINfileData objects or RLum.Analysis objects (or a list of it). However, the function is highly optimised for Risoe.BINfileData objects as it make sense to remove identify invalid grains before the conversion to an RLum.Analysis object.

The function checking for invalid curves works rather robust and it is likely that Reg0 curves within a SAR cycle are removed as well. Therefore it is strongly recommended to use the argument cleanup = TRUE carefully.

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

Risoe.BINfileData, RLum.Analysis, write_R2BIN, read_BIN2R

```
##01 - basic example I
##just show how to apply the function
data(ExampleData.XSYG, envir = environment())
##verify and get data.frame out of it
verify\_SingleGrainData (OSL.SARMeasurement \$ Sequence.Object) \$ selection\_full
##02 - basic example II
data(ExampleData.BINfileData, envir = environment())
id <- verify_SingleGrainData(object = CWOSL.SAR.Data,</pre>
cleanup_level = "aliquot")$selection_id
## Not run:
##03 - advanced example I
##importing and exporting a BIN-file
##select and import file
file <- file.choose()</pre>
object <- read_BIN2R(file)</pre>
##remove invalid aliquots(!)
object <- verify_SingleGrainData(object, cleanup = TRUE)</pre>
##export to new BIN-file
write_R2BIN(object, paste0(dirname(file),"/", basename(file), "_CLEANED.BIN"))
## End(Not run)
```

272 write_R2BIN

write_R2BIN

Export Risoe.BINfileData into Risoe BIN-file

Description

Exports a Risoe.BINfileData object in a *.bin or *.binx file that can be opened by the Analyst software or other Risoe software.

Usage

```
write_R2BIN(object, file, version, compatibility.mode = FALSE,
    txtProgressBar = TRUE)
```

Arguments

object Risoe.BINfileData (**required**): input object to be stored in a bin file.

file character (required): file name and path of the output file

• [WIN]: write_R2BIN(object, "C:/Desktop/test.bin")

• [MAC/LINUX]: write_R2BIN("/User/test/Desktop/test.bin")

version

character (*optional*): version number for the output file. If no value is provided the highest version number from the Risoe.BINfileData is taken automatically.

Note: This argument can be used to convert BIN-file versions.

compatibility.mode

logical (with default): this option recalculates the position values if necessary and set the max. value to 48. The old position number is appended as comment (e.g., 'OP: 70). This option accounts for potential compatibility problems with the Analyst software.

txtProgressBar logical (with default): enables or disables txtProgressBar.

Details

The structure of the exported binary data follows the data structure published in the Appendices of the Analyst manual p. 42.

If LTYPE, DTYPE and LIGHTSOURCE are not of type character, no transformation into numeric values is done.

Value

Write a binary file.

Function version

0.4.2 (2017-09-02 23:29:24)

How to cite

Kreutzer, S. (2017). write_R2BIN(): Export Risoe.BINfileData into Risoe BIN-file. Function version 0.4.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

write_RLum2CSV 273

Note

The function just roughly checks the data structures. The validity of the output data depends on the user.

The validity of the file path is not further checked. BIN-file conversions using the argument version may be a lossy conversion, depending on the chosen input andoutput data (e.g., conversion from version 08 to 07 to 06 to 04 or 03).

Warning

Although the coding was done carefully it seems that the BIN/BINX-files produced by Risoe DA 15/20 TL/OSL readers slightly differ on the byte level. No obvious differences are observed in the METADATA, however, the BIN/BINX-file may not fully compatible, at least not similar to the once directly produced by the Risoe readers!

ROI definitions (introduced in BIN-file version 8) are not supported! There are furthermore ignored by the function read_BIN2R.

Author(s)

```
Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team
```

References

```
DTU Nutech, 2016. The Squence Editor, Users Manual, February, 2016. http://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/manuals
```

See Also

```
read_BIN2R, Risoe.BINfileData, writeBin
```

Examples

```
##uncomment for usage

##data(ExampleData.BINfileData, envir = environment())
##write_R2BIN(CWOSL.SAR.Data, file="[your path]/output.bin")
```

write_RLum2CSV

Export RLum-objects to CSV

Description

This function exports RLum-objects to CSV-files using the R function utils::write.table. All RLum-objects are supported, but the export is lossy, i.e. the pure numerical values are exported only. Information that cannot be coerced to a data.frame or a matrix are discarded as well as metadata.

Usage

```
write_RLum2CSV(object, path = NULL, prefix = "", export = TRUE, ...)
```

274 write_RLum2CSV

Arguments

object	RLum or a list of RLum objects (required): objects to be written
path	character (<i>optional</i>): character string naming folder for the output to be written. If nothing is provided path will be set to the working directory. Note: this argument is ignored if the the argument export is set to FALSE.
prefix	character (with default): optional prefix to name the files. This prefix is valid for all written files
export	logical (with default): enable or disable the file export. If set to FALSE nothing is written to the file connection, but a list comprising objects of type data.frame and matrix is returned instead
	further arguments that will be passed to the function utils::write.table. All arguments except the argument file are supported

Details

However, in combination with the implemented import functions, nearly every supported import data format can be exported to CSV-files, this gives a great deal of freedom in terms of compatibility with other tools.

Input is a list of objects

If the input is a list of objects all explicit function arguments can be provided as list.

Value

The function returns either a CSV-file (or many of them) or for the option export == FALSE a list comprising objects of type data.frame and matrix

Function version

0.1.1 (2017-09-02 23:27:02)

How to cite

Kreutzer, S. (2017). write_RLum2CSV(): Export RLum-objects to CSV. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J. (2017). Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.8.0. https://CRAN.R-project.org/package=Luminescence

Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, Universite Bordeaux Montaigne (France) R Luminescence Package Team

See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table

write_RLum2CSV 275

```
##transform values to a list
data(ExampleData.BINfileData, envir = environment())
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data)[[1]]
write_RLum2CSV(object, export = FALSE)

## Not run:

##export data to CSV-files in the working directory;
##BE CAREFUL, this example creates many files on your file system
data(ExampleData.BINfileData, envir = environment())
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data)[[1]]
write_RLum2CSV(object, export = FALSE)

## End(Not run)</pre>
```

Index

Tonio IO	analysa nantahlaosi 22
*Topic IO	analyse_portableOSL, 32
convert_Activity2Concentration,	analyse_SAR.CWOSL, 34
106	Analyse_SAR.OSLdata, 37
convert_BIN2CSV, 107	analyse_SAR.TL, 40
convert_Daybreak2CSV, 109	calc_AverageDose, 53
convert_PSL2CSV, 110	calc_FadingCorr, 64
convert_RLum2Risoe.BINfileData,	calc_gSGC, 75
111	calc_Kars2008, 80
convert_XSYG2CSV, 112	calc_OSLLxTxRatio, 92
extract_IrradiationTimes, 136	calc_Statistics, 98
merge_Risoe.BINfileData, 155	calc_ThermalLifetime, 100
PSL2Risoe.BINfileData, 219	calc_TLLxTxRatio, 102
read_BIN2R, 220	plot_FilterCombinations, 182
read_Daybreak2R, 222	verify_SingleGrainData, 269
read_PSL2R, 224	*Topic datasets
read_SPE2R, 225	BaseDataSet.CosmicDoseRate, 47
read_XSYG2R, 227	ExampleData.BINfileData, 124
write_R2BIN, 272	ExampleData.CW_OSL_Curve, 125
write_RLum2CSV, 273	ExampleData.DeValues, 126
*Topic aplot	ExampleData.Fading, 127
plot_FilterCombinations, 182	ExampleData.portableOSL, 131
plot_RLum.Analysis, 206	ExampleData.RLum.Analysis, 131
plot_RLum.Data.Curve, 209	ExampleData.RLum.Data.Image, 132
plot_RLum.Data.Image, 210	ExampleData.XSYG, 133
plot_RLum.Data.Spectrum, 212	extdata, 135
plot_RLum.Results, 216	*Topic dplot
*Topic classes	Analyse_SAR.OSLdata,37
Risoe.BINfileData-class, 235	calc_FuchsLang2001, 73
RLum-class, 240	fit_CWCurve, 138
RLum.Analysis-class, 242	fit_LMCurve, 142
RLum.Data-class, 245	plot_DRTResults, 179
RLum.Data.Curve-class, 246	<pre>plot_Risoe.BINfileData, 203</pre>
RLum.Data.Image-class, 249	plot_RLum, 205
RLum.Data.Spectrum-class, 251	*Topic manip
RLum.Results-class, 253	apply_CosmicRayRemoval, 42
*Topic datagen	apply_EfficiencyCorrection,44
analyse_Al2O3C_CrossTalk,7	<pre>calc_SourceDoseRate, 95</pre>
analyse_Al2O3C_ITC, 9	CW2pHMi, 113
analyse_Al2O3C_Measurement, 11	CW2pLM, 117
analyse_baSAR, 13	CW2pLMi, 119
analyse_FadingMeasurement, 20	CW2pPMi, 121
analyse_IRSAR.RF, 23	extract_IrradiationTimes, 136
analyse_pIRIRSequence, 29	merge_Risoe.BINfileData, 155

Risoe.BINfileData2RLum.Analysis,	analyse_baSAR, 13
239	analyse_FadingMeasurement, 20, 65, 81
Second2Gray, 256	analyse_IRSAR.RF, 23
sTeve, 262	analyse_pIRIRSequence, 29, 39, 178, 179
tune_Data, 265	analyse_portableOSL, 32
verify_SingleGrainData,269	analyse_SAR.CWOSL, 30, 31, 34, 39, 95, 178,
*Topic methods	179, 253
RLum.Analysis-class, 242	Analyse_SAR.OSLdata, 36, 37, 95
RLum.Results-class, 253	analyse_SAR.TL, 40, <i>104</i>
*Topic models	app_RLum, 46
fit_CWCurve, 138	apply_CosmicRayRemoval, 42, 44
fit_LMCurve,142	apply_EfficiencyCorrection,44
*Topic package	approx, 115, 182, 185, 228, 230
Luminescence-package, 5	array, <i>101</i>
*Topic plot	as, 46
analyse_pIRIRSequence, 29	as.data.frame, 264
analyse_portableOSL, 32	as.data.frame.RLum.Data.Curve
analyse_SAR.CWOSL,34	(methods_RLum), 162
analyse_SAR.TL,40	as.data.frame.RLum.Data.Spectrum
*Topic utilities	(methods_RLum), 162
bin_RLum.Data,50	as.list.RLum.Analysis(methods_RLum),
get_Risoe.BINfileData,149	162
get_RLum, 150	as.list.RLum.Data.Curve(methods_RLum),
length_RLum, 154	162
merge_RLum, 156	as.list.RLum.Results(methods_RLum), 162
merge_RLum.Analysis, 158	as.matrix.RLum.Data.Curve
merge_RLum.Data.Curve, 159	(methods_RLum), 162
names_RLum, 168	as.matrix.RLum.Data.Spectrum
replicate_RLum, 230	(methods_RLum), 162
set_Risoe.BINfileData,258	
set_RLum, 259	base::as.data.frame, 166
smooth_RLum, 260	base::readBin,222
structure_RLum, 263	BaseDataSet.CosmicDoseRate, 47, 63
*.RLum.Data.Curve (methods_RLum), 162	bin.RLum.Data.Curve(methods_RLum), 162
+.RLum.Data.Curve (methods_RLum), 162	bin_RLum.Data,50
RLum.Data.Curve (methods_RLum), 162	bin_RLum.Data,RLum.Data.Curve-method
/.RLum.Data.Curve (methods_RLum), 162	(RLum.Data.Curve-class), 246
[.RLum.Analysis (methods_RLum), 162	boxplot, 218
[.RLum.Data.Curve (methods_RLum), 162	boxplot.default, <i>19</i>
[.RLum.Data.Image (methods_RLum), 162	browseURL, 233
[.RLum.Data.Spectrum (methods_RLum), 162	
[.RLum.Results (methods_RLum), 162	<pre>calc_AliquotSize, 51</pre>
[<rlum.data.curve (methods_rlum),="" 162<="" td=""><td>calc_AverageDose, 53</td></rlum.data.curve>	calc_AverageDose, 53
[[.RLum.Analysis (methods_RLum), 162	calc_CentralDose, 56, 60, 72, 75, 79, 86, 90,
[[.RLum.Results(methods_RLum), 162	105
<pre>\$.RLum.Analysis (methods_RLum), 162</pre>	calc_CommonDose, 58, 58, 72, 75, 79, 86, 90
\$.RLum.Data.Curve (methods_RLum), 162	calc_CosmicDoseRate, 60
\$.RLum.Results (methods_RLum), 162	calc_FadingCorr, 21, 64
	calc_FastRatio, 68
abline, 207	calc_FiniteMixture, 58, 60, 70, 75, 79, 86,
analyse_Al2O3C_CrossTalk, 7	90
analyse_Al2O3C_ITC, <i>9</i> , 9, <i>13</i>	calc_FuchsLang2001, 58, 60, 72, 73, 79, 86,
analyse_Al2O3C_Measurement, 11	90, 105

calc_gSGC, 75	<pre>dim.RLum.Data.Spectrum (methods_RLum),</pre>
calc_HomogeneityTest,77	162
calc_IEU, 78	
calc_Kars2008, 80	environment, 243
calc_MaxDose, 84, 90	eval, <i>243</i>
calc_MinDose, 58, 60, 72, 75, 79, 84-86, 86	ExampleData.BINfileData, 124
calc_OSLLxTxRatio, 14-17, 19, 22, 31, 35,	ExampleData.CW_OSL_Curve, 125
36, 38, 39, 92	ExampleData.DeValues, 126
calc_SourceDoseRate, 95, 256, 257	ExampleData.Fading, 127
calc_Statistics, 98, 171, 180, 193, 218	ExampleData.FittingLM, 129
calc_ThermalLifetime, 100	ExampleData.LxTxData, 130
calc_TLLxTxRatio, 41, 42, 102	ExampleData.LxTxOSLData, 130
calc_WodaFuchs2008, 104	ExampleData.portableOSL, 131
call, 30, 52, 57, 59, 62, 71, 74, 76, 77, 79, 89,	ExampleData.RLum.Analysis, 131
144, 184, 267	ExampleData.RLum.Data.Image, 132
character, 7, 9, 11, 14–16, 21, 23, 25, 30, 35,	ExampleData.XSYG, 133
38, 40, 41, 43, 46, 54, 55, 66, 70, 71,	expression, 166, 188, 243
75, 93, 96, 98, 100, 106, 108–110,	extdata, 135
112, 136, 139, 142, 143, 146, 147,	extract_IrradiationTimes, 22, 136
151, 155, 159, 166, 167, 169–171,	5.01.400_211.4424025.11.21100, 22, 100
177, 180, 186, 190, 191, 193, 196,	fit_CWCurve, 68, 69, 138, 145
199, 203, 204, 207, 210, 212, 213,	fit_LMCurve, 115, 118, 120, 123, 141, 142
217, 218, 220, 221, 223–225, 227,	formula, 36
232, 233, 239, 241–244, 246, 247,	
249–252, 254, 256, 259, 267, 269,	get_Layout, 146
272, 274	get_Quote, 147
confint, 139, 140, 143, 144	get_rightAnswer, 148
contour, 215	get_Risoe.BINfileData, 149
convert_Activity2Concentration, 106	<pre>get_Risoe.BINfileData,Risoe.BINfileData-method</pre>
convert_BIN2CSV, 107	(Risoe.BINfileData-class), 235
convert_Daybreak2CSV, 109	get_RLum, 7, 9, 11, 27, 28, 30, 31, 36, 41, 42,
convert_PSL2CSV, 110	52, 57, 59, 62, 67, 69, 72, 76, 77, 79,
convert_RLum2Risoe.BINfileData, 111	89, 94, 97, 102, 136, 141, 145, 150,
convert_XSYG2CSV, 112	150, 189, 207, 226, 242, 243, 246,
CW2pHMi, 113, <i>118</i> , <i>120</i> , <i>123</i> , <i>204</i>	247, 249, 251, 254, 267
CW2pLM, 115, 117, 120, 123, 204	<pre>get_RLum,list-method(get_RLum), 150</pre>
CW2pLMi, 115, 117, 120, 123, 142, 204	get_RLum, NULL-method (get_RLum), 150
	get_RLum,RLum.Analysis-method
CW2pPMi, 115, 118, 120, 121, 204	(RLum. Analysis-class), 242
data.frame, 20, 30, 36, 39, 41, 45, 46, 52, 54,	get_RLum,RLum.Data.Curve-method
56, 57, 59, 62, 66, 68–80, 82, 84, 87,	(RLum.Data.Curve-class), 246
89, 92, 93, 98, 103, 105, 106,	get_RLum,RLum.Data.Image-method
108–110, 112, 114, 117, 119, 122,	(RLum.Data.Image-class), 249
124, 126, 128, 130, 133, 139, 140,	get_RLum,RLum.Data.Spectrum-method
142, 144, 152, 161, 170, 180, 183,	(RLum.Data.Spectrum-class), 251
186, 190, 193, 196, 198, 217, 221,	get_RLum,RLum.Results-method
229, 243, 256, 257, 266, 267, 273,	(RLum.Results-class), 253
274	GitHub-API, 151
data.table::data.table, 223	github_branches (GitHub-API), 151
Date, 96	github_commits (GitHub-API), 151
density, 194, 195	github_issues (GitHub-API), 151
devtools::install_github, 153	glm, 143
dim.RLum.Data.Curve (methods_RLum), 162	graphics::boxplot, 218
	O - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

graphics::grid, 184	Luminescence-package, 5
graphics::hist, <i>54</i> , <i>56</i>	Luminescence::github_branches, 153
graphics::legend, 24, 184	
graphics::matplot, 102	matrix, 46, 72, 101, 108-110, 112, 140, 161,
	183, 196, 212, 217, 246–249, 251,
hist, 191, 192	252, 273, 274
hist.RLum.Analysis (methods_RLum), 162	matrixStats::rowMedians, 160
hist.RLum.Data.Curve (methods_RLum), 162	matrixStats::rowMins, 160
hist.RLum.Data.Image (methods_RLum), 162	matrixStats::rowSds, 160
hist.RLum.Results (methods_RLum), 162	matrixStats::rowVars, 160
,,	merge.RLum (methods_RLum), 162
<pre>install_DevelopmentVersion, 153</pre>	merge_Risoe.BINfileData, 155, 222, 239
integer, 15, 16, 21, 25, 29, 30, 34, 40, 43, 54,	merge_RLum, 156, 159, 161, 248, 255
55, 65, 75, 93, 96, 98, 103, 142, 151,	merge_RLum. Analysis, 158
155, 166, 171, 177, 186, 196, 207,	merge_RLum.Data.Curve, 159
212, 221, 231, 241, 247, 262, 264	merge_RLum.Results, 161
is.RLum (methods_RLum), 162	methods::as, 47
13. NEum (me trious_Neum), 102	methods::language, 27
legend, 196, 218	methods_RLum, 162
length.Risoe.BINfileData	
(methods_RLum), 162	minpack.lm::nlsLM, 26, 28, 82, 141, 145,
length.RLum.Analysis (methods_RLum), 162	187, 189
length.RLum.Data.Curve (methods_RLum),	mle2, 89
162	model_LuminescenceSignals, 167
	mtext, 190
length.RLum.Results (methods_RLum), 162 length_RLum, 154, 242, 246	names Dissa PINfilaData (methods Dlum)
=	names.Risoe.BINfileData(methods_RLum) 162
length_RLum, RLum. Analysis - method	
(RLum.Analysis-class), 242	names.RLum.Analysis (methods_RLum), 162
length_RLum, RLum. Data. Curve-method	names.RLum.Data.Curve(methods_RLum),
(RLum.Data.Curve-class), 246	162
length_RLum,RLum.Results-method	names.RLum.Data.Image(methods_RLum),
(RLum.Results-class), 253	162
list, 8, 9, 12, 14–16, 20, 23, 24, 27, 29, 30,	names.RLum.Data.Spectrum
34, 35, 39, 41, 46, 47, 52, 54, 57, 59,	(methods_RLum), 162
62, 69, 71, 74–77, 79, 89, 94, 96,	names.RLum.Results(methods_RLum), 162
100, 103, 111, 126, 128, 136, 144,	names_RLum, 168, 242, 246, 249, 251
146, 150, 152, 157–159, 161, 167,	names_RLum,RLum.Analysis-method
177, 183, 196, 205, 207, 220, 221,	(RLum. Analysis-class), 242
223, 227, 231, 241–244, 246,	names_RLum, RLum. Data. Curve-method
249–252, 254, 264, 267, 274	(RLum.Data.Curve-class), 246
list.files, 221, 222	names_RLum,RLum.Data.Image-method
1m, 114, 115, 118, 119, 122, 187–189	(RLum.Data.Image-class), 249
logical, 8, 9, 12, 15, 21, 24, 25, 30, 33, 35,	names_RLum,RLum.Data.Spectrum-method
38, 43, 51, 54, 57, 59, 61, 65, 68, 70,	(RLum.Data.Spectrum-class), 25
71, 73, 75, 77, 78, 81, 84, 87, 93, 98,	names_RLum,RLum.Results-method
100, 105, 106, 136, 139, 142, 143,	(RLum.Results-class), 253
147, 150, 151, 153, 155, 166, 167,	nlminb, 88
170, 171, 177, 178, 180, 183, 186,	nls, 24, 25, 27, 28, 138–142, 144, 145,
187, 190, 191, 193, 196, 198, 199,	187–189
207, 209, 210, 212, 213, 216–218,	numeric, 7, 9, 11, 12, 14, 16, 24–26, 30, 34,
220, 221, 223–225, 228, 232, 239,	35, 38, 41, 43, 51, 54, 57, 59, 61, 65
243, 254, 264, 267, 269, 272, 274	66, 68, 70, 71, 73, 78, 81, 82, 84, 87
Luminescence (Luminescence-package), 5	89, 93, 96, 98, 100, 101, 105, 139,

140 150 166 160 150 151 155	
142, 159, 166–168, 170, 171, 177,	raster::plot, 211
180, 183, 187, 190, 191, 193, 198,	raster::plotRGB, 211
199, 203, 204, 213, 217, 218, 221,	raster::raster, 211, 227
239, 243, 247, 254, 256, 266, 269	raw, 221
F:1 T 00 033	read.table, 56
pander::openFileInOS, 233	read_BIN2R, 15–17, 19, 22, 37, 39, 107, 108,
pander::pander_return, 233	137, 138, 156, 203, 204, 220, 235,
par, 196	239, 240, 271, 273
parallel::mclapply, 28	read_Daybreak2R, 109, 222, 242
pchisq, 78	read_PSL2R, 32, 33, 110, 111, 219, 224
pdf, 207, 216	read_SPE2R, 132, 211, 225, 249, 250
persp, 213, 215	read_XSYG2R, 22, 112, 113, 133, 134,
plot, 58, 73, 75, 79, 81, 139, 141, 145, 177,	136–138, 227, 242, 248, 252
179–181, 191–193, 195–197, 201,	readBin, 227
208–211, 215–218	readxl::read_excel, 15, 17, 19
plot.default, 41, 100, 168, 178, 218	regex, 228
plot.list(methods_RLum), 162	_
<pre>plot.Risoe.BINfileData(methods_RLum),</pre>	rep.RLum (methods_RLum), 162
162	replicate_RLum, 230
plot.RLum.Analysis (methods_RLum), 162	replicate_RLum,RLum-method
plot.RLum.Data.Curve (methods_RLum), 162	(RLum-class), 240
plot.RLum.Data.Image (methods_RLum), 162	report_RLum, 231
plot.RLum.Data.Spectrum(methods_RLum),	Risoe.BINfileData, 14, 16, 36–39, 111, 112,
162	124, 138, 149, 155, 156, 166, 203,
plot.RLum.Results (methods_RLum), 162	204, 219–222, 235, 239, 240, 244,
plot_AbanicoPlot, 99, 169	258, 259, 269–273
plot_DetPlot, 177	Risoe.BINfileData-class, 234
plot_DRTResults, 179	Risoe.BINfileData2RLum.Analysis, 221,
plot_FilterCombinations, 182	239, 239, 244, 248
plot_GrowthCurve, 10, 11, 15–17, 19, 30, 31,	rjags::coda.samples, <i>19</i>
35, 36, 39, 41, 42, 81, 95, 185	rjags::jags.model, <i>16</i> , <i>17</i> , <i>19</i>
plot_Histogram, <i>173</i> , 190, <i>201</i>	rjags::rjags, 18
plot_KDE, <i>173</i> , 193, <i>201</i> , <i>262</i>	RLum, 46, 150, 154, 157–159, 166, 169, 205,
plot_NRt, 196	231, 241, 244, 245, 248, 250, 253,
plot_RadialPlot, 173, 198	255, 259–261, 263, 273, 274
plot_Risoe.BINfileData, 203, 239	RLum-class, 240
plot_R130e.B1W11ebata, 203, 237 plot_RLum, 97, 134, 205, 208, 210, 211, 215,	RLum. Analysis, 7, 9, 11, 20, 23, 28, 29,
217, 248, 250, 253, 255	31–36, 40, 42, 47, 68, 69, 108, 109,
plot_RLum. Analysis, <i>134</i> , <i>205</i> , <i>206</i> , <i>206</i>	111–113, 131, 133, 134, 136–138,
plot_RLum.Data.Curve, 205, 206, 208, 209	150, 151, 155, 157–159, 169, 177,
	196, 205–207, 219–225, 228–230,
plot_RLum.Data.Image, 205, 206, 210	240–244, 248, 259–261, 263,
plot_RLum. Data. Spectrum, 134, 205, 206,	269–271, 274
212	RLum.Analysis-class, 242
plot_RLum. Results, 205, 206, 216	RLum. Data, 50, 108, 109, 111, 113, 241, 243,
plot_ViolinPlot, 217	244, 248, 250, 253, 274
plotly::plot_ly, 215	RLum. Data-class, 245
profile, 140	RLum. Data-Class, 243 RLum. Data. Curve, 33, 47, 50, 68, 69, 92, 95,
profile.mle2, 89	
PSL2Risoe.BINfileData, 219	103, 111, 112, 114, 115, 117–120,
ractor 210 211	122, 123, 131, 139, 141, 142, 150, 151, 155, 157, 161, 160, 106
raster, 210, 211	151, 155, 157–161, 169, 196,
raster::brick, 249, 250	205–207, 209, 220, 223–225, 230,
raster::contour, 211	244–247, 259–261, 263

RLum.Data.Curve-class, 246	show,Risoe.BINfileData-method
RLum. Data. Image, 47, 132, 150, 151, 155,	(Risoe.BINfileData-class), 235
157–159, 169, 205, 206, 210, 211,	show,RLum.Analysis-method
226, 249, 259, 260, 263	(RLum.Analysis-class), 242
RLum.Data.Image-class, 249	show, RLum. Data. Curve-method
RLum. Data. Spectrum, 43–45, 47, 133, 134,	(RLum.Data.Curve-class), 246
150, 151, 155, 157–159, 169, 205,	show, RLum. Data. Image-method
206, 212, 213, 215, 226, 227, 245,	(RLum.Data.Image-class), 249
251, 259, 260, 263	show, RLum. Data. Spectrum-method
RLum.Data.Spectrum-class, 251	(RLum.Data.Spectrum-class), 251
RLum. Results, 7, 11, 12, 14, 16, 21, 28, 30,	show, RLum. Results-method
31, 33, 35, 36, 41, 42, 47, 52, 54, 56,	(RLum.Results-class), 253
57, 59, 62, 65–67, 69–71, 73–79, 82,	smooth, 43, 44
84, 87, 89, 94, 96, 98, 101, 103–105,	smooth.spline, 43, 44, 196
108, 109, 111, 113, 137, 138, 140,	smooth_RLum, 247, 260, 261
141, 150, 151, 155, 157, 161, 169,	smooth_RLum, list-method (smooth_RLum),
170, 178, 180, 184, 185, 189, 190,	260
193, 198, 205, 206, 216, 217, 254,	smooth_RLum,RLum.Analysis-method
256, 259, 260, 263, 267, 274	(RLum. Analysis-class), 242
	smooth_RLum,RLum.Data.Curve-method
RLum.Results-class, 253 RLumModel::model_LuminescenceSignals,	(RLum.Data.Curve-class), 246
	stats::approx, 45
167	stats::density, 218
RLumModel::RLumModel-package, 167	stats::lm, 21
RLumShiny::app_RLum, 46	
RLumShiny::RLumShiny-package, 46	stats::nls, 21
rmarkdown::render, 232, 233	stats::rnorm, 102
rollmean, 196	stats::uniroot, 65
row.names.RLum.Data.Spectrum	sTeve, 262
(methods_RLum), 162	structure_RLum, 242–244, 263
rowMeans, 160	structure_RLum,RLum.Analysis-method
rowSums, <i>159</i>	(RLum.Analysis-class), 242
rstudioapi::viewer, 233	subset, 166
rug, 218	subset.data.frame, 166
	subset.Risoe.BINfileData
sd, 188	(methods_RLum), 162
Second2Gray, <i>95–97</i> , 256	subset.RLum.Analysis (methods_RLum), 162
set.seed, 65, 66	summary, <i>140</i> , <i>144</i>
set_Risoe.BINfileData, 258	<pre>summary.RLum.Analysis (methods_RLum),</pre>
set_Risoe.BINfileData,ANY-method	162
(Risoe.BINfileData-class), 235	<pre>summary.RLum.Data.Curve (methods_RLum),</pre>
set_RLum, 241–243, 246, 249, 251, 254, 259	162
set_RLum,RLum.Analysis-method	$summary. RLum. Data. Image \ (methods_RLum),$
(RLum. Analysis-class), 242	162
set_RLum,RLum.Data.Curve-method	summary.RLum.Results(methods_RLum), 162
· · · · · · · · · · · · · · · · · · ·	
(RLum.Data.Curve-class), 246	template_DRAC, 264
set_RLum,RLum.Data.Image-method	tune_Data, 265
(RLum.Data.Image-class), 249	txtProgressBar, 65, 221, 223, 225, 239, 272
set_RLum,RLum.Data.Spectrum-method	
(RLum.Data.Spectrum-class), 251	uniroot, 65, 67, 75, 76, 187, 189
set_RLum,RLum.Results-method	unlist.RLum.Analysis (methods_RLum), 162
(RLum.Results-class), 253	use_DRAC, 106, 267
shiny::runApp, 46	utils::txtProgressBar, 222

```
utils::write.table, 108, 109, 111, 113, 273, 274

vector, 14, 21, 23, 30, 33, 38, 41, 65, 92, 93, 114, 119, 122, 139, 203, 212, 221, 225, 239

verify_SingleGrainData, 16, 17, 19, 269

write_R2BIN, 111, 112, 136–138, 156, 219, 222, 237, 239, 270, 271, 272

write_RLum2CSV, 107–113, 273

writeBin, 273

xml, 228–230

zoo::rollmean, 209, 244, 247

zoo::rollmedian, 244, 247
```