ALQ Pos. 1











help("Analyse_SAR.OSLdata")

unkown measurement


values.transformed$y.t
0
1000
2000
3000
4000
5000
6000
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
50.00
values.transformed$x
help("CW2pHMi")


curve.transformed$y.t
0
1000
2000
3000
4000
5000
6000
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
50.00
curve.transformed$x
help("CW2pHMi")

Fig. 4 − Bos & Wallinga (2012)





help("CW2pLM")


values.transformed$y.t
0
2000
4000
6000
8000
10000
12000
0.05
0.10
0.20
0.50
1.00
2.00
values.transformed$x
help("CW2pLMI")

Fig. 4 − Bos & Wallinga (2012)




values.transformed$y.t
5000
10000
15000
0.05
0.10
0.20
0.50
1.00
values.transformed$x
help("CW2pPMi")

Fig. 4 − Bos & Wallinga (2012)





help("ExampleData.CW_OSL_Curve")


Frequency
0
2
4
6
8
10
12
14
2400
2600
2800
3000
3200
3400
3600
3800
De [s]
Histogram
80
100
120
140
help("ExampleData.DeValues")
Standard error


Frequency
0
2
4
6
8
10
12
14
110
120
130
140
150
160
170
De [Gy]
Histogram
6
7
8
9
10
Standard error
help("ExampleData.DeValues")


y
0
100
200
300
400
500
600
x
1
5
10
50
100
500
5000
help("ExampleData.FittingLM")



help("ExampleData.LxTxData")



help("ExampleData.LxTxOSLData")



help("ExampleData.LxTxOSLData")





help("ExampleData.RLum.Analysis")


RLum.Data.Image
Height [px]
800
600
400
200
0
−200
−400
−600
0
200
400
600
800
1000
1200
Length [px]
help("ExampleData.RLum.Data.Image")
20000
15000
10000
5000
help("ExampleData.RLum.Data.Image")


OSL (UVVIS)
cts [1/ch]
0
200
400
600
800
0
10
20
30
40
50
t [s]
(resolution: 0.1 s)
help("ExampleData.XSYG")


RLum.Data.Spectrum
t [s]
wavelength [nm]
0
50
100
150
200
250
300
400
500
600
700
5800
6000
6200
6400
6600
6800
help("ExampleData.XSYG")


IR−RF
De = 623.25 [600.63 ; 635.8]
RF_nat
RF_reg
IR−RF/(cts/1.3 s)
1.4e+03
1.6e+03
1.8e+03
2.0e+03
E
0
100
200
300
400
500
600
700
Time/s









Natural (0)
R1 (450)
R2 (1050)
R3 (2000)
R4 (2550)
R5 (450)
R0 (0)

Growth curve

$D_e = 1668.25 \pm 46.11$ | fit: EXP



D_e from MC simulation

$D_{e_{MC}} = 1664.49 \pm 46.11$ | quality = 99.8 %



n = 100, valid fits = 100

Test dose response




Rejection criteria
Recycling ratio
Recuperation rate
Palaeodose error
− 0.2
+ 0.2
IRSL
IRSL [cts/0.04 s]
0
10
20
30
40
Time [s]
help("analyse_SAR.CWOSL")


L_n,L_x curves
TL [a.u.]
1
10
100
1000
10000
0
100
200
300
400
Temp. [°C]
T_n,T_x curves
TL [a.u.]
1
10
100
1000
10000
0
100
200
300
400
Temp. [°C]
Plateau test L_n,L_x curves
TL [a.u.]
0
2000
6000
10000
0.0
0.5
1.0
1.5
2.0
2.5
3.0
340
360
380
400
420
Temp. [°C]
plateau Test T_n,T_x curves
TL [a.u.]
0
1000
2000
3000
4000
0
1
2
3
4
340
360
380
400
420
Temp. [°C]
Natural
(0)
R1
(136)
R2
(317)
R3
(544)
R4
(815)
R0
(0)
R6
(317)

Growth curve







n = 100, valid fits = 100

Pseudo pIRIR data set based on quartz OSL

help("analyse_pIRIRSequence")

TL
pseudoIRSL1
pseudoIRSL2


Pseudo pIRIR data set based on quartz OSL
TL previous L_n,L_x curves
TL [cts/0.9 °C]
0
200
400
600
800
0
50
100
150
200
T [°C]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
L_n,L_x curves
OSL [cts/0.04 s]
0
5000
10000
15000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
TL previous T_n,T_x curves
TL [cts/0.6 °C]
0
50
100
150
200
250
300
T [°C]
0
50
100
150
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
T_n,T_x curves
OSL [cts/0.04 s]
0
500
1000
1500
2000
2500
3000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
De = 1668.25 ± 46.11 | fit: EXP
REG points
REG point repeated
REG point 0
Lx/Tx
Dose [s]
0
500
1000
1500
2000
2500
0
1
2
3
4
5
6
help("analyse_pIRIRSequence")


D$_e$ from MC simulation
$D_{e_{MC}}$ = 1664.49 ± 46.11 | quality = 99.8 %
help("analyse_pIRIRSequence")
Frequency
2
6
10
14
1600
1650
1700
1750
Dose [s]
n = 100, valid fits = 100


Test dose response
help("analyse_plRIRSequence")
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1
2
3
4
5
6
7
SAR cycle


Pseudo pIRIR data set based on quartz OSL
L_n,L_x curves
OSL [cts/0.04 s]
0
5000
10000
15000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
T_n,T_x curves
OSL [cts/0.04 s]
0
500
1000
1500
2000
2500
3000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")

help("analyse_plRIRSequence")


Pseudo pIRIR data set based on quartz OSL
De = 1668.25 ± 48.13 | fit: EXP
REG points
REG point repeated
REG point 0
Lx/Tx
Dose [s]
0
500
1000
1500
2000
2500
1
2
3
4
5
6
help("analyse_pIRIRSequence")


De from MC simulation
De_MC = 1663.13 ± 48.13 | quality = 99.7 %
Frequency
2
6
10
15
1600
1650
1700
1750
Dose [s]
n = 100 , valid fits = 100
help("analyse_pIRIRSequence")


Test dose response
T_n/T_x
1.00
1.05
1.10
1.15
1.20
1.25
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")


Summarised growth curves
help("analyse_pIRIRSequence")
L_x/T_x
0
1
2
3
4
5
0
500
1000
1500
2000
2500
Dose [s]
pseudoIRSL1
pseudoIRSL2


Sensitivity change
help("analyse_pIRIRSequence")
T_x/T_n
1.00
1.05
1.10
1.15
1.20
1.25
0
1
2
3
4
5
6
7
Cycle
pseudoIRSL1
pseudoIRSL2


Rejection criteria
Recycling ratio
Recuperation rate
Palaeodose error
pseudoIRSL1
pseudoIRSL2
− 0.2
0/1
+ 0.1
help("analyse_pIRIRSequence")


Monte Carlo Simulation
$n = 10000 \mid \hat{\mu} = 42 \mid \hat{\sigma} = 20 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 0 \mid v = 0.89$
mean
median
0.05 / 0.95 quantile
help("calc_AliquotSize")
Density
0.000
0.005
0.010
0.015
0.020
0
50
100
150
Amount of grains on aliquot


Profile log likelihood for σ_{OD}
0
−5
−10
−15
−20
−25
Log likelihood
18.39
15
20
25
σ_{OD} [%]


Finite Mixture Model
σb = 0.2 | n = 62
Normal distributions
k = 2
k = 3
k = 4
De [Gy]
20
40
60
80
100
120
Density [a.u.]
Proportion of components
Proportion [%]
0
40
80
2
3
4
Statistical criteria
BIC
Lmax
BIC
70
50
−16
−20
−24
2
3
4
k Components
help("calc_FiniteMixture")


Fuchs & Lang (2001)
used values = 22
Aliquots
0
5
10
15
20
25
2500
3000
3500
4000
De [s]
help("calc_FuchsLang2001")


Zbar, weighted mean (Gy)
20
30
40
50
60
70
Dbar (Gy)
20
30
40
50
60
70
help("calc_IEU")



help("calc_IEU")







help("calc_MaxDose")







help("calc_MinDose")







help("calc_MinDose")


3−parameter Minimum Age Model
Parameters: σb = 0.1 , γ = 3.5 , σ = 0.7 , ρ = 0.01
n = 62
mean = 69.93
weighted mean = 47.95
median = 71.07
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
34.3±2.6 Gy
help("calc_MinDose")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
n
0
15
0
0.106
Density (bw 0.1)


Density
0.0000
0.0005
0.0010
0.0015
0.0020
0.0025
0.0030
2500
3000
3500
4000
De (Gy)
De distribution
5
10
15
20
25
Cumulative frequency
help("calc_Statistics")


gSGC and resulting De
help("calc_gSGC")
A * (1 − exp(−x/D0)) + c * x + Y0
0.0
0.5
1.0
1.5
0
100
200
300
400
500
Dose/(a.u.)


CW Curve Fit
Default
sum curve
component 1
component 2
component 3
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
Residual [a.u.]
−100
50
200
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]
Component contribution to sum curve
Contribution [%]
0
40
80
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
0
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Background
y = 0*x^3+0*x^2+0.07*x+26.35
LM−OSL [a.u.]
0
100
200
300
400
500
0
1000
2000
3000
4000
Time [s]
help("fit_LMCurve")


Default
sum curve
component 1
component 2
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
0
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
0
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


De distribution
n = 25
n = 62
help("get_Layout")
help("get_Layout")
4000
3000
2000
1000
De (Gy)
Standardised estimate
3
2
Relative standard error (%)
10
5
3.3
0
10
20
30
Precision
0
0.015
Density (bw 0.085)



help("get_Layout")


Profile log likelihood for σ_{OD}
Log likelihood
0
−5
−10
−15
−20
−25
18.39
15
20
25


TL (UVVIS)
cts [1/ch]
0
20
40
60
80
0
20
40
60
80
100
120
t [s]
help("merge_RLum.Data.Curve")


TL (UVVIS)
cts [1/ch]
0
500
1000
1500
0
20
40
60
80
100
120
t [s]
help("merge_RLum.Data.Curve")


TL (UVVIS)
cts [1/ch]
0
100
200
300
400
500
600
0
20
40
60
80
100
120
t [s]
help("merge_RLum.Data.Curve")


Profile log likelihood for σOD
0
−5
−10
−15
−20
−25
Log likelihood
18.39
15
20
25
σOD [%]


Profile log likelihood for σOD
0
−5
−10
−15
−20
−25
Log likelihood
18.39
15
20
25
σOD [%]


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
Standard error
10
5
3.3
2.5
2
0.0
0.1
0.2
0.3
0.4
0.5
0
0.016
Precision
Density (bw 11.795)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D$_e$ distribution
n = 62
Standardised estimate
2
0
−2
200
150
100
50
D$_e$ (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
5
0
5
10
15
20
0
0.016
Precision
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.264
Density (bw 0.04)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
n
0
15


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
n
0
10
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


D$_e$ distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
CAM
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
R Sample 1
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
0
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
0
120
100
80
60
40
20
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Scatter
2
0
−2
Equivalent dose (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Data error (%)
20
10
6.7
0
5
10
15
Data precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
119.1
70.7
19.7
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62 | in 2 sigma = 22.6 %
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
weighted mean = 47.95
median = 71.07
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 62
Standardised estimate
2
0
−2
De (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)


De distribution
n = 30
n = 32
Standardised estimate
2
0
−2
150
100
50
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


De distribution
n = 30 | in 2 sigma = 70 % median = 52.94
n = 32 | in 2 sigma = 84.4 % median = 109.93
Standardised estimate
2
0
−2
150
100
50
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)

help("plot_AbanicoPlot")





help("plot_AbanicoPlot")

help("plot_AbanicoPlot")


Dose recovery test
Example data
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
1
2
3
4
5
6
Aliquot


Dose recovery test
Test data set
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
1
2
3
4
5
6
Aliquot


Dose recovery test
Normalised D_e
0.85
0.90
0.95
1.00
1.05
1.10
1.15
+10 %
−10%
1
2
3
4
5
6
Sample aliquot


Dose recovery test
n = 5
weighted mean = 1.01
n = 5
weighted mean = 1
+10 %
−10%
Normalised D_e
0.8
0.9
1.0
1.1
1.2
1
2
3
4
5
6
Aliquot


Dose recovery test
| n = 5 | weighted mean = 1.01 |
| n = 5 | weighted mean = 1 |
+10 %
−10%
Normalised D_e
0.8
0.9
1.0
1.1
1.2
1
2
3
4
5
6
Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Dose recovery test
Example data
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
1
2
3
4
5
6
Aliquot


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Growth curve
$D_e = 1737.88 \pm 57.45$ | fit: EXP
REG points
REG point repeated
REG point 0
L_x/T_x
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1733.43 \pm 57.45$ | quality = 99.7 %
Frequency
4
12
20
28
36
1600
1700
1800
1900
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
$D_e = 1737.88 \pm 59.97$ | fit: EXP
REG points
REG point repeated
REG point 0
L_x/T_x
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]


D_e from MC simulation
$D_{e_{MC}} = 1732.18 \pm 59.97$ | quality = 99.7 %
Frequency
3
9
21
1600
1700
1800
1900
Dose [s]
n = 100 , valid fits = 100


Test dose response
T_n/T_x
1.00
1.10
1.20
1.30
1
2
3
4
5
6
7
SAR cycle


Growth curve
De = 1737.88 ± 61.2 | fit: EXP
REG points
REG point repeated
REG point 0
Lx/Tx
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
help("plot_GrowthCurve")


De from MC simulation
De_MC = 1743.04 ± 61.2 | quality = 99.7 %
Frequency
0
9
18
28
1600
1700
1800
1900
2000
Dose [s]
n = 100 , valid fits = 100
help("plot_GrowthCurve")


Test dose response
1.30
1.25
1.20
1.15
1.10
1.05
1.00
T_n/T_x
1
2
3
4
5
6
7
SAR cycle
help("plot_GrowthCurve")


Frequency
0
2
4
6
8
10
12
14
110
120
130
140
150
160
170
De (Gy)
Histogram
6
7
8
9
10
Standard error
Help("plot_Histogram")


Histogram of De−values
Example data set
n = 25
mean = 129.25
rel. sd = 9.54 %
De distribution
Standard error
De (Gy)
0.00
0.02
0.04
0.06
0.08
0.10
5
10
15
20
100
150
200
250
help("plot_Histogram")


De distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
120
140
160
De (Gy)
Cumulative frequency
5
10
15
20
25
help("plot_KDE")


Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
De (Gy)
120
140
160
De distribution
5
10
15
20
25
Cumulative frequency
help("plot_KDE")


Dose distribution
KDE estimate
0.00
0.02
0.04
0.06
0.08
Cumulative dose value
0
5
10
15
20
25
30
help("plot_KDE")
100
150
200
250
Dose (s)


Density
0.00
0.02
0.04
0.06
0.08
120
140
160
De (Gy)
median
mean
De distribution
0
5
10
15
20
25
30
35
Cumulative frequency
help("plot_KDE")


D$_e$ distribution
n = 25 | median = 126.34 | skewness = 1.34
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
120
140
160
D$_e$ (Gy)


D$_e$ distribution
n = 25
mean = 129.25
rel. sd = 9.54 %
se = 2.47
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
help("plot_KDE")
120
140
160
D$_e$ (Gy)


De distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
100
120
140
160
180
De (Gy)
2
4
6
8
10
12
14
Cumulative frequency
help("plot_KDE")


D$_e$ distribution
n = 15
median = 125.06
skewness = 0.82
n = 10
median = 164.24
skewness = −0.65
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
2
4
6
8
10
12
14
help("plot_KDE")
100
120
140
160
180
D$_e$ (Gy)


De distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
120
140
160
De (Gy)
Cumulative frequency
5
10
15
20
25
help("plot_KDE")


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0
1
2
3
4
0
10
20
30
40
Time [s]


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
0
10
20
30
Time [s]


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.0
0.5
1.0
1.5
2.0
2.5
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]


NR(t) Plot
Natural signal / Regenerated signal
Time [s]
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1
2
3
4
5
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
Natural signal / Regenerated signal
1.6
1.4
1.2
1.0
0.8
0.6
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]
help("plot_NRt")


TnTx(t) Plot
TD natural / TD regenerated
1.4
1.2
1.0
0.8
0.6
0
5
10
15
20
Time [s]
help("plot_NRt")


Aliquot #1
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #2
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #3
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #4
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #5
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #6
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #7
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #8
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #9
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #10
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #11
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #12
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #13
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #14
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #15
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #16
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #17
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #18
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #19
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #20
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #21
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #22
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #23
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4


Aliquot #24
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4













help("plot_RLum.Analysis")













help("plot_RLum.Analysis")













help("plot_RLum.Analysis")













help("plot_RLum.Analysis")





help("plot_RLum.Analysis")










TL combined
y
1.0
0.0
0
50
100
150
200
x
Curve 1
Curve 2
Curve 3


unkown curve type
Dependent [unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Independent [Unknown]
help("plot_RLum.Data.Curve")


RLum.Data.Image
Height [px]
600
400
200
0
−200
−400
−600
0
200
400
600
800
1000
1200
Length [px]
20000
15000
10000
5000


RLum.Data.Spectrum
t [s]
0
50
100
150
200
250
300
400
500
600
700
wavelength [nm]
5800
6000
6200
6400
6600
6800
help("plot_RLum.Data.Spectrum")

RLum.Data.Spectrum



help("plot_RLum.Data.Spectrum")


unkown curve type
Dependent [unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Independent [Unknown]
help("plot_RLum")





help("plot_RLum.Results")




Monte Carlo Simulation
$n = 10000 \mid \hat{\mu} = 43 \mid \hat{\sigma} = 20 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 0 \mid v = 0.85$
mean
median
0.05 / 0.95 quantile
Density
0.000
0.005
0.010
0.015
0.020
0
50
100
150
Amount of grains on aliquot
help("plot_RLum.Results")


D$_e$ distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
2
0
−2
180
160
140
120
100
D$_e$ (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
D$_e$ distribution
n = 25 | in 2 sigma = 80 %
Standardised estimate
± 2
Standard error
20
10
6.7
180
160
140
120
100
D$_e$ (Gy)
0.00
0.05
0.10
0.15
Precision


D$_e$ distribution
n = 25 | in 2 sigma = 80 %
Standardised estimate
2
0
−2
Standard error
20
10
6.7
0.00
0.05
0.10
0.15
Precision
180
160
140
120
100
D$_e$ (Gy)


D$_e$ distribution
n = 25 | in 2 sigma = 80 %
Standardised estimate
± 2
Standard error
20
10
6.7
0.00
0.05
0.10
0.15
Precision
200
180
160
140
120
100
D$_e$ (Gy)


De distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
2
0
−2
180
160
140
120
100
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
De distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
± 2
Relative standard error (%)
20
10
6.7
180
160
140
120
100
De (Gy)
0
5
10
15
Precision


De distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
2
0
−2
180
160
140
120
100
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
De distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
Relative standard error (%)
0
20
10
6.7
180
160
140
120
100
De (Gy)
0
5
10
15
Precision


De distribution
n = 25 | in 2 sigma = 76 %
Scatter
2
0
−2
Equivalent dose (Gy)
180
160
140
120
100
Data error (%)
20
10
6.7
0
5
10
15
Data precision
De distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
± 2
Relative standard error (%)
165.8
125.1
110.8
De (Gy)
Precision


De distribution
n = 25 | in 2 sigma = 76 %
Standardised estimate
2
0
−2
180
160
140
120
100
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
De distribution
weighted mean = 127.13 | median = 126.34
Standardised estimate
± 2
Relative standard error (%)
20
10
6.7
180
160
140
120
100
De (Gy)
0
5
10
15
Precision


D$_e$ distribution
n = 15 | in 2 sigma = 73.3 %
n = 10 | in 2 sigma = 100 %
Standardised estimate
2
0
−2
180
160
140
120
100
D$_e$ (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
D$_e$ distribution
n = 15 | in 2 sigma = 73.3 %
n = 10 | in 2 sigma = 100 %
Relative standard error (%)
Standardised estimate
± 2
Sample 1
Sample 2
20
10
6.7
180
160
140
120
100
D$_e$ (Gy)
0
5
10
15
Precision