# Package 'Luminescence'

July 16, 2021

```
Type Package
Title Comprehensive Luminescence Dating Data Analysis
Version 0.9.14.9000-42
Date 2021-07-16
Author Sebastian Kreutzer [aut, trl, cre, dtc] (<a href="https://orcid.org/0000-0002-0734-2199">https://orcid.org/0000-0002-0734-2199</a>),
        Christoph Burow [aut, trl, dtc] (<a href="https://orcid.org/0000-0002-5023-4046">https://orcid.org/0000-0002-5023-4046</a>),
        Michael Dietze [aut] (<a href="https://orcid.org/0000-0001-6063-1726">https://orcid.org/0000-0001-6063-1726</a>),
        Margret C. Fuchs [aut] (<a href="https://orcid.org/0000-0001-7210-1132">https://orcid.org/0000-0001-7210-1132</a>),
        Christoph Schmidt [aut] (<a href="https://orcid.org/0000-0002-2309-3209">https://orcid.org/0000-0002-2309-3209</a>),
        Manfred Fischer [aut, trl],
        Johannes Friedrich [aut] (<a href="https://orcid.org/0000-0002-0805-9547">https://orcid.org/0000-0002-0805-9547</a>),
        Norbert Mercier [aut] (<a href="https://orcid.org/0000-0002-6375-9108">https://orcid.org/0000-0002-6375-9108</a>),
        Rachel K. Smedley [ctb] (<a href="https://orcid.org/0000-0001-7773-5193">https://orcid.org/0000-0001-7773-5193</a>),
        Claire Christophe [ctb],
        Antoine Zink [ctb] (<a href="https://orcid.org/0000-0001-7146-1101">https://orcid.org/0000-0001-7146-1101</a>),
        Julie Durcan [ctb] (<https://orcid.org/0000-0001-8724-8022>),
        Georgina E. King [ctb, dtc] (<a href="https://orcid.org/0000-0003-1059-8192">https://orcid.org/0000-0003-1059-8192</a>),
        Anne Philippe [aut] (<a href="https://orcid.org/0000-0002-5331-5087">https://orcid.org/0000-0002-5331-5087</a>),
        Guillaume Guerin [ctb] (<a href="https://orcid.org/0000-0001-6298-5579">https://orcid.org/0000-0001-6298-5579</a>),
        Svenja Riedesel [aut] (<a href="https://orcid.org/0000-0003-2936-8776">https://orcid.org/0000-0003-2936-8776</a>),
        Martin Autzen [aut] (<a href="https://orcid.org/0000-0001-6249-426X">https://orcid.org/0000-0001-6249-426X</a>),
        Pierre Guibert [ctb] (<a href="https://orcid.org/0000-0001-8969-8684">https://orcid.org/0000-0001-8969-8684</a>),
        Dirk Mittelstrass [aut] (<a href="https://orcid.org/0000-0002-9567-8791">https://orcid.org/0000-0002-9567-8791</a>),
        Harrison J. Gray [aut] (<a href="https://orcid.org/0000-0002-4555-7473">https://orcid.org/0000-0002-4555-7473</a>),
        Markus Fuchs [ths]
Maintainer Sebastian Kreutzer < sebastian.kreutzer@aber.ac.uk>
Description A collection of various R functions for the purpose of Luminescence
        dating data analysis. This includes, amongst others, data import, export,
        application of age models, curve deconvolution, sequence analysis and
        plotting of equivalent dose distributions.
Contact Package Developers <developers@r-luminescence.org>
License GPL-3
BugReports https://github.com/R-Lum/Luminescence/issues
Depends R (>= 4.0),
        utils,
        magrittr (>= 2.0.1)
```

```
LinkingTo Rcpp (>= 1.0.6),
      RcppArmadillo (>= 0.10.5.0.0)
Imports bbmle (>= 1.0.23),
      data.table (>= 1.14.0),
      DEoptim (>= 2.2-6),
      httr (>= 1.4.2),
      lamW (>= 2.1.0),
      matrixStats (\geq 0.59.0),
      methods,
      minpack.lm (>= 1.2-1),
      plotrix (>= 3.8-1),
      raster (>= 3.4-10),
      readxl (>= 1.3.1),
      shape (>= 1.4.6),
      parallel,
      XML (>= 3.99),
      zoo (>= 1.8)
Suggests spelling (>= 2.2),
      RLumShiny (>= 0.2.2),
      plotly (>= 4.9.3),
      rmarkdown (>= 2.8),
      rstudioapi (>= 0.13),
      rjags (>= 4-10),
      coda (>= 0.19-4),
      pander (>= 0.6.3),
      testthat (>= 3.0.2),
      tiff (>= 0.1-8),
      devtools (\geq 2.4.1),
      R.rsp (>= 0.44.0)
VignetteBuilder R.rsp
{\bf URL} \ {\tt https://CRAN.R-project.org/package=Luminescence}
Encoding UTF-8
Language en-GB
Collate 'Analyse_SAR.OSLdata.R'
      'CW2pHMi.R'
      'CW2pLM.R'
      'CW2pLMi.R'
      'CW2pPMi.R'
      'Luminescence-package.R'
      'PSL2Risoe.BINfileData.R'
      'RcppExports.R'
      'replicate_RLum.R'
      'RLum-class.R'
      'smooth RLum.R'
      'names_RLum.R'
      'structure_RLum.R'
      'length_RLum.R'
      'set_RLum.R'
      'get_RLum.R'
      'RLum.Analysis-class.R'
```

'RLum.Data-class.R'

'bin RLum.Data.R'

'RLum.Data.Curve-class.R'

'RLum.Data.Image-class.R'

'RLum.Data.Spectrum-class.R'

'RLum.Results-class.R'

'set\_Risoe.BINfileData.R'

'get\_Risoe.BINfileData.R'

'Risoe.BINfileData-class.R'

'Risoe.BINfileData2RLum.Analysis.R'

'Risoe.BINfileData2RLum.Data.Curve.R'

'Second2Gray.R'

'addins RLum.R'

'analyse\_Al2O3C\_CrossTalk.R'

'analyse\_Al2O3C\_ITC.R'

'analyse\_Al2O3C\_Measurement.R'

'analyse\_FadingMeasurement.R'

'analyse\_IRSAR.RF.R'

'analyse\_SAR.CWOSL.R'

'analyse\_SAR.TL.R'

'analyse baSAR.R'

'analyse\_pIRIRSequence.R'

'analyse\_portableOSL.R'

'app\_RLum.R'

'apply\_CosmicRayRemoval.R'

'apply\_EfficiencyCorrection.R'

'calc\_AliquotSize.R'

'calc\_AverageDose.R'

'calc\_CentralDose.R'

'calc\_CobbleDoseRate.R'

'calc\_CommonDose.R'

'calc CosmicDoseRate.R'

'calc FadingCorr.R'

'calc\_FastRatio.R'

'calc\_FiniteMixture.R'

'calc FuchsLang2001.R'

'calc\_HomogeneityTest.R'

'calc\_Huntley2006.R'

'calc\_IEU.R'

'calc Kars2008.R'

'calc\_Lamothe2003.R'

'calc\_MaxDose.R'

'calc\_MinDose.R'

'calc\_OSLLxTxDecomposed.R'

'calc\_OSLLxTxRatio.R'

'calc\_SourceDoseRate.R'

'calc\_Statistics.R'

'calc\_TLLxTxRatio.R'

'calc\_ThermalLifetime.R'

'calc\_WodaFuchs2008.R'

'calc\_gSGC.R'

'calc\_gSGC\_feldspar.R'

'convert\_Activity2Concentration.R'

'convert BIN2CSV.R'

'convert\_Concentration2DoseRate.R'

'convert\_Daybreak2CSV.R'

'convert\_PSL2CSV.R'

'convert\_RLum2Risoe.BINfileData.R'

'convert\_SG2MG.R'

'convert\_Wavelength2Energy.R'

'convert\_XSYG2CSV.R'

'extract\_IrradiationTimes.R'

'fit\_CWCurve.R'

'fit\_LMCurve.R'

'fit OSLLifeTimes.R'

'fit\_SurfaceExposure.R'

'fit\_ThermalQuenching.R'

'get\_Layout.R'

'get\_Quote.R'

'get\_rightAnswer.R'

'github.R'

'install\_DevelopmentVersion.R'

'internal as.latex.table.R'

'internals\_RLum.R'

'merge\_RLum.Analysis.R'

'merge\_RLum.Data.Curve.R'

'merge\_RLum.R'

'merge\_RLum.Results.R'

'merge\_Risoe.BINfileData.R'

'methods\_DRAC.R'

'methods\_RLum.R'

'plot\_AbanicoPlot.R'

'plot\_DRCSummary.R'

'plot\_DRTResults.R'

'plot DetPlot.R'

'plot\_FilterCombinations.R'

'plot\_GrowthCurve.R'

'plot Histogram.R'

'plot\_KDE.R'

'plot\_NRt.R'

'plot\_RLum.Analysis.R'

'plot\_RLum.Data.Curve.R'

'plot\_RLum.Data.Image.R'

'plot\_RLum.Data.Spectrum.R'

'plot\_RLum.R'

'plot\_RLum.Results.R'

'plot\_ROI.R'

'plot\_RadialPlot.R'

'plot\_Risoe.BINfileData.R'

'plot\_ViolinPlot.R'

'read\_BIN2R.R'

'read\_Daybreak2R.R'

'read\_PSL2R.R'

'read\_RF2R.R'

'read\_SPE2R.R'
'read\_TIFF2R.R'
'read\_XSYG2R.R'
'report\_RLum.R'
'scale\_GammaDose.R'
'template\_DRAC.R'
'tune\_Data.R'
'use\_DRAC.R'
'utils\_DRAC.R'
'verify\_SingleGrainData.R'
'write\_R2BIN.R'
'write\_RLum2CSV.R'
'zzz.R'

### RoxygenNote 7.1.1

# **R** topics documented:

Luminescence-package
analyse_Al2O3C_CrossTalk
analyse_Al2O3C_ITC
analyse_Al2O3C_Measurement
analyse_baSAR
analyse_FadingMeasurement
analyse_IRSAR.RF
analyse_pIRIRSequence
analyse_portableOSL
analyse_SAR.CWOSL
Analyse_SAR.OSLdata
analyse_SAR.TL
apply_CosmicRayRemoval
apply_EfficiencyCorrection
app_RLum
as
BaseDataSet.ConversionFactors
BaseDataSet.CosmicDoseRate
BaseDataSet.FractionalGammaDose
BaseDataSet.GrainSizeAttenuation
bin_RLum.Data
calc_AliquotSize
calc_AverageDose
calc_CentralDose
calc_CobbleDoseRate
calc_CommonDose
calc_CosmicDoseRate
calc_FadingCorr
calc_FastRatio
calc_FiniteMixture
calc_FuchsLang2001
calc_gSGC
calc_gSGC_feldspar
calc_HomogeneityTest

calc_Huntley2006	. 91
calc_IEU	
calc_Kars2008	. 98
calc_Lamothe2003	. 100
calc_MaxDose	. 102
calc_MinDose	. 105
calc_OSLLxTxDecomposed	. 111
calc_OSLLxTxRatio	. 113
calc_SourceDoseRate	. 116
calc_Statistics	. 119
calc_ThermalLifetime	. 121
calc_TLLxTxRatio	. 123
calc_WodaFuchs2008	. 126
convert_Activity2Concentration	. 127
convert_BIN2CSV	
convert_Concentration2DoseRate	
convert_Daybreak2CSV	
convert PSL2CSV	
convert_RLum2Risoe.BINfileData	
convert_SG2MG	
convert_Wavelength2Energy	
convert_XSYG2CSV	
CW2pHMi	
CW2pLM	
CW2pLMi	
CW2pPMi	
ExampleData.Al2O3C	
ExampleData.BINfileData	
ExampleData.CobbleData	
ExampleData.CW_OSL_Curve	
ExampleData.DeValues	
ExampleData.Fading	
ExampleData.FittingLM	
ExampleData.LxTxData	
ExampleData.LxTxOSLData	
ExampleData.MortarData	
ExampleData.portableOSL	
ExampleData.RLum.Analysis	
ExampleData.RLum.Data.Image	
ExampleData.ScaleGammaDose	
ExampleData.SurfaceExposure	
ExampleData.TR_OSL	
ExampleData.XSYG	
extdata	
extract_IrradiationTimes	
fit_CWCurve	
fit_LMCurve	
fit_OSLLifeTimes	
fit_SurfaceExposure	
fit_ThermalQuenching	
get_Layout	
get_Quote	
5 = 1	

get_rightAnswer
get_Risoe.BINfileData
get_RLum
GitHub-API
install_DevelopmentVersion
length_RLum
merge_Risoe.BINfileData
merge_RLum
names_RLum
plot_AbanicoPlot
plot_DetPlot
plot_DRCSummary
plot_DRTResults
plot_FilterCombinations
plot_GrowthCurve
plot_Histogram
plot_KDE
plot_NRt
plot_RadialPlot
plot_Risoe.BINfileData
plot_RLum
plot_RLum.Analysis
plot_RLum.Data.Curve
plot_RLum.Data.Image
plot_RLum.Data.Spectrum
plot_RLum.Results
plot_ROI
plot ViolinPlot
PSL2Risoe.BINfileData
read_BIN2R
read_Daybreak2R
read_PSL2R
read_RF2R
read_SPE2R
read_TIFF2R
read_XSYG2R
replicate_RLum
report_RLum
Risoe.BINfileData2RLum.Analysis
RLum-class
scale_GammaDose
Second2Gray
set_Risoe.BINfileData
set_RLum
smooth_RLum
sTeve
structure_RLum
template_DRAC
tune_Data
use DRAC
verify_SingleGrainData
write_R2BIN

T .	1	
Luminescence-	nack	$\alpha \alpha \epsilon$
Lummescence-	Dack	uz

Index

write_RLum2CSV	 						 									. 30	15
																30	8

Luminescence-package Comprehensive Luminescence Dating Data Analysis

### **Description**

#### **Details**

A collection of various R functions for the purpose of Luminescence dating data analysis. This includes, amongst others, data import, export, application of age models, curve deconvolution, sequence analysis and plotting of equivalent dose distributions.

### Supervisor of the initial version in 2012

Markus Fuchs, Justus-Liebig-University Giessen, Germany

#### Support contact

<developers@r-luminescence.org>

We may further encourage the usage of our support forum. For this please visit our project website (link below).

### **Bug reporting**

- <developers@r-luminescence.org> or
- https://github.com/R-Lum/Luminescence/issues

### **Project website**

• https://r-luminescence.org

### Project source code repository

• https://github.com/R-Lum/Luminescence

### Related package projects

- https://cran.r-project.org/package=RLumShiny
- https://cran.r-project.org/package=RLumModel
- https://cran.r-project.org/package=RLumCarlo

### Package maintainer

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), <sebastian.kreutzer@aber.ac.uk>

#### Funding

Cooperation and personal exchange between the developers is gratefully funded by the DFG (SCHM 3051/3-1) in the framework of the program "Scientific Networks". Project title: "RLum.Network: Ein Wissenschaftsnetzwerk zur Analyse von Lumineszenzdaten mit R" (2014-2018)

Between 2014–2019, the work of Sebastian Kreutzer as maintainer of the package was supported by LabEx LaScArBxSK (ANR - n. ANR-10-LABX-52).

Between 2020–2021, the work of Sebastian Kreutzer as maintainer of the package has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 844457 (CREDit).

#### References

Dietze, M., Kreutzer, S., Fuchs, M.C., Burow, C., Fischer, M., Schmidt, C., 2013. A practical guide to the R package Luminescence. Ancient TL, 31 (1), 11-18.

Dietze, M., Kreutzer, S., Burow, C., Fuchs, M.C., Fischer, M., Schmidt, C., 2016. The abanico plot: visualising chronometric data with individual standard errors. Quaternary Geochronology 31, 1-7. https://doi.org/10.1016/j.quageo.2015.09.003

Fuchs, M.C., Kreutzer, S., Burow, C., Dietze, M., Fischer, M., Schmidt, C., Fuchs, M., 2015. Data processing in luminescence dating analysis: An exemplary workflow using the R package 'Luminescence'. Quaternary International, 362,8-13. https://doi.org/10.1016/j.quaint.2014.06.034

Kreutzer, S., Schmidt, C., Fuchs, M.C., Dietze, M., Fischer, M., Fuchs, M., 2012. Introducing an R package for luminescence dating analysis. Ancient TL, 30 (1), 1-8.

Mercier, N., Kreutzer, S., Christophe, C., Guérin, G., Guibert, P., Lahaye, C., Lanos, P., Philippe, A., Tribolo, C., 2016. Bayesian statistics in luminescence dating: The 'baSAR'-model and its implementation in the R package 'Luminescence'. Ancient TL 34 (2), 14-21.

Smedley, R.K., 2015. A new R function for the Internal External Uncertainty (IEU) model. Ancient TL, 33 (1), 16-21.

King, E.G., Burow, C., Roberts, H., Pearce, N.J.G., 2018. Age determination using feldspar: evaluating fading-correction model performance. Radiation Measurements 119, 58-73. https://doi.org/10.1016/j.radmeas.2018

```
analyse_Al2O3C_CrossTalk
```

Al2O3:C Reader Cross Talk Analysis

### Description

The function provides the analysis of cross-talk measurements on a FI lexsyg SMART reader using Al2O3:C chips

### Usage

```
analyse_Al203C_CrossTalk(
  object,
  signal_integral = NULL,
  dose_points = c(0, 4),
  recordType = c("OSL (UVVIS)"),
  irradiation_time_correction = NULL,
  method_control = NULL,
  plot = TRUE,
  ...
)
```

#### **Arguments**

```
object RLum.Analysis (required): measurement input signal_integral
```

numeric (optional): signal integral, used for the signal and the background. If nothing is provided the full range is used

dose\_points numeric (with default): vector with dose points, if dose points are repeated, only

the general pattern needs to be provided. Default values follow the suggestions

made by Kreutzer et al., 2018

recordType character (with default): input curve selection, which is passed to function get\_RLum.

To deactivate the automatic selection set the argument to NULL

irradiation\_time\_correction

numeric or RLum.Results (optional): information on the used irradiation time

correction obtained by another experiments.

method\_control list (optional): optional parameters to control the calculation. See details for

further explanations

plot logical (with default): enable/disable plot output

... further arguments that can be passed to the plot output

#### Value

Function returns results numerically and graphically:

### [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Element	Type	Description
\$data	data.frame	summed apparent dose table
\$data_full	data.frame	full apparent dose table
\$fit	lm	the linear model obtained from fitting
\$col.seq	numeric	the used colour vector

slot: @info

The original function call

[ PLOT OUTPUT ]

• An overview of the obtained apparent dose values

### **Function version**

0.1.2

#### How to cite

Kreutzer, S., 2021. analyse\_Al2O3C\_CrossTalk(): Al2O3:C Reader Cross Talk Analysis. Function version 0.1.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

analyse\_Al2O3C\_ITC

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Kreutzer, S., Martin, L., Guérin, G., Tribolo, C., Selva, P., Mercier, N., 2018. Environmental Dose Rate Determination Using a Passive Dosimeter: Techniques and Workflow for alpha-Al2O3:C Chips. Geochronometria 45, 56-67. doi: 10.1515/geochr-2015-0086

### See Also

```
analyse_Al2O3C_ITC
```

### **Examples**

```
##load data
data(ExampleData.Al203C, envir = environment())
##run analysis
analyse_Al203C_CrossTalk(data_CrossTalk)
```

analyse\_Al2O3C\_ITC

Al2O3 Irradiation Time Correction Analysis

### **Description**

The function provides a very particular analysis to correct the irradiation time while irradiating Al2O3:C chips in a luminescence reader.

### Usage

```
analyse_Al203C_ITC(
  object,
  signal_integral = NULL,
  dose_points = c(2, 4, 8, 12, 16),
  recordType = c("OSL (UVVIS)"),
  method_control = NULL,
  verbose = TRUE,
  plot = TRUE,
  ...
)
```

#### **Arguments**

object

RLum.Analysis or list (**required**): results obtained from the measurement. Alternatively a list of 'RLum.Analysis' objects can be provided to allow an automatic analysis.

```
signal_integral
```

numeric (*optional*): signal integral, used for the signal and the background. If nothing is provided the full range is used. Argument can be provided as list.

dose\_points numeric (with default): vector with dose points, if dose points are repeated, only

the general pattern needs to be provided. Default values follow the suggestions

made by Kreutzer et al., 2018. Argument can be provided as list.

recordType character (with default): input curve selection, which is passed to function get\_RLum.

To deactivate the automatic selection set the argument to NULL

method\_control list (optional): optional parameters to control the calculation. See details for

further explanations

verbose logical (with default): enable/disable verbose mode
plot logical (with default): enable/disable plot output
... further arguments that can be passed to the plot output

#### **Details**

Background: Due to their high dose sensitivity Al2O3:C chips are usually irradiated for only a very short duration or under the closed beta-source within a luminescence reader. However, due to its high dose sensitivity, during the movement towards the beta-source, the pellet already receives and non-negligible dose. Based on measurements following a protocol suggested by Kreutzer et al., 2018, a dose response curve is constructed and the intersection (absolute value) with the time axis is taken as real irradiation time.

method\_control

To keep the generic argument list as clear as possible, arguments to allow a deeper control of the method are all preset with meaningful default parameters and can be handled using the argument method\_control only, e.g., method\_control = list(fit.method = "LIN"). Supported arguments are:

### ARGUMENT FUNCTION DESCRIPTION

mode plot\_GrowthCurve as in plot\_GrowthCurve; sets the mode used for fitting fit.method plot\_GrowthCurve as in plot\_GrowthCurve; sets the function applied for fitting

#### Value

Function returns results numerically and graphically:

### [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Element	Type	Description
\$data	data.frame	correction value and error
\$table	data.frame	table used for plotting
\$table_mean	data.frame	table used for fitting
Φ.0.		1 0 1 11 1

\$fit lm or nls the fitting as returned by the function plot\_GrowthCurve

slot: @info

The original function call

### [ PLOT OUTPUT ]

• A dose response curve with the marked correction values

### **Function version**

0.1.1

### How to cite

Kreutzer, S., 2021. analyse\_Al2O3C\_ITC(): Al2O3 Irradiation Time Correction Analysis. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Kreutzer, S., Martin, L., Guérin, G., Tribolo, C., Selva, P., Mercier, N., 2018. Environmental Dose Rate Determination Using a Passive Dosimeter: Techniques and Workflow for alpha-Al2O3:C Chips. Geochronometria 45, 56-67. doi: 10.1515/geochr-2015-0086

### See Also

```
plot_GrowthCurve
```

### **Examples**

```
##load data
data(ExampleData.Al203C, envir = environment())
##run analysis
analyse_Al203C_ITC(data_ITC)
```

analyse\_Al2O3C\_Measurement

Al2O3:C Passive Dosimeter Measurement Analysis

### Description

The function provides the analysis routines for measurements on a FI lexsyg SMART reader using Al2O3:C chips according to Kreutzer et al., 2018

### Usage

```
analyse_Al203C_Measurement(
  object,
  signal_integral = NULL,
  dose_points = c(0, 4),
  recordType = c("OSL (UVVIS)", "TL (UVVIS)"),
  calculate_TL_dose = FALSE,
  irradiation_time_correction = NULL,
  cross_talk_correction = NULL,
  travel_dosimeter = NULL,
  test_parameters = NULL,
  verbose = TRUE,
  plot = TRUE,
  ...
)
```

### **Arguments**

object RLum.Analysis (required): measurement input

signal\_integral

numeric (*optional*): signal integral, used for the signal and the background. Example: c(1:10) for the first 10 channels. If nothing is provided the full range is

used

dose\_points numeric (with default): vector with dose points, if dose points are repeated, only

the general pattern needs to be provided. Default values follow the suggestions

made by Kreutzer et al., 2018

recordType character (with default): input curve selection, which is passed to function get\_RLum.

To deactivate the automatic selection set the argument to NULL

calculate\_TL\_dose

logical (with default): Enables/disables experimental dose estimation based on the TL curves. Taken is the ratio of the peak sums of each curves +/- 5 channels.

irradiation\_time\_correction

numeric or RLum.Results (*optional*): information on the used irradiation time correction obtained by another experiments. I a numeric is provided it has to be of length two: mean, standard error

cross\_talk\_correction

numeric or RLum.Results (*optional*): information on the used irradiation time correction obtained by another experiments. If a numeric vector is provided it has to be of length three: mean, 2.5 % quantile, 97.5 % quantile.

travel dosimeter

numeric (*optional*): specify the position of the travel dosimeter (so far measured a the same time). The dose of travel dosimeter will be subtracted from all other values.

test\_parameters

list (with default): set test parameters. Supported parameters are: TL\_peak\_shift

All input: numeric values, NA and NULL (s. Details)

verbose logical (with default): enable/disable verbose mode

plot logical (with default): enable/disable plot output, if object is of type list, a

numeric vector can be provided to limit the plot output to certain aliquots

.. further arguments that can be passed to the plot output, supported are norm,

main, mtext, title (for self-call mode to specify, e.g., sample names)

#### **Details**

### Working with a travel dosimeter

The function allows to define particular aliquots as travel dosimeters. For example: travel\_dosimeter = c(1,3,5) sets aliquots 1, 3 and 5 as travel dosimeters. These dose values of this dosimeters are combined and automatically subtracted from the obtained dose values of the other dosimeters.

\*\*Calculate TL dose \*\*

The argument calculate\_TL\_dose provides the possibility to experimentally calculate a TL-dose, i.e. an apparent dose value derived from the TL curve ratio. However, it should be noted that this value is only a fall back in case something went wrong during the measurement of the optical stimulation. The TL derived dose value is corrected for cross-talk and for the irradiation time, but not considered if a travel dosimeter is defined.

#### **Test parameters**

TL\_peak\_shift numeric (default: 15):

Checks whether the TL peak shift is bigger > 15 K, indicating a problem with the thermal contact of the chip.

stimulation\_power numeric (default: 0.05):

So far available, information on the delivered optical stimulation are compared. Compared are the information from the first curves with all others. If the ratio differs more from unity than the defined by the threshold, a warning is returned.

#### Value

Function returns results numerically and graphically:

## [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Note: If correction the irradiation time and the cross-talk correction method is used, the De values in the table data table are already corrected, i.e. if you want to get an uncorrected value, you can use the column CT\_CORRECTION remove the correction

slot: @info

The original function call

[ PLOT OUTPUT ]

• OSL and TL curves, combined on two plots.

#### **Function version**

0.2.5

### How to cite

Kreutzer, S., 2021. analyse\_Al2O3C\_Measurement(): Al2O3:C Passive Dosimeter Measurement Analysis. Function version 0.2.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Kreutzer, S., Martin, L., Guérin, G., Tribolo, C., Selva, P., Mercier, N., 2018. Environmental Dose Rate Determination Using a Passive Dosimeter: Techniques and Workflow for alpha-Al2O3:C Chips. Geochronometria 45, 56-67.

### See Also

```
analyse_Al2O3C_ITC
```

### **Examples**

```
##load data
data(ExampleData.Al203C, envir = environment())
##run analysis
analyse_Al203C_Measurement(data_CrossTalk)
```

analyse\_baSAR

Bayesian models (baSAR) applied on luminescence data

### **Description**

This function allows the application of Bayesian models on luminescence data, measured with the single-aliquot regenerative-dose (SAR, Murray and Wintle, 2000) protocol. In particular, it follows the idea proposed by Combès et al., 2015 of using an hierarchical model for estimating a central equivalent dose from a set of luminescence measurements. This function is (I) the adoption of this approach for the R environment and (II) an extension and a technical refinement of the published code.

#### Usage

```
analyse_baSAR(
 object,
 XLS_file = NULL,
 aliquot_range = NULL,
  source_doserate = NULL,
  signal.integral,
  signal.integral.Tx = NULL,
  background.integral,
  background.integral.Tx = NULL,
  irradiation_times = NULL,
  sigmab = 0,
  sig0 = 0.025,
  distribution = "cauchy",
 baSAR_model = NULL,
 n.MCMC = 1e+05,
  fit.method = "EXP",
  fit.force_through_origin = TRUE,
  fit.includingRepeatedRegPoints = TRUE,
 method_control = list(),
  digits = 3L,
 distribution_plot = "kde",
 plot = TRUE,
  plot_reduced = TRUE,
  plot.single = FALSE,
  verbose = TRUE,
)
```

### Arguments

object

Risoe.BINfileData, RLum.Results, list of RLum.Analysis, character or list (**required**): input object used for the Bayesian analysis. If a character is provided the function assumes a file connection and tries to import a BIN/BINX-file using the provided path. If a list is provided the list can only contain either Risoe.BINfileData objects or characters providing a file connection. Mixing of both types is not allowed. If an RLum.Results is provided the function directly starts with the Bayesian Analysis (see details)

XLS\_file

character (*optional*): XLS\_file with data for the analysis. This file must contain 3 columns: the name of the file, the disc position and the grain position (the last being 0 for multi-grain measurements).

Alternatively a data. frame of similar structure can be provided.

aliquot\_range

numeric (*optional*): allows to limit the range of the aliquots used for the analysis. This argument has only an effect if the argument XLS\_file is used or the input is the previous output (i.e. is RLum.Results). In this case the new selection will add the aliquots to the removed aliquots table.

source\_doserate

numeric (**required**): source dose rate of beta-source used for the measurement and its uncertainty in Gy/s, e.g., source\_doserate = c(0.12, 0.04). Parameter can be provided as list, for the case that more than one BIN-file is provided, e.g., source\_doserate = list(c(0.04, 0.004), c(0.05, 0.004)).

signal.integral

vector (required): vector with the limits for the signal integral used for the calculation, e.g., signal.integral = c(1:5). Ignored if object is an RLum.Results object. The parameter can be provided as list, see source\_doserate.

signal.integral.Tx

vector (optional): vector with the limits for the signal integral for the Tx curve. I f nothing is provided the value from signal.integral is used and it is ignored if object is an RLum.Results object. The parameter can be provided as list, see source\_doserate.

background.integral

vector (**required**): vector with the bounds for the background integral. Ignored if object is an RLum.Results object. The parameter can be provided as list, see source\_doserate.

background.integral.Tx

vector (*optional*): vector with the limits for the background integral for the Tx curve. If nothing is provided the value from background.integral is used. Ignored if object is an RLum.Results object. The parameter can be provided as list, see source\_doserate.

irradiation\_times

numeric (optional): if set this vector replaces all irradiation times for one aliquot and one cycle (Lx and Tx curves) and recycles it for all others cycles and aliquots. Please note that if this argument is used, for every(!) single curve in the dataset an irradiation time needs to be set.

numeric (with default): option to set a manual value for the overdispersion (for LnTx and TnTx), used for the Lx/Tx error calculation. The value should be provided as absolute squared count values, cf. calc\_OSLLxTxRatio. The parameter can be provided as list, see source\_doserate.

numeric (with default): allow adding an extra component of error to the final Lx/Tx error value (e.g., instrumental error, see details is calc\_OSLLxTxRatio). The parameter can be provided as list, see source\_doserate.

character (with default): type of distribution that is used during Bayesian calculations for determining the Central dose and overdispersion values. Allowed inputs are "cauchy", "normal" and "log\_normal".

character (*optional*): option to provide an own modified or new model for the Bayesian calculation (see details). If an own model is provided the argument distribution is ignored and set to 'user\_defined'

integer (with default): number of iterations for the Markov chain Monte Carlo (MCMC) simulations

character (*with default*): equation used for the fitting of the dose-response curve using the function plot\_GrowthCurve and then for the Bayesian modelling. Here supported methods: EXP, EXP+LIN and LIN

fit.force\_through\_origin

logical (with default): force fitting through origin

 $\verb|fit.includingRepeatedRegPoints||$ 

logical (with default): includes the recycling point (assumed to be measured during the last cycle)

method\_control list (optional): named list of control parameters that can be directly passed to the Bayesian analysis, e.g., method\_control = list(n.chains = 4). See details for further information

sigmab

sig0

baSAR\_model

distribution

fit.method

n.MCMC

mothed contro

digits integer (with default): round output to the number of given digits distribution\_plot

character (with default): sets the final distribution plot that shows equivalent doses obtained using the frequentist approach and sets in the central dose as comparison obtained using baSAR. Allowed input is 'abanico' or 'kde'. If

set to NULL nothing is plotted.

plot logical (with default): enables or disables plot output

plot\_reduced logical (with default): enables or disables the advanced plot output

plot.single logical (with default): enables or disables single plots or plots arranged by

analyse\_baSAR

verbose logical (with default): enables or disables verbose mode

parameters that can be passed to the function calc\_OSLLxTxRatio (almost full

support), read\_l::read\_excel (full support), read\_BIN2R (n.records, position,

duplicated.rm), see details.

#### **Details**

Internally the function consists of two parts: (I) The Bayesian core for the Bayesian calculations and applying the hierarchical model and (II) a data pre-processing part. The Bayesian core can be run independently, if the input data are sufficient (see below). The data pre-processing part was implemented to simplify the analysis for the user as all needed data pre-processing is done by the function, i.e. in theory it is enough to provide a BIN/BINX-file with the SAR measurement data. For the Bayesian analysis for each aliquot the following information are needed from the SAR analysis. LxTx, the LxTx error and the dose values for all regeneration points.

### How the systematic error contribution is calculated?

Standard errors (so far) provided with the source dose rate are considered as systematic uncertainties and added to final central dose by:

$$systematic.error = 1/n \sum SE(source.doserate)$$

$$SE(central.dose.final) = \sqrt{SE(central.dose)^2 + systematic.error^2}$$

Please note that this approach is rather rough and can only be valid if the source dose rate errors, in case different readers had been used, are similar. In cases where more than one source dose rate is provided a warning is given.

### Input / output scenarios

Various inputs are allowed for this function. Unfortunately this makes the function handling rather complex, but at the same time very powerful. Available scenarios:

### (1) - object is BIN-file or link to a BIN-file

Finally it does not matter how the information of the BIN/BINX file are provided. The function supports (a) either a path to a file or directory or a list of file names or paths or (b) a Risoe.BINfileData object or a list of these objects. The latter one can be produced by using the function read\_BIN2R, but this function is called automatically if only a filename and/or a path is provided. In both cases it will become the data that can be used for the analysis.

[XLS\_file = NULL]

If no XLS file (or data frame with the same format) is provided the functions runs an automatic process that consists of the following steps:

- 1. Select all valid aliquots using the function verify\_SingleGrainData
- 2. Calculate Lx/Tx values using the function calc\_OSLLxTxRatio
- 3. Calculate De values using the function plot\_GrowthCurve

These proceeded data are subsequently used in for the Bayesian analysis [XLS\_file != NULL]

If an XLS-file is provided or a data. frame providing similar information the pre-processing steps consists of the following steps:

- 1. Calculate Lx/Tx values using the function calc\_OSLLxTxRatio
- 2. Calculate De values using the function plot\_GrowthCurve

Means, the XLS file should contain a selection of the BIN-file names and the aliquots selected for the further analysis. This allows a manual selection of input data, as the automatic selection by verify\_SingleGrainData might be not totally sufficient.

(2) - object RLum.Results object

If an RLum.Results object is provided as input and(!) this object was previously created by the function analyse\_baSAR() itself, the pre-processing part is skipped and the function starts directly the Bayesian analysis. This option is very powerful as it allows to change parameters for the Bayesian analysis without the need to repeat the data pre-processing. If furthermore the argument aliquot\_range is set, aliquots can be manually excluded based on previous runs.

method\_control

These are arguments that can be passed directly to the Bayesian calculation core, supported arguments are:

Parameter	Type	Description
lower_centralD	numeric	sets the lower bound for the expected De range. Change it only if you know what you are
upper_centralD	numeric	sets the upper bound for the expected De range. Change it only if you know what you are
n.chains	integer	sets number of parallel chains for the model (default = 3) (cf. rjags::jags.model)
inits	list	option to set initialisation values (cf. rjags::jags.model)
thin	numeric	thinning interval for monitoring the Bayesian process (cf. rjags::jags.model)
variable.names	character	set the variables to be monitored during the MCMC run, default: 'central_D', 'sigma_I

### User defined models

The function provides the option to modify and to define own models that can be used for the Bayesian calculation. In the case the user wants to modify a model, a new model can be piped into the function via the argument baSAR\_model as character. The model has to be provided in the JAGS dialect of the BUGS language (cf. rjags::jags.model) and parameter names given with the pre-defined names have to be respected, otherwise the function will break.

### **FAQ**

Q: How can I set the seed for the random number generator (RNG)?

A: Use the argument method\_control, e.g., for three MCMC chains (as it is the default):

```
method_control = list(
inits = list(
  list(.RNG.name = "base::Wichmann-Hill", .RNG.seed = 1),
  list(.RNG.name = "base::Wichmann-Hill", .RNG.seed = 2),
  list(.RNG.name = "base::Wichmann-Hill", .RNG.seed = 3)
))
```

This sets a reproducible set for every chain separately.

Q: How can I modify the output plots?

A: You can't, but you can use the function output to create own, modified plots.

Q: Can I change the boundaries for the central\_D?

A: Yes, we made it possible, but we DO NOT recommend it, except you know what you are doing! Example:  $method\_control = list(lower\_centralD = 10)$ 

Q: The lines in the baSAR-model appear to be in a wrong logical order?

A: This is correct and allowed (cf. JAGS manual)

### Additional arguments support via the . . . argument

This list summarizes the additional arguments that can be passed to the internally used functions.

Supported argument	<b>Corresponding function</b>	Default	**Short description **
threshold	verify_SingleGrainData	30	change rejection threshold for curv
sheet	readxl::read_excel	1	select XLS-sheet for import
col_names	readxl::read_excel	TRUE	first row in XLS-file is header
col_types	readxl::read_excel	NULL	limit import to specific columns
skip	readxl::read_excel	0	number of rows to be skipped durir
n.records	read_BIN2R	NULL	limit records during BIN-file impor
duplicated.rm	read_BIN2R	TRUE	remove duplicated records in the B
pattern	read_BIN2R	TRUE	select BIN-file by name pattern
position	read_BIN2R	NULL	limit import to a specific position
background.count.distribution	calc_OSLLxTxRatio	"non-poisson"	set assumed count distribution
fit.weights	plot_GrowthCurve	TRUE	enables / disables fit weights
fit.bounds	plot_GrowthCurve	TRUE	enables / disables fit bounds
NumberIterations.MC	plot_GrowthCurve	100	number of MC runs for error calcul
output.plot	plot_GrowthCurve	TRUE	enables / disables dose response cu
output.plotExtended	plot_GrowthCurve	TRUE	enables / disables extended dose re

### Value

Function returns results numerically and graphically:

[ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

**Description Element** Type \$summary data.frame statistical summary, including the central dose \$mcmc mcmc coda::mcmc.list object including raw output \$models character implemented models used in the baSAR-model core \$input\_object summarising table (same format as the XLS-file) including, e.g., Lx/Tx values data.frame \$removed\_aliquots table with removed aliquots (e.g., NaN, or Inf Lx/Tx values). If nothing was removed data.frame

slot: @info

The original function call

[ PLOT OUTPUT ]

• (A) Ln/Tn curves with set integration limits,

- (B) trace plots are returned by the baSAR-model, showing the convergence of the parameters (trace) and the resulting kernel density plots. If plot\_reduced = FALSE for every(!) dose a trace and a density plot is returned (this may take a long time),
- (C) dose plots showing the dose for every aliquot as boxplots and the marked HPD in within. If boxes are coloured 'orange' or 'red' the aliquot itself should be checked,
- (D) the dose response curve resulting from the monitoring of the Bayesian modelling are provided along with the Lx/Tx values and the HPD. Note: The amount for curves displayed is limited to 1000 (random choice) for performance reasons,
- (E) the final plot is the De distribution as calculated using the conventional (frequentist) approach and the central dose with the HPDs marked within. This figure is only provided for a comparison, no further statistical conclusion should be drawn from it.

Please note: If distribution was set to log\_normal the central dose is given as geometric mean!

#### **Function version**

0.1.33

### How to cite

Mercier, N., Kreutzer, S., 2021. analyse\_baSAR(): Bayesian models (baSAR) applied on luminescence data. Function version 0.1.33. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

**If you provide more than one BIN-file**, it is **strongly** recommended to provide a list with the same number of elements for the following parameters:

 $source\_doserate, signal.integral. Tx, background.integral, background.integral. Tx, sigmab, sig0.$ 

Example for two BIN-files: source\_doserate = list(c(0.04, 0.006), c(0.05, 0.006))

The function is currently limited to work with standard Risoe BIN-files only!

### Author(s)

Norbert Mercier, IRAMAT-CRP2A, Université Bordeaux Montaigne (France) Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) The underlying Bayesian model based on a contribution by Combès et al., 2015. , RLum Developer Team

#### References

Combès, B., Philippe, A., Lanos, P., Mercier, N., Tribolo, C., Guerin, G., Guibert, P., Lahaye, C., 2015. A Bayesian central equivalent dose model for optically stimulated luminescence dating. Quaternary Geochronology 28, 62-70. doi:10.1016/j.quageo.2015.04.001

Mercier, N., Kreutzer, S., Christophe, C., Guerin, G., Guibert, P., Lahaye, C., Lanos, P., Philippe, A., Tribolo, C., 2016. Bayesian statistics in luminescence dating: The 'baSAR'-model and its implementation in the R package 'Luminescence'. Ancient TL 34, 14-21.

### **Further reading**

Gelman, A., Carlin, J.B., Stern, H.S., Dunson, D.B., Vehtari, A., Rubin, D.B., 2013. Bayesian Data Analysis, Third Edition. CRC Press.

Murray, A.S., Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32,57-73. doi:10.1016/S1350-4487(99)00253-X

Plummer, M., 2017. JAGS Version 4.3.0 user manual. https://sourceforge.net/projects/mcmc-jags/files/Manuals/4.x/jags\_user\_manual.pdf/download

#### See Also

read\_BIN2R, calc\_OSLLxTxRatio, plot\_GrowthCurve, readxl::read\_excel, verify\_SingleGrainData, rjags::jags.model, rjags::coda.samples, boxplot.default

### **Examples**

```
##(1) load package test data set
data(ExampleData.BINfileData, envir = environment())
##(2) selecting relevant curves, and limit dataset
CWOSL.SAR.Data <- subset(</pre>
  CWOSL.SAR.Data,
  subset = POSITION%in%c(1:3) & LTYPE == "OSL")
## Not run:
##(3) run analysis
##please not that the here selected parameters are
##choosen for performance, not for reliability
results <- analyse_baSAR(</pre>
  object = CWOSL.SAR.Data,
  source_doserate = c(0.04, 0.001),
  signal.integral = c(1:2),
  background.integral = c(80:100),
  fit.method = "LIN",
  plot = FALSE,
  n.MCMC = 200
print(results)
##XLS_file template
##copy and paste this the code below in the terminal
##you can further use the function write.csv() to export the example
```

```
XLS_file <-
structure(
list(
  BIN_FILE = NA_character_,
  DISC = NA_real_,
  GRAIN = NA_real_),
    .Names = c("BIN_FILE", "DISC", "GRAIN"),
    class = "data.frame",
    row.names = 1L
)</pre>
## End(Not run)
```

analyse\_FadingMeasurement

Analyse fading measurements and returns the fading rate per decade (g-value)

### Description

The function analysis fading measurements and returns a fading rate including an error estimation. The function is not limited to standard fading measurements, as can be seen, e.g., Huntley and Lamothe (2001). Additionally, the density of recombination centres (rho') is estimated after Kars et al. (2008).

### Usage

```
analyse_FadingMeasurement(
  object,
  structure = c("Lx", "Tx"),
  signal.integral,
  background.integral,
  t_star = "half",
  n.MC = 100,
  verbose = TRUE,
  plot = TRUE,
  plot.single = FALSE,
  ...
)
```

### **Arguments**

object

RLum.Analysis (**required**): input object with the measurement data. Alternatively, a list containing RLum.Analysis objects or a data.frame with three columns (x = LxTx, y = LxTx error, z = time since irradiation) can be provided. Can also be a wide table, i.e. a data.frame with a number of columns divisible by 3 and where each triplet has the before mentioned column structure.

Please note: The input object should solely consists of the curve needed for the data analysis, i.e. only IRSL curves representing Lx (and Tx)

If data from multiple aliquots are provided please see the details below with regard to Lx/Tx normalisation. The function assumes that all your measurements are related to one (comparable) sample. If you to treat independent samples, you have use this function in a loop.

structure

character (with default): sets the structure of the measurement data. Allowed are 'Lx' or c('Lx', 'Tx'). Other input is ignored

signal.integral

vector (**required**): vector with channels for the signal integral (e.g., c(1:10)). Not required if a data. frame with LxTx values is provided.

background.integral

vector (**required**): vector with channels for the background integral (e.g., c(90:100)). Not required if a data.frame with LxTx values is provided.

t\_star

character (with default): method for calculating the time elapsed since irradiation if input is **not** a data. frame. Options are: 'half' (the default), 'half\_complex, which uses the long equation in Auclair et al. 2003, and and 'end', which takes the time between irradiation and the measurement step. Alternatively, t\_star can be a function with one parameter which works on t1. For more information see details.

t\_star has no effect if the input is a data.frame, because this input comes without irradiation times.

n.MC integer (with default): number for Monte Carlo runs for the error estimation

verbose logical (with default): enables/disables verbose mode plot logical (with default): enables/disables plot output

plot.single logical (with default): enables/disables single plot mode, i.e. one plot win-

dow per plot. Alternatively a vector specifying the plot to be drawn, e.g.,

plot.single = c(3,4) draws only the last two plots

... (*optional*) further arguments that can be passed to internally used functions. Supported arguments: xlab, log, mtext and xlim for the two first curve plots,

and ylim for the fading curve plot. For further plot customization please use the

numerical output of the functions for own plots.

### **Details**

All provided output corresponds to the tc value obtained by this analysis. Additionally in the output object the g-value normalised to 2-days is provided. The output of this function can be passed to the function calc\_FadingCorr.

### Fitting and error estimation

For the fitting the function stats::lm is used without applying weights. For the error estimation all input values, except tc, as the precision can be considered as sufficiently high enough with regard to the underlying problem, are sampled assuming a normal distribution for each value with the value as the mean and the provided uncertainty as standard deviation.

### The options for t\_star

• t\_star = "half" (the default) The calculation follows the simplified version in Auclair et al. (2003), which reads

$$t_{star} := t_1 + (t_2 - t_1)/2$$

• t\_star = "half\_complex" This option applies the complex function shown in Auclair et al. (2003), which is derived from Aitken (1985) appendix F, equations 9 and 11. It reads

$$t_{star} = t0 * 10^{[(t_2 log(t_2/t_0) - t_1 log(t_1/t_0) - 0.43(t_2 - t_1))/(t_2 - t_1)]}$$

where 0.43 = 1/ln(10). t0, which is an arbitrary constant, is set to 1. Please note that the equation in Auclair et al. (2003) is incorrect insofar that it reads 10exp(...), where the base should be 10 and not the Euler's number. Here we use the correct version (base 10).

- t\_star = "end" This option uses the simplest possible form for t\_star which is the time since irradiation without taking into account any addition parameter and it equals t1 in Auclair et al. (2003)
- t\_star = <function> This last option allows you to provide an R function object that works on t1 and gives you all possible freedom. For instance, you may want to define the following function fun <-function(x) {x^2}, this would square all values of t1, because internally it calls fun(t1). The name of the function does not matter.

### **Density of recombination centres**

The density of recombination centres, expressed by the dimensionless variable rho', is estimated by fitting equation 5 in Kars et al. 2008 to the data. For the fitting the function stats::nls is used without applying weights. For the error estimation the same procedure as for the g-value is applied (see above).

### Multiple aliquots & Lx/Tx normalisation

Be aware that this function will always normalise all Lx/Tx values by the Lx/Tx value of the prompt measurement of the first aliquot. This implicitly assumes that there are no systematic inter-aliquot variations in Lx/Tx values. If deemed necessary to normalise the Lx/Tx values of each aliquot by its individual prompt measurement please do so **before** running analyse\_FadingMeasurement and provide the already normalised values for object instead.

### Value

An RLum.Results object is returned:

Slot: @data

OBJECT	TYPE	COMMENT
fading_results	data.frame	results of the fading measurement in a table
fit	lm	object returned by the used linear fitting function stats::lm
rho_prime	data.frame	results of rho' estimation after Kars et al. (2008)
LxTx_table	data.frame	Lx/Tx table, if curve data had been provided
irr.times	integer	vector with the irradiation times in seconds

Slot: @info

OBJECT TYPE COMMENT call the original function call

### **Function version**

0.1.19

#### How to cite

Kreutzer, S., Burow, C., 2021. analyse\_FadingMeasurement(): Analyse fading measurements and returns the fading rate per decade (g-value). Function version 0.1.19. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Christoph Burow, University of Cologne (Germany), RLum Developer Team

### References

Aitken, M.J., 1985. Thermoluminescence dating, Studies in archaeological science. Academic Press, London, Orlando.

Auclair, M., Lamothe, M., Huot, S., 2003. Measurement of anomalous fading for feldspar IRSL using SAR. Radiation Measurements 37, 487-492. doi: 10.1016/S13504487(03)000180

Huntley, D.J., Lamothe, M., 2001. Ubiquity of anomalous fading in K-feldspars and the measurement and correction for it in optical dating. Canadian Journal of Earth Sciences 38, 1093-1106. doi: 10.1139/cjes-38-7-1093

Kars, R.H., Wallinga, J., Cohen, K.M., 2008. A new approach towards anomalous fading correction for feldspar IRSL dating-tests on samples in field saturation. Radiation Measurements 43, 786-790. doi: 10.1016/j.radmeas.2008.01.021

#### See Also

calc\_OSLLxTxRatio, read\_BIN2R, read\_XSYG2R, extract\_IrradiationTimes, calc\_FadingCorr

### **Examples**

```
## load example data (sample UNIL/NB123, see ?ExampleData.Fading)
data("ExampleData.Fading", envir = environment())
##(1) get fading measurement data (here a three column data.frame)
fading_data <- ExampleData.Fading$fading.data$IR50</pre>
##(2) run analysis
g_value <- analyse_FadingMeasurement(</pre>
fading_data,
plot = TRUE,
verbose = TRUE,
n.MC = 10)
##(3) this can be further used in the function
## to correct the age according to Huntley & Lamothe, 2001
results <- calc_FadingCorr(</pre>
age.faded = c(100,2),
g_value = g_value,
n.MC = 10)
```

analyse\_IRSAR.RF

Analyse IRSAR RF measurements

### **Description**

Function to analyse IRSAR RF measurements on K-feldspar samples, performed using the protocol according to Erfurt et al. (2003) and beyond.

### Usage

```
analyse_IRSAR.RF(
 object.
  sequence_structure = c("NATURAL", "REGENERATED"),
 RF_nat.lim = NULL,
 RF_reg.lim = NULL,
 method = "FIT",
 method.control = NULL,
  test_parameters = NULL,
  n.MC = 10,
  txtProgressBar = TRUE,
 plot = TRUE,
 plot_reduced = FALSE,
)
```

### **Arguments**

object

RLum.Analysis or a list of RLum.Analysis-objects (required): input object containing data for protocol analysis. The function expects to find at least two curves in the RLum. Analysis object: (1) RF\_nat, (2) RF\_reg. If a list is provided as input all other parameters can be provided as list as well to gain full control.

sequence\_structure

vector character (with default): specifies the general sequence structure. Allowed steps are NATURAL, REGENERATED. In addition any other character is allowed in the sequence structure; such curves will be ignored during the analysis.

RF\_nat.lim

vector (with default): set minimum and maximum channel range for natural signal fitting and sliding. If only one value is provided this will be treated as minimum value and the maximum limit will be added automatically.

RF\_reg.lim

vector (with default): set minimum and maximum channel range for regenerated signal fitting and sliding. If only one value is provided this will be treated as minimum value and the maximum limit will be added automatically.

method

character (with default): setting method applied for the data analysis. Possible options are "FIT" or "SLIDE".

method.control list (optional): parameters to control the method, that can be passed to the chosen method. These are for (1) method = "FIT": 'trace', 'maxiter', 'warnOnly', 'minFactor' and for (2) method = "SLIDE": 'correct\_onset', 'show\_density', 'show\_fit', 'trace'. See details.

test\_parameters

list (with default): set test parameters. Supported parameters are: curves\_ratio,
residuals\_slope (only for method = "SLIDE"), curves\_bounds, dynamic\_ratio,
lambda, beta and delta.phi. All input: numeric values, NA and NULL (s. Details)

(see Details for further information)

n.MC numeric (with default): set number of Monte Carlo runs for start parameter es-

timation (method = "FIT") or error estimation (method = "SLIDE"). This value can be set to NULL to skip the MC runs. Note: Large values will significantly

increase the computation time

txtProgressBar logical (with default): enables TRUE or disables FALSE the progression bar during

MC runs

plot logical (with default): plot output (TRUE or FALSE)

plot\_reduced logical (optional): provides a reduced plot output if enabled to allow common R

plot combinations, e.g., par(mfrow(...)). If TRUE no residual plot is returned;

it has no effect if plot = FALSE

further arguments that will be passed to the plot output. Currently supported ar-

 $guments\ are\ main,\ xlab,\ ylab,\ xlim,\ ylim,\ log,\ legend\ (TRUE/FALSE),\ legend\ .pos,$ 

legend.text (passes argument to x,y in graphics::legend), xaxt

### **Details**

The function performs an IRSAR analysis described for K-feldspar samples by Erfurt et al. (2003) assuming a negligible sensitivity change of the RF signal.

General Sequence Structure (according to Erfurt et al., 2003)

- 1. Measuring IR-RF intensity of the natural dose for a few seconds  $(RF_{nat})$
- 2. Bleach the samples under solar conditions for at least 30 min without changing the geometry
- 3. Waiting for at least one hour
- 4. Regeneration of the IR-RF signal to at least the natural level (measuring  $(RF_{reg})$
- 5. Fitting data with a stretched exponential function
- 6. Calculate the the palaeodose  $D_e$  using the parameters from the fitting

Actually two methods are supported to obtain the  $D_e$ : method = "FIT" and method = "SLIDE": method = "FIT"

The principle is described above and follows the original suggestions by Erfurt et al., 2003. For the fitting the mean count value of the RF\_nat curve is used.

Function used for the fitting (according to Erfurt et al. (2003)):

$$\phi(D) = \phi_0 - \Delta\phi(1 - exp(-\lambda * D))^{\beta}$$

with  $\phi(D)$  the dose dependent IR-RF flux,  $\phi_0$  the initial IR-RF flux,  $\Delta \phi$  the dose dependent change of the IR-RF flux,  $\lambda$  the exponential parameter, D the dose and  $\beta$  the dispersive factor.

To obtain the palaeodose  $D_e$  the function is changed to:

$$D_e = ln(-(\phi(D) - \phi_0)/(-\lambda * \phi)^{1/\beta} + 1)/-\lambda$$

The fitting is done using the port algorithm of the nls function.

method = "SLIDE"

For this method, the natural curve is slid along the x-axis until congruence with the regenerated curve is reached. Instead of fitting this allows working with the original data without the need for any physical model. This approach was introduced for RF curves by Buylaert et al., 2012 and Lapp et al., 2012.

Here the sliding is done by searching for the minimum of the squared residuals. For the mathematical details of the implementation see Frouin et al., 2017

method.control

To keep the generic argument list as clear as possible, arguments to control the methods for De estimation are all pre set with meaningful default parameters and can be handled using the argument method.control only, e.g., method.control = list(trace = TRUE). Supported arguments are:

ARGUMENT	METHOD	DESCRIPTION
trace	FIT, SLIDE	as in nls; shows sum of squared residuals
trace_vslide	SLIDE	logical argument to enable or disable the tracing of the vertical sliding
maxiter	FIT	as in nls
warnOnly	FIT	as in nls
minFactor	FIT	as in nls
correct_onset	SLIDE	The logical argument shifts the curves along the x-axis by the first channel, as light is ex
show_density	SLIDE	logical (with default) enables or disables KDE plots for MC run results. If the distribution
show_fit	SLIDE	logical (with default) enables or disables the plot of the fitted curve routinely obtained du
n.MC	SLIDE	integer (with default): This controls the number of MC runs within the sliding (assessing
vslide_range	SLDE	logical or numeric or character (with default): This argument sets the boundaries for a ve
cores	SLIDE	number or character (with default); set number of cores to be allocated for a parallel pr

#### **Error estimation**

For method = "FIT" the asymmetric error range is obtained by using the 2.5 % (lower) and the 97.5 % (upper) quantiles of the  $RF_{nat}$  curve for calculating the  $D_e$  error range.

For method = "SLIDE" the error is obtained by bootstrapping the residuals of the slid curve to construct new natural curves for a Monte Carlo simulation. The error is returned in two ways: (a) the standard deviation of the herewith obtained  $D_e$  from the MC runs and (b) the confidence interval using the 2.5 % (lower) and the 97.5 % (upper) quantiles. The results of the MC runs are returned with the function output.

### **Test parameters**

The argument test\_parameters allows to pass some thresholds for several test parameters, which will be evaluated during the function run. If a threshold is set and it will be exceeded the test parameter status will be set to "FAILED". Intentionally this parameter is not termed 'rejection criteria' as not all test parameters are evaluated for both methods and some parameters are calculated by not evaluated by default. Common for all parameters are the allowed argument options NA and NULL. If the parameter is set to NA the value is calculated but the result will not be evaluated, means it has no effect on the status ("OK" or "FAILED") of the parameter. Setting the parameter to NULL disables the parameter entirely and the parameter will be also removed from the function output. This might be useful in cases where a particular parameter asks for long computation times. Currently supported parameters are:

curves\_ratio numeric (default: 1.001):

The ratio of  $RF_{nat}$  over  $RF_{reg}$  in the range of  $RF_{nat}$  of is calculated and should not exceed the threshold value.

intersection\_ratio numeric (default: NA):

Calculated as absolute difference from 1 of the ratio of the integral of the normalised RF-curves, This value indicates intersection of the RF-curves and should be close to 0 if the curves have a similar shape. For this calculation first the corresponding time-count pair value on the RF\_reg curve is obtained using the maximum count value of the RF\_nat curve and only this segment (fitting to the RF\_nat curve) on the RF\_reg curve is taken for further calculating this ratio. If nothing is found at all, Inf is returned.

residuals\_slope numeric (default: NA; only for method = "SLIDE"):

A linear function is fitted on the residuals after sliding. The corresponding slope can be used to discard values as a high (positive, negative) slope may indicate that both curves are fundamentally different and the method cannot be applied at all. Per default the value of this parameter is calculated but not evaluated.

```
curves_bounds numeric (default: max(RF_{reg_counts}):
```

This measure uses the maximum time (x) value of the regenerated curve. The maximum time (x) value of the natural curve cannot be larger than this value. However, although this is not recommended the value can be changed or disabled.

```
dynamic_ratio numeric (default: NA):
```

The dynamic ratio of the regenerated curve is calculated as ratio of the minimum and maximum count values.

lambda, beta and delta.phi numeric (default: NA; method = "SLIDE"):

The stretched exponential function suggested by Erfurt et al. (2003) describing the decay of the RF signal, comprises several parameters that might be useful to evaluate the shape of the curves. For method = "FIT" this parameter is obtained during the fitting, for method = "SLIDE" a rather rough estimation is made using the function minpack.lm::nlsLM and the equation given above. Note: As this procedure requests more computation time, setting of one of these three parameters to NULL also prevents a calculation of the remaining two.

#### Value

The function returns numerical output and an (optional) plot.

## [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

[.. \$data : data.frame]

Column	Type	Description
DE	numeric	the obtained equivalent dose
DE.ERROR	numeric	(only method = "SLIDE") standard deviation obtained from MC runs
DE.LOWER	numeric	2.5% quantile for De values obtained by MC runs
DE.UPPER	numeric	97.5% quantile for De values obtained by MC runs
DE.STATUS	character	test parameter status
RF_NAT.LIM	character	used RF_nat curve limits
RF_REG.LIM	character	used RF_reg curve limits
POSITION	integer	(optional) position of the curves
DATE	character	(optional) measurement date
SEQUENCE_NAME	character	(optional) sequence name
UID	character	unique data set ID

[.. \$De.MC : numeric]

A numeric vector with all the De values obtained by the MC runs.

[.. \$test\_parameters : data.frame]

Column	Type	Description
POSITION	numeric	aliquot position
PARAMETER	character	test parameter name
THRESHOLD	numeric	set test parameter threshold value
VALUE	numeric	the calculated test parameter value (to be compared with the threshold)
STATUS	character	test parameter status either "OK" or "FAILED"
SEQUENCE_NAME	character	name of the sequence, so far available
UID	character	unique data set ID

[.. \$fit : data.frame]

An nls object produced by the fitting.

[.. \$slide : list]

A list with data produced during the sliding. Some elements are previously reported with the summary object data. List elements are:

Element	Type	Description
De	numeric	the final De obtained with the sliding approach
De.MC	numeric	all De values obtained by the MC runs
residuals	numeric	the obtained residuals for each channel of the curve
trend.fit	lm	fitting results produced by the fitting of the residuals
RF_nat.slid	matrix	the slid RF_nat curve
t_n.id	numeric	the index of the t_n offset
I_n	numeric	the vertical intensity offset if a vertical slide was applied
algorithm_error	numeric	the vertical sliding suffers from a systematic effect induced by the used algorithm. The
vslide_range	numeric	the range used for the vertical sliding
squared_residuals	numeric	the squared residuals (horizontal sliding)

slot: @info

The original function call (methods::language-object)

The output (data) should be accessed using the function get\_RLum

[ PLOT OUTPUT ]

The slid IR-RF curves with the finally obtained De

### **Function version**

0.7.8

### How to cite

Kreutzer, S., 2021. analyse\_IRSAR.RF(): Analyse IRSAR RF measurements. Function version 0.7.8. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

This function assumes that there is no sensitivity change during the measurements (natural vs. regenerated signal), which is in contrast to the findings by Buylaert et al. (2012).

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Buylaert, J.P., Jain, M., Murray, A.S., Thomsen, K.J., Lapp, T., 2012. IR-RF dating of sand-sized K-feldspar extracts: A test of accuracy. Radiation Measurements 44 (5-6), 560-565. doi: 10.1016/j.radmeas.2012.06.021

Erfurt, G., Krbetschek, M.R., 2003. IRSAR - A single-aliquot regenerative-dose dating protocol applied to the infrared radiofluorescence (IR-RF) of coarse- grain K-feldspar. Ancient TL 21, 35-42.

Erfurt, G., 2003. Infrared luminescence of Pb+ centres in potassium-rich feldspars. physica status solidi (a) 200, 429-438.

Erfurt, G., Krbetschek, M.R., 2003. Studies on the physics of the infrared radioluminescence of potassium feldspar and on the methodology of its application to sediment dating. Radiation Measurements 37, 505-510.

Erfurt, G., Krbetschek, M.R., Bortolot, V.J., Preusser, F., 2003. A fully automated multi-spectral radioluminescence reading system for geochronometry and dosimetry. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms 207, 487-499.

Frouin, M., Huot, S., Kreutzer, S., Lahaye, C., Lamothe, M., Philippe, A., Mercier, N., 2017. An improved radiofluorescence single-aliquot regenerative dose protocol for K-feldspars. Quaternary Geochronology 38, 13-24. doi:10.1016/j.quageo.2016.11.004

Lapp, T., Jain, M., Thomsen, K.J., Murray, A.S., Buylaert, J.P., 2012. New luminescence measurement facilities in retrospective dosimetry. Radiation Measurements 47, 803-808. doi:10.1016/j.radmeas.2012.02.006

Trautmann, T., 2000. A study of radioluminescence kinetics of natural feldspar dosimeters: experiments and simulations. Journal of Physics D: Applied Physics 33, 2304-2310.

Trautmann, T., Krbetschek, M.R., Dietrich, A., Stolz, W., 1998. Investigations of feldspar radioluminescence: potential for a new dating technique. Radiation Measurements 29, 421-425.

Trautmann, T., Krbetschek, M.R., Dietrich, A., Stolz, W., 1999. Feldspar radioluminescence: a new dating method and its physical background. Journal of Luminescence 85, 45-58.

Trautmann, T., Krbetschek, M.R., Stolz, W., 2000. A systematic study of the radioluminescence properties of single feldspar grains. Radiation Measurements 32, 685-690.

### See Also

RLum. Analysis, RLum. Results, get\_RLum, nls, minpack.lm::nlsLM, parallel::mclapply

### Examples

```
##load data
data(ExampleData.RLum.Analysis, envir = environment())
##(1) perform analysis using the method 'FIT'
```

```
results <- analyse_IRSAR.RF(object = IRSAR.RF.Data)
##show De results and test paramter results
get_RLum(results, data.object = "data")
get_RLum(results, data.object = "test_parameters")

##(2) perform analysis using the method 'SLIDE'
results <- analyse_IRSAR.RF(object = IRSAR.RF.Data, method = "SLIDE", n.MC = 1)

## Not run:
##(3) perform analysis using the method 'SLIDE' and method control option
## 'trace
results <- analyse_IRSAR.RF(
object = IRSAR.RF.Data,
method = "SLIDE",
method.control = list(trace = TRUE))

## End(Not run)</pre>
```

analyse\_pIRIRSequence Analyse post-IR IRSL measurement sequences

### **Description**

The function performs an analysis of post-IR IRSL sequences including curve fitting on RLum. Analysis objects.

### Usage

```
analyse_pIRIRSequence(
  object,
  signal.integral.min,
  signal.integral.max,
  background.integral.min,
  background.integral.max,
  dose.points = NULL,
  sequence.structure = c("TL", "IR50", "pIRIR225"),
  plot = TRUE,
  plot.single = FALSE,
  ...
)
```

### **Arguments**

object

RLum.Analysis or list of RLum.Analysis objects (**required**): input object containing data for analysis. If a list is provided the functions tries to iterate over the list.

signal.integral.min

integer (**required**): lower bound of the signal integral. Provide this value as vector for different integration limits for the different IRSL curves.

signal.integral.max

integer (**required**): upper bound of the signal integral. Provide this value as vector for different integration limits for the different IRSL curves.

background.integral.min

integer (**required**): lower bound of the background integral. Provide this value as vector for different integration limits for the different IRSL curves.

background.integral.max

integer (**required**): upper bound of the background integral. Provide this value as vector for different integration limits for the different IRSL curves.

dose.points numeric (optional): a numeric vector containing the dose points values. Using this argument overwrites dose point values in the signal curves.

sequence.structure

vector character (*with default*): specifies the general sequence structure. Allowed values are "TL" and any "IR" combination (e.g., "IR50","pIRIR225"). Additionally a parameter "EXCLUDE" is allowed to exclude curves from the analysis (Note: If a preheat without PMT measurement is used, i.e. preheat as none TL, remove the TL step.)

plot logical (with default): enables or disables plot output.

plot.single logical (with default): single plot output (TRUE/FALSE) to allow for plotting the

results in single plot windows. Requires plot = TRUE.

further arguments that will be passed to the function analyse\_SAR.CWOSL and plot\_GrowthCurve. Furthermore, the arguments main (headers), log (IRSL curves), cex (control the size) and mtext.outer (additional text on the plot area) can be passed to influence the plotting. If the input is list, main can be passed as vector or list.

### **Details**

To allow post-IR IRSL protocol (Thomsen et al., 2008) measurement analyses this function has been written as extended wrapper function for the function analyse\_SAR.CWOSL, facilitating an entire sequence analysis in one run. With this, its functionality is strictly limited by the functionality of the function analyse\_SAR.CWOSL.

\*\*Defining the sequence structure \*\*

The argument sequence.structure expects a shortened pattern of your sequence structure and was mainly introduced to ease the use of the function. For example: If your measurement data contains the following curves: TL, IRSL, IRSL, TL, IRSL, IRSL, the sequence pattern in sequence.structure becomes c('TL', 'IRSL', 'IRSL'). The second part of your sequence for one cycle should be similar and can be discarded. If this is not the case (e.g., additional hotbleach) such curves have to be removed before using the function.

### If the input is a list

If the input is a list of RLum. Analysis-objects, every argument can be provided as list to allow for different sets of parameters for every single input element. For further information see analyse\_SAR.CWOSL.

#### Value

Plots (optional) and an RLum.Results object is returned containing the following elements:

**DATA.OBJECT**...\$data:

TYPE

data.frame

DESCRIPTION

Table with De values

The output should be accessed using the function get RLum.

#### **Function version**

0.2.4

#### How to cite

Kreutzer, S., 2021. analyse\_pIRIRSequence(): Analyse post-IR IRSL measurement sequences. Function version 0.2.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

```
Best graphical output can be achieved by using the function pdf with the following options: pdf(file = "<YOUR FILENAME>", height = 15, width = 15)
```

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### References

Murray, A.S., Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73. doi: 10.1016/S13504487(99)00253-X

Thomsen, K.J., Murray, A.S., Jain, M., Boetter-Jensen, L., 2008. Laboratory fading rates of various luminescence signals from feldspar-rich sediment extracts. Radiation Measurements 43, 1474-1486. doi: 10.1016/j.radmeas.2008.06.002

### See Also

 $analyse\_SAR.CWOSL,\ calc\_OSLLxTxRatio,\ plot\_GrowthCurve,\ RLum.Analysis,\ RLum.Results\ get\_RLum$ 

### **Examples**

```
### NOTE: For this example existing example data are used. These data are non pIRIR data.
###
##(1) Compile example data set based on existing example data (SAR quartz measurement)
##(a) Load example data
data(ExampleData.BINfileData, envir = environment())
##(b) Transform the values from the first position in a RLum.Analysis object
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
```

analyse\_portableOSL 37

```
##(c) Grep curves and exclude the last two (one TL and one IRSL)
object <- get_RLum(object, record.id = c(-29, -30))
##(d) Define new sequence structure and set new RLum.Analysis object
sequence.structure \leftarrow c(1,2,2,3,4,4)
sequence.structure <- as.vector(sapply(seq(0,length(object)-1,by = 4),
                                        function(x){sequence.structure + x}))
object <- sapply(1:length(sequence.structure), function(x){</pre>
  object[[sequence.structure[x]]]
})
object <- set_RLum(class = "RLum.Analysis", records = object, protocol = "pIRIR")
##(2) Perform pIRIR analysis (for this example with quartz OSL data!)
## Note: output as single plots to avoid problems with this example
results <- analyse_pIRIRSequence(object,</pre>
     signal.integral.min = 1,
     signal.integral.max = 2,
     background.integral.min = 900,
     background.integral.max = 1000,
     fit.method = "EXP",
     sequence.structure = c("TL", "pseudoIRSL1", "pseudoIRSL2"),
     main = "Pseudo pIRIR data set based on quartz OSL",
     plot.single = TRUE)
##(3) Perform pIRIR analysis (for this example with quartz OSL data!)
## Alternative for PDF output, uncomment and complete for usage
## Not run:
tempfile <- tempfile(fileext = ".pdf")</pre>
pdf(file = tempfile, height = 15, width = 15)
  results <- analyse_pIRIRSequence(object,</pre>
         signal.integral.min = 1,
         signal.integral.max = 2,
         background.integral.min = 900,
         background.integral.max = 1000,
         fit.method = "EXP",
         main = "Pseudo pIRIR data set based on quartz OSL")
  dev.off()
## End(Not run)
```

analyse\_portableOSL Analyse portable CW-OSL measurements

## **Description**

The function analyses CW-OSL curve data produced by a SUERC portable OSL reader and produces a combined plot of OSL/IRSL signal intensities, OSL/IRSL depletion ratios and the IRSL/OSL ratio.

### Usage

```
analyse_portableOSL(
  object,
  signal.integral,
  invert = FALSE,
  normalise = FALSE,
  plot = TRUE,
   ...
)
```

### **Arguments**

object RLum.Analysis (required): RLum.Analysis object produced by read\_PSL2R.

signal.integral

vector (required): A vector of two values specifying the lower and upper chan-

nel used to calculate the OSL/IRSL signal. Can be provided in form of c(1,5)

or 1:5.

invert logical (with default): TRUE to calculate and plot the data in reverse order.

normalise logical (with default): TRUE to normalise the OSL/IRSL signals by the mean of

all corresponding data curves.

plot logical (with default): enable/disable plot output

... currently not used.

### **Details**

This function only works with RLum. Analysis objects produced by read\_PSL2R. It further assumes (or rather requires) an equal amount of OSL and IRSL curves that are pairwise combined for calculating the IRSL/OSL ratio. For calculating the depletion ratios the cumulative signal of the last n channels (same number of channels as specified by signal.integral) is divided by cumulative signal of the first n channels (signal.integral).

## Value

Returns an S4 RLum.Results object.

# **Function version**

0.0.3

#### How to cite

Burow, C., 2021. analyse\_portableOSL(): Analyse portable CW-OSL measurements. Function version 0.0.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

#### See Also

RLum.Analysis, RLum.Data.Curve

# **Examples**

```
# (1) load example data set
data("ExampleData.portableOSL", envir = environment())
# (2) merge and plot all RLum.Analysis objects
merged <- merge_RLum(ExampleData.portableOSL)
plot_RLum(merged, combine = TRUE)
merged
# (3) analyse and plot
results <- analyse_portableOSL(merged, signal.integral = 1:5, invert = FALSE, normalise = TRUE)
get_RLum(results)</pre>
```

analyse\_SAR.CWOSL

Analyse SAR CW-OSL measurements

# **Description**

The function performs a SAR CW-OSL analysis on an RLum. Analysis object including growth curve fitting.

### Usage

```
analyse_SAR.CWOSL(
  object,
  signal.integral.min = NA,
  signal.integral.max = NA,
  background.integral.min = NA,
  background.integral.max = NA,
  OSL.component = NULL,
  rejection.criteria = list(),
  dose.points = NULL,
  mtext.outer = "",
  plot = TRUE,
  plot_onePage = FALSE,
  plot.single = FALSE,
  onlyLxTxTable = FALSE,
  ...
)
```

## **Arguments**

object

RLum.Analysis (**required**): input object containing data for analysis, alternatively a list of RLum.Analysis objects can be provided.

signal.integral.min

integer (**required**): lower bound of the signal integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the minimum signal integral for the Tx curve. Can be set to NA, in this case no integrals are taken into account.

signal.integral.max

integer (**required**): upper bound of the signal integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the maximum signal integral for the Tx curve. Can be set to NA, in this case no integrals are taken into account.

background.integral.min

integer (**required**): lower bound of the background integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the minimum background integral for the Tx curve. Can be set to NA, in this case no integrals are taken into account.

background.integral.max

integer (**required**): upper bound of the background integral. Can be a list of integers, if object is of type list. If the input is vector (e.g., c(1,2)) the 2nd value will be interpreted as the maximum background integral for the Tx curve. Can be set to NA, in this case no integrals are taken into account.

OSL.component

character or integer (*optional*): s single index or a character defining the signal component to be evaluated. It requires that the object was processed by [OSLdecomposition::RLum.OSL\_decomposition]. This argument can either be the name of the OSL component assigned by [OSLdecomposition::RLum.OSL\_global\_fitting] or the index in the descending order of decay rates. Then "1" selects the fastest decaying component, "2" the second fastest and so on. Can be a list of integers or strings (or mixed) If object is a list and this parameter is provided as list it alternates over the elements (aliquots) of the object list, e.g., list(1,2) processes the first aliquot with component 1 and the second aliquot with component 2. NULL does not process any component.

rejection.criteria

list (*with default*): provide a *named* list and set rejection criteria in **percentage** for further calculation. Can be a list in a list, if object is of type list. Note: If an *unnamed* list is provided the new settings are ignored!

Allowed arguments are recycling.ratio, recuperation.rate, palaeodose.error, testdose.error and exceed.max.regpoint = TRUE/FALSE. Example: rejection.criteria = list(recycling.ratio = 10). Per default all numerical values are set to 10,

exceed.max.regpoint = TRUE. Every criterion can be set to NA. In this value are calculated, but not considered, i.e. the RC.Status becomes always 'OK'

dose.points numeric (optional): a numeric vector containing the dose points values Using

this argument overwrites dose point values in the signal curves. Can be a list of

numeric vectors, if object is of type list

mtext.outer character (optional): option to provide an outer margin mtext. Can be a list of

characters, if object is of type list

plot logical (with default): enables or disables plot output.

plot\_onePage logical (with default): enables or disables on page plot output

plot.single logical (with default) or numeric (optional): single plot output (TRUE/FALSE) to allow for plotting the results in single plot windows. If a numeric vector is

provided the plots can be selected individually, i.e. plot.single = c(1,2,3,4) will plot the TL and Lx, Tx curves but not the legend (5) or the growth curve

(6), (7) and (8) belong to rejection criteria plots. Requires plot = TRUE.

onlyLxTxTable logical (with default): If TRUE the dose response curve fitting and plotting is

skipped. This allows to get hands on the Lx/Tx table for large datasets without

the need for a curve fitting.

... further arguments that will be passed to the function plot\_GrowthCurve or calc\_OSLLxTxRatio

(supported: background.count.distribution, sigmab, sig0). Please note that if you consider to use the early light subtraction method you should provide

your own sigmab value!

#### **Details**

The function performs an analysis for a standard SAR protocol measurements introduced by Murray and Wintle (2000) with CW-OSL curves. For the calculation of the Lx/Tx value the function calc\_OSLLxTxRatio is used. For **changing the way the Lx/Tx error is calculated** use the argument background.count.distribution and sigmab, which will be passed to the function calc\_OSLLxTxRatio.

# Argument object is of type list

If the argument object is of type list containing **only** RLum.Analysis objects, the function recalls itself as often as elements are in the list. This is useful if an entire measurement wanted to be analysed without writing separate for-loops. To gain in full control of the parameters (e.g., dose.points) for every aliquot (corresponding to one RLum.Analysis object in the list), in this case the arguments can be provided as list. This list should be of similar length as the list provided with the argument object, otherwise the function will create an own list of the requested length. Function output will be just one single RLum.Results object.

Please be careful when using this option. It may allow a fast an efficient data analysis, but the function may also break with an unclear error message, due to wrong input data.

### Working with IRSL data

The function was originally designed to work just for 'OSL' curves, following the principles of the SAR protocol. An IRSL measurement protocol may follow this procedure, e.g., post-IR IRSL protocol (Thomsen et al., 2008). Therefore this functions has been enhanced to work with IRSL data, however, the function is only capable of analysing curves that follow the SAR protocol structure, i.e., to analyse a post-IR IRSL protocol, curve data have to be pre-selected by the user to fit the standards of the SAR protocol, i.e., Lx,Tx,Lx,Tx and so on.

Example: Imagine the measurement contains pIRIR50 and pIRIR225 IRSL curves. Only one curve type can be analysed at the same time: The pIRIR50 curves or the pIRIR225 curves.

#### Supported rejection criteria

[recycling.ratio]: calculated for every repeated regeneration dose point.

[recuperation.rate]: recuperation rate calculated by comparing the Lx/Tx values of the zero regeneration point with the Ln/Tn value (the 'Lx/Tx ratio of the natural signal). For methodological background see Aitken and Smith (1988).

[testdose.error]: set the allowed error for the test dose, which per default should not exceed 10\ [palaeodose.error]: set the allowed error for the De value, which per default should not exceed 10\

#### Value

A plot (optional) and an RLum.Results object is returned containing the following elements:

data data.frame containing De-values, De-error and further parameters

LnLxTnTx.values

data.frame of all calculated Lx/Tx values including signal, background counts and the dose points

rejection.criteria

data.frame with values that might by used as rejection criteria. NA is produced if no R0 dose point exists.

Formula

formula formula that have been used for the growth curve fitting

The output should be accessed using the function get\_RLum.

#### **Function version**

0.9.11

#### How to cite

Kreutzer, S., 2021. analyse\_SAR.CWOSL(): Analyse SAR CW-OSL measurements. Function version 0.9.11. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

This function must not be mixed up with the function Analyse\_SAR.OSLdata, which works with Risoe.BINfileData objects.

The function currently does support only 'OSL', 'IRSL' and 'POSL' data!

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### References

Aitken, M.J. and Smith, B.W., 1988. Optical dating: recuperation after bleaching. Quaternary Science Reviews 7, 387-393.

Duller, G., 2003. Distinguishing quartz and feldspar in single grain luminescence measurements. Radiation Measurements, 37 (2), 161-165.

Murray, A.S. and Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73.

Thomsen, K.J., Murray, A.S., Jain, M., Boetter-Jensen, L., 2008. Laboratory fading rates of various luminescence signals from feldspar-rich sediment extracts. Radiation Measurements 43, 1474-1486. doi:10.1016/j.radmeas.2008.06.002

# See Also

calc\_OSLLxTxRatio, plot\_GrowthCurve, RLum.Analysis, RLum.Results, get\_RLum

### **Examples**

```
##load data
##ExampleData.BINfileData contains two BINfileData objects
##CWOSL.SAR.Data and TL.SAR.Data
data(ExampleData.BINfileData, envir = environment())
```

```
##transform the values from the first position in a RLum.Analysis object
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
##perform SAR analysis and set rejection criteria
results <- analyse_SAR.CWOSL(
object = object,
signal.integral.min = 1,
signal.integral.max = 2,
background.integral.min = 900,
background.integral.max = 1000,
log = "x",
fit.method = "EXP",
rejection.criteria = list(
  recycling.ratio = 10,
  recuperation.rate = 10,
  testdose.error = 10,
  palaeodose.error = 10,
  exceed.max.regpoint = TRUE)
##show De results
get_RLum(results)
##show LnTnLxTx table
get_RLum(results, data.object = "LnLxTnTx.table")
```

Analyse\_SAR.OSLdata

Analyse SAR CW-OSL measurements.

# Description

The function analyses SAR CW-OSL curve data and provides a summary of the measured data for every position. The output of the function is optimised for SAR OSL measurements on quartz.

# Usage

```
Analyse_SAR.OSLdata(
   input.data,
   signal.integral,
   background.integral,
   position,
   run,
   set,
   dtype,
   keep.SEL = FALSE,
   info.measurement = "unkown measurement",
   output.plot = FALSE,
   output.plot.single = FALSE,
   cex.global = 1,
   ...
)
```

#### **Arguments**

input.data Risoe.BINfileData (required): input data from a Risø BIN file, produced by the

function read\_BIN2R.

signal.integral

vector (required): channels used for the signal integral, e.g. signal.integral=c(1:2)

background.integral

vector (required): channels used for the background integral, e.g. background.integral=c(85:100

position vector (optional): reader positions that want to be analysed (e.g. position=c(1:48).

Empty positions are automatically omitted. If no value is given all positions are

analysed by default.

run vector (optional): range of runs used for the analysis. If no value is given the

range of the runs in the sequence is deduced from the Risoe.BINfileData ob-

ject.

set vector (optional): range of sets used for the analysis. If no value is given the

range of the sets in the sequence is deduced from the Risoe.BINfileData ob-

ject.

dtype character (optional): allows to further limit the curves by their data type (DTYPE),

e.g., dtype = c("Natural", "Dose") limits the curves to this two data types. By default all values are allowed. See Risoe.BINfileData for allowed data types.

keep. SEL logical (default): option allowing to use the SEL element of the Risoe.BINfileData

manually. NOTE: In this case any limitation provided by run, set and dtype

are ignored!

info.measurement

character (with default): option to provide information about the measurement

on the plot output (e.g. name of the BIN or BINX file).

output.plot logical (with default): plot output (TRUE/FALSE)

output.plot.single

logical (with default): single plot output (TRUE/FALSE) to allow for plotting the

results in single plot windows. Requires output.plot = TRUE.

cex.global numeric (with default): global scaling factor.

... further arguments that will be passed to the function calc\_OSLLxTxRatio (sup-

ported: background.count.distribution, sigmab, sig0; e.g., for instrumen-

tal error) and can be used to adjust the plot. Supported" mtext, log

### **Details**

The function works only for standard SAR protocol measurements introduced by Murray and Wintle (2000) with CW-OSL curves. For the calculation of the Lx/Tx value the function calc\_OSLLxTxRatio is used.

# Provided rejection criteria

[recyling ratio]: calculated for every repeated regeneration dose point.

[recuperation]: recuperation rate calculated by comparing the Lx/Tx values of the zero regeneration point with the Ln/Tn value (the Lx/Tx ratio of the natural signal). For methodological background see Aitken and Smith (1988)

[IRSL/BOSL]: the integrated counts (signal.integral) of an IRSL curve are compared to the integrated counts of the first regenerated dose point. It is assumed that IRSL curves got the same dose as the first regenerated dose point. **Note:** This is not the IR depletion ratio described by Duller (2003).

#### Value

A plot (optional) and list is returned containing the following elements:

LnLxTnTx data.frame of all calculated Lx/Tx values including signal, background counts

and the dose points.

RejectionCriteria

data.frame with values that might by used as rejection criteria. NA is produced

if no R0 dose point exists.

SARParameters data.frame of additional measurement parameters obtained from the BIN file,

e.g. preheat or read temperature (not valid for all types of measurements).

#### **Function version**

0.2.17

#### How to cite

Kreutzer, S., Fuchs, M.C., 2021. Analyse\_SAR.OSLdata(): Analyse SAR CW-OSL measurements.. Function version 0.2.17. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

Rejection criteria are calculated but not considered during the analysis to discard values.

The analysis of IRSL data is not directly supported. You may want to consider using the functions analyse\_SAR.CWOSL or analyse\_pIRIRSequence instead.

The development of this function will not be continued. We recommend to use the function analyse\_SAR.CWOSL or instead.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Margret C. Fuchs, HZDR, Freiberg (Germany) , RLum Developer Team

## References

Aitken, M.J. and Smith, B.W., 1988. Optical dating: recuperation after bleaching. Quaternary Science Reviews 7, 387-393.

Duller, G., 2003. Distinguishing quartz and feldspar in single grain luminescence measurements. Radiation Measurements, 37 (2), 161-165.

Murray, A.S. and Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73.

# See Also

calc\_OSLLxTxRatio, Risoe.BINfileData, read\_BIN2R, plot\_GrowthCurve

46 analyse\_SAR.TL

### **Examples**

analyse\_SAR.TL

Analyse SAR TL measurements

# Description

The function performs a SAR TL analysis on a RLum. Analysis object including growth curve fitting.

# Usage

```
analyse_SAR.TL(
  object,
  object.background,
  signal.integral.min,
  signal.integral.max,
  integral_input = "channel",
  sequence.structure = c("PREHEAT", "SIGNAL", "BACKGROUND"),
  rejection.criteria = list(recycling.ratio = 10, recuperation.rate = 10),
  dose.points,
  log = "",
  ...
)
```

# **Arguments**

```
object RLum.Analysis or a list of such objects (required): input object containing data for analysis

object.background currently not used

signal.integral.min integer (required): requires the channel number for the lower signal integral bound (e.g. signal.integral.min = 100)
```

analyse\_SAR.TL 47

signal.integral.max

integer (required): requires the channel number for the upper signal integral bound (e.g. signal.integral.max = 200)

integral\_input character (with default): defines the input for the the arguments signal.integral.min and signal.integral.max. These limits can be either provided 'channel' number (the default) or 'temperature'. If 'temperature' is chosen the best matching channel is selected.

sequence.structure

vector character (with default): specifies the general sequence structure. Three steps are allowed ("PREHEAT", "SIGNAL", "BACKGROUND"), in addition a parameter "EXCLUDE". This allows excluding TL curves which are not relevant for the protocol analysis. (Note: None TL are removed by default)

rejection.criteria

list (with default): list containing rejection criteria in percentage for the calcula-

dose.points numeric (optional): option set dose points manually

character (with default): a character string which contains "x" if the x-axis is to log

be logarithmic, "y" if the y axis is to be logarithmic and "xy" or "yx" if both

axes are to be logarithmic. See plot.default).

further arguments that will be passed to the function plot GrowthCurve

### **Details**

This function performs a SAR TL analysis on a set of curves. The SAR procedure in general is given by Murray and Wintle (2000). For the calculation of the Lx/Tx value the function calc\_TLLxTxRatio is used.

# Provided rejection criteria

[recyling.ratio]: calculated for every repeated regeneration dose point.

[recuperation.rate]: recuperation rate calculated by comparing the Lx/Tx values of the zero regeneration point with the Ln/Tn value (the Lx/Tx ratio of the natural signal). For methodological background see Aitken and Smith (1988)

#### Value

A plot (optional) and an RLum.Results object is returned containing the following elements:

De.values data.frame containing De-values and further parameters

LnLxTnTx.values

data.frame of all calculated Lx/Tx values including signal, background counts and the dose points.

rejection.criteria

data.frame with values that might by used as rejection criteria. NA is produced if no R0 dose point exists.

**note:** the output should be accessed using the function get\_RLum

# **Function version**

0.3.0

48 analyse\_SAR.TL

#### How to cite

Kreutzer, S., 2021. analyse\_SAR.TL(): Analyse SAR TL measurements. Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

### THIS IS A BETA VERSION

None TL curves will be removed from the input object without further warning.

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Aitken, M.J. and Smith, B.W., 1988. Optical dating: recuperation after bleaching. Quaternary Science Reviews 7, 387-393.

Murray, A.S. and Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. Radiation Measurements 32, 57-73.

## See Also

calc\_TLLxTxRatio, plot\_GrowthCurve, RLum.Analysis, RLum.Results, get\_RLum

# **Examples**

```
##load data
data(ExampleData.BINfileData, envir = environment())

##transform the values from the first position in a RLum.Analysis object
object <- Risoe.BINfileData2RLum.Analysis(TL.SAR.Data, pos=3)

##perform analysis
analyse_SAR.TL(
object = object,
signal.integral.min = 210,
signal.integral.max = 220,
fit.method = "EXP OR LIN",
sequence.structure = c("SIGNAL", "BACKGROUND"))</pre>
```

```
apply_CosmicRayRemoval
```

Function to remove cosmic rays from an RLum.Data.Spectrum S4 class object

# Description

The function provides several methods for cosmic-ray removal and spectrum smoothing RLum.Data.Spectrum objects and such objects embedded in list or RLum.Analysis objects.

# Usage

```
apply_CosmicRayRemoval(
  object,
  method = "smooth",
  method.Pych.smoothing = 2,
  method.Pych.threshold_factor = 3,
  MARGIN = 2,
  verbose = FALSE,
  plot = FALSE,
  ...
)
```

## **Arguments**

object

RLum.Data.Spectrum or RLum.Analysis (**required**): input object to be treated. This can be also provided as list. If an RLum.Analysis object is provided, only the RLum.Data.Spectrum objects are treated. Please note: this mixing of objects do not work for a list of RLum.Data objects.

method

character (with default): Defines method that is applied for cosmic ray removal. Allowed methods are smooth, the default, (smooth), smooth.spline (smooth.spline) and Pych. See details for further information.

method.Pych.smoothing

integer (with default): Smoothing parameter for cosmic ray removal according to Pych (2003). The value defines how many neighbouring values in each frame are used for smoothing (e.g., 2 means that the two previous and two following values are used).

method.Pych.threshold\_factor

numeric (with default): Threshold for zero-bins in the histogram. Small values mean that more peaks are removed, but signal might be also affected by this removal.

MARGIN

integer (with default): on which part the function cosmic ray removal should be applied on:

- 1 = along the time axis (line by line),
- 2 = along the wavelength axis (column by column).

Note: This argument currently only affects the methods smooth and smooth.spline

verbose

logical (with default): Option to suppress terminal output.,

plot logical (with default): If TRUE the histograms used for the cosmic-ray removal

are returned as plot including the used threshold. Note: A separate plot is returned for each frame! Currently only for method = "Pych" a graphical output

is provided.

... further arguments and graphical parameters that will be passed to the smooth

function.

#### **Details**

method = "Pych"

This method applies the cosmic-ray removal algorithm described by Pych (2003). Some aspects that are different to the publication:

- For interpolation between neighbouring values the median and not the mean is used.
- The number of breaks to construct the histogram is set to: length(number.of.input.values)/2

For further details see references below.

method = "smooth"

Method uses the function smooth to remove cosmic rays.

Arguments that can be passed are: kind, twiceit

method = "smooth.spline"

Method uses the function smooth.spline to remove cosmic rays.

Arguments that can be passed are: spar

#### How to combine methods?

Different methods can be combined by applying the method repeatedly to the dataset (see example).

# Value

Returns same object as input.

# **Function version**

0.3.0

### How to cite

Kreutzer, S., 2021. apply\_CosmicRayRemoval(): Function to remove cosmic rays from an RLum.Data.Spectrum S4 class object. Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## References

Pych, W., 2003. A Fast Algorithm for Cosmic-Ray Removal from Single Images. Astrophysics 116, 148-153. https://arxiv.org/pdf/astro-ph/0311290.pdf?origin=publication\_detail

#### See Also

RLum.Data.Spectrum, RLum.Analysis, smooth, smooth.spline, apply\_CosmicRayRemoval

### **Examples**

```
##(1) - use with your own data and combine (uncomment for usage)
## run two times the default method and smooth with another method
## your.spectrum <- apply_CosmicRayRemoval(your.spectrum, method = "Pych")
## your.spectrum <- apply_CosmicRayRemoval(your.spectrum, method = "Pych")
## your.spectrum <- apply_CosmicRayRemoval(your.spectrum, method = "smooth")</pre>
```

```
apply_EfficiencyCorrection
```

Function to apply spectral efficiency correction to RLum.Data.Spectrum S4 class objects

### **Description**

The function allows spectral efficiency corrections for RLum.Data.Spectrum S4 class objects

### Usage

```
apply_EfficiencyCorrection(object, spectral.efficiency)
```

# **Arguments**

object

RLum.Data.Spectrum or RLum.Analysis (**required**): S4 object of class RLum.Data.Spectrum, RLum.Analysis or a list of such objects. Other objects in the list are skipped.

spectral.efficiency

data.frame (**required**): Data set containing wavelengths (x-column) and relative spectral response values (y-column) (values between 0 and 1). The provided data will be used to correct all spectra if object is a list

# **Details**

The efficiency correction is based on a spectral response dataset provided by the user. Usually the data set for the quantum efficiency is of lower resolution and values are interpolated for the required spectral resolution using the function stats::approx

If the energy calibration differs for both data set NA values are produces that will be removed from the matrix.

## Value

Returns same object as provided as input

# **Function version**

0.2.0

52 app\_RLum

#### How to cite

Kreutzer, S., Friedrich, J., 2021. apply\_EfficiencyCorrection(): Function to apply spectral efficiency correction to RLum.Data.Spectrum S4 class objects. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

Please note that the spectral efficiency data from the camera alone may not sufficiently correct for spectral efficiency of the entire optical system (e.g., spectrometer, camera ...).

# Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS-Université Bordeaux Montaigne (France) Johannes Friedrich, University of Bayreuth (Germany), RLum Developer Team

#### See Also

RLum.Data.Spectrum, RLum.Analysis

### **Examples**

```
##(1) - use with your own data (uncomment for usage)
## spectral.efficiency <- read.csv("your data")
##
## your.spectrum <- apply_EfficiencyCorrection(your.spectrum, )</pre>
```

app\_RLum

Run Luminescence shiny apps (wrapper)

# Description

Wrapper for the function RLumShiny::app\_RLum from the package RLumShiny::RLumShiny-package. For further details and examples please see the manual of this package.

### Usage

```
app_RLum(app = NULL, ...)
```

# **Arguments**

app character (required): name of the application to start. See details for a list of available apps.... further arguments passed shiny::runApp

# **Function version**

0.1.1

as 53

### How to cite

Burow, C., 2021. app\_RLum(): Run Luminescence shiny apps (wrapper). Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

as

as() - RLum-object coercion

# Description

for [RLum.Analysis-class]

for [RLum.Data.Curve-class]

for [RLum.Data.Image-class]

for [RLum.Data.Spectrum-class]

for [RLum.Results-class]

# **Arguments**

from RLum, list, data.frame, matrix (**required**): object to be coerced from

to character (required): class name to be coerced to

# **Details**

# **RLum.Analysis**

from to
list list

Given that the list consists of RLum. Analysis objects.

#### RLum.Data.Curve

from	to	
list	list	
data.frame	data.frame	
matrix	matrix	

# RLum.Data.Image

from	to	
data.frame	data.frame	
matrix	matrix	

# RLum.Data.Spectrum

from to

data.frame data.frame matrix matrix

#### **RLum.Results**

from to
list list

Given that the list consists of RLum.Results objects.

#### Note

Due to the complex structure of the RLum objects itself a coercing to standard R data structures will be always loosely!

### See Also

methods::as

BaseDataSet.ConversionFactors

Base data set of dose-rate conversion factors

# **Description**

Collection of published dose-rate conversion factors to convert concentrations of radioactive isotopes to dose rate values.

# **Format**

A list with three elements with dose-rate conversion factors sorted by article and radiation type (alpha, beta, gamma):

AdamiecAitken1998: Conversion factors from Tables 5 and 6
Cresswelletal2018: Conversion factors from Tables 5 and 6
Guerinetal2011: Conversion factors from Tables 1, 2 and 3
Liritzisetal2013: Conversion factors from Tables 1, 2 and 3

# Version

0.2.0

## Source

All gamma conversion factors were carefully read from the tables given in the references above.

#### References

Adamiec, G., Aitken, M.J., 1998. Dose-rate conversion factors: update. Ancient TL 16, 37-46.

Cresswell., A.J., Carter, J., Sanderson, D.C.W., 2018. Dose rate conversion parameters: Assessment of nuclear data. Radiation Measurements 120, 195-201.

Guerin, G., Mercier, N., Adamiec, G., 2011. Dose-rate conversion factors: update. Ancient TL, 29, 5-8.

Liritzis, I., Stamoulis, K., Papachristodoulou, C., Ioannides, K., 2013. A re-evaluation of radiation dose-rate conversion factors. Mediterranean Archaeology and Archaeometry 13, 1-15.

### **Examples**

```
## Load data
data("BaseDataSet.ConversionFactors", envir = environment())
```

BaseDataSet.CosmicDoseRate

Base data set for cosmic dose rate calculation

# **Description**

Collection of data from various sources needed for cosmic dose rate calculation

## **Format**

values.cosmic.Softcomp: values.par.FJH:

data frame containing cosmic dose rates for shallow depths (< 167 g cm<sup>2</sup>-2) obtained using values.factor.Altitude: data frame containing altitude factors for adjusting geomagnetic field-change factors. Value data frame containing values for parameters F, J and H (read from Fig. 2 in Prescott & Hut

$$Dc = D0 * (F + J * exp((altitude/1000)/H))$$

## Version

0.1

## **Source**

The following data were carefully read from figures in mentioned sources and used for fitting procedures. The derived expressions are used in the function calc\_CosmicDoseRate.

# values.cosmic.Softcomp

Program: "AGE" Reference: Gruen (2009)

Fit: Polynomials in the form of

For depths between 40-167 g cm^-2:

$$y = 2 * 10^{-}6 * x^{2} - 0.0008 * x + 0.2535$$

(For depths  $<40 \text{ g cm}^2$ )

$$y = -6 * 10^{-}8 * x^{3} + 2 * 10^{-}5 * x^{2} - 0.0025 * x + 0.2969$$

values.factor.Altitude

Reference: Prescott & Hutton (1994)

Page: 49 Figure: 1

Fit: 2-degree polynomial in the form of

$$y = -0.026 * x^2 + 0.6628 * x + 1.0435$$

values.par.FJH

Reference: Prescott & Hutton (1994)

Page: 500 Figure: 2

Fits: 3-degree polynomials and linear fits

F (non-linear part,  $\lambda$  < 36.5 deg.):

$$y = -7 * 10^{-} 7 * x^{3} - 8 * 10^{-} 5 * x^{2} - 0.0009 * x + 0.3988$$

F (linear part,  $\lambda > 36.5$  deg.):

$$y = -0.0001 * x + 0.2347$$

J (non-linear part,  $\lambda$  < 34 deg.):

$$y = 5 * 10^{-}6 * x^{3} - 5 * 10^{-}5 * x^{2} + 0.0026 * x + 0.5177$$

J (linear part,  $\lambda > 34$  deg.):

$$y = 0.0005 * x + 0.7388$$

H (non-linear part,  $\lambda$  < 36 deg.):

$$y = -3 * 10^{-}6 * x^{3} - 5 * 10^{-}5 * x^{2} - 0.0031 * x + 4.398$$

H (linear part,  $\lambda > 36$  deg.):

$$y = 0.0002 * x + 4.0914$$

#### References

Gruen, R., 2009. The "AGE" program for the calculation of luminescence age estimates. Ancient TL, 27, pp. 45-46.

Prescott, J.R., Hutton, J.T., 1988. Cosmic ray and gamma ray dosimetry for TL and ESR. Nuclear Tracks and Radiation Measurements, 14, pp. 223-227.

Prescott, J.R., Hutton, J.T., 1994. Cosmic ray contributions to dose rates for luminescence and ESR dating: large depths and long-term time variations. Radiation Measurements, 23, pp. 497-500.

### **Examples**

```
##load data
data(BaseDataSet.CosmicDoseRate)
```

BaseDataSet.FractionalGammaDose

Base data set of fractional gamma-dose values

# **Description**

Collection of (un-)published fractional gamma dose-rate values to scale the gamma-dose rate considering layer-to-layer variations in soil radioactivity.

### **Format**

A list with fractional gamma dose-rate values sorted by article:

Aitken1985: Fractional gamma-dose values from table H.1

#### Version

0.1

# Source

Fractional gamma dose values were carefully read from the tables given in the references above.

# References

Aitken, M.J., 1985. Thermoluminescence Dating. Academic Press, London.

# **Examples**

```
## Load data
data("BaseDataSet.FractionalGammaDose", envir = environment())
```

58 bin\_RLum.Data

```
BaseDataSet.GrainSizeAttenuation
```

Base dataset for grain size attenuation data by Guérin et al. (2012)

# **Description**

Grain size correction data for beta-dose rates published by Guérin et al. (2012).

```
#' @format
```

A data. frame seven columns and sixteen rows. Column headers are GrainSize, Q\_K, FS\_K, Q\_Th, FS\_Th, Q\_U, FS\_U. Grain sizes are quoted in  $\mu$ m (e.g., 20, 40, 60 etc.)

### Version

0.1.0

#### **Source**

Guérin, G., Mercier, N., Nathan, R., Adamiec, G., Lefrais, Y., 2012. On the use of the infinite matrix assumption and associated concepts: A critical review. Radiation Measurements, 47, 778-785.

# **Examples**

```
## load data
data("BaseDataSet.GrainSizeAttenuation", envir = environment())
```

bin\_RLum.Data

Channel binning - method dispatcher

## **Description**

Function calls the object-specific bin functions for RLum.Data S4 class objects.

## Usage

```
bin_RLum.Data(object, ...)
```

# **Arguments**

object RLum.Data (**required**): S4 object of class RLum.Data ... further arguments passed to the specific class method

# **Details**

The function provides a generalised access point for specific RLum.Data objects. Depending on the input object, the corresponding function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum.Data class.

bin\_RLum.Data 59

#### Value

An object of the same type as the input object is provided

### **Function version**

0.2.0

#### How to cite

Kreutzer, S., 2021. bin\_RLum.Data(): Channel binning - method dispatcher. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

Currently only RLum.Data objects of class RLum.Data.Curve and RLum.Data.Spectrum are supported!

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

RLum.Data.Curve, RLum.Data.Spectrum

# **Examples**

```
##load example data
data(ExampleData.CW_OSL_Curve, envir = environment())

##create RLum.Data.Curve object from this example
curve <-
    set_RLum(
        class = "RLum.Data.Curve",
        recordType = "OSL",
        data = as.matrix(ExampleData.CW_OSL_Curve)
)

##plot data without and with 2 and 4 channel binning
plot_RLum(curve)
plot_RLum(bin_RLum.Data(curve, bin_size = 2))
plot_RLum(bin_RLum.Data(curve, bin_size = 4))</pre>
```

60 calc\_AliquotSize

calc\_AliquotSize

Estimate the amount of grains on an aliquot

## **Description**

Estimate the number of grains on an aliquot. Alternatively, the packing density of an aliquot is computed.

# Usage

```
calc_AliquotSize(
  grain.size,
  sample.diameter,
  packing.density = 0.65,
  MC = TRUE,
  grains.counted,
  plot = TRUE,
  ...
)
```

# **Arguments**

grain.size numeric (required): mean grain size (microns) or a range of grain sizes from

which the mean grain size is computed (e.g. c(100, 200)).

sample.diameter

numeric (required): diameter (mm) of the targeted area on the sample carrier.

packing.density

numeric (with default): empirical value for mean packing density.

If packing.density = "Inf" a hexagonal structure on an infinite plane with a

packing density of 0.906 . . . is assumed.

MC logical (optional): if TRUE the function performs a Monte Carlo simulation for

estimating the amount of grains on the sample carrier and assumes random errors in grain size distribution and packing density. Requires a vector with min and

max grain size for grain. size. For more information see details.

grains.counted numeric (optional): grains counted on a sample carrier. If a non-zero positive

integer is provided this function will calculate the packing density of the aliquot. If more than one value is provided the mean packing density and its standard

deviation is calculated. Note that this overrides packing density.

plot logical (with default): plot output (TRUE/FALSE)

... further arguments to pass (main, xlab, MC.iter).

# **Details**

This function can be used to either estimate the number of grains on an aliquot or to compute the packing density depending on the the arguments provided.

The following function is used to estimate the number of grains n:

$$n = (\pi * x^2)/(\pi * y^2) * d$$

calc\_AliquotSize 61

where x is the radius of the aliquot size (microns), y is the mean radius of the mineral grains (mm) and d is the packing density (value between 0 and 1).

# Packing density

The default value for packing.density is 0.65, which is the mean of empirical values determined by Heer et al. (2012) and unpublished data from the Cologne luminescence laboratory. If packing.density = "Inf" a maximum density of  $\pi/\sqrt{12} = 0.9068\ldots$  is used. However, note that this value is not appropriate as the standard preparation procedure of aliquots resembles a PECC ("Packing Equal Circles in a Circle") problem where the maximum packing density is asymptotic to about 0.87.

#### Monte Carlo simulation

The number of grains on an aliquot can be estimated by Monte Carlo simulation when setting MC = TRUE. Each of the parameters necessary to calculate n (x, y, d) are assumed to be normally distributed with means  $\mu_x$ ,  $\mu_y$ ,  $\mu_d$  and standard deviations  $\sigma_x$ ,  $\sigma_y$ ,  $\sigma_d$ .

For the mean grain size random samples are taken first from  $N(\mu_y, \sigma_y)$ , where  $\mu_y = mean.grain.size$  and  $\sigma_y = (max.grain.size - min.grain.size)/4$  so that 95\ grains are within the provided the grain size range. This effectively takes into account that after sieving the sample there is still a small chance of having grains smaller or larger than the used mesh sizes. For each random sample the mean grain size is calculated, from which random subsamples are drawn for the Monte Carlo simulation.

The packing density is assumed to be normally distributed with an empirically determined  $\mu=0.65$  (or provided value) and  $\sigma=0.18$ . The normal distribution is truncated at d=0.87 as this is approximately the maximum packing density that can be achieved in PECC problem.

The sample diameter has  $\mu = sample.diameter$  and  $\sigma = 0.2$  to take into account variations in sample disc preparation (i.e. applying silicon spray to the disc). A lower truncation point at x = 0.5 is used, which assumes that aliquouts with smaller sample diameters of 0.5 mm are discarded. Likewise, the normal distribution is truncated at 9.8 mm, which is the diameter of the sample disc.

For each random sample drawn from the normal distributions the amount of grains on the aliquot is calculated. By default, 10^5 iterations are used, but can be reduced/increased with MC.iter (see ...). The results are visualised in a bar- and boxplot together with a statistical summary.

### Value

Returns a terminal output. In addition an RLum.Results object is returned containing the following element:

.\$summary of all relevant calculation results.

.\$args list used arguments
.\$call call the function call

. \$MC list results of the Monte Carlo simulation

The output should be accessed using the function get\_RLum.

#### **Function version**

62 calc\_AverageDose

#### How to cite

Burow, C., 2021. calc\_AliquotSize(): Estimate the amount of grains on an aliquot. Function version 0.31. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

#### References

Duller, G.A.T., 2008. Single-grain optical dating of Quaternary sediments: why aliquot size matters in luminescence dating. Boreas 37, 589-612.

Heer, A.J., Adamiec, G., Moska, P., 2012. How many grains are there on a single aliquot?. Ancient TL 30, 9-16.

### **Further reading**

Chang, H.-C., Wang, L.-C., 2010. A simple proof of Thue's Theorem on Circle Packing. https://arxiv.org/pdf/1009.4322v1.pdf, 2013-09-13.

Graham, R.L., Lubachevsky, B.D., Nurmela, K.J., Oestergard, P.R.J., 1998. Dense packings of congruent circles in a circle. Discrete Mathematics 181, 139-154.

Huang, W., Ye, T., 2011. Global optimization method for finding dense packings of equal circles in a circle. European Journal of Operational Research 210, 474-481.

# **Examples**

calc\_AverageDose

Calculate the Average Dose and the dose rate dispersion

### **Description**

This functions calculates the Average Dose and their extrinsic dispersion and estimates the standard errors by bootstrapping based on the Average Dose Model by Guerin et al., 2017

# Usage

```
calc_AverageDose(
  data,
  sigma_m = NULL,
  Nb_BE = 500,
  na.rm = TRUE,
```

calc\_AverageDose 63

```
plot = TRUE,
  verbose = TRUE,
  ...
)
```

# **Arguments**

RLum.Results or data.frame (required): for data.frame: two columns with De data (data[,1]) and De error (values[,2]) sigma\_m numeric (required): the overdispersion resulting from a dose recovery experiment, i.e. when all grains have received the same dose. Indeed in such a case, any overdispersion (i.e. dispersion on top of analytical uncertainties) is, by definition, an unrecognised measurement uncertainty. Nb\_BE integer (with default): sample size used for the bootstrapping logical (with default): exclude NA values from the data set prior to any further na.rm operation. plot logical (with default): enables/disables plot output logical (with default): enables/disables terminal output verbose further arguments that can be passed to graphics::hist. As three plots are returned . . . all arguments need to be provided as list, e.g., main = list("Plot 1", "Plot 2", "Plot 3"). Note: not all arguments of hist are supported, but the output of

hist is returned and can be used of own plots.

Further supported arguments: mtext (character), rug (TRUE/FALSE).

# **Details**

sigma\_m

The program requires the input of a known value of sigma\_m, which corresponds to the intrinsic overdispersion, as determined by a dose recovery experiment. Then the dispersion in doses (sigma\_d) will be that over and above sigma\_m (and individual uncertainties sigma\_wi).

### Value

The function returns numerical output and an (optional) plot.

[ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

[.. \$summary : data.frame]

ColumnTypeDescriptionAVERAGE\_DOSEnumericthe obtained average doseAVERAGE\_DOSE.SEnumericthe average dose errorSIGMA\_Dnumericsigma

64 calc\_AverageDose

SIGMA D.SE numeric standard error of the sigma IC AVERAGE DOSE.LEVEL confidence level average dose character IC\_AVERAGE\_DOSE.LOWER lower quantile of average dose character IC\_AVERAGE\_DOSE.UPPER upper quantile of average dose character IC\_SIGMA\_D.LEVEL integer confidence level sigma IC\_SIGMA\_D.LOWER lower sigma quantile character IC\_SIGMA\_D.UPPER upper sigma quantile character  $L_MAX$ maximum likelihood value character

[.. \$dstar : matrix]

Matrix with bootstrap values

[.. \$hist : list]

Object as produced by the function histogram

[ PLOT OUTPUT ]

The function returns two different plot panels.

- (1) An abanico plot with the dose values
- (2) A histogram panel comprising 3 histograms with the equivalent dose and the bootstrapped average dose and the sigma values.

### **Function version**

0.1.4

#### How to cite

Christophe, C., Philippe, A., Kreutzer, S., 2021. calc\_AverageDose(): Calculate the Average Dose and the dose rate dispersion. Function version 0.1.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

This function has beta status!

# Author(s)

Claire Christophe, IRAMAT-CRP2A, Université de Nantes (France), Anne Philippe, Université de Nantes, (France), Guillaume Guérin, IRAMAT-CRP2A, Université Bordeaux Montaigne, (France), Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

calc\_CentralDose 65

#### References

Guerin, G., Christophe, C., Philippe, A., Murray, A.S., Thomsen, K.J., Tribolo, C., Urbanova, P., Jain, M., Guibert, P., Mercier, N., Kreutzer, S., Lahaye, C., 2017. Absorbed dose, equivalent dose, measured dose rates, and implications for OSL age estimates: Introducing the Average Dose Model. Quaternary Geochronology 1-32. doi:10.1016/j.quageo.2017.04.002

#### **Further reading**

Efron, B., Tibshirani, R., 1986. Bootstrap Methods for Standard Errors, Confidence Intervals, and Other Measures of Statistical Accuracy. Statistical Science 1, 54-75.

### See Also

```
read.table, graphics::hist
```

## **Examples**

```
##Example 01 using package example data
##load example data
data(ExampleData.DeValues, envir = environment())

##calculate Average dose
##(use only the first 56 values here)
AD <- calc_AverageDose(ExampleData.DeValues$CA1[1:56,], sigma_m = 0.1)

##plot De and set Average dose as central value
plot_AbanicoPlot(
   data = ExampleData.DeValues$CA1[1:56,],
   z.0 = AD$summary$AVERAGE_DOSE)</pre>
```

calc\_CentralDose

Apply the central age model (CAM) after Galbraith et al. (1999) to a given De distribution

# **Description**

This function calculates the central dose and dispersion of the De distribution, their standard errors and the profile log likelihood function for sigma.

# Usage

```
calc_CentralDose(data, sigmab, log = TRUE, na.rm = FALSE, plot = TRUE, ...)
```

# Arguments

data

RLum.Results or data.frame (**required**): for data.frame: two columns with De

(data[,1]) and De error (data[,2])

sigmab

numeric (*with default*): additional spread in De values. This value represents the expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). **NOTE**: For the logged model (log = TRUE) this value must be a fraction, e.g. 0.2 (= 20 \ sigmab must be provided in the same absolute units of the De values (seconds or Gray).

66 calc\_CentralDose

log	logical (with default): fit the (un-)logged central age model to De data
na.rm	logical (with default): strip NA values before the computation proceeds
plot	logical (with default): plot output
	further arguments (trace, verbose).

### **Details**

This function uses the equations of Galbraith & Roberts (2012). The parameters delta and sigma are estimated by numerically solving eq. 15 and 16. Their standard errors are approximated using eq. 17. In addition, the profile log-likelihood function for sigma is calculated using eq. 18 and presented as a plot. Numerical values of the maximum likelihood approach are **only** presented in the plot and **not** in the console. A detailed explanation on maximum likelihood estimation can be found in the appendix of Galbraith & Laslett (1993, 468-470) and Galbraith & Roberts (2012, 15)

#### Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

.\$args list used arguments
.\$call call the function call

. \$profile data.frame the log likelihood profile for sigma

The output should be accessed using the function get\_RLum

# **Function version**

1.4.0

### How to cite

Burow, C., 2021. calc\_CentralDose(): Apply the central age model (CAM) after Galbraith et al. (1999) to a given De distribution. Function version 1.4.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Christoph Burow, University of Cologne (Germany)
Based on a rewritten S script of Rex Galbraith, 2010, RLum Developer Team

### References

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

calc\_CobbleDoseRate 67

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

#### **Further reading**

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology, 1 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

#### See Also

```
plot, calc_CommonDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MinDose
```

#### **Examples**

```
##load example data
data(ExampleData.DeValues, envir = environment())
##apply the central dose model
calc_CentralDose(ExampleData.DeValues$CA1)
```

calc\_CobbleDoseRate

Calculate dose rate of slices in a spherical cobble

### Description

Calculates the dose rate profile through the cobble based on Riedesel and Autzen (2020).

Corrects the beta dose rate in the cobble for the grain size following results of Guérin et al. (2012). Sediment beta and gamma dose rates are corrected for the water content of the sediment using the correction factors of Aitken (1985). Water content in the cobble is assumed to be 0.

# Usage

```
calc_CobbleDoseRate(input, conversion = "Guerinetal2011")
```

# Arguments

input data.frame (required): A table containing all relevant information for each in-

dividual layer. For the table layout see details.

conversion Which dose rate conversion factors to use. For accepted values see BaseDataSet.ConversionFactors

68 calc\_CobbleDoseRate

### **Details**

# The input table layout

COLUMN	DATA TYPE	DESCRIPTION
Distance	numeric	distance from the surface of the cobble to the top of each rock slice in mm. The dis
DistanceEr	ror numeric	Error on the distance in mm
Thickness	numeric	Thickness of each slice in mm
TicknessEr	ror numeric	uncertainty of the thickness in mm.
Mineral	character	'FS' for feldspar, 'Q' for quartz, depending which mineral in the cobble is used for
Cobble_K	numeric	K nuclide content in % of the bulk cobble
Cobble_K_SE	E numeric	error on K nuclide content in % of the bulk cobble
Cobble_Th	numeric	Th nuclide content in ppm of the bulk cobble
Cobble_Th_S	SE numeric	error on Th nuclide content in ppm of the bulk cobble
Cobble_U	numeric	U nuclide content in ppm of the bulk cobble
CobbleU_SE	numeric	error on U nuclide content in ppm of the bulk cobble
GrainSize	numeric	average grain size in µm of the grains used for dating
Density	numeric	Density of the cobble. Default is 2.7 g cm <sup>-3</sup>
CobbleDiame	eter numeric	Diameter of the cobble in cm.
Sed_K	numeric	K nuclide content in % of the sediment matrix
Sed_K_SE	numeric	error on K nuclide content in % of the sediment matrix
Sed_Th	numeric	Th nuclide content in ppm of the sediment matrix
Sed_Th_SE	numeric	error on Th nuclide content in ppm of the sediment matrix
Sed_U	numeric	U nuclide content in ppm of the sediment matrix
Sed_U_SE	numeric	error on U nuclide content in ppm of the sediment matrix
GrainSize	numeric	average grain size of the sediment matrix
WaterConte	nt numeric	mean water content of the sediment matrix in %
WaterConte	nt_SE numeric	relative error on water content

Water content The water content provided by the user should be calculated according to:

$$(Wet_weight - Dry_weight)/Dry_weight * 100$$

## Value

The function returns an RLum.Results object for which the first element is a matrix (DataIndividual) that gives the dose rate results for each slice for each decay chain individually, for both, the cobble dose rate and the sediment dose rate. The second element is also a matrix (DataComponent) that gives the total beta and gamma-dose rates for the cobble and the adjacent sediment for each slice of the cobble.

### **Function version**

0.1.0

### How to cite

Riedesel, S., Autzen, M., 2021. calc\_CobbleDoseRate(): Calculate dose rate of slices in a spherical cobble. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

calc\_CommonDose 69

### Author(s)

Svenja Riedesel, Aberystwyth University (United Kingdom) Martin Autzen, DTU NUTECH Center for Nuclear Technologies (Denmark) , RLum Developer Team

# References

Riedesel, S., Autzen, M., 2020. Beta and gamma dose rate attenuation in rocks and sediment. Radiation Measurements 133, 106295.

#### See Also

```
convert\_Concentration 2 Dose Rate
```

# **Examples**

```
## load example data
data("ExampleData.CobbleData", envir = environment())
## run function
calc_CobbleDoseRate(ExampleData.CobbleData)
```

calc\_CommonDose

Apply the (un-)logged common age model after Galbraith et al. (1999) to a given De distribution

# **Description**

Function to calculate the common dose of a De distribution.

# Usage

```
calc_CommonDose(data, sigmab, log = TRUE, ...)
```

currently not used.

# **Arguments**

. . .

data	RLum.Results or data.frame ( <b>required</b> ): for data.frame: two columns with De (data[,1]) and De error (data[,2])
sigmab	numeric ( <i>with default</i> ): additional spread in De values. This value represents the expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). <b>NOTE</b> : For the logged model (log = TRUE) this value must be a fraction, e.g. 0.2 (= 20 \ sigmab must be provided in the same absolute units of the De values (seconds or Gray).
log	logical (with default): fit the (un-)logged central age model to De data

70 calc\_CommonDose

#### **Details**

### (Un-)logged model

When log = TRUE this function calculates the weighted mean of logarithmic De values. Each of the estimates is weighted by the inverse square of its relative standard error. The weighted mean is then transformed back to the dose scale (Galbraith & Roberts 2012, p. 14).

The log transformation is not applicable if the De estimates are close to zero or negative. In this case the un-logged model can be applied instead (log = FALSE). The weighted mean is then calculated using the un-logged estimates of De and their absolute standard error (Galbraith & Roberts 2012, p. 14).

### Value

Returns a terminal output. In addition an RLum.Results object is returned containing the following element:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

.\$args list used arguments
.\$call call the function call

The output should be accessed using the function get\_RLum

### **Function version**

0.1.1

### How to cite

Burow, C., 2021. calc\_CommonDose(): Apply the (un-)logged common age model after Galbraith et al. (1999) to a given De distribution. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

### References

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

# **Further reading**

calc\_CosmicDoseRate 71

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology, 1 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

### See Also

```
calc_CentralDose, calc_FiniteMixture, calc_FuchsLang2001, calc_MinDose
```

### **Examples**

```
## load example data
data(ExampleData.DeValues, envir = environment())
## apply the common dose model
calc_CommonDose(ExampleData.DeValues$CA1)
```

calc\_CosmicDoseRate

Calculate the cosmic dose rate

### **Description**

This function calculates the cosmic dose rate taking into account the soft- and hard-component of the cosmic ray flux and allows corrections for geomagnetic latitude, altitude above sea-level and geomagnetic field changes.

# Usage

```
calc_CosmicDoseRate(
  depth,
  density,
  latitude,
  longitude,
  altitude,
  corr.fieldChanges = FALSE,
  est.age = NA,
  half.depth = FALSE,
  error = 10,
  ...
)
```

72 calc\_CosmicDoseRate

## **Arguments**

depth	numeric ( <b>required</b> ): depth of overburden (m). For more than one absorber use c(depth_1,depth_2,,depth_n)	
density	numeric ( <b>required</b> ): average overburden density (g/cm $^3$ ). For more than one absorber use c(density_1,density_2,,density_n)	
latitude	numeric (required): latitude (decimal degree), N positive	
longitude	numeric (required): longitude (decimal degree), E positive	
altitude	numeric (required): altitude (m above sea-level)	
corr.fieldChanges		
	logical (with default): correct for geomagnetic field changes after Prescott & Hutton (1994). Apply only when justified by the data.	
est.age	numeric (with default): estimated age range (ka) for geomagnetic field change correction (0-80 ka allowed)	
half.depth	logical (with default): How to overcome with varying overburden thickness. If TRUE only half the depth is used for calculation. Apply only when justified, i.e. when a constant sedimentation rate can safely be assumed.	
error	numeric (with default): general error (percentage) to be implemented on corrected cosmic dose rate estimate	
	further arguments (verbose to disable/enable console output).	

## **Details**

This function calculates the total cosmic dose rate considering both the soft- and hard-component of the cosmic ray flux.

# **Internal calculation steps**

(1) Calculate total depth of all absorber in  $hg/cm^2$  (1  $hg/cm^2 = 100 g/cm^2$ )

$$absorber = depth_1*density_1 + depth_2*density_2 + \ldots + depth_n*density_n$$

(2) If half.depth = TRUE

$$absorber = absorber/2$$

- (3) Calculate cosmic dose rate at sea-level and 55 deg. latitude
- a) If absorber is > 167 g/cm $^2$  (only hard-component; Allkofer et al. 1975): apply equation given by Prescott & Hutton (1994) (c.f. Barbouti & Rastin 1983)

$$D0 = C/(((absorber + d)^{\alpha} + a) * (absober + H)) * exp(-B * absorber)$$

- b) If absorber is < 167 g/cm $^2$  (soft- and hard-component): derive D0 from Fig. 1 in Prescott & Hutton (1988).
- (4) Calculate geomagnetic latitude (Prescott & Stephan 1982, Prescott & Hutton 1994)

$$\lambda = arcsin(0.203 * cos(latitude) * cos(longitude - 291) + 0.979 * sin(latitude))$$

calc\_CosmicDoseRate 73

(5) Apply correction for geomagnetic latitude and altitude above sea-level. Values for F, J and H were read from Fig. 3 shown in Prescott & Stephan (1982) and fitted with 3-degree polynomials for lambda < 35 degree and a linear fit for lambda > 35 degree.

$$Dc = D0 * (F + J * exp((altitude/1000)/H))$$

(6) Optional: Apply correction for geomagnetic field changes in the last 0-80 ka (Prescott & Hutton 1994). Correction and altitude factors are given in Table 1 and Fig. 1 in Prescott & Hutton (1994). Values for altitude factor were fitted with a 2-degree polynomial. The altitude factor is operated on the decimal part of the correction factor.

$$Dc' = Dc * correctionFactor$$

# Usage of depth and density

- (1) If only one value for depth and density is provided, the cosmic dose rate is calculated for exactly one sample and one absorber as overburden (i.e. depth\*density).
- (2) In some cases it might be useful to calculate the cosmic dose rate for a sample that is overlain by more than one absorber, e.g. in a profile with soil layers of different thickness and a distinct difference in density. This can be calculated by providing a matching number of values for depth and density (e.g. depth = c(1, 2), density = c(1.7, 2.4))
- (3) Another possibility is to calculate the cosmic dose rate for more than one sample of the same profile. This is done by providing more than one values for depth and only one for density. For example, depth = c(1,2,3) and density = 1.7 will calculate the cosmic dose rate for three samples in 1, 2 and 3 m depth in a sediment of density 1.7 g/cm<sup>3</sup>.

## Value

Returns a terminal output. In addition an RLum.Results-object is returned containing the following element:

summary data.frame summary of all relevant calculation results.

args list used arguments
call call the function call

The output should be accessed using the function get\_RLum

## **Function version**

0.5.2

## How to cite

Burow, C., 2021. calc\_CosmicDoseRate(): Calculate the cosmic dose rate. Function version 0.5.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

Despite its universal use the equation to calculate the cosmic dose rate provided by Prescott & Hutton (1994) is falsely stated to be valid from the surface to 10^4 hg/cm^2 of standard rock. The original expression by Barbouti & Rastin (1983) only considers the muon flux (i.e. hard-component) and is by their own definition only valid for depths between 10-10^4 hg/cm^2.

Thus, for near-surface samples (i.e. for depths < 167 g/cm^2) the equation of Prescott & Hutton (1994) underestimates the total cosmic dose rate, as it neglects the influence of the soft-component of the cosmic ray flux. For samples at zero depth and at sea-level the underestimation can be as large as ~0.1 Gy/ka. In a previous article, Prescott & Hutton (1988) give another approximation of Barbouti & Rastin's equation in the form of

$$D = 0.21 * exp(-0.070 * absorber + 0.0005 * absorber^{2})$$

which is valid for depths between 150-5000 g/cm<sup>2</sup>. For shallower depths (< 150 g/cm<sup>2</sup>) they provided a graph (Fig. 1) from which the dose rate can be read.

As a result, this function employs the equation of Prescott & Hutton (1994) only for depths > 167 g/cm^2, i.e. only for the hard-component of the cosmic ray flux. Cosmic dose rate values for depths < 167 g/cm^2 were obtained from the "AGE" program (Gruen 2009) and fitted with a 6-degree polynomial curve (and hence reproduces the graph shown in Prescott & Hutton 1988). However, these values assume an average overburden density of 2 g/cm^3.

It is currently not possible to obtain more precise cosmic dose rate values for near-surface samples as there is no equation known to the author of this function at the time of writing.

## Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

## References

Allkofer, O.C., Carstensen, K., Dau, W.D., Jokisch, H., 1975. Letter to the editor. The absolute cosmic ray flux at sea level. Journal of Physics G: Nuclear and Particle Physics 1, L51-L52.

Barbouti, A.I., Rastin, B.C., 1983. A study of the absolute intensity of muons at sea level and under various thicknesses of absorber. Journal of Physics G: Nuclear and Particle Physics 9, 1577-1595.

Crookes, J.N., Rastin, B.C., 1972. An investigation of the absolute intensity of muons at sea-level. Nuclear Physics B 39, 493-508.

Gruen, R., 2009. The "AGE" program for the calculation of luminescence age estimates. Ancient TL 27, 45-46.

Prescott, J.R., Hutton, J.T., 1988. Cosmic ray and gamma ray dosimetry for TL and ESR. Nuclear Tracks and Radiation Measurements 14, 223-227.

Prescott, J.R., Hutton, J.T., 1994. Cosmic ray contributions to dose rates for luminescence and ESR dating: large depths and long-term time variations. Radiation Measurements 23, 497-500.

Prescott, J.R., Stephan, L.G., 1982. The contribution of cosmic radiation to the environmental dose for thermoluminescence dating. Latitude, altitude and depth dependences. PACT 6, 17-25.

# See Also

BaseDataSet.CosmicDoseRate

#### **Examples**

```
##(1) calculate cosmic dose rate (one absorber)
calc_CosmicDoseRate(depth = 2.78, density = 1.7,
                    latitude = 38.06451, longitude = 1.49646,
                    altitude = 364, error = 10)
##(2a) calculate cosmic dose rate (two absorber)
calc\_CosmicDoseRate(depth = c(5.0, 2.78), density = c(2.65, 1.7),
                    latitude = 38.06451, longitude = 1.49646,
                    altitude = 364, error = 10)
##(2b) calculate cosmic dose rate (two absorber) and
##correct for geomagnetic field changes
calc_CosmicDoseRate(depth = c(5.0, 2.78), density = c(2.65, 1.7),
                    latitude = 12.04332, longitude = 4.43243,
                    altitude = 364, corr.fieldChanges = TRUE,
                    est.age = 67, error = 15)
##(3) calculate cosmic dose rate and export results to .csv file
#calculate cosmic dose rate and save to variable
results<- calc_CosmicDoseRate(depth = 2.78, density = 1.7,
                              latitude = 38.06451, longitude = 1.49646,
                              altitude = 364, error = 10)
# the results can be accessed by
get_RLum(results, "summary")
#export results to .csv file - uncomment for usage
#write.csv(results, file = "c:/users/public/results.csv")
##(4) calculate cosmic dose rate for 6 samples from the same profile
      and save to .csv file
#calculate cosmic dose rate and save to variable
results<- calc_CosmicDoseRate(depth = c(0.1, 0.5, 2.1, 2.7, 4.2, 6.3),
                              density = 1.7, latitude = 38.06451,
                              longitude = 1.49646, altitude = 364,
                              error = 10)
#export results to .csv file - uncomment for usage
#write.csv(results, file = "c:/users/public/results_profile.csv")
```

calc\_FadingCorr

Apply a fading correction according to Huntley & Lamothe (2001) for a given g-value and a given tc

# **Description**

This function solves the equation used for correcting the fading affected age including the error for a given g-value according to Huntley & Lamothe (2001).

## Usage

```
calc_FadingCorr(
  age.faded,
  g_value,
  tc = NULL,
  tc.g_value = tc,
  n.MC = 10000,
  seed = NULL,
  interval = c(0.01, 500),
  txtProgressBar = TRUE,
  verbose = TRUE
```

# **Arguments**

age.faded	numeric vector (required): uncorrected age with error in ka (see example)
g_value	vector ( <b>required</b> ): g-value and error obtained from separate fading measurements (see example). Alternatively an RLum.Results object can be provided produced by the function analyse_FadingMeasurement, in this case tc is set automatically
tc	numeric ( <b>required</b> ): time in seconds between irradiation and the prompt measurement (cf. Huntley & Lamothe 2001). Argument will be ignored if <code>g_value</code> was an RLum.Results object
tc.g_value	numeric (with default): the time in seconds between irradiation and the prompt measurement used for estimating the g-value. If the g-value was normalised to, e.g., 2 days, this time in seconds (i.e., 172800) should be given here. If nothing is provided the time is set to tc, which is usual case for g-values obtained using the SAR method and g-values that had been not normalised to 2 days.
n.MC	integer (with default): number of Monte Carlo simulation runs for error estimation. If n.MC = 'auto' is used the function tries to find a 'stable' error for the age. <b>Note:</b> This may take a while!
seed	integer (optional): sets the seed for the random number generator in R using set.seed
interval	numeric (with default): a vector containing the end-points (age interval) of the interval to be searched for the root in 'ka'. This argument is passed to the function stats::uniroot used for solving the equation.
txtProgressBar	logical (with default): enables or disables txtProgressBar
verbose	logical (with default): enables or disables terminal output

# **Details**

As the g-value slightly depends on the time between irradiation and the prompt measurement, this is tc, always a tc value needs to be provided. If the g-value was normalised to a distinct time or evaluated with a different tc value (e.g., external irradiation), also the tc value for the g-value needs to be provided (argument tc.g\_value and then the g-value is recalculated to tc of the measurement used for estimating the age applying the following equation:

$$\kappa_{tc} = \kappa_{tc.g} / (1 - \kappa_{tc.g} * log(tc/tc.g))$$

where

$$\kappa_{tc.g} = g/100/log(10)$$

with log the natural logarithm.

The error of the fading-corrected age is determined using a Monte Carlo simulation approach. Solving of the equation is realised using uniroot. Large values for n.MC will significantly increase the computation time.

```
n.MC = 'auto'
```

The error estimation based on a stochastic process, i.e. for a small number of MC runs the calculated error varies considerably every time the function is called, even with the same input values. The argument option n.MC = 'auto' tries to find a stable value for the standard error, i.e. the standard deviation of values calculated during the MC runs (age.corr.MC), within a given precision (2 digits) by increasing the number of MC runs stepwise and calculating the corresponding error.

If the determined error does not differ from the 9 values calculated previously within a precision of (here) 3 digits the calculation is stopped as it is assumed that the error is stable. Please note that (a) the duration depends on the input values as well as on the provided computation resources and it may take a while, (b) the length (size) of the output vector age.corr.MC, where all the single values produced during the MC runs are stored, equals the number of MC runs (here termed observations).

To avoid an endless loop the calculation is stopped if the number of observations exceeds  $10^7$ . This limitation can be overwritten by setting the number of MC runs manually, e.g. n.MC = 10000001. Note: For this case the function is not checking whether the calculated error is stable.

seed

This option allows to recreate previously calculated results by setting the seed for the R random number generator (see set.seed for details). This option should not be mixed up with the option n.MC = 'auto'. The results may appear similar, but they are not comparable!

# **FAQ**

Q: Which tc value is expected?

A: to is the time in seconds between irradiation and the prompt measurement applied during your De measurement. However, this to might differ from the to used for estimating the g-value. In the case of an SAR measurement to should be similar, however, if it differs, you have to provide this to value (the one used for estimating the g-value) using the argument to.g\_value.

## Value

Returns an S4 object of type RLum.Results.

Slot: @data

 Object
 Type
 Comment

 age.corr
 data.frame
 Corrected age

 age.corr.MC
 numeric
 MC simulation results with all possible ages from that simulation

Slot: @info

Object Type Comment info character the original function call

#### **Function version**

0.4.3

# How to cite

Kreutzer, S., 2021. calc\_FadingCorr(): Apply a fading correction according to Huntley & Lamothe (2001) for a given g-value and a given tc. Function version 0.4.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

Special thanks to Sébastien Huot for his support and clarification via e-mail.

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## References

Huntley, D.J., Lamothe, M., 2001. Ubiquity of anomalous fading in K-feldspars and the measurement and correction for it in optical dating. Canadian Journal of Earth Sciences, 38, 1093-1106.

# See Also

RLum.Results, analyse\_FadingMeasurement, get\_RLum, uniroot

## **Examples**

```
##run the examples given in the appendix of Huntley and Lamothe, 2001
##(1) faded age: 100 a
results <- calc_FadingCorr(
   age.faded = c(0.1,0),
   g_value = c(5.0, 1.0),
   tc = 2592000,
   tc.g_value = 172800,
   n.MC = 100)

##(2) faded age: 1 ka
results <- calc_FadingCorr(
   age.faded = c(1,0),
   g_value = c(5.0, 1.0),
   tc = 2592000,
   tc.g_value = 172800,
   n.MC = 100)</pre>
```

calc\_FastRatio 79

```
##(3) faded age: 10.0 ka
results <- calc_FadingCorr(
   age.faded = c(10,0),
   g_value = c(5.0, 1.0),
   tc = 2592000,
   tc.g_value = 172800,
   n.MC = 100)

##access the last output
get_RLum(results)</pre>
```

calc\_FastRatio

Calculate the Fast Ratio for CW-OSL curves

# **Description**

Function to calculate the fast ratio of quartz CW-OSL single grain or single aliquot curves after Durcan & Duller (2011).

# Usage

```
calc_FastRatio(
  object,
  stimulation.power = 30.6,
  wavelength = 470,
  sigmaF = 2.6e-17,
  sigmaM = 4.28e-18,
  Ch_L1 = 1,
  Ch_L2 = NULL,
  Ch_L3 = NULL,
  x = 1,
  x2 = 0.1,
  dead.channels = c(0, 0),
  fitCW.sigma = FALSE,
  fitCW.curve = FALSE,
  plot = TRUE,
  ...
)
```

## **Arguments**

```
object RLum.Analysis, RLum.Data.Curve or data.frame (required): x, y data of measured values (time and counts).

stimulation.power

numeric (with default): Stimulation power in mW/cm^2

wavelength

numeric (with default): Stimulation wavelength in nm

sigmaF

numeric (with default): Photoionisation cross-section (cm^2) of the fast component. Default value after Durcan & Duller (2011).
```

80 calc\_FastRatio

sigmaM	numeric (with default): Photoionisation cross-section (cm <sup>2</sup> ) of the medium component. Default value after Durcan & Duller (2011).
Ch_L1	numeric (with default): An integer specifying the channel for L1.
Ch_L2	numeric (optional): An integer specifying the channel for L2.
Ch_L3	numeric ( <i>optional</i> ): A vector of length 2 with integer values specifying the start and end channels for L3 (e.g., c(40,50)).
X	numeric (with default): \ Used to define the location of L2 and L3 (start).
x2	numeric (with default): \ Used to define the location of L3 (end).
dead.channels	numeric (with default): Vector of length 2 in the form of $c(x,y)$ . Channels that do not contain OSL data, i.e. at the start or end of measurement.
fitCW.sigma	<pre>logical (optional): fit CW-OSL curve using fit_CWCurve to calculate sigmaF and sigmaM (experimental).</pre>
fitCW.curve	logical ( <i>optional</i> ): fit CW-OSL curve using fit_CWCurve and derive the counts of L2 and L3 from the fitted OSL curve ( <b>experimental</b> ).
plot	logical (with default): plot output (TRUE/FALSE)
• • •	available options: verbose (logical). Further arguments passed to fit_CWCurve.

#### **Details**

This function follows the equations of Durcan & Duller (2011). The energy required to reduce the fast and medium quartz OSL components to x and x2 \ and end). The fast ratio is then calculated from: (L1 - L3)/(L2 - L3).

## Value

Returns a plot (*optional*) and an S4 object of type RLum.Results. The slot data contains a list with the following elements:

summary	data.frame summary of all relevant results
data	the original input data
fit	${\color{red}\textbf{RLum}}. \textbf{Results object if either fitCW.sigma or fitCW.curve is TRUE}$
args	list of used arguments
call	[call] the function call

## **Function version**

0.1.1

# How to cite

King, G.E., Durcan, J., Burow, C., 2021. calc\_FastRatio(): Calculate the Fast Ratio for CW-OSL curves. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Georgina E. King, University of Bern (Switzerland)
Julie A. Durcan, University of Oxford (United Kingdom)
Christoph Burow, University of Cologne (Germany), RLum Developer Team

#### References

Durcan, J.A. & Duller, G.A.T., 2011. The fast ratio: A rapid measure for testing the dominance of the fast component in the initial OSL signal from quartz. Radiation Measurements 46, 1065-1072.

Madsen, A.T., Duller, G.A.T., Donnelly, J.P., Roberts, H.M. & Wintle, A.G., 2009. A chronology of hurricane landfalls at Little Sippewissett Marsh, Massachusetts, USA, using optical dating. Geomorphology 109, 36-45.

## **Further reading**

Steffen, D., Preusser, F. & Schlunegger, 2009. OSL quartz age underestimation due to unstable signal components. Quaternary Geochronology 4, 353-362.

#### See Also

fit\_CWCurve, get\_RLum, RLum.Analysis, RLum.Results, RLum.Data.Curve

# **Examples**

```
# load example CW-OSL curve
data("ExampleData.CW_OSL_Curve")

# calculate the fast ratio w/o further adjustments
res <- calc_FastRatio(ExampleData.CW_OSL_Curve)

# show the summary table
get_RLum(res)</pre>
```

calc\_FiniteMixture

Apply the finite mixture model (FMM) after Galbraith (2005) to a given De distribution

# **Description**

This function fits a k-component mixture to a De distribution with differing known standard errors. Parameters (doses and mixing proportions) are estimated by maximum likelihood assuming that the log dose estimates are from a mixture of normal distributions.

# Usage

```
calc_FiniteMixture(
  data,
  sigmab,
  n.components,
  grain.probability = FALSE,
  dose.scale,
  pdf.weight = TRUE,
  pdf.sigma = "sigmab",
  pdf.colors = "gray",
  pdf.scale,
  plot.proportions = TRUE,
  plot = TRUE,
  ...
)
```

## **Arguments**

data RLum.Results or data.frame (required): for data.frame: two columns with De

(data[,1]) and De error (values[,2])

sigmab numeric (required): spread in De values given as a fraction (e.g. 0.2). This

value represents the expected overdispersion in the data should the sample be

well-bleached (Cunningham & Wallinga 2012, p. 100).

n.components numeric (required): number of components to be fitted. If a vector is provided

(e.g. c(2:8)) the finite mixtures for 2, 3 ... 8 components are calculated and a plot and a statistical evaluation of the model performance (BIC score and maxi-

mum log-likelihood) is provided.

grain.probability

logical (with default): prints the estimated probabilities of which component

each grain is in

dose.scale numeric: manually set the scaling of the y-axis of the first plot with a vector in

the form of c(min, max)

pdf.weight logical (with default): weight the probability density functions by the compo-

nents proportion (applies only when a vector is provided for n.components)

pdf.sigma character (with default): if "sigmab" the components normal distributions are

plotted with a common standard deviation (i.e. sigmab) as assumed by the FFM. Alternatively, "se" takes the standard error of each component for the sigma

parameter of the normal distribution

pdf.colors character (with default): colour coding of the components in the the plot. Possi-

ble options are "gray", "colors" and "none"

pdf.scale numeric: manually set the max density value for proper scaling of the x-axis of

the first plot

plot.proportions

logical (with default): plot graphics::barplot showing the proportions of components if n.components a vector with a length > 1 (e.g., n.components =

c(2:3))

plot logical (with default): plot output

... further arguments to pass. See details for their usage.

#### **Details**

This model uses the maximum likelihood and Bayesian Information Criterion (BIC) approaches. Indications of overfitting are:

- · increasing BIC
- · repeated dose estimates
- covariance matrix not positive definite
- covariance matrix produces NaN
- · convergence problems

## Plot

If a vector (c(k.min:k.max)) is provided for n. components a plot is generated showing the the k components equivalent doses as normal distributions. By default pdf.weight is set to FALSE, so that the area under each normal distribution is always 1. If TRUE, the probability density functions are weighted by the components proportion for each iteration of k components, so the sum of areas

of each component equals 1. While the density values are on the same scale when no weights are used, the y-axis are individually scaled if the probability density are weighted by the components proportion.

The standard deviation (sigma) of the normal distributions is by default determined by a common sigmab (see pdf.sigma). For pdf.sigma = "se" the standard error of each component is taken instead.

The stacked graphics::barplot shows the proportion of each component (in per cent) calculated by the FFM. The last plot shows the achieved BIC scores and maximum log-likelihood estimates for each iteration of k.

#### Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

.\$args list used arguments
.\$call call the function call

. \$mle covariance matrices of the log likelihoods

.\$BIC BIC score

.\$11ik maximum log likelihood

.\$grain.probability

probabilities of a grain belonging to a component

.\$components matrix estimates of the de, de error and proportion for each component

.\$single.comp data.frame single component FFM estimate

If a vector for n.components is provided (e.g. c(2:8)), mle and grain.probability are lists containing matrices of the results for each iteration of the model.

The output should be accessed using the function get RLum

## **Function version**

0.4.2

# How to cite

Burow, C., 2021. calc\_FiniteMixture(): Apply the finite mixture model (FMM) after Galbraith (2005) to a given De distribution. Function version 0.4.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Christoph Burow, University of Cologne (Germany)
Based on a rewritten S script of Rex Galbraith, 2006. , RLum Developer Team

#### References

Galbraith, R.F. & Green, P.F., 1990. Estimating the component ages in a finite mixture. Nuclear Tracks and Radiation Measurements 17, 197-206.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Roberts, R.G., Galbraith, R.F., Yoshida, H., Laslett, G.M. & Olley, J.M., 2000. Distinguishing dose populations in sediment mixtures: a test of single-grain optical dating procedures using mixtures of laboratory-dosed quartz. Radiation Measurements 32, 459-465.

Galbraith, R.F., 2005. Statistics for Fission Track Analysis, Chapman & Hall/CRC, Boca Raton.

## **Further reading**

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology 1, 109-120.

Rodnight, H. 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

#### See Also

calc\_CentralDose, calc\_CommonDose, calc\_FuchsLang2001, calc\_MinDose

## **Examples**

```
## load example data
data(ExampleData.DeValues, envir = environment())
## (1) apply the finite mixture model
## NOTE: the data set is not suitable for the finite mixture model,
## which is why a very small sigmab is necessary
calc_FiniteMixture(ExampleData.DeValues$CA1,
                   sigmab = 0.2, n.components = 2,
                   grain.probability = TRUE)
## (2) repeat the finite mixture model for 2, 3 and 4 maximum number of fitted
## components and save results
## NOTE: The following example is computationally intensive. Please un-comment
## the following lines to make the example work.
FMM<- calc_FiniteMixture(ExampleData.DeValues$CA1,
                         sigmab = 0.2, n.components = c(2:4),
                         pdf.weight = TRUE, dose.scale = c(0, 100))
## show structure of the results
FMM
## show the results on equivalent dose, standard error and proportion of
```

calc\_FuchsLang2001 85

```
## fitted components
get_RLum(object = FMM, data.object = "components")
```

calc\_FuchsLang2001

Apply the model after Fuchs & Lang (2001) to a given De distribution.

## **Description**

This function applies the method according to Fuchs & Lang (2001) for heterogeneously bleached samples with a given coefficient of variation threshold.

## Usage

```
calc_FuchsLang2001(data, cvThreshold = 5, startDeValue = 1, plot = TRUE, ...)
```

## **Arguments**

data RLum.Results or data.frame (required): for data.frame: two columns with De (data[,1]) and De error (values[,2])

cvThreshold numeric (with default): coefficient of variation in percent, as threshold for the method, e.g. cvThreshold = 3. See details .

startDeValue numeric (with default): number of the first aliquot that is used for the calculations

plot logical (with default): plot output TRUE/FALSE

... further arguments and graphical parameters passed to plot

## **Details**

## Used values

If the coefficient of variation (c[v]) of the first two values is larger than the threshold  $c[v\_threshold]$ , the first value is skipped. Use the startDeValue argument to define a start value for calculation (e.g. 2nd or 3rd value).

# Basic steps of the approach

- 1. Estimate natural relative variation of the sample using a dose recovery test
- 2. Sort the input values ascendantly
- 3. Calculate a running mean, starting with the lowermost two values and add values iteratively.
- 4. Stop if the calculated c[v] exceeds the specified cvThreshold

## Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

summary data.frame summary of all relevant model results.

data data.frame original input data

args list used arguments call call the function call

usedDeValues data.frame containing the used values for the calculation

86 calc\_gSGC

#### **Function version**

0.4.1

#### How to cite

Kreutzer, S., Burow, C., 2021. calc\_FuchsLang2001(): Apply the model after Fuchs & Lang (2001) to a given De distribution. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

Please consider the requirements and the constraints of this method (see Fuchs & Lang, 2001)

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Christoph Burow, University of Cologne (Germany), RLum Developer Team

## References

Fuchs, M. & Lang, A., 2001. OSL dating of coarse-grain fluvial quartz using single-aliquot protocols on sediments from NE Peloponnese, Greece. In: Quaternary Science Reviews 20, 783-787.

Fuchs, M. & Wagner, G.A., 2003. Recognition of insufficient bleaching by small aliquots of quartz for reconstructing soil erosion in Greece. Quaternary Science Reviews 22, 1161-1167.

#### See Also

plot, calc\_MinDose, calc\_FiniteMixture, calc\_CentralDose, calc\_CommonDose, RLum.Results

# **Examples**

```
## load example data
data(ExampleData.DeValues, envir = environment())
## calculate De according to Fuchs & Lang (2001)
temp<- calc_FuchsLang2001(ExampleData.DeValues$BT998, cvThreshold = 5)</pre>
```

calc\_gSGC

Calculate De value based on the gSGC by Li et al., 2015

# Description

Function returns De value and De value error using the global standardised growth curve (gSGC) assumption proposed by Li et al., 2015 for OSL dating of sedimentary quartz

calc\_gSGC 87

#### Usage

```
calc_gSGC(
  data,
  gSGC.type = "0-250",
  gSGC.parameters,
  n.MC = 100,
  verbose = TRUE,
  plot = TRUE,
  ...
)
```

# **Arguments**

data.frame (required): input data of providing the following columns: LnTn,

LnTn.error, Lr1Tr1, Lr1Tr1.error, Dr1 Note: column names are not re-

quired. The function expect the input data in the given order

gSGC.type character (with default): define the function parameters that should be used for

the iteration procedure: Li et al., 2015 (Table 2) presented function parameters

for two dose ranges: "0-450" and "0-250"

gSGC.parameters

list (optional): option to provide own function parameters used for fitting as

named list. Nomenclature follows Li et al., 2015, i.e. list(A, A. error, D0, D0. error, c, c. error, Y

range requires a vector for the range the function is considered as valid, e.g.

range = c(0, 250)

Using this option overwrites the default parameter list of the gSGC, meaning the

argument gSGC. type will be without effect

n.MC integer (with default): number of Monte Carlo simulation runs for error estima-

tion, see details.

verbose logical: enable or disable terminal output

plot logical: enable or disable graphical feedback as plot

... parameters will be passed to the plot output

# **Details**

The error of the De value is determined using a Monte Carlo simulation approach. Solving of the equation is realised using uniroot. Large values for n.MC will significantly increase the computation time.

#### Value

Returns an S4 object of type RLum.Results.

@data

\$ De.value (data.frame)

.. \$ De

.. \$ De.error

.. \$ Eta

\$ De.MC (list) contains the matrices from the error estimation.

\$ uniroot (list) contains the uniroot outputs of the De estimations

@info

'\$ call" (call) the original function call

88 calc\_gSGC\_feldspar

#### **Function version**

0.1.1

#### How to cite

Kreutzer, S., 2021. calc\_gSGC(): Calculate De value based on the gSGC by Li et al., 2015. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## References

Li, B., Roberts, R.G., Jacobs, Z., Li, S.-H., 2015. Potential of establishing a 'global standardised growth curve' (gSGC) for optical dating of quartz from sediments. Quaternary Geochronology 27, 94-104. doi:10.1016/j.quageo.2015.02.011

## See Also

RLum.Results, get\_RLum, uniroot

## **Examples**

```
results <- calc_gSGC(data = data.frame(
LnTn = 2.361, LnTn.error = 0.087,
Lr1Tr1 = 2.744, Lr1Tr1.error = 0.091,
Dr1 = 34.4))
get_RLum(results, data.object = "De")</pre>
```

calc\_gSGC\_feldspar

Calculate Global Standardised Growth Curve (gSGC) for Feldspar MET-pIRIR

# Description

Implementation of the gSGC approach for feldspar MET-pIRIR by Li et al. (2015)

# Usage

```
calc_gSGC_feldspar(
  data,
  gSGC.type = "50LxTx",
  gSGC.parameters,
  n.MC = 100,
  plot = FALSE
)
```

calc\_gSGC\_feldspar 89

## **Arguments**

data.frame (**required**): data frame with five columns per sample c("LnTn", "LnTn.error", "Lr1Tr1"

gSGC.type character (with default): growth curve type to be selected according to Ta-

ble 3 in Li et al. (2015). Allowed options are "50LxTx", "50Lx", "50Tx", "100LxTx", "100LxTx", "150LxTx", "150LxTx", "150LxTx", "200LxTx",

"200Lx", "200Tx", "250LxTx", "250Lx", "250Tx"

gSGC.parameters

data.frame (optional): an own parameter set for the gSGC with the following

columns y1, y1\_err, D1 D1\_err, y2, y2\_err, y0, y0\_err.

n.MC <u>numeric</u> (with default): number of Monte-Carlo runs for the error calculation

plot logical (with default): enables/disables the control plot output

#### **Details**

##TODO

#### Value

Returns an S4 object of type RLum.Results.

@data

\$ df (data.frame)

- .. \$DE the calculated equivalent dose
- .. \$DE.ERROR error on the equivalent dose, which is the standard deviation of the MC runs
- .. \$HPD95\_LOWER lower boundary of the highest probability density (95%)
- .. \$HPD95\_UPPER upper boundary of the highest probability density (95%)

\$ m.MC (list) numeric vector with results from the MC runs.

@infa

'\$ call" (call) the original function call

# **Function version**

0.1.0

#### How to cite

Gray, H.J., Kreutzer, S., 2021. calc\_gSGC\_feldspar(): Calculate Global Standardised Growth Curve (gSGC) for Feldspar MET-pIRIR. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Author(s)

Harrison Gray, USGS (United States), Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

# References

Li, B., Roberts, R.G., Jacobs, Z., Li, S.-H., Guo, Y.-J., 2015. Construction of a "global standardised growth curve" (gSGC) for infrared stimulated luminescence dating of K-feldspar 27, 119–130. doi: 10.1016/j.quageo.2015.02.010

#### See Also

RLum.Results, get\_RLum, uniroot, calc\_gSGC

# **Examples**

```
##test on a generated random sample
n_samples <- 10
data <- data.frame(
   LnTn = rnorm(n=n_samples, mean=1.0, sd=0.02),
   LnTn.error = rnorm(n=n_samples, mean=0.05, sd=0.002),
   Lr1Tr1 = rnorm(n=n_samples, mean=1.0, sd=0.02),
   Lr1Tr1.error = rnorm(n=n_samples, mean=0.05, sd=0.002),
   Dr1 = rep(100,n_samples))

results <- calc_gSGC_feldspar(
   data = data, gSGC.type = "50LxTx",
   plot = FALSE)

plot_AbanicoPlot(results)</pre>
```

calc\_HomogeneityTest Apply a simple homogeneity test after Galbraith (2003)

## **Description**

A simple homogeneity test for De estimates

# Usage

```
calc_HomogeneityTest(data, log = TRUE, ...)
```

# Arguments

data	RLum.Results or data.frame (required): for data.frame: two columns with De
	(data[,1]) and De error (values[,2])
log	logical (with default): perform the homogeneity test with (un-)logged data
	further arguments (for internal compatibility only).

## **Details**

For details see Galbraith (2003).

# Value

Returns a terminal output. In addition an RLum.Results-object is returned containing the following elements:

summary data.frame summary of all relevant model results.

data data.frame original input data

args list used arguments call call the function call

The output should be accessed using the function get\_RLum

calc\_Huntley2006 91

#### **Function version**

0.3.0

#### How to cite

Burow, C., Kreutzer, S., 2021. calc\_HomogeneityTest(): Apply a simple homogeneity test after Galbraith (2003). Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Christoph Burow, University of Cologne (Germany), Sebastian Kreutzer, IRAMAT-CRP2A, Université Bordeaux Montaigne (France), RLum Developer Team

# References

Galbraith, R.F., 2003. A simple homogeneity test for estimates of dose obtained using OSL. Ancient TL 21, 75-77.

#### See Also

pchisq

# **Examples**

```
## load example data
data(ExampleData.DeValues, envir = environment())
## apply the homogeneity test
calc_HomogeneityTest(ExampleData.DeValues$BT998)
## using the data presented by Galbraith (2003)
df <-
data.frame(
    x = c(30.1, 53.8, 54.3, 29.0, 47.6, 44.2, 43.1),
    y = c(4.8, 7.1, 6.8, 4.3, 5.2, 5.9, 3.0))
calc_HomogeneityTest(df)</pre>
```

calc\_Huntley2006

Apply the Huntley (2006) model

# **Description**

A function to calculate the expected sample specific fraction of saturation based on the model of Huntley (2006) using the approach as implemented in Kars et al. (2008) or Guralnik et al. (2015).

92 calc\_Huntley2006

#### **Usage**

```
calc_Huntley2006(
  data,
  LnTn = NULL,
  rhop,
  ddot,
  readerDdot,
  normalise = TRUE,
  fit.method = c("EXP", "GOK")[1],
  lower.bounds = c(-Inf, -Inf, -Inf),
  summary = TRUE,
  plot = TRUE,
  ...
)
```

## **Arguments**

data

data.frame (required): A data.frame with one of the following structures:

- A three column data frame with numeric values on a) dose (s), b) LxTx and
   c) LxTx error.
- If a two column data frame is provided it is automatically assumed that errors on LxTx are missing. A third column will be attached with an arbitrary
- Can also be a **wide table**, i.e. a data.frame with a number of columns divisible by 3 and where each triplet has the aforementioned column structure.

**NOTE:** The function assumes the first row of the function to be the Ln/Tn-value. If you want to provide more than one Ln/Tn-value consider using the argument LnTn.

LnTn

data.frame (**optional**): This argument should **only** be used to provide more than one Ln/Tn-value. It assumes a two column data frame with the following structure:

The function will calculate a **mean** Ln/Tn-value and uses either the standard deviation or the highest individual error, whichever is larger. If another mean

calc\_Huntley2006 93

> value (e.g. a weighted mean or median) or error is preferred, this value must be calculated beforehand and used in the first row in the data frame for argument data.

> **NOTE:** If you provide LnTn-values with this argument the data frame for the data-argument must not contain any LnTn-values!

numeric (**required**): The density of recombination centres ( $\rho$ ') and its error (see rhon

Huntley 2006), given as numeric vector of length two. Note that  $\rho$ ' must **not** be provided as the common logarithm. Example: rhop = c(2.92e-06, 4.93e-07).

numeric (required): Environmental dose rate and its error, given as a numeric ddot

vector of length two. Expected unit: Gy/ka. Example: ddot = c(3.7, 0.4).

readerDdot numeric (required): Dose rate of the irradiation source of the OSL reader and its error, given as a numeric vector of length two. Expected unit: Gy/s. Example:

readerDdot = c(0.08, 0.01).

normalise logical (with default): If TRUE (the default) all measured and computed LxTx

values are normalised by the pre-exponential factor A (see details).

fit.method character (with default): Fit function of the dose response curve. Can either

be EXP (the default) or GOK. Note that EXP (single saturating exponential) is the original function the model after Huntley (2006) and Kars et al. (2008) was designed to use. The use of a general-order kinetics function (GOK) is an experi-

mental adaption of the model and should be used with great care.

lower.bounds numeric (with default): Only applicable for fit.method = 'GOK'. A vector of

> length 3 that contains the lower bound values for fitting the general-order kinetics function using minpack.lm::nlsLM. In most cases, the default values (c(-Inf, -Inf, -Inf)) are appropriate for finding a best fit, but sometimes it may be useful to restrict the lower bounds to e.g. c(0, 0, 0). The values of the vector are for

> parameters a, D0 and c in that particular order (see details in plot\_GrowthCurve).

summary logical (with default): If TRUE (the default) various parameters provided by the

user and calculated by the model are added as text on the right-hand side of the

plot logical (with default): enables/disables plot output.

Further parameters: . . .

- verbose logical: Show or hide console output
- n.MC numeric: Number of Monte Carlo iterations (default = 100000). Note that it is generally advised to have a large number of Monte Carlo iterations for the results to converge. Decreasing the number of iterations will often result in unstable estimates.

All other arguments are passed to plot and plot\_GrowthCurve.

## **Details**

This function applies the approach described in Kars et al. (2008) or Guralnik et al. (2015), which are both developed from the model of Huntley (2006) to calculate the expected sample specific fraction of saturation of a feldspar and also to calculate fading corrected age using this model.  $\rho'$  (rhop), the density of recombination centres, is a crucial parameter of this model and must be determined separately from a fading measurement. The function analyse\_FadingMeasurement can be used to calculate the sample specific  $\rho$ ' value.

## Kars et al. (2008) - Single saturating exponential

To apply the approach after Kars et al. (2008) use fit.method = "EXP".

94 calc\_Huntley2006

Firstly, the unfaded D0 value is determined through applying equation 5 of Kars et al. (2008) to the measured LxTx data as a function of irradiation time, and fitting the data with a single saturating exponential of the form:

$$LxTx(t*) = Ax\phi(t*)x(1 - exp(-(t*/D0)))$$

where

$$\phi(t*) = exp(-\rho'xln(1.8xs_tildext*)^3)$$

after King et al. (2016) where A is a pre-exponential factor,  $t^*$  (s) is the irradiation time, starting at the mid-point of irradiation (Auclair et al. 2003) and  $s_{tilde}$  (3x10^15 s^-1) is the athermal frequency factor after Huntley (2006).

Using fit parameters A and D0, the function then computes a natural dose response curve using the environmental dose rate, D\_dot (Gy/s) and equations [1] and [2]. Computed LxTx values are then fitted using the plot\_GrowthCurve function and the laboratory measured LnTn can then be interpolated onto this curve to determine the fading corrected De value, from which the fading corrected age is calculated.

#### Guralnik et al. (2015) - General-order kinetics

To apply the approach after Guralnik et al. (2015) use fit.method = "GOK".

The approach of Guralnik et al. (2015) is very similar to that of Kars et al. (2008), but instead of using a single saturating exponential the model fits a general-order kinetics function of the form:

$$LxTx(t*) = Ax\phi(t*)x(1 - (1 + (1/D0)xt*xc)^{(-1/c)})$$

where A,  $\phi$ , t\* and D0 are the same as above and c is a dimensionless kinetic order modifier (cf. equation 10 in Guralnik et al., 2015).

#### Level of saturation

The calc\_Huntley2006 function also calculates the level of saturation (n/N) and the field saturation (i.e. athermal steady state, (n/N)\_SS) value for the sample under investigation using the sample specific  $\rho$ ', unfaded D0 and D\_dot values, following the approach of Kars et al. (2008).

#### **Uncertainties**

Uncertainties are reported at 1 sigma and are assumed to be normally distributed and are estimated using Monte-Carlo re-sampling (n.MC = 1000) of  $\rho$ ' and LxTx during dose response curve fitting, and of  $\rho$ ' in the derivation of (n/N) and (n/N)\_SS.

# Age calculated from 2D0 of the simulated natural DRC

In addition to the age calculated from the equivalent dose derived from Ln/Tn projected on the simulated natural dose response curve (DRC), this function also calculates an age from twice the characteristic saturation dose (D0) of the simulated natural DRC. This can be a useful information for (over)saturated samples (i.e., no intersect of Ln/Tn on the natural DRC) to obtain at least a "minimum age" estimate of the sample. In the console output this value is denoted by "Age @2D0 (ka):".

## Value

An RLum.Results object is returned:

Slot: @data

calc\_Huntley2006 95

**COMMENT** 

results	data.frame	results of the of Kars et al. 2008 model
data	data.frame	original input data
Ln	numeric	Ln and its error
LxTx_tables	list	A list of data. frames containing data on dose, LxTx and LxTx error for each of the dose
fits	list	A list of nls objects produced by minpack.lm::nlsLM when fitting the dose response curv

Slot: @info

**OBJECT** 

**TYPE** 

<b>OBJECT</b>	<b>TYPE</b>	COMMENT
call	call	the original function call
args	list	arguments of the original function call

#### **Function version**

0.4.1

#### How to cite

King, G.E., Burow, C., 2021. calc\_Huntley2006(): Apply the Huntley (2006) model. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

## This function has BETA status and should not be used for publication work!

# Author(s)

Georgina E. King, University of Bern (Switzerland) Christoph Burow, University of Cologne (Germany), RLum Developer Team

## References

Kars, R.H., Wallinga, J., Cohen, K.M., 2008. A new approach towards anomalous fading correction for feldspar IRSL dating-tests on samples in field saturation. Radiation Measurements 43, 786-790. doi:10.1016/j.radmeas.2008.01.021

Guralnik, B., Li, B., Jain, M., Chen, R., Paris, R.B., Murray, A.S., Li, S.-H., Pagonis, P., Herman, F., 2015. Radiation-induced growth and isothermal decay of infrared-stimulated luminescence from feldspar. Radiation Measurements 81, 224-231.

Huntley, D.J., 2006. An explanation of the power-law decay of luminescence. Journal of Physics: Condensed Matter 18, 1359-1365. doi:10.1088/0953-8984/18/4/020

King, G.E., Herman, F., Lambert, R., Valla, P.G., Guralnik, B., 2016. Multi-OSL-thermochronometry of feldspar. Quaternary Geochronology 33, 76-87. doi:10.1016/j.quageo.2016.01.004

## **Further reading**

Morthekai, P., Jain, M., Cunha, P.P., Azevedo, J.M., Singhvi, A.K., 2011. An attempt to correct for the fading in million year old basaltic rocks. Geochronometria 38(3), 223-230.

96 calc\_IEU

#### **Examples**

```
## Load example data (sample UNIL/NB123, see ?ExampleData.Fading)
data("ExampleData.Fading", envir = environment())
## (1) Set all relevant parameters
# a. fading measurement data (IR50)
fading_data <- ExampleData.Fading$fading.data$IR50</pre>
# b. Dose response curve data
data <- ExampleData.Fading$equivalentDose.data$IR50</pre>
## (2) Define required function parameters
ddot <- c(7.00, 0.004)
readerDdot <- c(0.134, 0.0067)
# Analyse fading measurement and get an estimate of rho'.
# Note that the RLum.Results object can be directly used for further processing.
# The number of MC runs is reduced for this example
rhop <- analyse_FadingMeasurement(fading_data, plot = TRUE, verbose = FALSE, n.MC = 10)</pre>
\#\# (3) Apply the Kars et al. (2008) model to the data
kars <- calc_Huntley2006(data = data,</pre>
                          rhop = rhop,
                          ddot = ddot,
                          readerDdot = readerDdot,
                          n.MC = 25)
## Not run:
# You can also provide LnTn values separately via the 'LnTn' argument.
# Note, however, that the data frame for 'data' must then NOT contain
# a LnTn value. See argument descriptions!
LnTn \leftarrow data.frame(LnTn = c(1.84833, 2.24833),
                    LnTn.error = c(0.17, 0.22))
LxTx <- data[2:nrow(data), ]</pre>
kars <- calc_Huntley2006(data = LxTx,</pre>
                       LnTn = LnTn,
                       rhop = rhop,
                       ddot = ddot,
                       readerDdot = readerDdot,
                       n.MC = 25)
## End(Not run)
```

calc\_IEU

Apply the internal-external-uncertainty (IEU) model after Thomsen et al. (2007) to a given De distribution

# **Description**

Function to calculate the IEU De for a De data set.

calc\_IEU 97

#### **Usage**

```
calc_IEU(data, a, b, interval, decimal.point = 2, plot = TRUE, ...)
```

#### **Arguments**

data	RLum.Results or data.frame ( <b>required</b> ): for data.frame: two columns with De (data[,1]) and De error (values[,2])
а	numeric (required): slope
b	numeric (required): intercept
interval	$\begin{array}{l} \text{numeric (\textbf{required}): fixed interval (e.g. 5 Gy) used for iteration of Dbar, from the mean to Lowest.De used to create Graph.IEU [Dbar.Fixed vs Z]} \end{array}$
decimal.point	<pre>numeric (with default): number of decimal points for rounding calculations (e.g. 2)</pre>
plot	logical (with default): plot output
	further arguments (trace, verbose).

#### **Details**

This function uses the equations of Thomsen et al. (2007). The parameters a and b are estimated from dose-recovery experiments.

#### Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary
.\$data frame summary of all relevant model results.
.\$data
.\$args list used arguments
.\$call
.\$tables
list a list of data frames containing all calculation tables

The output should be accessed using the function get\_RLum.

# **Function version**

0.1.1

#### How to cite

Smedley, R.K., 2021. calc\_IEU(): Apply the internal-external-uncertainty (IEU) model after Thomsen et al. (2007) to a given De distribution. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Rachel Smedley, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Based on an excel spreadsheet and accompanying macro written by Kristina Thomsen. , RLum Developer Team

98 *calc\_Kars2008* 

#### References

Smedley, R.K., 2015. A new R function for the Internal External Uncertainty (IEU) model. Ancient TL 33, 16-21.

Thomsen, K.J., Murray, A.S., Boetter-Jensen, L. & Kinahan, J., 2007. Determination of burial dose in incompletely bleached fluvial samples using single grains of quartz. Radiation Measurements 42, 370-379.

#### See Also

plot, calc CommonDose, calc CentralDose, calc FiniteMixture, calc FuchsLang2001, calc MinDose

# **Examples**

```
## load data
data(ExampleData.DeValues, envir = environment())
## apply the IEU model
ieu <- calc_IEU(ExampleData.DeValues$CA1, a = 0.2, b = 1.9, interval = 1)</pre>
```

calc\_Kars2008

Apply the Kars et al. (2008) model (deprecated)

# Description

A function to calculate the expected sample specific fraction of saturation following Kars et al. (2008) and Huntley (2006). This function is deprecated and will eventually be removed. Please use calc\_Huntley2006() instead.

# Usage

```
calc_Kars2008(fit.method = "EXP", ...)
```

## **Arguments**

fit.method

character (with default): Fit function of the dose response curve. Can either be EXP (the default) or GOK. Note that EXP (single saturating exponential) is the original function the model after Huntley (2006) and Kars et al. (2008) was designed to use. The use of a general-order kinetics function (GOK) is an experimental adaption of the model and should only be used with great care.

... Parameters passed to calc\_Huntley2006.

#### **Details**

This function applies the approach described in Kars et al. (2008), developed from the model of Huntley (2006) to calculate the expected sample specific fraction of saturation of a feldspar and also to calculate fading corrected age using this model.  $\rho$ ' (rhop), the density of recombination centres, is a crucial parameter of this model and must be determined separately from a fading measurement. The function analyse\_FadingMeasurement can be used to calculate the sample specific  $\rho$ ' value.

calc\_Kars2008 99

#### Value

An RLum.Results object is returned:

#### **Function version**

0.4.0

#### How to cite

King, G.E., Burow, C., 2021. calc\_Kars2008(): Apply the Kars et al. (2008) model (deprecated). Function version 0.4.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

This function is deprecated and will eventually be removed from the package. Please use the function calc\_Huntley2006() instead (use fit.method = "EXP" to apply the model after Kars et al., 2008).

## Author(s)

```
Georgina E. King, University of Bern (Switzerland)
Christoph Burow, University of Cologne (Germany), RLum Developer Team
```

#### References

Kars, R.H., Wallinga, J., Cohen, K.M., 2008. A new approach towards anomalous fading correction for feldspar IRSL dating-tests on samples in field saturation. Radiation Measurements 43, 786-790. doi:10.1016/j.radmeas.2008.01.021

Huntley, D.J., 2006. An explanation of the power-law decay of luminescence. Journal of Physics: Condensed Matter 18, 1359-1365. doi:10.1088/0953-8984/18/4/020

King, G.E., Herman, F., Lambert, R., Valla, P.G., Guralnik, B., 2016. Multi-OSL-thermochronometry of feldspar. Quaternary Geochronology 33, 76-87. doi:10.1016/j.quageo.2016.01.004

#### **Further reading**

Morthekai, P., Jain, M., Cunha, P.P., Azevedo, J.M., Singhvi, A.K., 2011. An attempt to correct for the fading in million year old basaltic rocks. Geochronometria 38(3), 223-230.

# **Examples**

```
## Load example data (sample UNIL/NB123, see ?ExampleData.Fading)
data("ExampleData.Fading", envir = environment())

## (1) Set all relevant parameters
# a. fading measurement data (IR50)
fading_data <- ExampleData.Fading$fading.data$IR50

# b. Dose response curve data
data <- ExampleData.Fading$equivalentDose.data$IR50

## (2) Define required function parameters
ddot <- c(7.00, 0.004)</pre>
```

100 calc\_Lamothe2003

calc\_Lamothe2003

Apply fading correction after Lamothe et al., 2003

# **Description**

This function applies the fading correction for the prediction of long-term fading as suggested by Lamothe et al., 2003. The function basically adjusts the Ln/Tn values and fit a new dose-response curve using the function plot\_GrowthCurve.

#### **Usage**

```
calc_Lamothe2003(
  object,
  dose_rate.envir,
  dose_rate.source,
  g_value,
  tc = NULL,
  tc.g_value = tc,
  verbose = TRUE,
  plot = TRUE,
  ...
)
```

# **Arguments**

object

RLum.Results data.frame (**required**): Input data for applying the fading correction. Allow are (1) data.frame with three columns (dose, LxTx, LxTx error), (2) RLum.Results object created by the function analyse\_SAR.CWOSL or analyse\_pIRIRSequence

dose\_rate.envir

numeric vector of length 2 (required): Environmental dose rate in mGy/a

dose\_rate.source

numeric vector of length 2 (**required**): Irradiation source dose rate in Gy/s, which is, according to Lamothe et al. (2003) De/t\*.

calc\_Lamothe2003

g\_value numeric vector of length 2 (**required**): g\_value in \ the equivalent dose was calculated, i.e. to is either similar for the g-value measurement **and** the De measurement or needs be to recalculated (cf. calc\_FadingCorr). Inserting a normalised g-value, e.g., normalised to 2-days, will lead to wrong results

numeric (optional): time in seconds between irradiation and the prompt measurement used in the De estimation (cf. Huntley & Lamothe 2001). If set to NULL it is assumed that to is similar for the equivalent dose estimation and the

g-value estimation

tc.g\_value numeric (with default): the time in seconds between irradiation and the prompt

measurement used for estimating the g-value. If the g-value was normalised to, e.g., 2 days, this time in seconds (i.e., 172800) should be given here along with the time used for the De estimation. If nothing is provided the time is set to tc, which is usual case for g-values obtained using the SAR method and g-values that had been not normalised to 2 days. Note: If this value is not NULL the

functions expects a numeric value for tc.

verbose logical (with default): Enables/disables terminal verbose mode

plot logical (with default): Enables/disables plot output

... further arguments passed to the function plot\_GrowthCurve

#### Value

tc

The function returns are graphical output produced by the function plot\_GrowthCurve and an RLum.Results.

# [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Element Type Description

\$data data.frame the fading corrected values

\$fit nls the object returned by the dose response curve fitting

'slot: @info

The original function call

#### **Function version**

0.1.0

#### How to cite

Kreutzer, S., Mercier, N., 2021. calc\_Lamothe2003(): Apply fading correction after Lamothe et al., 2003. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

102 calc\_MaxDose

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), Norbert Mercier, IRAMAT-CRP2A, Université Bordeaux Montaigne (France), RLum Developer Team

## References

Huntley, D.J., Lamothe, M., 2001. Ubiquity of anomalous fading in K-feldspars and the measurement and correction for it in optical dating. Canadian Journal of Earth Sciences 38, 1093-1106.

Lamothe, M., Auclair, M., Hamzaoui, C., Huot, S., 2003. Towards a prediction of long-term anomalous fading of feldspar IRSL. Radiation Measurements 37, 493-498.

#### See Also

plot\_GrowthCurve, calc\_FadingCorr, analyse\_SAR.CWOSL, analyse\_pIRIRSequence

## **Examples**

```
##load data
##ExampleData.BINfileData contains two BINfileData objects
##CWOSL.SAR.Data and TL.SAR.Data
data(ExampleData.BINfileData, envir = environment())
##transform the values from the first position in a RLum.Analysis object
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
##perform SAR analysis and set rejection criteria
results <- analyse_SAR.CWOSL(
object = object,
signal.integral.min = 1,
signal.integral.max = 2,
background.integral.min = 900,
background.integral.max = 1000,
verbose = FALSE,
plot = FALSE,
onlyLxTxTable = TRUE
##run fading correction
results_corr <- calc_Lamothe2003(</pre>
  object = results,
  dose_rate.envir = c(1.676, 0.180),
  dose_rate.source = c(0.184, 0.003),
  g_{value} = c(2.36, 0.6),
  plot = TRUE,
  fit.method = "EXP")
```

calc\_MaxDose 103

# **Description**

Function to fit the maximum age model to De data. This is a wrapper function that calls calc\_MinDose and applies a similar approach as described in Olley et al. (2006).

# Usage

```
calc_MaxDose(
  data,
  sigmab,
  log = TRUE,
  par = 3,
  bootstrap = FALSE,
  init.values,
  plot = TRUE,
  ...
)
```

# **Arguments**

data	RLum.Results or data.frame ( <b>required</b> ): for data.frame: two columns with De (data[ ,1]) and De error (data[ ,2]).
sigmab	numeric ( <b>required</b> ): additional spread in De values. This value represents the expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). <b>NOTE</b> : For the logged model (log = TRUE) this value must be a fraction, e.g. 0.2 (= 20 \ sigmab must be provided in the same absolute units of the De values (seconds or Gray). See details (calc_MinDose.
log	logical (with default): fit the (un-)logged three parameter minimum dose model to De data
par	numeric (with default): apply the 3- or 4-parameter minimum age model (par=3 or par=4).
bootstrap	logical (with default): apply the recycled bootstrap approach of Cunningham & Wallinga (2012).
init.values	numeric (with default): starting values for gamma, sigma, p0 and mu. Custom values need to be provided in a vector of length three in the form of c(gamma, sigma, p0).
plot	logical (with default): plot output (TRUE/FALSE)
•••	further arguments for bootstrapping (bs.M, bs.N, bs.h, sigmab.sd). See details for their usage.

# **Details**

## **Data transformation**

To estimate the maximum dose population and its standard error, the three parameter minimum age model of Galbraith et al. (1999) is adapted. The measured De values are transformed as follows:

- 1. convert De values to natural logs
- 2. multiply the logged data to create a mirror image of the De distribution
- 3. shift De values along x-axis by the smallest x-value found to obtain only positive values
- 4. combine in quadrature the measurement error associated with each De value with a relative error specified by sigmab

104 calc\_MaxDose

5. apply the MAM to these data

When all calculations are done the results are then converted as follows

- 1. subtract the x-offset
- 2. multiply the natural logs by -1
- 3. take the exponent to obtain the maximum dose estimate in Gy

#### **Further documentation**

Please see calc\_MinDose.

## Value

Please see calc\_MinDose.

#### **Function version**

0.3.1

#### How to cite

Burow, C., 2021. calc\_MaxDose(): Apply the maximum age model to a given De distribution. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Christoph Burow, University of Cologne (Germany)
Based on a rewritten S script of Rex Galbraith, 2010, RLum Developer Team

## References

Arnold, L.J., Roberts, R.G., Galbraith, R.F. & DeLong, S.B., 2009. A revised burial dose estimation procedure for optical dating of young and modern-age sediments. Quaternary Geochronology 4, 306-325.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F., 2005. Statistics for Fission Track Analysis, Chapman & Hall/CRC, Boca Raton.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Olley, J.M., Roberts, R.G., Yoshida, H., Bowler, J.M., 2006. Single-grain optical dating of grave-infill associated with human burials at Lake Mungo, Australia. Quaternary Science Reviews 25, 2469-2474

# **Further reading**

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology 1, 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

## See Also

calc\_CentralDose, calc\_CommonDose, calc\_FiniteMixture, calc\_FuchsLang2001, calc\_MinDose

#### **Examples**

```
## load example data
data(ExampleData.DeValues, envir = environment())
# apply the maximum dose model
calc_MaxDose(ExampleData.DeValues$CA1, sigmab = 0.2, par = 3)
```

calc\_MinDose

Apply the (un-)logged minimum age model (MAM) after Galbraith et al. (1999) to a given De distribution

# Description

Function to fit the (un-)logged three or four parameter minimum dose model (MAM-3/4) to De data.

# Usage

```
calc_MinDose(
  data,
  sigmab,
  log = TRUE,
  par = 3,
  bootstrap = FALSE,
  init.values,
  level = 0.95,
  log.output = FALSE,
  plot = TRUE,
  multicore = FALSE,
  ...
)
```

## **Arguments**

data RLum.Results or data.frame (**required**): for data.frame: two columns with De

(data[,1]) and De error (data[,2]).

sigmab numeric (required): additional spread in De values. This value represents the

expected overdispersion in the data should the sample be well-bleached (Cunningham & Walling 2012, p. 100). **NOTE**: For the logged model (log = TRUE) this value must be a fraction, e.g.  $0.2 = 20 \$  sigmab must be provided in the

same absolute units of the De values (seconds or Gray). See details.

logical (with default): fit the (un-)logged minimum dose model to De data.

par numeric (with default): apply the 3- or 4-parameter minimum age model (par=3

or par=4). The MAM-3 is used by default.

bootstrap logical (with default): apply the recycled bootstrap approach of Cunningham &

Wallinga (2012).

init.values numeric (optional): a named list with starting values for gamma, sigma, p0

and mu (e.g. list(gamma=100, sigma=1.5, p0=0.1, mu=100)). If no values are provided reasonable values are tried to be estimated from the data. **NOTE** that the initial values must always be given in the absolute units. The the logged model is applied (log = TRUE), the provided init.values are automatically log

transformed.

level logical (with default): the confidence level required (defaults to 0.95).

log.output logical (with default): If TRUE the console output will also show the logged

values of the final parameter estimates and confidence intervals (only applicable

if log = TRUE).

plot logical (with default): plot output (TRUE/FALSE)

multicore logical (with default): enable parallel computation of the bootstrap by creating

a multicore SNOW cluster. Depending on the number of available logical CPU cores this may drastically reduce the computation time. Note that this option is

highly experimental and may not work on all machines. (TRUE/FALSE)

.. (optional) further arguments for bootstrapping (bs.M, bs.N, bs.h, sigmab.sd).

See details for their usage. Further arguments are

verbose to de-/activate console output (logical),

• debug for extended console output (logical) and

• cores (integer) to manually specify the number of cores to be used when

multicore=TRUE.

# Details

#### **Parameters**

This model has four parameters:

gamma: minimum dose on the log scale

mu: mean of the non-truncated normal distribution

sigma: spread in ages above the minimum p0: proportion of grains at gamma

If par=3 (default) the 3-parameter minimum age model is applied, where gamma=mu. For par=4 the 4-parameter model is applied instead.

#### (Un-)logged model

In the original version of the minimum dose model, the basic data are the natural logarithms of the De estimates and relative standard errors of the De estimates. The value for sigmab must be provided as a ratio (e.g, 0.2 for 20)

If log=FALSE, the modified un-logged model will be applied instead. This has essentially the same form as the original version. gamma and sigma are in Gy and gamma becomes the minimum true dose in the population. **Note** that the un-logged model requires sigmab to be in the same absolute unit as the provided De values (seconds or Gray).

While the original (logged) version of the minimum dose model may be appropriate for most samples (i.e. De distributions), the modified (un-logged) version is specially designed for modern-age and young samples containing negative, zero or near-zero De estimates (Arnold et al. 2009, p. 323).

#### Initial values & boundaries

The log likelihood calculations use the nlminb function for box-constrained optimisation using PORT routines. Accordingly, initial values for the four parameters can be specified via init.values. If no values are provided for init.values reasonable starting values are estimated from the input data. If the final estimates of *gamma*, *mu*, *sigma* and *p0* are totally off target, consider providing custom starting values via init.values. In contrast to previous versions of this function the boundaries for the individual model parameters are no longer required to be explicitly specified. If you want to override the default boundary values use the arguments gamma.lower, gamma.upper, sigma.lower, sigma.upper, p0.lower, p0.upper, mu.lower and mu.upper.

#### **Bootstrap**

When bootstrap=TRUE the function applies the bootstrapping method as described in Wallinga & Cunningham (2012). By default, the minimum age model produces 1000 first level and 3000 second level bootstrap replicates (actually, the number of second level bootstrap replicates is three times the number of first level replicates unless specified otherwise). The uncertainty on sigmab is 0.04 by default. These values can be changed by using the arguments bs.M (first level replicates), bs.N (second level replicates) and sigmab.sd (error on sigmab). With bs.h the bandwidth of the kernel density estimate can be specified. By default, h is calculated as

$$h = (2 * \sigma_{DE})/\sqrt{n}$$

# **Multicore support**

This function supports parallel computing and can be activated by multicore=TRUE. By default, the number of available logical CPU cores is determined automatically, but can be changed with cores. The multicore support is only available when bootstrap=TRUE and spawns n R instances for each core to get MAM estimates for each of the N and M bootstrap replicates. Note that this option is highly experimental and may or may not work for your machine. Also the performance gain increases for larger number of bootstrap replicates. Also note that with each additional core and hence R instance and depending on the number of bootstrap replicates the memory usage can significantly increase. Make sure that memory is always available, otherwise there will be a massive performance hit.

## Likelihood profiles

The likelihood profiles are generated and plotted by the bbmle package. The profile likelihood plots look different to ordinary profile likelihood as

"[...] the plot method for likelihood profiles displays the square root of the the deviance difference (twice the difference in negative log-likelihood from the best fit), so it will be V-shaped for cases where the quadratic approximation works well [...]." (Bolker 2016).

For more details on the profile likelihood calculations and plots please see the vignettes of the bbmle package (also available here: https://CRAN.R-project.org/package=bbmle).

#### Value

Returns a plot (*optional*) and terminal output. In addition an RLum.Results object is returned containing the following elements:

.\$summary data.frame summary of all relevant model results.

.\$data data.frame original input data

args list used arguments
call call the function call

.\$mle mle2 object containing the maximum log likelihood functions for all parameters

BIC numeric BIC score

.\$confint data.frame confidence intervals for all parameters

. \$profile profile.mle2 the log likelihood profiles

.\$bootstrap list bootstrap results

The output should be accessed using the function get\_RLum

#### **Function version**

0.4.4

# How to cite

Burow, C., 2021. calc\_MinDose(): Apply the (un-)logged minimum age model (MAM) after Galbraith et al. (1999) to a given De distribution. Function version 0.4.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

The default starting values for gamma, mu, sigma and p0 may only be appropriate for some De data sets and may need to be changed for other data. This is especially true when the un-logged version is applied.

Also note that all R warning messages are suppressed when running this function. If the results seem odd consider re-running the model with debug=TRUE which provides extended console output and forwards all internal warning messages.

# Author(s)

Christoph Burow, University of Cologne (Germany)

Based on a rewritten S script of Rex Galbraith, 2010

The bootstrap approach is based on a rewritten MATLAB script of Alastair Cunningham.

Alastair Cunningham is thanked for his help in implementing and cross-checking the code. , RLum Developer Team

calc\_MinDose 109

#### References

Arnold, L.J., Roberts, R.G., Galbraith, R.F. & DeLong, S.B., 2009. A revised burial dose estimation procedure for optical dating of young and modern-age sediments. Quaternary Geochronology 4, 306-325.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks Radiation Measurements 4, 459-470.

Galbraith, R.F., Roberts, R.G., Laslett, G.M., Yoshida, H. & Olley, J.M., 1999. Optical dating of single grains of quartz from Jinmium rock shelter, northern Australia. Part I: experimental design and statistical models. Archaeometry 41, 339-364.

Galbraith, R.F., 2005. Statistics for Fission Track Analysis, Chapman & Hall/CRC, Boca Raton.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology 11, 1-27.

Olley, J.M., Roberts, R.G., Yoshida, H., Bowler, J.M., 2006. Single-grain optical dating of grave-infill associated with human burials at Lake Mungo, Australia. Quaternary Science Reviews 25, 2469-2474.

### **Further reading**

Arnold, L.J. & Roberts, R.G., 2009. Stochastic modelling of multi-grain equivalent dose (De) distributions: Implications for OSL dating of sediment mixtures. Quaternary Geochronology 4, 204-230.

Bolker, B., 2016. Maximum likelihood estimation analysis with the bbmle package. In: Bolker, B., R Development Core Team, 2016. bbmle: Tools for General Maximum Likelihood Estimation. R package version 1.0.18. https://CRAN.R-project.org/package=bbmle

Bailey, R.M. & Arnold, L.J., 2006. Statistical modelling of single grain quartz De distributions and an assessment of procedures for estimating burial dose. Quaternary Science Reviews 25, 2475-2502.

Cunningham, A.C. & Wallinga, J., 2012. Realizing the potential of fluvial archives using robust OSL chronologies. Quaternary Geochronology 12, 98-106.

Rodnight, H., Duller, G.A.T., Wintle, A.G. & Tooth, S., 2006. Assessing the reproducibility and accuracy of optical dating of fluvial deposits. Quaternary Geochronology 1, 109-120.

Rodnight, H., 2008. How many equivalent dose values are needed to obtain a reproducible distribution?. Ancient TL 26, 3-10.

## See Also

calc\_CentralDose, calc\_CommonDose, calc\_FiniteMixture, calc\_FuchsLang2001, calc\_MaxDose

```
## Load example data
data(ExampleData.DeValues, envir = environment())
# (1) Apply the minimum age model with minimum required parameters.
# By default, this will apply the un-logged 3-parameter MAM.
calc_MinDose(data = ExampleData.DeValues$CA1, sigmab = 0.1)
## Not run:
# (2) Re-run the model, but save results to a variable and turn
# plotting of the log-likelihood profiles off.
```

110 calc\_MinDose

```
mam <- calc_MinDose(data = ExampleData.DeValues$CA1,</pre>
                    sigmab = 0.1,
                    plot = FALSE)
# Show structure of the RLum.Results object
mam
# Show summary table that contains the most relevant results
res <- get_RLum(mam, "summary")</pre>
res
# Plot the log likelihood profiles retroactively, because before
# we set plot = FALSE
plot_RLum(mam)
# Plot the dose distribution in an abanico plot and draw a line
# at the minimum dose estimate
plot_AbanicoPlot(data = ExampleData.DeValues$CA1,
                 main = "3-parameter Minimum Age Model",
                 line = mam,polygon.col = "none",
                 hist = TRUE,
                 rug = TRUE,
                 summary = c("n", "mean", "mean.weighted", "median", "in.ci"),
                 centrality = res$de,
                 line.col = "red",
                 grid.col = "none"
                 line.label = paste0(round(res$de, 1), "\U00B1",
                                      round(res$de_err, 1), " Gy"),
                 bw = 0.1.
                 ylim = c(-25, 18),
                 summary.pos = "topleft",
                 mtext = bquote("Parameters: " ~
                                   sigma[b] == .(get_RLum(mam, "args")$sigmab) ~ ", " ~
                                   gamma == .(round(log(res$de), 1)) ~ ", " ~
                                   sigma == .(round(res$sig, 1)) ~ ", " ~
                                   rho == .(round(res$p0, 2))))
# (3) Run the minimum age model with bootstrap
# NOTE: Bootstrapping is computationally intensive
# (3.1) run the minimum age model with default values for bootstrapping
calc_MinDose(data = ExampleData.DeValues$CA1,
             sigmab = 0.15,
             bootstrap = TRUE)
# (3.2) Bootstrap control parameters
mam <- calc_MinDose(data = ExampleData.DeValues$CA1,</pre>
                    sigmab = 0.15,
                    bootstrap = TRUE,
                    bs.M = 300,
                    bs.N = 500,
                    bs.h = 4,
                    sigmab.sd = 0.06,
                    plot = FALSE)
```

# Plot the results

```
plot_RLum(mam)

# save bootstrap results in a separate variable
bs <- get_RLum(mam, "bootstrap")

# show structure of the bootstrap results
str(bs, max.level = 2, give.attr = FALSE)

# print summary of minimum dose and likelihood pairs
summary(bs$pairs$gamma)

# Show polynomial fits of the bootstrap pairs
bs$poly.fits$poly.three

# Plot various statistics of the fit using the generic plot() function
par(mfcol=c(2,2))
plot(bs$poly.fits$poly.three, ask = FALSE)

# Show the fitted values of the polynomials
summary(bs$poly.fits$poly.three$fitted.values)

## End(Not run)</pre>
```

calc\_OSLLxTxDecomposed

Calculate Lx/Tx ratio for decomposed CW-OSL signal components

# Description

Calculate Lx/Tx ratios from a given set of decomposed CW-OSL curves decomposed by [OSLdecomposition::RLum.OSL\_decomposition]

## Usage

```
calc_OSLLxTxDecomposed(
  Lx.data,
  Tx.data = NULL,
  OSL.component = 1L,
  sig0 = 0,
  digits = NULL
)
```

## Arguments

Lx.data data.frame (required): Component table created by [OSLdecomposition::RLum.OSL\_decomposition and per default located at object@records[[...]]@info\$COMPONENTS.The value of \$n[OSL.component] is set as LnLx. The value of \$n.error[OSL.component]

is set as LnLx.error

Tx.data data.frame (optional): Component table created by [OSLdecomposition::RLum.OSL\_decomposition] and per default located at object@records[[...]]@info\$COMPONENTS. The

value of \$n[OSL.component] is set as TnTx. The value of \$n.error[OSL.component]

is set as TnTx.error

OSL.component integer or character (optional): a single index or a name describing which OSL

signal component shall be evaluated. This argument can either be the name of the OSL component assigned by [OSLdecomposition::RLum.OSL\_global\_fitting] or the index of component. Then '1' selects the fastest decaying component, '2' the second fastest and so on. If not defined, the fastest decaying component

is selected.

sig0 numeric (with default): allows adding an extra error component to the final

Lx/Tx error value (e.g., instrumental error).

digits integer (with default): round numbers to the specified digits. If digits is set to

NULL nothing is rounded.

## Value

Returns an S4 object of type RLum.Results.

Slot data contains a list with the following structure:

#### @data

\$LxTx.table (data.frame)

- .. \$ LnLx
- .. \$ TnTx
- .. \$ Net\_LnLx
- .. \$ Net\_LnLx.Error
- .. \$ Net\_TnTx
- .. \$ Net\_TnTx.Error
- .. \$ LxTx
- .. \$ LxTx.relError
- .. \$ LxTx.Error

## **Function version**

0.1.0

# How to cite

Mittelstrass, D., 2021. calc\_OSLLxTxDecomposed(): Calculate Lx/Tx ratio for decomposed CW-OSL signal components. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Dirk Mittelstrass, RLum Developer Team

# References

Mittelstrass D., Schmidt C., Beyer J., Straessner A., 2019. Automated identification and separation of quartz CW-OSL signal components with R. talk presented at DLED 2019, Bingen, Germany http://luminescence.de/OSLdecomp\_talk.pdf

calc\_OSLLxTxRatio 113

### See Also

RLum.Data.Curve, plot\_GrowthCurve, analyse\_SAR.CWOSL

calc\_OSLLxTxRatio

Calculate Lx/Tx ratio for CW-OSL curves

## **Description**

Calculate Lx/Tx ratios from a given set of CW-OSL curves assuming late light background subtraction.

# Usage

```
calc_OSLLxTxRatio(
   Lx.data,
   Tx.data = NULL,
   signal.integral,
   signal.integral.Tx = NULL,
   background.integral,
   background.integral.Tx = NULL,
   background.count.distribution = "non-poisson",
   use_previousBG = FALSE,
   sigmab = NULL,
   sig0 = 0,
   digits = NULL
)
```

# Arguments

Lx.data RLum.Data.Curve or data.frame (required): requires a CW-OSL shine down

curve (x = time, y = counts)

Tx.data RLum.Data.Curve or data.frame (optional): requires a CW-OSL shine down

curve (x = time, y = counts). If no input is given the Tx. data will be treated as NA and no Lx/Tx ratio is calculated.

signal.integral

numeric (**required**): vector with the limits for the signal integral. Can be set to NA than now integrals are considered and all other integrals are set to NA as well.

signal.integral.Tx

numeric (*optional*): vector with the limits for the signal integral for the Tx-curve. If nothing is provided the value from signal.integral is used.

background.integral

numeric (**required**): vector with the bounds for the background integral. Can be set to NA than now integrals are considered and all other integrals are set to NA as well.

background.integral.Tx

numeric (*optional*): vector with the limits for the background integral for the Tx curve. If nothing is provided the value from background.integral is used.

background.count.distribution

character (with default): sets the count distribution assumed for the error calculation. Possible arguments poisson or non-poisson. See details for further information

114 calc\_OSLLxTxRatio

use\_previousBG logical (with default): If set to TRUE the background of the Lx-signal is subtracted also from the Tx-signal. Please note that in this case separate signal integral limits for the Tx-signal are not allowed and will be reset.

sigmab numeric (optional): option to set a manual value for the overdispersion (for LnTx and TnTx), used for the Lx/Tx error calculation. The value should be provided as absolute squared count values, e.g. sigmab = c(300,300). Note: If only one value is provided this value is taken for both (LnTx and TnTx) signals.

sig0 numeric (with default): allow adding an extra component of error to the final Lx/Tx error value (e.g., instrumental error, see details).

digits integer (with default): round numbers to the specified digits. If digits is set to NULL nothing is rounded.

### Details

The integrity of the chosen values for the signal and background integral is checked by the function; the signal integral limits have to be lower than the background integral limits. If a vector is given as input instead of a data.frame, an artificial data.frame is produced. The error calculation is done according to Galbraith (2002).

**Please note:** In cases where the calculation results in NaN values (for example due to zero-signal, and therefore a division of 0 by 0), these NaN values are replaced by 0.

sigmab

The default value of sigmab is calculated assuming the background is constant and **would not** applicable when the background varies as, e.g., as observed for the early light subtraction method.

### sig0

This argument allows to add an extra component of error to the final Lx/Tx error value. The input will be treated as factor that is multiplied with the already calculated LxTx and the result is add up by:

$$se(LxTx) = \sqrt{(se(LxTx)^2 + (LxTx*sig0)^2)}$$

# background.count.distribution

This argument allows selecting the distribution assumption that is used for the error calculation. According to Galbraith (2002, 2014) the background counts may be overdispersed (i.e. do not follow a Poisson distribution, which is assumed for the photomultiplier counts). In that case (might be the normal case) it has to be accounted for the overdispersion by estimating  $\sigma^2$  (i.e. the overdispersion value). Therefore the relative standard error is calculated as:

• poisson

$$rse(\mu_S) \approx \sqrt{(Y_0 + Y_1/k^2)/Y_0} - Y_1/k$$

• non-poisson

$$rse(\mu_S) \approx \sqrt{(Y_0 + Y_1/k^2 + \sigma^2(1 + 1/k))/Y_0 - Y_1/k}$$

**Please note** that when using the early background subtraction method in combination with the 'non-poisson' distribution argument, the corresponding Lx/Tx error may considerably increase due to a high sigmab value. Please check whether this is valid for your data set and if necessary consider to provide an own sigmab value using the corresponding argument sigmab.

calc\_OSLLxTxRatio 115

### Value

Returns an S4 object of type RLum.Results.

Slot data contains a list with the following structure:

### @data

```
$LxTx.table (data.frame)
.. $ LnLx
.. $ LnLx.BG
.. $ TnTx
.. $ TnTx.BG
.. $ Net_LnLx
.. $ Net_LnLx.Error
.. $ Net_TnTx.Error
.. $ LxTx
.. $ LxTx.Error
$ calc.parameters (list)
.. $ sigmab.LnTx
.. $ sigmab.TnTx
.. $ k
@info
$ call (original function call)
```

# **Function version**

0.8.0

### How to cite

Kreutzer, S., 2021. calc\_OSLLxTxRatio(): Calculate Lx/Tx ratio for CW-OSL curves. Function version 0.8.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The results of this function have been cross-checked with the Analyst (version 3.24b). Access to the results object via get\_RLum.

**Caution:** If you are using early light subtraction (EBG), please either provide your own sigmab value or use background.count.distribution = "poisson".

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

116 calc\_SourceDoseRate

#### References

```
Duller, G., 2018. Analyst v4.57 - User Manual. https://users.aber.ac.uk/ggd/
```

Galbraith, R.F., 2002. A note on the variance of a background-corrected OSL count. Ancient TL, 20 (2), 49-51.

Galbraith, R.F., 2014. A further note on the variance of a background-corrected OSL count. Ancient TL, 31 (2), 1-3.

### See Also

RLum.Data.Curve, Analyse\_SAR.OSLdata, plot\_GrowthCurve, analyse\_SAR.CWOSL

# **Examples**

calc\_SourceDoseRate

Calculation of the source dose rate via the date of measurement

# Description

Calculating the dose rate of the irradiation source via the date of measurement based on: source calibration date, source dose rate, dose rate error. The function returns a data.frame that provides the input argument dose\_rate for the function Second2Gray.

## Usage

```
calc_SourceDoseRate(
  measurement.date = Sys.Date(),
  calib.date,
  calib.dose.rate,
  calib.error,
  source.type = "Sr-90",
  dose.rate.unit = "Gy/s",
  predict = NULL
)
```

calc\_SourceDoseRate 117

## **Arguments**

measurement.date

character or Date (with default): Date of measurement in "YYYY-MM-DD". If no value is provided, the date will be set to today. The argument can be provided as vector.

calib.date chara

character or Date (required): date of source calibration in "YYYY-MM-DD"

calib.dose.rate

numeric (required): dose rate at date of calibration in Gy/s or Gy/min

calib.error numeric (required): error of dose rate at date of calibration Gy/s or Gy/min

source.type character (with default): specify irradiation source (Sr-90, Co-60, Cs-137, Am-214),

see details for further information

dose.rate.unit character (with default): specify dose rate unit for input (Gy/min or Gy/s), the

output is given in Gy/s as valid for the function Second2Gray

predict integer (with default): option allowing to predict the dose rate of the source

over time in days set by the provided value. Starting date is the value set with measurement.date, e.g., calc\_SourceDoseRate(...,predict = 100) calcu-

lates the source dose rate for the next 100 days.

#### **Details**

Calculation of the source dose rate based on the time elapsed since the last calibration of the irradiation source. Decay parameters assume a Sr-90 beta source.

$$dose.rate = D0 * exp(-log(2)/T.1/2 * t)$$

with: D0 <- calibration dose rate T.1/2 <- half-life of the source nuclide (here in days) t <- time since source calibration (in days)  $\log(2) / T.1/2$  equals the decay constant lambda

Information on the date of measurements may be taken from the data's original .BIN file (using e.g., BINfile <-readBIN2R() and the slot BINfile@METADATA\$DATE)

## Allowed source types and related values

#	Source type	T.1/2	Reference
[1]	Sr-90	28.90 y	NNDC, Brookhaven National Laboratory
[2]	Am-214	432.6 y	NNDC, Brookhaven National Laboratory
[3]	Co-60	5.274 y	NNDC, Brookhaven National Laboratory
[4	Cs-137	30.08 y	NNDC, Brookhaven National Laboratory

### Value

Returns an S4 object of type RLum.Results. Slot data contains a list with the following structure:

```
$ dose.rate (data.frame)
... $ dose.rate
... $ dose.rate.error
... $ date (corresponding measurement date)
$ parameters (list)
... $ source.type
... $ halflife
... $ dose.rate.unit
$ call (the original function call)
```

118 calc\_SourceDoseRate

The output should be accessed using the function get\_RLum. A plot method of the output is provided via plot RLum

### **Function version**

0.3.2

### How to cite

Fuchs, M.C., Kreutzer, S., 2021. calc\_SourceDoseRate(): Calculation of the source dose rate via the date of measurement. Function version 0.3.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

Please be careful when using the option predict, especially when a multiple set for measurement.date and calib.date is provided. For the source dose rate prediction the function takes the last value measurement.date and predicts from that the source source dose rate for the number of days requested, means: the (multiple) original input will be replaced. However, the function do not change entries for the calibration dates, but mix them up. Therefore, it is not recommended to use this option when multiple calibration dates (calib.date) are provided.

### Author(s)

Margret C. Fuchs, HZDR, Helmholtz-Institute Freiberg for Resource Technology (Germany) Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## References

NNDC, Brookhaven National Laboratory http://www.nndc.bnl.gov/

## See Also

```
Second2Gray, get_RLum, plot_RLum
```

calc\_Statistics 119

calc\_Statistics

Function to calculate statistic measures

# Description

This function calculates a number of descriptive statistics for estimates with a given standard error (SE), most fundamentally using error-weighted approaches.

# Usage

```
calc_Statistics(
  data,
  weight.calc = "square",
  digits = NULL,
  n.MCM = NULL,
  na.rm = TRUE
)
```

# **Arguments**

data	data.frame or RLum.Results object ( <b>required</b> ): for data.frame two columns: De (data[,1]) and De error (data[,2]). To plot several data sets in one plot the data sets must be provided as list, e.g. list(data.1,data.2).
weight.calc	character: type of weight calculation. One out of "reciprocal" (weight is 1/error), "square" (weight is 1/error^2). Default is "square".
digits	integer (with default): round numbers to the specified digits. If digits is set to NULL nothing is rounded.
n.MCM	numeric (with default): number of samples drawn for Monte Carlo-based statistics. NULL (the default) disables MC runs.
na.rm	logical (with default): indicating whether NA values should be stripped before the computation proceeds.

120 calc\_Statistics

#### **Details**

The option to use Monte Carlo Methods (n.MCM) allows calculating all descriptive statistics based on random values. The distribution of these random values is based on the Normal distribution with De values as means and De\_error values as one standard deviation. Increasing the number of MCM-samples linearly increases computation time. On a Lenovo X230 machine evaluation of 25 Aliquots with n.MCM = 1000 takes 0.01 s, with n = 100000, ca. 1.65 s. It might be useful to work with logarithms of these values. See Dietze et al. (2016, Quaternary Geochronology) and the function plot\_AbanicoPlot for details.

### Value

Returns a list with weighted and unweighted statistic measures.

### **Function version**

0.1.7

## How to cite

Dietze, M., 2021. calc\_Statistics(): Function to calculate statistic measures. Function version 0.1.7. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

calc\_ThermalLifetime 121

calc\_ThermalLifetime Calculates the Thermal Lifetime using the Arrhenius equation

## **Description**

The function calculates the thermal lifetime of charges for given E (in eV), s (in 1/s) and T (in deg. C.) parameters. The function can be used in two operational modes:

# Usage

```
calc_ThermalLifetime(
    E,
    s,
    T = 20,
    output_unit = "Ma",
    profiling = FALSE,
    profiling_config = NULL,
    verbose = TRUE,
    plot = TRUE,
    ...
)
```

## **Arguments**

Ε numeric (required): vector of trap depths in eV, if profiling = TRUE only the first two elements are considered numeric (required): vector of frequency factor in 1/s, if profiling = TRUE only s the first two elements are considered Т numeric (with default): temperature in deg. C for which the lifetime(s) will be calculated. A vector can be provided. character (with default): output unit of the calculated lifetimes, accepted entries output\_unit are: "Ma", "ka", "a", "d", "h", "min", "s" profiling logical (with default): this option allows to estimate uncertainties based on given E and s parameters and their corresponding standard error (cf. details and examples section) profiling\_config

list (*optional*): allows to set configuration parameters used for the profiling (and only have an effect here). Supported parameters are:

- n (number of MC runs),
- E. distribution (distribution used for the re-sampling for E) and
- s.distribution (distribution used for the re-sampling for s).

Currently only the normal distribution is supported (e.g., profiling\_config = list(E.distribution = "norm")

verbose logical: enables/disables verbose mode

plot logical: enables/disables output plot, currently only in combination with profiling = TRUE.

further arguments that can be passed in combination with the plot output. Standard plot parameters are supported (plot.default)

122 calc\_ThermalLifetime

#### **Details**

Mode 1 (profiling = FALSE)

An arbitrary set of input parameters (E, s, T) can be provided and the function calculates the thermal lifetimes using the Arrhenius equation for all possible combinations of these input parameters. An array with 3-dimensions is returned that can be used for further analyses or graphical output (see example 1)

Mode 2 (profiling = TRUE)

This mode tries to profile the variation of the thermal lifetime for a chosen temperature by accounting for the provided E and s parameters and their corresponding standard errors, e.g., E = c(1.600, 0.001) The calculation based on a Monte Carlo simulation, where values are sampled from a normal distribution (for E and s).

### **Used equation (Arrhenius equation)**

$$\tau = 1/sexp(E/kT)$$

where:  $\tau$  in s as the mean time an electron spends in the trap for a given T, E trap depth in eV, s the frequency factor in 1/s, T the temperature in K and k the Boltzmann constant in eV/K (cf. Furetta, 2010).

### Value

A RLum.Results object is returned a along with a plot (for profiling = TRUE). The output object contain the following slots:

@data

Object	Type	Description
lifetimes	array or numeric	calculated lifetimes
profiling matrix	matrix	profiling matrix used for the MC runs

@info

Object Type Description
call call the original function call

### **Function version**

0.1.0

# How to cite

Kreutzer, S., 2021. calc\_ThermalLifetime(): Calculates the Thermal Lifetime using the Arrhenius equation. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Note

The profiling is currently based on re-sampling from a normal distribution, this distribution assumption might be, however, not valid for given E and s parameters.

calc\_TLLxTxRatio 123

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### References

Furetta, C., 2010. Handbook of Thermoluminescence, Second Edition. World Scientific.

# See Also

```
graphics::matplot, stats::rnorm, get_RLum
```

# **Examples**

```
##EXAMPLE 1
##calculation for two trap-depths with similar frequency factor for different temperatures
E <- c(1.66, 1.70)
s <- 1e+13
T <- 10:20
temp <- calc_ThermalLifetime(</pre>
 E = E,
 s = s,
 T = T,
 output_unit = "Ma"
contour(x = E, y = T, z = tempfifetimes[1,,],
        ylab = "Temperature [\u00B0C]",
        xlab = "Trap depth [eV]",
        main = "Thermal Lifetime Contour Plot"
)
mtext(side = 3, "(values quoted in Ma)")
##EXAMPLE 2
##profiling of thermal life time for E and s and their standard error
E < -c(1.600, 0.003)
s <- c(1e+13,1e+011)
T <- 20
calc_ThermalLifetime(
 E = E,
  s = s,
 T = T,
 profiling = TRUE,
 output_unit = "Ma"
```

calc\_TLLxTxRatio

Calculate the Lx/Tx ratio for a given set of TL curves -beta version-

# **Description**

Calculate Lx/Tx ratio for a given set of TL curves.

124 calc\_TLLxTxRatio

### Usage

```
calc_TLLxTxRatio(
  Lx.data.signal,
  Lx.data.background = NULL,
  Tx.data.signal,
  Tx.data.background = NULL,
  signal.integral.min,
  signal.integral.max
)
```

# **Arguments**

```
Lx.data.signal RLum.Data.Curve or data.frame (required): TL data (x = temperature, y =
                 counts) (TL signal)
Lx.data.background
                 RLum.Data.Curve or data.frame (optional): TL data (x = temperature, y =
                 counts). If no data are provided no background subtraction is performed.
Tx.data.signal RLum.Data.Curve or data.frame (required): TL data (x = temperature, y =
                 counts) (TL test signal)
Tx.data.background
                 RLum.Data.Curve or data.frame (optional): TL data (x = temperature, y =
                 counts). If no data are provided no background subtraction is performed.
signal.integral.min
                 integer (required): channel number for the lower signal integral bound (e.g.
                 signal.integral.min = 100)
signal.integral.max
                 integer (required): channel number for the upper signal integral bound (e.g.
                 signal.integral.max = 200)
```

### **Details**

# **Uncertainty estimation**

The standard errors are calculated using the following generalised equation:

$$SE_{signal} < -abs(Signal_{net} * BG_f/BG_{signal})$$

where  $BG_f$  is a term estimated by calculating the standard deviation of the sum of the  $L_x$  background counts and the sum of the  $T_x$  background counts. However, if both signals are similar the error becomes zero.

## Value

Returns an S4 object of type RLum.Results. Slot data contains a list with the following structure:

```
$ LxTx.table
.. $ LnLx
.. $ LnLx.BG
.. $ TnTx
.. $ TnTx.BG
.. $ Net_LnLx
.. $ Net_LnLx.Error
```

calc\_TLLxTxRatio 125

### **Function version**

0.3.3

### How to cite

Kreutzer, S., Schmidt, C., 2021. calc\_TLLxTxRatio(): Calculate the Lx/Tx ratio for a given set of TL curves -beta version-. Function version 0.3.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

**This function has still BETA status!** Please further note that a similar background for both curves results in a zero error and is therefore set to NA.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Christoph Schmidt, University of Bayreuth (Germany), RLum Developer Team

### See Also

RLum.Results, analyse\_SAR.TL

126 calc\_WodaFuchs2008

calc_WodaFuchs2008	Obtain the equivalent dose using the approach by Woda and Fuchs 2008
--------------------	--

# **Description**

The function generates a histogram-like reorganisation of the data, to assess counts per bin. The log-transformed counts per bin are used to calculate the second derivative of the data (i.e., the curvature of the curve) and to find the central value of the bin hosting the distribution maximum. A normal distribution model is fitted to the counts per bin data to estimate the dose distribution parameters. The uncertainty of the model is estimated based on all input equivalent doses smaller that of the modelled central value.

# Usage

```
calc_WodaFuchs2008(data, breaks = NULL, plot = TRUE, ...)
```

# **Arguments**

data	data.frame or RLum.Results object ( <b>required</b> ): for data.frame: two columns: De (values[,1]) and De error (values[,2]). For plotting multiple data sets, these must be provided as list (e.g. list(dataset1,dataset2)).
breaks	numeric: Either number or locations of breaks. See [hist] for details. If missing, the number of breaks will be estimated based on the bin width (as function of median error).
plot	logical (with default): enable plot output.
	Further plot arguments passed to the function.

### **Function version**

0.2.0

# How to cite

Kreutzer, S., Dietze, M., 2021. calc\_WodaFuchs2008(): Obtain the equivalent dose using the approach by Woda and Fuchs 2008. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

# References

Woda, C., Fuchs, M., 2008. On the applicability of the leading edge method to obtain equivalent doses in OSL dating and dosimetry. Radiation Measurements 43, 26-37.

### See Also

calc\_FuchsLang2001, calc\_CentralDose

### **Examples**

```
## read example data set
data(ExampleData.DeValues, envir = environment())
results <- calc_WodaFuchs2008(
  data = ExampleData.DeValues$CA1,
    xlab = expression(paste(D[e], " [Gy]"))
)</pre>
```

convert\_Activity2Concentration

Convert Nuclide Activities to Concentrations and Vice Versa

## **Description**

The function performs the conversion of the specific activities into concentrations and vice versa for the nuclides U-238, Th-232 and K-40 to harmonise the measurement unit with the required data input unit of potential analytical tools for, e.g. dose rate calculation or related functions such as use\_DRAC.

## Usage

```
convert_Activity2Concentration(data, input_unit = "Bq/kg", verbose = TRUE)
```

# **Arguments**

input\_unit

data data.frame (required): provide dose rate data (activity or concentration) in three columns. The first column indicates the nuclides, the 2nd column measured value and in the 3rd column its error value. Allowed nuclide data are 'U-238', 'Th-232' and 'K-40'. See examples for an example.

character (with default): specify unit of input data given in the dose rate data

frame, choose between 'Bq/kg' and 'ppm/%' the default is 'Bq/kg'

verbose logical (with default): enable or disable verbose mode

## **Details**

The conversion from nuclide activity of a sample to nuclide concentration is performed using conversion factors that are based on the mass-related specific activity of the respective nuclide. The factors can be calculated using the equation:

A = avogadronumber \* N.freq/N.mol.mass \* ln(2)/N.half.life

$$f = A/10^6$$

where:

- A specific activity of the nuclide
- N. freq natural frequency of the isotope
- N.mol.mass molar mass
- n.half.life half-life of the nuclide

## example for U238:

- $avogadronumber = 6.02214199 * 10^23$
- $uran.half.life = 1.41 * 10^{17}$  (in s)
- uran.mol.mass = 0.23802891 (in kg/mol)
- uran.freq = 0.992745 (in mol)
- A.U = avogadronumber \* uran.freq/uran.mol.mass \* ln(2)/uran.half.life (specific activity in Bq/kg)
- $f.U = A.kg/10^6$

### **Function version**

0.1.0

### How to cite

Fuchs, M.C., 2021. convert\_Activity2Concentration(): Convert Nuclide Activities to Concentrations and Vice Versa. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Margret C. Fuchs, Helmholtz-Institute Freiberg for Resource Technology (Germany) , RLum Developer Team

## References

Debertin, K., Helmer, R.G., 1988. Gamma- and X-ray Spectrometry with Semiconductor Detectors, Elsevier Science Publishers, p.283

Wiechen, A., Ruehle, H., Vogl, K., 2013. Bestimmung der massebezogenen Aktivitaet von Radionukliden. AEQUIVAL/MASSAKT, ISSN 1865-8725, https://www.bmu.de/fileadmin/Daten\_BMU/Download\_PDF/Strahlenschutz/aequival-massakt\_v2013-07\_bf.pdf

```
##construct data.frame
data <- data.frame(
   NUCLIDES = c("U-238", "Th-232", "K-40"),
   VALUE = c(40,80,100),
   VALUE_ERROR = c(4,8,10),
   stringsAsFactors = FALSE)

##perform analysis
convert_Activity2Concentration(data)</pre>
```

convert\_BIN2CSV 129

convert\_BIN2CSV

Export Risoe BIN-file(s) to CSV-files

## **Description**

This function is a wrapper function around the functions read\_BIN2R and write\_RLum2CSV and it imports a Risoe BIN-file and directly exports its content to CSV-files. If nothing is set for the argument path (write\_RLum2CSV) the input folder will become the output folder.

### Usage

```
convert_BIN2CSV(file, ...)
```

# **Arguments**

```
file character (required): name of the BIN-file to be converted to CSV-files

... further arguments that will be passed to the function read_BIN2R and write_RLum2CSV
```

### Value

The function returns either a CSV-file (or many of them) or for the option export == FALSE a list comprising objects of type data.frame and matrix

## **Function version**

0.1.0

### How to cite

Kreutzer, S., 2021. convert\_BIN2CSV(): Export Risoe BIN-file(s) to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

# See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write\_RLum2CSV, read\_BIN2R

```
##transform Risoe.BINfileData values to a list
data(ExampleData.BINfileData, envir = environment())
convert_BIN2CSV(subset(CWOSL.SAR.Data, POSITION == 1), export = FALSE)
## Not run:
##select your BIN-file
```

```
file <- file.choose()
##convert
convert_BIN2CSV(file)
## End(Not run)</pre>
```

convert\_Concentration2DoseRate

Dose-rate conversion function

## **Description**

This function converts radionuclide concentrations (K in %, Th and U in ppm) into dose rates (Gy/ka). Beta-dose rates are also attenuated for the grain size. Beta and gamma-dose rates are corrected for the water content. This function converts concentrations into dose rates (Gy/ka) and corrects for grain size attenuation and water content

Dose rate conversion factors can be chosen from Adamiec and Aitken (1998), Guerin et al. (2011), Liritzis et al. (201) and Cresswell et al. (2018). Default is Guerin et al. (2011).

Grain size correction for beta dose rates is achieved using the correction factors published by Guérin et al. (2012).

Water content correction is based on factors provided by Aitken (1985), with the factor for beta dose rate being 1.25 and for gamma 1.14.

# Usage

```
convert_Concentration2DoseRate(input, conversion = "Guerinetal2011")
```

# **Arguments**

input data.frame (optional): a table containing all relevant information for each indi-

vidual layer if nothing is provided, the function returns a template data.frame

Please note that until one dataset per input is supported!

conversion character (with default): which dose rate conversion factors to use, defaults uses

Guérin et al. (2011). For accepted values see BaseDataSet.ConversionFactors

# **Details**

# The input data

COLUMN	DATA TYPE	DESCRIPTION
Mineral	character	'FS' for feldspar, 'Q' for quartz
K	numeric	K nuclide content in %
K_SE	numeric	error on K nuclide content in %
Th	numeric	Th nuclide content in ppm
Th_SE	numeric error on Th nuclide content in ppm	
U	numeric U nuclide content in ppm	
U_SE	numeric	error on U nuclide content in ppm
GrainSize	numeric	average grain size in µm
WaterContent	numeric	mean water content in %
WaterContent_SE	numeric	relative error on water content

Water content The water content provided by the user should be calculated according to:

$$(Wet_weight - Dry_weight)/Dry_weight * 100$$

The unit for the weight is gram (g).

### Value

The function returns an RLum.Results object for which the first element is matrix with the converted values. If no input is provided, the function returns a template data.frame that can be used as input.

### **Function version**

0.1.0

### How to cite

Riedesel, S., Autzen, M., 2021. convert\_Concentration2DoseRate(): Dose-rate conversion function. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Svenja Riedesel, Aberystwyth University (United Kingdom)

Martin Autzen, DTU NUTECH Center for Nuclear Technologies (Denmark) , RLum Developer Team

## References

Adamiec, G., Aitken, M.J., 1998. Dose-rate conversion factors: update. Ancient TL 16, 37-46.

Cresswell., A.J., Carter, J., Sanderson, D.C.W., 2018. Dose rate conversion parameters: Assessment of nuclear data. Radiation Measurements 120, 195-201.

Guerin, G., Mercier, N., Adamiec, G., 2011. Dose-rate conversion factors: update. Ancient TL, 29, 5-8.

Guerin, G., Mercier, N., Nathan, R., Adamiec, G., Lefrais, Y., 2012. On the use of the infinite matrix assumption and associated concepts: A critical review. Radiation Measurements, 47, 778-785.

Liritzis, I., Stamoulis, K., Papachristodoulou, C., Ioannides, K., 2013. A re-evaluation of radiation dose-rate conversion factors. Mediterranean Archaeology and Archaeometry 13, 1-15.

```
## create input template
input <- convert_Concentration2DoseRate()
## fill input
input$Mineral <- "FS"
input$K <- 2.13
input$K_SE <- 0.07
input$Th <- 9.76
input$Th_SE <- 0.32
input$U <- 2.24</pre>
```

```
input$U_SE <- 0.12
input$GrainSize <- 200
input$WaterContent <- 30
input$WaterContent_SE <- 5
## convert
convert_Concentration2DoseRate(input)</pre>
```

 ${\it convert\_Daybreak 2CSV} \quad \textit{Export measurement data produced by a Daybreak luminescence reader to CSV-files}$ 

## **Description**

This function is a wrapper function around the functions read\_Daybreak2R and write\_RLum2CSV and it imports an Daybreak-file (TXT-file, DAT-file) and directly exports its content to CSV-files. If nothing is set for the argument path (write\_RLum2CSV) the input folder will become the output folder.

# Usage

```
convert_Daybreak2CSV(file, ...)
```

write RLum2CSV

## **Arguments**

file character (required): name of the Daybreak-file (TXT-file, DAT-file) to be converted to CSV-files
... further arguments that will be passed to the function read\_Daybreak2R and

### Value

The function returns either a CSV-file (or many of them) or for the option export = FALSE a list comprising objects of type data.frame and matrix

## **Function version**

0.1.0

## How to cite

Kreutzer, S., 2021. convert\_Daybreak2CSV(): Export measurement data produced by a Daybreak luminescence reader to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

convert\_PSL2CSV 133

### See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write\_RLum2CSV, read\_Daybreak2R

## **Examples**

```
## Not run:
##select your BIN-file
file <- file.choose()

##convert
convert_Daybreak2CSV(file)

## End(Not run)</pre>
```

convert\_PSL2CSV

Export PSL-file(s) to CSV-files

## **Description**

This function is a wrapper function around the functions read\_PSL2R and write\_RLum2CSV and it imports an PSL-file (SUERC portable OSL reader file format) and directly exports its content to CSV-files. If nothing is set for the argument path (write\_RLum2CSV) the input folder will become the output folder.

## Usage

```
convert_PSL2CSV(file, ...)
```

# Arguments

file character (**required**): name of the PSL-file to be converted to CSV-files

... further arguments that will be passed to the function read\_PSL2R and write\_RLum2CSV

## Value

The function returns either a CSV-file (or many of them) or for the option export = FALSE a list comprising objects of type data.frame and matrix

### **Function version**

0.1.0

## How to cite

Kreutzer, S., 2021. convert\_PSL2CSV(): Export PSL-file(s) to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write\_RLum2CSV, read\_PSL2R

# **Examples**

```
## Not run:
##select your BIN-file
file <- file.choose()
##convert
convert_PSL2CSV(file)
## End(Not run)</pre>
```

convert\_RLum2Risoe.BINfileData

Converts RLum.Analysis-objects and RLum.Data.Curve-objects to RLum2Risoe.BINfileData-objects

# Description

The functions converts RLum.Analysis and RLum.Data.Curve objects and a list of those to Risoe.BINfileData objects. The function intends to provide a minimum of compatibility between both formats. The created RLum.Analysis object can be later exported to a BIN-file using the function write\_R2BIN.

# Usage

```
convert_RLum2Risoe.BINfileData(object, keep.position.number = FALSE)
```

## **Arguments**

object RLum.Analysis or RLum.Data.Curve (**required**): input object to be converted keep.position.number

logical (with default): keeps the original position number or re-calculate the numbers to avoid doubling

## Value

The function returns a Risoe.BINfileData object.

# **Function version**

0.1.3

convert\_SG2MG 135

### How to cite

Kreutzer, S., 2021. convert\_RLum2Risoe.BINfileData(): Converts RLum.Analysis-objects and RLum.Data.Curve-objects to RLum2Risoe.BINfileData-objects. Function version 0.1.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The conversion can be never perfect. The RLum objects may contain information which are not part of the Risoe.BINfileData definition.

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

# See Also

RLum.Analysis, RLum.Data.Curve, write\_R2BIN

# **Examples**

```
##simple conversion using the example dataset
data(ExampleData.RLum.Analysis, envir = environment())
convert_RLum2Risoe.BINfileData(IRSAR.RF.Data)
```

convert\_SG2MG

Converts Single-Grain Data to Multiple-Grain Data

# **Description**

Conversion of single-grain data to multiple-grain data by adding signals from grains belonging to one disc (unique pairs of position, set and run).

# Usage

```
convert_SG2MG(object, write_file = FALSE, ...)
```

# Arguments

object	Risoe.BINfileData character ( <b>required</b> ): Risoe.BINfileData object or BIN/BINX-file name
write_file	logical (with default): if the input was a path to a file, the output can be written to a file if TRUE. The multiple grain file will be written into the same folder and with extension -SG to the file name.
	further arguments passed down to read_BIN2R if input is file path

#### Value

Risoe.BINfileData object and if write\_file = TRUE and the input was a file path, a file is written to origin folder.

## **Function version**

0.1.0

## How to cite

Kreutzer, S., Mercier, N., 2021. convert\_SG2MG(): Converts Single-Grain Data to Multiple-Grain Data. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), Norbert Mercier, IRAMAT-CRP2A, UMR 5060, CNRS-Université Bordeaux Montaigne (France); , RLum Developer Team

## See Also

Risoe.BINfileData, read\_BIN2R, write\_R2BIN

## **Examples**

```
## simple run
## (please not that the example is not using SG data)
data(ExampleData.BINfileData, envir = environment())
convert_SG2MG(CWOSL.SAR.Data)
```

convert\_Wavelength2Energy

Emission Spectra Conversion from Wavelength to Energy Scales

# Description

The function provides a convenient and fast way to convert emission spectra wavelength to energy scales. The function works on RLum.Data.Spectrum, data.frame and matrix and a list of such objects. The function was written to smooth the workflow while analysing emission spectra data. This is in particular useful if you want to further treat your data and apply, e.g., a signal deconvolution.

# Usage

```
convert_Wavelength2Energy(object, digits = 3L, order = FALSE)
```

## **Arguments**

object RLum.Data.Spectrum, data.frame, matrix (required): input object to be con-

verted. If the input is not an RLum.Data.Spectrum, the first column is always treated as the wavelength column. The function supports a list of allowed input

objects.

digits integer (with default): set the number of digits on the returned energy axis

order logical (with default): enables/disables sorting of the values in ascending energy

order. After the conversion the longest wavelength has the lowest energy value and the shortest wavelength the highest. While this is correct, some R functions

expect increasing x-values.

## **Details**

The intensity of the spectrum is re-calculated using the following approach to recalculate wavelength and corresponding intensity values (e.g., Appendix 4 in Blasse and Grabmeier, 1994; Mooney and Kambhampati, 2013):

$$\phi_E = \phi_\lambda * \lambda^2 / (hc)$$

with  $\phi_E$  the intensity per interval of energy E (1/eV),  $\phi_{\lambda}$  the intensity per interval of wavelength  $\lambda$  (1/nm) and h (eV \* s) the Planck constant and c (nm/s) the velocity of light.

For transforming the wavelength axis (x-values) the equation as follow is used

$$E = hc/\lambda$$

## Value

The same object class as provided as input is returned.

### **Function version**

0.1.1

## How to cite

Kreutzer, S., 2021. convert\_Wavelength2Energy(): Emission Spectra Conversion from Wavelength to Energy Scales. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

This conversion works solely for emission spectra. In case of absorption spectra only the x-axis has to be converted.

# Author(s)

Sebastian Kreutzer, IRAMAT-CRP2A, UMR 5060, CNRS - Université Bordeaux Montaigne (France) , RLum Developer Team

#### References

Blasse, G., Grabmaier, B.C., 1994. Luminescent Materials. Springer.

Mooney, J., Kambhampati, P., 2013. Get the Basics Right: Jacobian Conversion of Wavelength and Energy Scales for Quantitative Analysis of Emission Spectra. J. Phys. Chem. Lett. 4, 3316–3318. doi: 10.1021/jz401508t

Mooney, J., Kambhampati, P., 2013. Correction to "Get the Basics Right: Jacobian Conversion of Wavelength and Energy Scales for Quantitative Analysis of Emission Spectra." J. Phys. Chem. Lett. 4, 3316–3318. doi: 10.1021/jz401508t

## **Further reading**

Angulo, G., Grampp, G., Rosspeintner, A., 2006. Recalling the appropriate representation of electronic spectra. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy 65, 727–731. doi: 10.1016/j.saa.2006.01.007

Wang, Y., Townsend, P.D., 2013. Potential problems in collection and data processing of luminescence signals. Journal of Luminescence 142, 202–211. doi: 10.1016/j.jlumin.2013.03.052

### See Also

RLum.Data.Spectrum, plot\_RLum

```
##======##
##(1) Literature example after Mooney et al. (2013)
##(1.1) create matrix
m <- matrix(</pre>
  data = c(seq(400, 800, 50), rep(1, 9)), ncol = 2)
##(1.2) set plot function to reproduce the
##literature figure
p <- function(m) {</pre>
plot(x = m[, 1], y = m[, 2])
 x = c(m[, 1], rev(m[, 1])),
 y = c(m[, 2], rep(0, nrow(m)))
 for (i in 1:nrow(m)) {
 lines(x = rep(m[i, 1], 2), y = c(0, m[i, 2]))
 }
}
##(1.3) plot curves
par(mfrow = c(1,2))
p(convert_Wavelength2Energy(m))
##======##
##(2) Another example using density curves
##create dataset
xy <- density(</pre>
c(rnorm(n = 100, mean = 500, sd = 20),
rnorm(n = 100, mean = 800, sd = 20)))
xy <- data.frame(xy$x, xy$y)</pre>
##plot
```

convert\_XSYG2CSV 139

```
par(mfrow = c(1,2))
plot(
    xy,
    type = "1",
    xlim = c(150, 1000),
    xlab = "Wavelength [nm]",
    ylab = "Luminescence [a.u.]"
)
plot(
    convert_Wavelength2Energy(xy),
    xy$y,
    type = "1",
    xlim = c(1.23, 8.3),
    xlab = "Energy [eV]",
    ylab = "Luminescence [a.u.]"
)
```

convert\_XSYG2CSV

Export XSYG-file(s) to CSV-files

## **Description**

This function is a wrapper function around the functions read\_XSYG2R and write\_RLum2CSV and it imports an XSYG-file and directly exports its content to CSV-files. If nothing is set for the argument path (write\_RLum2CSV) the input folder will become the output folder.

### Usage

```
convert_XSYG2CSV(file, ...)
```

# **Arguments**

file character (**required**): name of the XSYG-file to be converted to CSV-files

... further arguments that will be passed to the function read\_XSYG2R and write\_RLum2CSV

## Value

The function returns either a CSV-file (or many of them) or for the option export = FALSE a list comprising objects of type data.frame and matrix

### **Function version**

0.1.0

## How to cite

Kreutzer, S., 2021. convert\_XSYG2CSV(): Export XSYG-file(s) to CSV-files. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table, write\_RLum2CSV, read\_XSYG2R

# **Examples**

```
##transform XSYG-file values to a list
data(ExampleData.XSYG, envir = environment())
convert_XSYG2CSV(OSL.SARMeasurement$Sequence.Object[1:10], export = FALSE)

## Not run:
##select your BIN-file
file <- file.choose()

##convert
convert_XSYG2CSV(file)

## End(Not run)</pre>
```

CW2pHMi

Transform a CW-OSL curve into a pHM-OSL curve via interpolation under hyperbolic modulation conditions

# Description

This function transforms a conventionally measured continuous-wave (CW) OSL-curve to a pseudo hyperbolic modulated (pHM) curve under hyperbolic modulation conditions using the interpolation procedure described by Bos & Wallinga (2012).

# Usage

```
CW2pHMi(values, delta)
```

# Arguments

values RLum.Data.Curve or data.frame (required): RLum.Data.Curve or data.frame

with measured curve data of type stimulation time (t) (values[,1]) and mea-

sured counts (cts) (values[,2]).

delta vector (optional): stimulation rate parameter, if no value is given, the optimal

value is estimated automatically (see details). Smaller values of delta produce

more points in the rising tail of the curve.

#### **Details**

The complete procedure of the transformation is described in Bos & Wallinga (2012). The input data.frame consists of two columns: time (t) and count values (CW(t))

## **Internal transformation steps**

- (1) log(CW-OSL) values
- (2) Calculate t' which is the transformed time:

$$t' = t - (1/\delta) * log(1 + \delta * t)$$

- (3) Interpolate CW(t'), i.e. use the log(CW(t)) to obtain the count values for the transformed time (t'). Values beyond min(t) and max(t) produce NA values.
- (4) Select all values for t' < min(t), i.e. values beyond the time resolution of t. Select the first two values of the transformed data set which contain no NA values and use these values for a linear fit using lm.
- (5) Extrapolate values for t' < min(t) based on the previously obtained fit parameters.
- (6) Transform values using

$$pHM(t) = (\delta * t/(1 + \delta * t)) * c * CW(t')$$
$$c = (1 + \delta * P)/\delta * P$$
$$P = length(stimulation\ period)$$

(7) Combine all values and truncate all values for t' > max(t)

**NOTE:** The number of values for t' < min(t) depends on the stimulation rate parameter delta. To avoid the production of too many artificial data at the raising tail of the determined pHM curve, it is recommended to use the automatic estimation routine for delta, i.e. provide no value for delta.

# Value

The function returns the same data type as the input data type with the transformed curve values. RLum. Data. Curve

\$CW2pHMi.x.t : transformed time values

\$CW2pHMi.method : used method for the production of the new data points

data.frame

\$x : time

\$y.t : transformed count values \$x.t : transformed time values

\$method : used method for the production of the new data points

## **Function version**

0.2.2

# How to cite

Kreutzer, S., 2021. CW2pHMi(): Transform a CW-OSL curve into a pHM-OSL curve via interpolation under hyperbolic modulation conditions. Function version 0.2.2. In: Kreutzer, S.,

Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

According to Bos & Wallinga (2012), the number of extrapolated points should be limited to avoid artificial intensity data. If delta is provided manually and more than two points are extrapolated, a warning message is returned.

The function approx may produce some Inf and NaN data. The function tries to manually interpolate these values by calculating the mean using the adjacent channels. If two invalid values are succeeding, the values are removed and no further interpolation is attempted. In every case a warning message is shown.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Based on comments and suggestions from:

Adrie J.J. Bos, Delft University of Technology, The Netherlands, RLum Developer Team

#### References

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

## **Further Reading**

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

## See Also

```
CW2pLM, CW2pLMi, CW2pPMi, fit_LMCurve, lm, RLum.Data.Curve
```

```
##(1) - simple transformation
##load CW-OSL curve data
data(ExampleData.CW_OSL_Curve, envir = environment())
##transform values
values.transformed<-CW2pHMi(ExampleData.CW_OSL_Curve)
##plot
plot(values.transformed$x, values.transformed$y.t, log = "x")
##(2) - load CW-OSL curve from BIN-file and plot transformed values
##load BINfile
#BINfileData<-readBIN2R("[path to BIN-file]")
data(ExampleData.BINfileData, envir = environment())</pre>
```

```
##grep first CW-OSL curve from ALQ 1
curve.ID<-CWOSL.SAR.Data@METADATA[CWOSL.SAR.Data@METADATA[,"LTYPE"]=="OSL" &</pre>
                                     CWOSL.SAR.Data@METADATA[,"POSITION"]==1
                                    ,"ID"]
curve.HIGH<-CWOSL.SAR.Data@METADATA[CWOSL.SAR.Data@METADATA[,"ID"]==curve.ID[1]</pre>
                                      ,"HIGH"]
curve.NPOINTS<-CWOSL.SAR.Data@METADATA[CWOSL.SAR.Data@METADATA[,"ID"]==curve.ID[1]</pre>
                                         ,"NPOINTS"]
##combine curve to data set
curve<-data.frame(x = seq(curve.HIGH/curve.NPOINTS,curve.HIGH,</pre>
                           by = curve.HIGH/curve.NPOINTS),
                   y=unlist(CWOSL.SAR.Data@DATA[curve.ID[1]]))
##transform values
curve.transformed <- CW2pHMi(curve)</pre>
##plot curve
plot(curve.transformed\$x, curve.transformed\$y.t, log = "x")
##(3) - produce Fig. 4 from Bos & Wallinga (2012)
##load data
data(ExampleData.CW_OSL_Curve, envir = environment())
values <- CW_Curve.BosWallinga2012</pre>
##open plot area
plot(NA, NA,
     xlim=c(0.001,10),
     ylim=c(0,8000),
     ylab="pseudo OSL (cts/0.01 s)",
     xlab="t [s]",
     log="x",
     main="Fig. 4 - Bos & Wallinga (2012)")
values.t<-CW2pLMi(values, P=1/20)</pre>
lines(values[1:length(values.t[,1]),1],CW2pLMi(values, P=1/20)[,2],
      col="red" ,lwd=1.3)
text(0.03,4500,"LM", col="red",cex=.8)
values.t<-CW2pHMi(values, delta=40)</pre>
lines(values[1:length(values.t[,1]),1],CW2pHMi(values, delta=40)[,2],
      col="black", lwd=1.3)
text(0.005,3000,"HM", cex=.8)
values.t<-CW2pPMi(values, P=1/10)</pre>
lines(values[1:length(values.t[,1]),1],CW2pPMi(values, P=1/10)[,2],
      col="blue", lwd=1.3)
text(0.5,6500,"PM", col="blue",cex=.8)
```

144 *CW2pLM* 

CW2pLM

Transform a CW-OSL curve into a pLM-OSL curve

## **Description**

Transforms a conventionally measured continuous-wave (CW) curve into a pseudo linearly modulated (pLM) curve using the equations given in Bulur (2000).

# Usage

CW2pLM(values)

## **Arguments**

values

RLum.Data.Curve or data.frame (**required**): RLum.Data.Curve data object. Alternatively, a data.frame of the measured curve data of type stimulation time (t) (values[,1]) and measured counts (cts) (values[,2]) can be provided.

### **Details**

According to Bulur (2000) the curve data are transformed by introducing two new parameters P (stimulation period) and u (transformed time):

$$P = 2 * max(t)$$

$$u = \sqrt{(2 * t * P)}$$

The new count values are then calculated by

$$ctsNEW = cts(u/P)$$

and the returned data.frame is produced by: data.frame(u,ctsNEW)

The output of the function can be further used for LM-OSL fitting.

## Value

The function returns the same data type as the input data type with the transformed curve values (data.frame or RLum.Data.Curve).

## **Function version**

0.4.1

### How to cite

Kreutzer, S., 2021. CW2pLM(): Transform a CW-OSL curve into a pLM-OSL curve. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

CW2pLMi 145

#### Note

The transformation is recommended for curves recorded with a channel resolution of at least 0.05 s/channel.

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

# **Further Reading**

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

#### See Also

CW2pHMi, CW2pLMi, CW2pPMi, fit\_LMCurve, lm, RLum.Data.Curve

# **Examples**

CW2pLMi

Transform a CW-OSL curve into a pLM-OSL curve via interpolation under linear modulation conditions

# Description

Transforms a conventionally measured continuous-wave (CW) OSL-curve into a pseudo linearly modulated (pLM) curve under linear modulation conditions using the interpolation procedure described by Bos & Wallinga (2012).

146 CW2pLMi

#### Usage

CW2pLMi(values, P)

#### **Arguments**

values RLum.Data.Curve or data.frame (required): RLum.Data.Curve or data.frame

with measured curve data of type stimulation time (t) (values[,1]) and mea-

sured counts (cts) (values[,2])

P vector (optional): stimulation time in seconds. If no value is given the optimal

value is estimated automatically (see details). Greater values of P produce more

points in the rising tail of the curve.

#### **Details**

The complete procedure of the transformation is given in Bos & Wallinga (2012). The input data.frame consists of two columns: time (t) and count values (CW(t))

#### **Nomenclature**

• P = stimulation time (s)

• 1/P = stimulation rate (1/s)

# **Internal transformation steps**

(1) log(CW-OSL) values

(2) Calculate t' which is the transformed time:

$$t' = 1/2 * 1/P * t^2$$

- (3) Interpolate CW(t'), i.e. use the log(CW(t)) to obtain the count values for the transformed time
- (t'). Values beyond min(t) and max(t) produce NA values.
- (4) Select all values for t' < min(t), i.e. values beyond the time resolution of t. Select the first two values of the transformed data set which contain no NA values and use these values for a linear fit using lm.
- (5) Extrapolate values for t' < min(t) based on the previously obtained fit parameters.
- (6) Transform values using

$$pLM(t) = t/P * CW(t')$$

(7) Combine values and truncate all values for t' > max(t)

**NOTE:** The number of values for t' < min(t) depends on the stimulation period (P) and therefore on the stimulation rate 1/P. To avoid the production of too many artificial data at the raising tail of the determined pLM curves it is recommended to use the automatic estimation routine for P, i.e. provide no own value for P.

# Value

The function returns the same data type as the input data type with the transformed curve values. RLum.Data.Curve

\$CW2pLMi.x.t : transformed time values

\$CW2pLMi.method : used method for the production of the new data points

CW2pLMi 147

#### **Function version**

031

#### How to cite

Kreutzer, S., 2021. CW2pLMi(): Transform a CW-OSL curve into a pLM-OSL curve via interpolation under linear modulation conditions. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

According to Bos & Wallinga (2012) the number of extrapolated points should be limited to avoid artificial intensity data. If P is provided manually and more than two points are extrapolated, a warning message is returned.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom)

Based on comments and suggestions from:

Adrie J.J. Bos, Delft University of Technology, The Netherlands, RLum Developer Team

#### References

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

## **Further Reading**

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

# See Also

```
CW2pLM, CW2pHMi, CW2pPMi, fit_LMCurve, RLum.Data.Curve
```

```
##(1)
##load CW-OSL curve data
data(ExampleData.CW_OSL_Curve, envir = environment())
##transform values
values.transformed <- CW2pLMi(ExampleData.CW_OSL_Curve)
##plot
plot(values.transformed$x, values.transformed$y.t, log = "x")
##(2) - produce Fig. 4 from Bos & Wallinga (2012)
##load data
data(ExampleData.CW_OSL_Curve, envir = environment())
values <- CW_Curve.BosWallinga2012</pre>
```

CW2pPMi

```
##open plot area
plot(NA, NA,
     xlim = c(0.001, 10),
     ylim = c(0,8000),
     ylab = "pseudo OSL (cts/0.01 s)",
     xlab = "t [s]",
     log = "x",
     main = "Fig. 4 - Bos & Wallinga (2012)")
values.t <- CW2pLMi(values, P = 1/20)</pre>
lines(values[1:length(values.t[,1]),1],CW2pLMi(values, P = 1/20)[,2],
      col = "red", lwd = 1.3)
text(0.03,4500,"LM", col = "red", cex = .8)
values.t <- CW2pHMi(values, delta = 40)</pre>
lines(values[1:length(values.t[,1]),1],CW2pHMi(values, delta = 40)[,2],\\
      col = "black", lwd = 1.3)
text(0.005,3000,"HM", cex =.8)
values.t <- CW2pPMi(values, P = 1/10)</pre>
lines(values[1:length(values.t[,1]),1], CW2pPMi(values, P = 1/10)[,2],
      col = "blue", lwd = 1.3)
text(0.5,6500,"PM", col = "blue", cex = .8)
```

CW2pPMi

Transform a CW-OSL curve into a pPM-OSL curve via interpolation under parabolic modulation conditions

# **Description**

Transforms a conventionally measured continuous-wave (CW) OSL-curve into a pseudo parabolic modulated (pPM) curve under parabolic modulation conditions using the interpolation procedure described by Bos & Wallinga (2012).

#### Usage

```
CW2pPMi(values, P)
```

# **Arguments**

values

RLum.Data.Curve or data.frame (**required**): RLum.Data.Curve or data.frame with measured curve data of type stimulation time (t) (values[,1]) and measured counts (cts) (values[,2])

Ρ

vector (*optional*): stimulation period in seconds. If no value is given, the optimal value is estimated automatically (see details). Greater values of P produce more points in the rising tail of the curve.

CW2pPMi 149

#### **Details**

The complete procedure of the transformation is given in Bos & Wallinga (2012). The input data. frame consists of two columns: time (t) and count values (CW(t))

#### Nomenclature

- P = stimulation time (s)
- 1/P = stimulation rate (1/s)

# **Internal transformation steps**

- (1) log(CW-OSL) values
- (2) Calculate t' which is the transformed time:

$$t' = (1/3) * (1/P^2)t^3$$

- (3) Interpolate CW(t'), i.e. use the log(CW(t)) to obtain the count values for the transformed time
- (t'). Values beyond min(t) and max(t) produce NA values.
- (4) Select all values for t' < min(t), i.e. values beyond the time resolution of t. Select the first two values of the transformed data set which contain no NA values and use these values for a linear fit using lm.
- (5) Extrapolate values for t' < min(t) based on the previously obtained fit parameters. The extrapolation is limited to two values. Other values at the beginning of the transformed curve are set to 0.
- (6) Transform values using

$$pLM(t) = t^2/P^2 * CW(t')$$

(7) Combine all values and truncate all values for t' > max(t)

**NOTE:** The number of values for t' < min(t) depends on the stimulation period P. To avoid the production of too many artificial data at the raising tail of the determined pPM curve, it is recommended to use the automatic estimation routine for P, i.e. provide no value for P.

## Value

The function returns the same data type as the input data type with the transformed curve values. RLum. Data. Curve

\$CW2pPMi.x.t : transformed time values

\$CW2pPMi.method : used method for the production of the new data points

data.frame

\$x : time

\$y.t : transformed count values\$x.t : transformed time values

\$method : used method for the production of the new data points

#### **Function version**

150 CW2pPMi

#### How to cite

Kreutzer, S., 2021. CW2pPMi(): Transform a CW-OSL curve into a pPM-OSL curve via interpolation under parabolic modulation conditions. Function version 0.2.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

According to Bos & Wallinga (2012), the number of extrapolated points should be limited to avoid artificial intensity data. If P is provided manually, not more than two points are extrapolated.

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom)

Based on comments and suggestions from:

Adrie J.J. Bos, Delft University of Technology, The Netherlands, RLum Developer Team

#### References

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

#### **Further Reading**

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 701-709.

Bulur, E., 2000. A simple transformation for converting CW-OSL curves to LM-OSL curves. Radiation Measurements, 32, 141-145.

# See Also

CW2pLM, CW2pLMi, CW2pHMi, fit\_LMCurve, RLum.Data.Curve

```
##(1)
##load CW-OSL curve data
data(ExampleData.CW_OSL_Curve, envir = environment())
##transform values
values.transformed <- CW2pPMi(ExampleData.CW_OSL_Curve)
##plot
plot(values.transformed$x,values.transformed$y.t, log = "x")
##(2) - produce Fig. 4 from Bos & Wallinga (2012)
##load data
data(ExampleData.CW_OSL_Curve, envir = environment())
values <- CW_Curve.BosWallinga2012
##open plot area
plot(NA, NA,</pre>
```

```
xlim = c(0.001, 10),
     ylim = c(0,8000),
     ylab = "pseudo OSL (cts/0.01 s)",
     xlab = "t [s]",
     log = "x",
     main = "Fig. 4 - Bos & Wallinga (2012)")
values.t <- CW2pLMi(values, P = 1/20)</pre>
lines(values[1:length(values.t[,1]),1],CW2pLMi(values, P = 1/20)[,2],
      col = "red", lwd = 1.3)
text(0.03,4500,"LM", col = "red", cex = .8)
values.t <- CW2pHMi(values, delta = 40)</pre>
lines(values[1:length(values.t[,1]),1], CW2pHMi(values, delta = 40)[,2],
      col = "black", lwd = 1.3)
text(0.005,3000,"HM", cex = .8)
values.t <- CW2pPMi(values, P = 1/10)</pre>
lines(values[1:length(values.t[,1]),1], CW2pPMi(values, P = 1/10)[,2],
      col = "blue", lwd = 1.3)
text(0.5,6500,"PM", col = "blue", cex = .8)
```

ExampleData.Al2O3C

Example Al2O3:C Measurement Data

#### **Description**

Measurement data obtained from measuring Al2O3:C chips at the IRAMAT-CRP2A, Université Bordeaux Montaigne in 2017 on a Freiberg Instruments lexsyg SMART reader. The example data used in particular to allow test of the functions developed in framework of the work by Kreutzer et al., 2018.

# Format

Two datasets comprising RLum. Analysis data imported using the function read\_XSYG2R

data\_ITC: Measurement data to determine the irradiation time correction, the data can be analysed with the function analyse\_Al2O3C\_ITC

data\_CrossTalk: Measurement data obtained while estimating the irradiation cross-talk of the reader used for the experiments. The data can be analysed either with the function analyse\_Al2O3C\_CrossTalk or analyse\_Al2O3C\_Measurement

#### Note

From both datasets unneeded curves have been removed and the number of aliquots have been reduced to a required minimum to keep the file size small, but still being able to run the corresponding functions.

# References

Kreutzer, S., Martin, L., Guérin, G., Tribolo, C., Selva, P., Mercier, N., 2018. Environmental Dose Rate Determination Using a Passive Dosimeter: Techniques and Workflow for alpha-Al2O3:C Chips. Geochronometria 45, 56–67.

#### See Also

```
analyse_Al2O3C_ITC, analyse_Al2O3C_CrossTalk, analyse_Al2O3C_Measurement
```

## **Examples**

```
##(1) curves
data(ExampleData.Al203C, envir = environment())
plot_RLum(data_ITC[1:2])
```

ExampleData.BINfileData

Example data from a SAR OSL and SAR TL measurement for the package Luminescence

# Description

Example data from a SAR OSL and TL measurement for package Luminescence directly extracted from a Risoe BIN-file and provided in an object of type Risoe.BINfileData

#### **Format**

```
CWOSL.SAR.Data: SAR OSL measurement data TL.SAR.Data: SAR TL measurement data
```

Each class object contains two slots: (a) METADATA is a data.frame with all metadata stored in the BIN file of the measurements and (b) DATA contains a list of vectors of the measured data (usually count values).

#### Version

0.1

# Note

Please note that this example data cannot be exported to a BIN-file using the function writeR2BIN as it was generated and implemented in the package long time ago. In the meantime the BIN-file format changed.

#### **Source**

#### CWOSL.SAR.Data

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT607

Location: Saxony/Germany

Material: Middle grain quartz measured on aluminium cups on a Risø TL/OSL DA-15 reader

Reference: unpublished

# TL.SAR.Data

Lab: Luminescence Laboratory of Cologne

Lab-Code: LP1\_5 Location: Spain Material: Flint

Setup: Risoe TL/OSL DA-20 reader (Filter: Semrock Brightline, HC475/50, N2, unpolished steel discs)

Reference: unpublished

Remarks: dataset limited to one position

#### References

CWOSL.SAR.Data: unpublished data
TL.SAR.Data: unpublished data

# **Examples**

```
## show first 5 elements of the METADATA and DATA elements in the terminal
data(ExampleData.BINfileData, envir = environment())
CWOSL.SAR.Data@METADATA[1:5,]
CWOSL.SAR.Data@DATA[1:5]
```

ExampleData.CobbleData

Example data for calc\_CobbleDoseRate()

# Description

An example data set for the function calc\_CobbleDoseRate containing layer specific information for the cobble to be used in the function.

#### **Format**

A data.frame. Please see calc\_CobbleDoseRate for detailed information on the structure of the data.frame.

# Version

0.1.0

```
## Load data
data("ExampleData.CobbleData", envir = environment())
```

ExampleData.CW\_OSL\_Curve

Example CW-OSL curve data for the package Luminescence

# **Description**

data.frame containing CW-OSL curve data (time, counts)

#### **Format**

Data frame with 1000 observations on the following 2 variables:

list("x") a numeric vector, time
list("y") a numeric vector, counts

#### **Source**

# ExampleData.CW\_OSL\_Curve

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT607

Location: Saxony/Germany

Material: Middle grain quartz measured on aluminium cups on a Risø TL/OSL DA-15 reader.

Reference: unpublished data

# CW\_Curve.BosWallinga2012

Lab: Netherlands Centre for Luminescence Dating (NCL)

Lab-Code: NCL-2108077

Location: Guadalentin Basin, Spain Material: Coarse grain quartz

Reference: Bos & Wallinga (2012) and Baartman et al. (2011)

#### References

Baartman, J.E.M., Veldkamp, A., Schoorl, J.M., Wallinga, J., Cammeraat, L.H., 2011. Unravelling Late Pleistocene and Holocene landscape dynamics: The Upper Guadalentin Basin, SE Spain. Geomorphology, 125, 172-185.

Bos, A.J.J. & Wallinga, J., 2012. How to visualize quartz OSL signal components. Radiation Measurements, 47, 752-758.

```
data(ExampleData.CW_OSL_Curve, envir = environment())
plot(ExampleData.CW_OSL_Curve)
```

ExampleData.DeValues Example De data sets for the package Luminescence

## **Description**

Equivalent dose (De) values measured for a fine grain quartz sample from a loess section in Rottewitz (Saxony/Germany) and for a coarse grain quartz sample from a fluvial deposit in the rock shelter of Cueva Anton (Murcia/Spain).

#### **Format**

A list with two elements, each containing a two column data.frame:

\$BT998: De and De error values for a fine grain quartz sample from a loess section in Rottewitz.

\$CA1: Single grain De and De error values for a coarse grain quartz sample from a fluvial deposit in the rock shelter of Cueva Anton

#### References

#### **BT998**

Unpublished data

#### CA<sub>1</sub>

Burow, C., Kehl, M., Hilgers, A., Weniger, G.-C., Angelucci, D., Villaverde, V., Zapata, J. and Zilhao, J. (2015). Luminescence dating of fluvial deposits in the rock shelter of Cueva Anton, Spain. Geochronometria 52, 107-125.

#### **BT998**

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT998

Location: Rottewitz (Saxony/Germany)

Material: Fine grain quartz measured on aluminium discs on a Risø TL/OSL DA-15 reader

Units: Values are given in seconds

Dose Rate: Dose rate of the beta-source at measurement ca. 0.0438 Gy/s +/- 0.0019 Gy/s

Measurement Date: 2012-01-27

# CA1

Lab: Cologne Luminescence Laboratory (CLL)

Lab-Code: C-L2941

Location: Cueva Anton (Murcia/Spain)

Material: Coarse grain quartz (200-250 microns) measured on single grain discs on a Risoe TL/OSL DA-20 r

Units: Values are given in Gray

Measurement Date: 2012

```
##(1) plot values as histogram
data(ExampleData.DeValues, envir = environment())
plot_Histogram(ExampleData.DeValues$BT998, xlab = "De [s]")
```

ExampleData.Fading

Example data for feldspar fading measurements

#### **Description**

Example data set for fading measurements of the IR50, IR100, IR150 and IR225 feldspar signals of sample UNIL/NB123. It further contains regular equivalent dose measurement data of the same sample, which can be used to apply a fading correction to.

#### **Format**

A list with two elements, each containing a further list of data.frames containing the data on the fading and equivalent dose measurements:

\$fading.data: A named list of data.frames, each having three named columns (LxTx, LxTx.error, timeSinceIrradiation).

- ...\$IR50: Fading data of the IR50 signal.
- ...\$IR100: Fading data of the IR100 signal.
- ... \$IR150: Fading data of the IR150 signal.
- ..\$IR225: Fading data of the IR225 signal.

\$equivalentDose.data: A named of data.frames, each having three named columns (dose, LxTx, LxTx.error).

- ..\$IR50: Equivalent dose measurement data of the IR50 signal.
- ..\$IR100: Equivalent dose measurement data of the IR100 signal.
- ..\$IR150: Equivalent dose measurement data of the IR150 signal.
- . . \$IR225: Equivalent dose measurement data of the IR225 signal.

# Source

These data were kindly provided by Georgina E. King. Detailed information on the sample UNIL/NB123 can be found in the reference given below. The raw data can be found in the accompanying supplementary information.

#### References

King, G.E., Herman, F., Lambert, R., Valla, P.G., Guralnik, B., 2016. Multi-OSL-thermochronometry of feldspar. Quaternary Geochronology 33, 76-87. doi:10.1016/j.quageo.2016.01.004

# Details

Lab: University of Lausanne

Lab-Code: UNIL/NB123

Location: Namche Barwa (eastern Himalayas)

Material: Coarse grained (180-212 microns) potassium feldspar

Units: Values are given in seconds

Lab Dose Rate: Dose rate of the beta-source at measurement ca. 0.1335 +/- 0.004 Gy/s

Environmental Dose Rate: 7.00 +/- 0.92 Gy/ka (includes internal dose rate)

# **Examples**

```
## Load example data
data("ExampleData.Fading", envir = environment())
## Get fading measurement data of the IR50 signal
IR50_fading <- ExampleData.Fading$fading.data$IR50</pre>
head(IR50_fading)
## Determine g-value and rho' for the IR50 signal
IR50_fading.res <- analyse_FadingMeasurement(IR50_fading)</pre>
## Show g-value and rho' results
gval <- get_RLum(IR50_fading.res)</pre>
rhop <- get_RLum(IR50_fading.res, "rho_prime")</pre>
gval
rhop
## Get LxTx values of the IR50 DE measurement
IR50_De.LxTx <- ExampleData.Fading$equivalentDose.data$IR50</pre>
## Calculate the De of the IR50 signal
IR50_De <- plot_GrowthCurve(IR50_De.LxTx,</pre>
                                  mode = "interpolation",
                                  fit.method = "EXP")
## Extract the calculated De and its error
IR50_De.res <- get_RLum(IR50_De)</pre>
De <- c(IR50_De.res$De, IR50_De.res$De.Error)
## Apply fading correction (age conversion greatly simplified)
IR50_Age <- De / 7.00
IR50_Age.corr <- calc_FadingCorr(IR50_Age, g_value = IR50_fading.res)</pre>
```

ExampleData.FittingLM Example data for fit\_LMCurve() in the package Luminescence

# **Description**

Linearly modulated (LM) measurement data from a quartz sample from Norway including background measurement. Measurements carried out in the luminescence laboratory at the University of Bayreuth.

#### **Format**

Two objects (data.frames) with two columns (time and counts).

#### **Source**

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT900 Location: Norway

Material: Beach deposit, coarse grain quartz measured on aluminium discs on a Risø TL/OSL DA-15 reader

# References

Fuchs, M., Kreutzer, S., Fischer, M., Sauer, D., Soerensen, R., 2012. OSL and IRSL dating of raised beach sand deposits along the south-eastern coast of Norway. Quaternary Geochronology, 10, 195-200.

# **Examples**

```
##show LM data
data(ExampleData.FittingLM, envir = environment())
plot(values.curve,log="x")
```

ExampleData.LxTxData Example Lx/Tx data from CW-OSL SAR measurement

# **Description**

LxTx data from a SAR measurement for the package Luminescence.

#### **Format**

```
A data. frame with 4 columns (Dose, LxTx, LxTx.Error, TnTx).
```

#### Source

Lab: Luminescence Laboratory Bayreuth

Lab-Code: BT607

Location: Ostrau (Saxony-Anhalt/Germany)

Material: Middle grain (38-63  $\mu$ m) quartz measured on a Risoe TL/OSL DA-15 reader.

# References

unpublished data

```
## plot Lx/Tx data vs dose [s]
data(ExampleData.LxTxData, envir = environment())
```

```
plot(LxTxData$Dose,LxTxData$LxTx)
```

ExampleData.LxTxOSLData

Example Lx and Tx curve data from an artificial OSL measurement

# Description

Lx and Tx data of continuous wave (CW-) OSL signal curves.

# **Format**

Two data. frames containing time and count values.

#### **Source**

Arbitrary OSL measurement.

#### References

unpublished data

# **Examples**

```
##load data
data(ExampleData.LxTxOSLData, envir = environment())
##plot data
plot(Lx.data)
plot(Tx.data)
```

ExampleData.MortarData

Example equivalent dose data from mortar samples

# Description

Arbitrary data to test the function calc\_EED\_Model

# **Format**

Two data. frames containing De and De error

#### **Source**

Arbitrary measurements.

#### References

unpublished data

# **Examples**

```
##load data
data(ExampleData.MortarData, envir = environment())
##plot data
plot(MortarData)
```

ExampleData.portableOSL

Example portable OSL curve data for the package Luminescence

#### **Description**

A list of RLum.Analysis objects, each containing the same number of RLum.Data.Curve objects representing individual OSL, IRSL and dark count measurements of a sample.

#### Source

# ExampleData.portableOSL

Lab: Cologne Luminescence Laboratory

Lab-Code: none

Location: Nievenheim/Germany Material: Fine grain quartz Reference: unpublished data

# Examples

```
data(ExampleData.portableOSL, envir = environment())
plot_RLum(ExampleData.portableOSL)
```

ExampleData.RLum.Analysis

Example data as RLum. Analysis objects

# **Description**

Collection of different RLum. Analysis objects for protocol analysis.

#### **Format**

IRSAR.RF.Data: IRSAR.RF.Data on coarse grain feldspar Each object contains data needed for the given protocol analysis.

# Version

0.1

#### **Source**

#### IRSAR.RF.Data

These data were kindly provided by Tobias Lauer and Matthias Krbetschek.

Lab: Luminescence Laboratory TU Bergakademie Freiberg

Lab-Code: ZEU/SA1

Location: Zeuchfeld (Zeuchfeld Sandur; Saxony-Anhalt/Germany)

Material: K-feldspar (130-200  $\mu$ m) Reference: Kreutzer et al. (2014)

#### References

#### IRSAR.RF.Data

Kreutzer, S., Lauer, T., Meszner, S., Krbetschek, M.R., Faust, D., Fuchs, M., 2014. Chronology of the Quaternary profile Zeuchfeld in Saxony-Anhalt / Germany - a preliminary luminescence dating study. Zeitschrift fuer Geomorphologie 58, 5-26. doi: 10.1127/0372-8854/2012/S-00112

# **Examples**

```
##load data
data(ExampleData.RLum.Analysis, envir = environment())
##plot data
plot_RLum(IRSAR.RF.Data)
```

ExampleData.RLum.Data.Image

Example data as RLum.Data.Image objects

# **Description**

Measurement of Princton Instruments camera imported with the function read\_SPE2R to R to produce an RLum.Data.Image object.

#### **Format**

Object of class RLum.Data.Image

# Version

0.1

# **Source**

# ExampleData.RLum.Data.Image

These data were kindly provided by Regina DeWitt.

Lab.: Department of Physics, East-Carolina University, NC, USA

Lab-Code: -Location: - Material: - Reference: -

Image data is a measurement of fluorescent ceiling lights with a cooled Princeton Instruments (TM) camera fitted on Risoe DA-20 TL/OSL reader.

# **Examples**

```
##load data
data(ExampleData.RLum.Data.Image, envir = environment())
##plot data
plot_RLum(ExampleData.RLum.Data.Image)
```

ExampleData.ScaleGammaDose

Example data for scale\_GammaDose()

# Description

An example data set for the function scale\_GammaDose() containing layer specific information to scale the gamma dose rate considering variations in soil radioactivity.

# **Format**

A data.frame. Please see ?scale\_GammaDose() for a detailed description of its structure.

# Version

0.1

# **Examples**

```
## Load data
data("ExampleData.ScaleGammaDose", envir = environment())
```

ExampleData.SurfaceExposure

Example OSL surface exposure dating data

# Description

A set of synthetic OSL surface exposure dating data to demonstrate the fit\_SurfaceExposure functionality. See examples to reproduce the data interactively.

# **Format**

A list with 4 elements:

Element	Content
\$sample_1	A data.frame with 3 columns (depth, intensity, error)
\$sample_2	A data.frame with 3 columns (depth, intensity, error)
\$set_1	A list of 4 data.frames, each representing a sample with different ages
\$set_2	A list of 5 data.frames, each representing a sample with different ages

# **Details**

\$sample\_1

mu	sigmaphi	age
0.9	5e-10	10000

\$sample\_2

mu	sigmaphi	age	Dose rate	$\mathbf{D0}$
0.9	5e-10	10000	2.5	40

\$set\_1

\$set\_2

mu	sigmaphi	ages	Dose rate	$\mathbf{D0}$
0.9	5e-10	1e2, 1e3, 1e4, 1e5, 1e6	1.0	40

# Source

See examples for the code used to create the data sets.

# References

Unpublished synthetic data

```
## VALIDATE sample_1
fit_SurfaceExposure(synth_1, mu = mu, sigmaphi = sigmaphi)
## ExampleData.SurfaceExposure$sample_2
sigmaphi <- 5e-10
age <- 10000
mu <- 0.9
x < - seq(0, 10, 0.1)
Ddot <- 2.5 / 1000 / 365.25 / 24 / 60 / 60 # 2.5 Gy/ka in Seconds
D0 <- 40
fun <- (sigmaphi * exp(-mu * x) *
          exp(-(age * 365.25*24*3600) *
                (sigmaphi * exp(-mu * x) + Ddot/D0)) + Ddot/D0) /
  (sigmaphi * exp(-mu * x) + Ddot/D0)
set.seed(666)
synth_2 \leftarrow data.frame(depth = x,
                      intensity = jitter(fun, 1, 0.1),
                      error = runif(length(x), 0.01, 0.2))
## VALIDATE sample_2
fit_SurfaceExposure(synth_2, mu = mu, sigmaphi = sigmaphi, Ddot = 2.5, D0 = D0)
## ExampleData.SurfaceExposure$set_1
sigmaphi <- 5e-10
mu <- 0.9
x < - seq(0, 15, 0.2)
age <- c(1e3, 1e4, 1e5, 1e6)
set.seed(666)
synth_3 <- vector("list", length = length(age))</pre>
for (i in 1:length(age)) {
 fun <- exp(-sigmaphi * age[i] * 365.25*24*3600 * exp(-mu * x))
  synth_3[[i]] <- data.frame(depth = x,</pre>
                             intensity = jitter(fun, 1, 0.05))
}
## VALIDATE set_1
fit_SurfaceExposure(synth_3, age = age, sigmaphi = sigmaphi)
## ExampleData.SurfaceExposure$set_2
sigmaphi <- 5e-10
mu <- 0.9
x < - seq(0, 15, 0.2)
age <- c(1e2, 1e3, 1e4, 1e5, 1e6)
Ddot <- 1.0 / 1000 / 365.25 / 24 / 60 / 60 # 2.0 Gy/ka in Seconds
D0 <- 40
```

```
set.seed(666)
synth_4 <- vector("list", length = length(age))</pre>
for (i in 1:length(age)) {
  fun <- (sigmaphi * exp(-mu * x) *</pre>
            exp(-(age[i] * 365.25*24*3600) *
                   (sigmaphi * exp(-mu * x) + Ddot/D0)) + Ddot/D0) /
    (sigmaphi * exp(-mu * x) + Ddot/D0)
  synth_4[[i]] \leftarrow data.frame(depth = x,
                               intensity = jitter(fun, 1, 0.05))
}
## VALIDATE set_2
fit_SurfaceExposure(synth_4, age = age, sigmaphi = sigmaphi, D0 = D0, Ddot = 1.0)
## Not run:
ExampleData.SurfaceExposure <- list(</pre>
  sample_1 = synth_1,
  sample_2 = synth_2,
  set_1 = synth_3,
  set_2 = synth_4
## End(Not run)
```

ExampleData.TR\_OSL

Example TR-OSL data

# **Description**

Single TR-OSL curve obtained by Schmidt et al. (under review) for quartz sample BT729 (origin: Trebgast Valley, Germany, quartz,  $90-200 \mu m$ , unpublished data).

# **Format**

```
One RLum.Data.Curve dataset imported using the function read_XSYG2R

ExampleData.TR_OSL: A single RLum.Data.Curve object with the TR-OSL data
```

#### References

Schmidt, C., Simmank, O., Kreutzer, S., under review. Time-Resolved Optically Stimulated Luminescence of Quartz in the Nanosecond Time Domain. Journal of Luminescence, 1-90

# See Also

```
fit_OSLLifeTimes
```

166 ExampleData.XSYG

# **Examples**

```
##(1) curves
data(ExampleData.TR_OSL, envir = environment())
plot_RLum(ExampleData.TR_OSL)
```

Example Data. XSYG Example data for a SAR OSL measurement and a TL spectrum using

a lexsyg reader

# Description

Example data from a SAR OSL measurement and a TL spectrum for package Luminescence imported from a Freiberg Instruments XSYG file using the function read\_XSYG2R.

#### **Format**

OSL. SARMeasurement: SAR OSL measurement data

The data contain two elements: (a) \$Sequence.Header is a data.frame with metadata from the measurement,(b) Sequence.Object contains an RLum.Analysis object for further analysis.

TL. Spectrum: TL spectrum data

RLum.Data.Spectrum object for further analysis. The spectrum was cleaned from cosmic-rays using the function

apply\_CosmicRayRemoval. Note that no quantum efficiency calibration was performed.

# Version

0.1

# **Source**

#### OSL.SARMeasurement

Lab: Luminescence Laboratory Giessen

Lab-Code: no code Location: not specified

Material: Coarse grain quartz on steel cups on lexsyg research reader

Reference: unpublished

# TL.Spectrum

Lab: Luminescence Laboratory Giessen

Lab-Code: BT753

Location: Dolni Vestonice/Czech Republic

Material: Fine grain polymineral on steel cups on lexsyg research reader

Reference: Fuchs et al., 2013

Spectrum: Integration time 19 s, channel time 20 s

Heating: 1 K/s, up to 500 deg. C

extdata 167

#### References

Unpublished data measured to serve as example data for that package. Location origin of sample BT753 is given here:

Fuchs, M., Kreutzer, S., Rousseau, D.D., Antoine, P., Hatte, C., Lagroix, F., Moine, O., Gauthier, C., Svoboda, J., Lisa, L., 2013. The loess sequence of Dolni Vestonice, Czech Republic: A new OSL-based chronology of the Last Climatic Cycle. Boreas, 42, 664–677.

#### See Also

read\_XSYG2R, RLum.Analysis, RLum.Data.Spectrum, plot\_RLum, plot\_RLum.Analysis, plot\_RLum.Data.Spectrum

# **Examples**

```
##show data
data(ExampleData.XSYG, envir = environment())
## -----
##(1) OSL.SARMeasurement
OSL.SARMeasurement
##show $Sequence.Object
OSL.SARMeasurement$Sequence.Object
##grep OSL curves and plot the first curve
OSLcurve <- get_RLum(OSL.SARMeasurement$Sequence.Object,
recordType="0SL")[[1]]
plot_RLum(OSLcurve)
##(2) TL.Spectrum
TL.Spectrum
##plot simple spectrum (2D)
plot_RLum.Data.Spectrum(TL.Spectrum,
                       plot.type="contour",
                       xlim = c(310,750),
                       ylim = c(0,300),
                       bin.rows=10,
                       bin.cols = 1)
##plot 3d spectrum (uncomment for usage)
# plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="persp",
\# x \lim = c(310,750), y \lim = c(0,300), bin.rows=10,
# bin.cols = 1)
```

extdata

Collection of External Data

# **Description**

Description and listing of data provided in the folder data/extdata

168 extdata

#### **Details**

The  $\mathbf{R}$  package Luminescence includes a number of raw data files, which are mostly used in the example sections of appropriate functions. They are also used internally for testing corresponding functions using the testthat package (see files in tests/testthat/) to ensure their operational reliability.

# Accessibility

If the  $\mathbf{R}$  package Luminescence is installed correctly the preferred way to access and use these data from within  $\mathbf{R}$  is as follows:

system.file("extdata/<FILENAME>",package = "Luminescence")

#### **Individual file descriptions**

»Daybreak\_TestFile.DAT/.txt«

Type: raw measurement data
Device: Daybreak OSL/TL reader
Measurement date: unknown

**Location:** unknown **Provided by:** unknown

**Related R function(s):** read\_Daybreak2R()

**Reference:** unknown »DorNie\_0016.psl«

Type: raw measurement data

**Device:** SUERC portable OSL reader **Measurement date:** 19/05/2016

**Location:** Dormagen-Nievenheim, Germany

**Provided by:** Christoph Burow (University of Cologne)

**Related R function(s):** read\_PSL2R()

Reference: unpublished

Additional information: Sample measured at an archaeological site near

Dormagen-Nievenheim (Germany) during a practical course on Luminescence dating in 2016.

»QNL84\_2\_bleached.txt, QNL84\_2\_unbleached.txt«

**Type:** Test data for exponential fits

Reference: Berger, G.W., Huntley, D.J., 1989. Test data for exponential fits. Ancient TL 7, 43-46.

»STRB87\_1\_bleached.txt, STRB87\_1\_unbleached.txt«

**Type:** Test data for exponential fits

Reference: Berger, G.W., Huntley, D.J., 1989. Test data for exponential fits. Ancient TL 7, 43-46.

»XSYG\_file.xsyg

**Type:** XSYG-file stump

\*\*Info: \*\* XSYG-file with some basic curves to test functions

Reference: no reference available

```
extract_IrradiationTimes
```

Extract Irradiation Times from an XSYG-file

# Description

Extracts irradiation times, dose and times since last irradiation, from a Freiberg Instruments XSYGfile. These information can be further used to update an existing BINX-file.

#### Usage

```
extract_IrradiationTimes(
 object,
  file.BINX,
 recordType = c("irradiation (NA)", "IRSL (UVVIS)", "OSL (UVVIS)", "TL (UVVIS)"),
  compatibility.mode = TRUE,
  txtProgressBar = TRUE
```

# **Arguments**

object

character, RLum.Analysis or list (required): path and file name of the XSYG file or an RLum. Analysis produced by the function read\_XSYG2R; alternatively a list of RLum. Analysis can be provided.

Note: If an RLum. Analysis is used, any input for the arguments file. BINX and recordType will be ignored!

file.BINX

character (optional): path and file name of an existing BINX-file. If a file name is provided the file will be updated with the information from the XSYG file in the same folder as the original BINX-file.

Note: The XSYG and the BINX-file have to be originate from the same measurement!

recordType

character (with default): select relevant curves types from the XSYG file or RLum. Analysis object. As the XSYG-file format comprises much more information than usually needed for routine data analysis and allowed in the BINXfile format, only the relevant curves are selected by using the function get\_RLum. The argument recordType works as described for this function.

Note: A wrong selection will causes a function error. Please change this argument only if you have reasons to do so.

compatibility.mode

logical (with default): this option is parsed only if a BIN/BINX file is produced and it will reset all position values to a max. value of 48, cf.write\_R2BIN

txtProgressBar logical (with default): enables TRUE or disables FALSE the progression bars during import and export

#### **Details**

The function was written to compensate missing information in the BINX-file output of Freiberg Instruments lexsyg readers. As all information are available within the XSYG-file anyway, these information can be extracted and used for further analysis or/and to stored in a new BINX-file, which can be further used by other software, e.g., Analyst (Geoff Duller).

Typical application example: g-value estimation from fading measurements using the Analyst or any other self written script.

Beside the some simple data transformation steps the function applies the functions read\_XSYG2R, read\_BIN2R, write\_R2BIN for data import and export.

#### Value

An RLum.Results object is returned with the following structure:

```
.. $irr.times (data.frame)
```

If a BINX-file path and name is set, the output will be additionally transferred into a new BINX-file with the function name as suffix. For the output the path of the input BINX-file itself is used. Note that this will not work if the input object is a file path to an XSYG-file, instead of a link to only one file. In this case the argument input for file.BINX is ignored.

In the self call mode (input is a list of RLum. Analysis objects a list of RLum. Results is returned.

#### **Function version**

0.3.1

#### How to cite

Kreutzer, S., 2021. extract\_IrradiationTimes(): Extract Irradiation Times from an XSYG-file. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

The produced output object contains still the irradiation steps to keep the output transparent. However, for the BINX-file export this steps are removed as the BINX-file format description does not allow irradiations as separate sequences steps.

# BINX-file 'Time Since Irradiation' value differs from the table output?

The way the value 'Time Since Irradiation' is defined differs. In the BINX-file the 'Time Since Irradiation' is calculated as the 'Time Since Irradiation' plus the 'Irradiation Time'. The table output returns only the real 'Time Since Irradiation', i.e. time between the end of the irradiation and the next step.

# Negative values for TIMESINCELAS. STEP?

Yes, this is possible and no bug, as in the XSYG-file multiple curves are stored for one step. Example: TL step may comprise three curves:

- (a) counts vs. time,
- (b) measured temperature vs. time and
- (c) predefined temperature vs. time.

Three curves, but they are all belonging to one TL measurement step, but with regard to the time stamps this could produce negative values as the important function (read\_XSYG2R) do not change the order of entries for one step towards a correct time order.

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Duller, G.A.T., 2015. The Analyst software package for luminescence data: overview and recent improvements. Ancient TL 33, 35-42.

#### See Also

RLum.Analysis, RLum.Results, Risoe.BINfileData, read\_XSYG2R, read\_BIN2R, write\_R2BIN

# **Examples**

```
## (1) - example for your own data
##
## set files and run function
   file.XSYG <- file.choose()</pre>
#
#
   file.BINX <- file.choose()</pre>
#
      output <- extract_IrradiationTimes(file.XSYG = file.XSYG, file.BINX = file.BINX)</pre>
#
      get_RLum(output)
## export results additionally to a CSV.file in the same directory as the XSYG-file
        write.table(x = get_RLum(output),
                     file = paste0(file.BINX,"_extract_IrradiationTimes.csv"),
#
                     sep = ";",
#
#
                     row.names = FALSE)
```

fit\_CWCurve

Nonlinear Least Squares Fit for CW-OSL curves -beta version-

# **Description**

The function determines the weighted least-squares estimates of the component parameters of a CW-OSL signal for a given maximum number of components and returns various component parameters. The fitting procedure uses the nls function with the port algorithm.

# Usage

```
fit_CWCurve(
  values,
  n.components.max,
  fit.failure_threshold = 5,
  fit.method = "port",
  fit.trace = FALSE,
  fit.calcError = FALSE,
  LED.power = 36,
```

```
LED.wavelength = 470,
  cex.global = 0.6,
  sample_code = "Default",
  output.path,
  output.terminal = TRUE,
  output.terminalAdvanced = TRUE,
  plot = TRUE,
  ...
)
```

#### Arguments

values RLum.Data.Curve or data.frame (**required**): x, y data of measured values (time

and counts). See examples.

n.components.max

vector (*optional*): maximum number of components that are to be used for fitting. The upper limit is 7.

fit.failure\_threshold

vector (with default): limits the failed fitting attempts.

fit.method character (with default): select fit method, allowed values: 'port' and 'LM'.

'port' uses the 'port' routine from the function nls 'LM' utilises the function nlsLM from the package minpack.lm and with that the Levenberg-Marquardt

algorithm.

fit.trace logical (with default): traces the fitting process on the terminal.

fit.calcError logical (with default): calculate 1-sigma error range of components using stats::confint

LED. power numeric (with default): LED power (max.) used for intensity ramping in mW/cm^2.

**Note:** The value is used for the calculation of the absolute photoionisation cross

section.

LED. wavelength numeric (with default): LED wavelength used for stimulation in nm. Note: The

value is used for the calculation of the absolute photoionisation cross section.

cex.global numeric (with default): global scaling factor.

sample\_code character (optional): sample code used for the plot and the optional output table

(mtext).

output.path character (optional): output path for table output containing the results of the fit.

The file name is set automatically. If the file already exists in the directory, the

values are appended.

output.terminal

logical (with default): terminal output with fitting results.

output.terminalAdvanced

 ${\color{blue} \textbf{logical}} \ (\textit{with default}) : \ \textbf{enhanced terminal output. Requires output.terminal = }$ 

TRUE. If output.terminal = FALSE no advanced output is possible.

plot logical (with default): returns a plot of the fitted curves.

... further arguments and graphical parameters passed to plot.

#### **Details**

# **Fitting function**

The function for the CW-OSL fitting has the general form:

$$y = I0_1 * \lambda_1 * exp(-\lambda_1 * x) + \dots + I0_i * \lambda_i * exp(-\lambda_i * x)$$

where 0 < i < 8

and  $\lambda$  is the decay constant

and I0 the initial number of trapped electrons.

(for the used equation cf. Boetter-Jensen et al., 2003, Eq. 2.31)

#### **Start values**

Start values are estimated automatically by fitting a linear function to the logarithmized input data set. Currently, there is no option to manually provide start parameters.

#### Goodness of fit

The goodness of the fit is given as pseudoR^2 value (pseudo coefficient of determination). According to Lave (1970), the value is calculated as:

$$pseudoR^2 = 1 - RSS/TSS$$

where  $RSS = Residual\ Sum\ of\ Squares$  and  $TSS = Total\ Sum\ of\ Squares$ 

#### Error of fitted component parameters

The 1-sigma error for the components is calculated using the function stats::confint. Due to considerable calculation time, this option is deactivated by default. In addition, the error for the components can be estimated by using internal R functions like summary. See the nls help page for more information.

For details on the nonlinear regression in R, see Ritz & Streibig (2008).

# Value

# plot (optional)

the fitted CW-OSL curves are returned as plot.

# table (optional)

an output table (\*.csv) with parameters of the fitted components is provided if the output.path is set.

# RLum.Results

Beside the plot and table output options, an RLum.Results object is returned.

fit: an nls object (\$fit) for which generic R functions are provided, e.g. summary, stats::confint, profile. For more details, see nls.

output.table: a data.frame containing the summarised parameters including the error

component.contribution.matrix: matrix containing the values for the component to sum contribution plot (\$component.contribution.matrix).

Matrix structure:

Column 1 and 2: time and rev(time) values

Additional columns are used for the components, two for each component, containing I0 and n0. The last columns cont. provide information on the relative component contribution for each time interval including the row sum for this values.

# object

beside the plot and table output options, an RLum.Results object is returned.

fit: an nls object (\$fit) for which generic R functions are provided, e.g. summary, confint, profile. For more details, see nls.

output.table: a data.frame containing the summarised parameters including the error component.contribution.matrix: matrix containing the values for the component to sum contribution plot (\$component.contribution.matrix).

#### Matrix structure:

Column 1 and 2: time and rev(time) values

Additional columns are used for the components, two for each component, containing I0 and n0. The last columns cont. provide information on the relative component contribution for each time interval including the row sum for this values.

#### **Function version**

0.5.2

#### How to cite

Kreutzer, S., 2021. fit\_CWCurve(): Nonlinear Least Squares Fit for CW-OSL curves -beta version. Function version 0.5.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

# Beta version - This function has not been properly tested yet and should therefore not be used for publication purposes!

The pseudo- $R^2$  may not be the best parameter to describe the goodness of the fit. The trade off between the n. components and the pseudo- $R^2$  value is currently not considered.

The function **does not** ensure that the fitting procedure has reached a global minimum rather than a local minimum!

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

Boetter-Jensen, L., McKeever, S.W.S., Wintle, A.G., 2003. Optically Stimulated Luminescence Dosimetry. Elsevier Science B.V.

Lave, C.A.T., 1970. The Demand for Urban Mass Transportation. The Review of Economics and Statistics, 52 (3), 320-323.

Ritz, C. & Streibig, J.C., 2008. Nonlinear Regression with R. In: R. Gentleman, K. Hornik, G. Parmigiani, eds., Springer, p. 150.

#### See Also

fit\_LMCurve, plot,nls, RLum.Data.Curve, RLum.Results, get\_RLum, minpack.lm::nlsLM

#### **Examples**

fit\_LMCurve

Nonlinear Least Squares Fit for LM-OSL curves

# **Description**

The function determines weighted nonlinear least-squares estimates of the component parameters of an LM-OSL curve (Bulur 1996) for a given number of components and returns various component parameters. The fitting procedure uses the function nls with the port algorithm.

# Usage

```
fit_LMCurve(
  values,
  values.bg,
 n.components = 3,
  start_values,
  input.dataType = "LM",
  fit.method = "port",
  sample_code = "",
  sample_ID = "",
 LED.power = 36,
 LED.wavelength = 470,
  fit.trace = FALSE,
  fit.advanced = FALSE,
 fit.calcError = FALSE,
 bg.subtraction = "polynomial",
  verbose = TRUE,
 plot = TRUE,
 plot.BG = FALSE,
)
```

# Arguments

values RLum.Data.Curve or data.frame (**required**): x,y data of measured values (time and counts). See examples.

values.bg RLum.Data.Curve or data.frame (*optional*): x,y data of measured values (time and counts) for background subtraction.

n.components integer (*with default*): fixed number of components that are to be recognised during fitting (min = 1, max = 7).

start_values	data.frame ( <i>optional</i> ): start parameters for 1m and xm data for the fit. If no start values are given, an automatic start value estimation is attempted (see details).
input.dataType	character ( <i>with default</i> ): alter the plot output depending on the input data: "LM" or "pLM" (pseudo-LM). See: CW2pLM
fit.method	character (with default): select fit method, allowed values: 'port' and 'LM'. 'port' uses the 'port' routine from the function nls 'LM' utilises the function nlsLM from the package minpack.lm and with that the Levenberg-Marquardt algorithm.
sample_code	character (optional): sample code used for the plot and the optional output table (mtext).
sample_ID	character (optional): additional identifier used as column header for the table output.
LED.power	<ul><li>numeric (with default): LED power (max.) used for intensity ramping in mW/cm<sup>2</sup>.</li><li>Note: This value is used for the calculation of the absolute photoionisation cross section.</li></ul>
LED.wavelength	numeric (with default): LED wavelength in nm used for stimulation. <b>Note:</b> This value is used for the calculation of the absolute photoionisation cross section.
fit.trace	logical (with default): traces the fitting process on the terminal.
fit.advanced	logical (with default): enables advanced fitting attempt for automatic start parameter recognition. Works only if no start parameters are provided. <b>Note:</b> It may take a while and it is not compatible with fit.method = "LM".
fit.calcError	logical (with default): calculate 1-sigma error range of components using stats::confint.
bg.subtraction	<pre>character (with default): specifies method for background subtraction (polynomial, linear, channel, see Details). Note: requires input for values.bg.</pre>
verbose	logical (with default): terminal output with fitting results.
plot	logical (with default): returns a plot of the fitted curves.
plot.BG	logical (with default): returns a plot of the background values with the fit used for the background subtraction.
•••	Further arguments that may be passed to the plot output, e.g. xlab, xlab, main, log.

# **Details**

# **Fitting function**

The function for the fitting has the general form:

$$y = (exp(0.5)*Im_1*x/xm_1)*exp(-x^2/(2*xm_1^2))+, \dots, +exp(0.5)*Im_i*x/xm_i)*exp(-x^2/(2*xm_i^2))$$

where 1 < i < 8

This function and the equations for the conversion to b (detrapping probability) and n0 (proportional to initially trapped charge) have been taken from Kitis et al. (2008):

$$xm_i = \sqrt{max(t)/b_i}$$

$$Im_i = exp(-0.5)n0/xm_i$$

# **Background subtraction**

Three methods for background subtraction are provided for a given background signal (values.bg).

 polynomial: default method. A polynomial function is fitted using glm and the resulting function is used for background subtraction:

$$y = a * x^4 + b * x^3 + c * x^2 + d * x + e$$

• linear: a linear function is fitted using glm and the resulting function is used for background subtraction:

$$y = a * x + b$$

channel: the measured background signal is subtracted channel wise from the measured signal.

# **Start values**

The choice of the initial parameters for the nls-fitting is a crucial point and the fitting procedure may mainly fail due to ill chosen start parameters. Here, three options are provided:

- (a) If no start values (start\_values) are provided by the user, a cheap guess is made by using the detrapping values found by Jain et al. (2003) for quartz for a maximum of 7 components. Based on these values, the pseudo start parameters xm and Im are recalculated for the given data set. In all cases, the fitting starts with the ultra-fast component and (depending on n.components) steps through the following values. If no fit could be achieved, an error plot (for plot = TRUE) with the pseudo curve (based on the pseudo start parameters) is provided. This may give the opportunity to identify appropriate start parameters visually.
- (b) If start values are provided, the function works like a simple nls fitting approach.
- (c) If no start parameters are provided and the option fit.advanced = TRUE is chosen, an advanced start parameter estimation is applied using a stochastic attempt. Therefore, the recalculated start parameters (a) are used to construct a normal distribution. The start parameters are then sampled randomly from this distribution. A maximum of 100 attempts will be made. **Note:** This process may be time consuming.

#### Goodness of fit

The goodness of the fit is given by a pseudo-R^2 value (pseudo coefficient of determination). According to Lave (1970), the value is calculated as:

$$pseudoR^2 = 1 - RSS/TSS$$

where RSS = Residual Sum of Squares and TSS = Total Sum of Squares

# Error of fitted component parameters

The 1-sigma error for the components is calculated using the function stats::confint. Due to considerable calculation time, this option is deactivated by default. In addition, the error for the components can be estimated by using internal R functions like summary. See the nls help page for more information.

For more details on the nonlinear regression in R, see Ritz & Streibig (2008).

#### Value

Various types of plots are returned. For details see above. Furthermore an RLum.Results object is returned with the following structure:

@data:

- .. \$data: data.frame with fitting results
- .. \$fit : nls (nls object)
- .. \$component\_matrix: matrix with numerical xy-values of the single fitted components with the

resolution of the input data .. \$component.contribution.matrix : list component distribution matrix

info:

.. \$call: call the original function call

Matrix structure for the distribution matrix:

Column 1 and 2: time and rev(time) values

Additional columns are used for the components, two for each component, containing I0 and n0. The last columns cont. provide information on the relative component contribution for each time interval including the row sum for this values.

#### **Function version**

0.3.3

#### How to cite

Kreutzer, S., 2021. fit\_LMCurve(): Nonlinear Least Squares Fit for LM-OSL curves. Function version 0.3.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

The pseudo- $R^2$  may not be the best parameter to describe the goodness of the fit. The trade off between the n. components and the pseudo- $R^2$  value currently remains unconsidered.

The function **does not** ensure that the fitting procedure has reached a global minimum rather than a local minimum! In any case of doubt, the use of manual start values is highly recommended.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

# References

Bulur, E., 1996. An Alternative Technique For Optically Stimulated Luminescence (OSL) Experiment. Radiation Measurements, 26, 5, 701-709.

Jain, M., Murray, A.S., Boetter-Jensen, L., 2003. Characterisation of blue-light stimulated luminescence components in different quartz samples: implications for dose measurement. Radiation Measurements, 37 (4-5), 441-449.

Kitis, G. & Pagonis, V., 2008. Computerized curve deconvolution analysis for LM-OSL. Radiation Measurements, 43, 737-741.

Lave, C.A.T., 1970. The Demand for Urban Mass Transportation. The Review of Economics and Statistics, 52 (3), 320-323.

Ritz, C. & Streibig, J.C., 2008. Nonlinear Regression with R. R. Gentleman, K. Hornik, & G. Parmigiani, eds., Springer, p. 150.

#### See Also

fit\_CWCurve, plot, nls, minpack.lm::nlsLM, get\_RLum

fit\_OSLLifeTimes 179

#### **Examples**

```
##(1) fit LM data without background subtraction
data(ExampleData.FittingLM, envir = environment())
fit_LMCurve(values = values.curve, n.components = 3, log = "x")
##(2) fit LM data with background subtraction and export as JPEG
## -alter file path for your preferred system
##jpeg(file = "~/Desktop/Fit_Output\%03d.jpg", quality = 100,
## height = 3000, width = 3000, res = 300)
data(ExampleData.FittingLM, envir = environment())
fit_LMCurve(values = values.curve, values.bg = values.curveBG,
            n.components = 2, log = "x", plot.BG = TRUE)
##dev.off()
##(3) fit LM data with manual start parameters
data(ExampleData.FittingLM, envir = environment())
fit_LMCurve(values = values.curve,
            values.bg = values.curveBG,
            n.components = 3,
            log = "x",
            start_values = data.frame(Im = c(170, 25, 400), xm = c(56, 200, 1500)))
```

fit\_OSLLifeTimes

Fitting and Deconvolution of OSL Lifetime Components

# **Description**

Fitting and Deconvolution of OSL Lifetime Components

# Usage

```
fit_OSLLifeTimes(
  object,
  tp = 0,
  signal_range = NULL,
  n.components = NULL,
  method_control = list(),
  plot = TRUE,
  plot_simple = FALSE,
  verbose = TRUE,
  ...
)
```

# **Arguments**

object

RLum.Data.Curve, RLum.Analysis, data.frame or matrix (**required**): Input object containing the data to be analysed. All objects can be provided also as list for an automated processing. Please note: NA values are automatically removed and the dataset should comprise at least 5 data points.

180 fit\_OSLLifeTimes

tp numeric (with default): option to account for the stimulation pulse width. For off-time measurements the default value is 0. tp has the same unit as the measurement data, e.g., µs. Please set this parameter carefully, if it all, otherwise you may heavily bias your fit results.

signal\_range numeric (optional): allows to set a channel range, by default all channels are used, e.g. signal\_range = c(2,100) considers only channels 2 to 100 and signal\_range = c(2) considers only channels from channel 2 onwards.

numeric (optional): Fix the number of components. If set the algorithm will try

to fit the number of predefined components. If nothing is set, the algorithm will

try to find the best number of components.

method\_control list (optional): Named to allow a more fine control of the fitting process. See

details for allowed options.

plot logical (with default): Enable/disable plot output

plot\_simple logical (with default): Enable/disable reduced plot output. If TRUE, no residual

plot is shown, however, plot output can be combined using the standard R layout

options, such as par(mfrow = c(2,2)).

verbose logical (with default): Enable/disable terminal feedback

parameters passed to plot.default to control the plot output, supported are: main,

xlab, ylab, log, xlim, ylim, col, lty, legend.pos, legend.text. If the input object is of type RLum.Analysis this arguments can be provided as a list.

#### **Details**

n.components

The function intends to provide an easy access to pulsed optically stimulated luminescence (POSL) data, in order determine signal lifetimes. The fitting is currently optimised to work with the off-time flank of POSL measurements only. For the signal deconvolution, a differential evolution optimisation is combined with nonlinear least-square fitting following the approach by Bluszcz & Adamiec (2006).

#### Component deconvolution algorithm

The component deconvolution consists of two steps:

# (1) Adaptation phase

In the adaptation phase the function tries to figure out the optimal and statistically justified number of signal components following roughly the approach suggested by Bluszcz & Adamiec (2006). In contrast to their work, for the optimisation by differential evolution here the package 'DEoptim' is

The function to be optimized has the form:

$$\chi^{2} = \sum (w * (n_{i}/c - \sum (A_{i} * exp(-x/(tau_{i} + t_{p}))))^{2})$$

with w=1 for unweighted regression analysis (method\_control = list(weights = FALSE)) or  $w=c^2/n_i$  for weighted regression analysis. The default values is TRUE.

$$F = (\Delta \chi^2 / 2) / (\chi^2 / (N - 2 * m - 2))$$

(2) Final fitting method\_control

fit\_OSLLifeTimes 181

Parameter	Type	Description
p	numeric	controls the probability for the F statistic reference values. For a significance level of 5 %
seed	numeric	set the seed for the random number generator, provide a value here to get reproducible re
DEoptim.trace	logical	enables/disables the tracing of the differential evolution (cf. DEoptim::DEoptim.control)
DEoptim.itermax	logical	controls the number of the allowed generations (cf. DEoptim::DEoptim.control)
weights	logical	enables/disables the weighting for the start parameter estimation and fitting (see equation
nlsLM.trace	logical	enables/disables trace mode for the nls fitting (minpack.lm::nlsLM), can be used to ident
nlsLM.upper	logical	enables/disables upper parameter boundary, default is TRUE
nlsLM.lower	logical	enables/disables lower parameter boundary, default is TRUE
		·

## Value

### [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Element Type Description

\$data matrix the final fit matrix

\$start\_matrix matrix the start matrix used for the fitting

\$total\_counts integer Photon count sum

\$fit nls the fit object returned by minpack.lm::nls.lm

slot: @info

The original function call

## [ TERMINAL OUTPUT ]

Terminal output is only shown of the argument verbose = TRUE.

(1) Start parameter and component adaption

Trave of the parameter adaptation process

(2) Fitting results (sorted by ascending tau)

The fitting results sorted by ascending tau value. Please note that if you access the nls fitting object, the values are not sorted.

- (3) Further information
  - The photon count sum
  - Durbin-Watson residual statistic to asses whether the residuals are correlated, ideally the residuals should be not correlated at all. Rough measures are:
    - D = 0: the residuals are systematically correlated
    - D = 2: the residuals are randomly distributed
    - D = 4: the residuals are systematically anti-correlated

You should be suspicious if D differs largely from 2.

182 fit\_OSLLifeTimes

# [ PLOT OUTPUT ]

A plot showing the original data and the fit so far possible. The lower plot shows the residuals of the fit.

#### **Function version**

0.1.5

### How to cite

Kreutzer, S., Schmidt, C., 2021. fit\_OSLLifeTimes(): Fitting and Deconvolution of OSL Lifetime Components. Function version 0.1.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University, Christoph Schmidt, University of Bayreuth (Germany), RLum Developer Team

### References

Bluszcz, A., Adamiec, G., 2006. Application of differential evolution to fitting OSL decay curves. Radiation Measurements 41, 886-891. doi: 10.1016/j.radmeas.2006.05.016

Durbin, J., Watson, G.S., 1950. Testing for Serial Correlation in Least Squares Regression: I. Biometrika 37, 409-21. doi:10.2307/2332391

## **Further reading**

Hughes, I., Hase, T., 2010. Measurements and Their Uncertainties. Oxford University Press.

Storn, R., Price, K., 1997. Differential Evolution – A Simple and Efficient Heuristic for Global Optimization over Continuous Spaces. Journal of Global Optimization 11, 341–359.

### See Also

minpack.lm::nls.lm, DEoptim::DEoptim

## **Examples**

```
##load example data
data(ExampleData.TR_OSL, envir = environment())
##fit lifetimes (short run)
fit_OSLLifeTimes(
  object = ExampleData.TR_OSL,
    n.components = 1)
##long example
## Not run:
fit_OSLLifeTimes(
```

fit\_SurfaceExposure 183

```
object = ExampleData.TR_OSL)
## End(Not run)
```

fit\_SurfaceExposure

Nonlinear Least Squares Fit for OSL surface exposure data

## Description

This function determines the (weighted) least-squares estimates of the parameters of either equation 1 in *Sohbati et al.* (2012a) or equation 12 in *Sohbati et al.* (2012b) for a given OSL surface exposure data set (**BETA**).

## Usage

```
fit_SurfaceExposure(
  data,
  sigmaphi = NULL,
  mu = NULL,
  age = NULL,
  Ddot = NULL,
  D0 = NULL,
  weights = FALSE,
  plot = TRUE,
  legend = TRUE,
  error_bars = TRUE,
  coord_flip = FALSE,
  ...
)
```

## **Arguments**

data

data.frame or list (required): Measured OSL surface exposure data with the following structure:

				(	(opt	iona	1)
1	depth (a	a.u.)	inten	sity	er	ror	
1	[,	1] [	[	,2]	Ι [	,3]	l
-							
[1, ]	~~~~	- 1	~~	~~~	~~	~~	
[2, ]	~~~~	- 1	~~	~~~	~~	~~	
		- 1			١.		
[x, ]	~~~~	- 1	~~	~~~	~~	~~	l

Alternatively, a list of data.frames can be provided, where each data.frame has the same structure as shown above, with the exception that they must **not** include the optional error column. Providing a list as input automatically activates the global fitting procedure (see details).

sigmaphi

numeric (optional): A numeric value for sigmaphi, i.e. the charge detrapping
rate. Example: sigmaphi = 5e-10

184 fit\_SurfaceExposure

numeric (optional): A numeric value for mu, i.e. the light attenuation coeffimu cient. Example: mu = 0.9 numeric (optional): The age (a) of the sample, if known. If data is a list of x age samples, then age must be a numeric vector of length x. Example: age = 10000, or age = c(1e4, 1e5, 1e6). Ddot numeric (optional): A numeric value for the environmental dose rate (Gy/ka). For this argument to be considered a value for D0 must also be provided; otherwise it will be ignored. D0 numeric (optional): A numeric value for the characteristic saturation dose (Gy). For this argument to be considered a value for Ddot must also be provided; otherwise it will be ignored. weights logical (optional): If TRUE the fit will be weighted by the inverse square of the error. Requires data to be a data.frame with three columns. plot logical (optional): Show or hide the plot. legend logical (optional): Show or hide the equation inside the plot. error\_bars logical (optional): Show or hide error bars (only applies if errors were provided). coord\_flip logical (optional): Flip the coordinate system. Further parameters passed to plot. Custom parameters include:

• verbose (logical): show or hide console output

verbose (logicar). show of finde console (

• line\_col: Colour of the fitted line

• line\_lty: Type of the fitted line (see lty in ?par)

• line\_lwd: Line width of the fitted line (see lwd in ?par)

### **Details**

## Weighted fitting

If weights = TRUE the function will use the inverse square of the error  $(1/\sigma^2)$  as weights during fitting using minpack.lm::nlsLM. Naturally, for this to take effect individual errors must be provided in the third column of the data. frame for data. Weighted fitting is **not** supported if data is a list of multiple data. frames, i.e., it is not available for global fitting.

### Dose rate

If any of the arguments Ddot or D0 is at its default value (NULL), this function will fit equation 1 in Sohbati et al. (2012a) to the data. If the effect of dose rate (i.e., signal saturation) needs to be considered, numeric values for the dose rate (Ddot) (in Gy/ka) and the characteristic saturation dose (D0) (in Gy) must be provided. The function will then fit equation 12 in Sohbati et al. (2012b) to the data.

**NOTE**: Currently, this function does **not** consider the variability of the dose rate with sample depth (x)! In the original equation the dose rate D is an arbitrary function of x (term D(x)), but here D is assumed constant.

## **Global fitting**

If data is list of multiple data. frames, each representing a separate sample, the function automatically performs a global fit to the data. This may be useful to better constrain the parameters sigmaphi or mu and **requires** that known ages for each sample is provided (e.g., age = c(100, 1000)) if data is a list with two samples).

fit\_SurfaceExposure 185

### Value

Function returns results numerically and graphically:

[ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Element	Type	Description
\$summary	data.frame	summary of the fitting results
\$data	data.frame	the original input data
\$fit	nls	the fitting object produced by minpack.lm::nlsLM
\$args	character	arguments of the call
\$call	call	the original function call

slot: @info

Currently unused.

[ PLOT OUTPUT ]

A scatter plot of the provided depth-intensity OSL surface exposure data with the fitted model.

## **Function version**

0.1.0

#### How to cite

Burow, C., 2021. fit\_SurfaceExposure(): Nonlinear Least Squares Fit for OSL surface exposure data. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

This function has BETA status. If possible, results should be cross-checked.

## Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

## References

Sohbati, R., Murray, A.S., Chapot, M.S., Jain, M., Pederson, J., 2012a. Optically stimulated luminescence (OSL) as a chronometer for surface exposure dating. Journal of Geophysical Research 117, B09202. doi: 10.1029/2012JB009383

Sohbati, R., Jain, M., Murray, A.S., 2012b. Surface exposure dating of non-terrestrial bodies using optically stimulated luminescence: A new method. Icarus 221, 160-166.

#### See Also

ExampleData.SurfaceExposure, minpack.lm::nlsLM

## **Examples**

```
## Load example data
data("ExampleData.SurfaceExposure")
## Example 1 - Single sample
# Known parameters: 10000 a, mu = 0.9, sigmaphi = 5e-10
sample_1 <- ExampleData.SurfaceExposure$sample_1</pre>
head(sample_1)
results <- fit_SurfaceExposure(sample_1, mu = 0.9, sigmaphi = 5e-10)
get_RLum(results)
## Example 2 - Single sample and considering dose rate
# Known parameters: 10000 a, mu = 0.9, sigmaphi = 5e-10,
\# dose rate = 2.5 Gy/ka, D0 = 40 Gy
sample_2 <- ExampleData.SurfaceExposure$sample_2</pre>
head(sample_2)
results <- fit_SurfaceExposure(sample_2, mu = 0.9, sigmaphi = 5e-10,
                               Ddot = 2.5, D0 = 40)
get_RLum(results)
## Example 3 - Multiple samples (global fit) to better constrain 'mu'
# Known parameters: ages = 1e3, 1e4, 1e5, 1e6 a, mu = 0.9, sigmaphi = 5e-10
set_1 <- ExampleData.SurfaceExposure$set_1</pre>
str(set_1, max.level = 2)
results <- fit_SurfaceExposure(set_1, age = c(1e3, 1e4, 1e5, 1e6),
                               sigmaphi = 5e-10)
get_RLum(results)
## Example 4 - Multiple samples (global fit) and considering dose rate
# Known parameters: ages = 1e2, 1e3, 1e4, 1e5, 1e6 a, mu = 0.9, sigmaphi = 5e-10,
\# dose rate = 1.0 Ga/ka, D0 = 40 Gy
set_2 <- ExampleData.SurfaceExposure$set_2</pre>
str(set_2, max.level = 2)
results <- fit_SurfaceExposure(set_2, age = c(1e2, 1e3, 1e4, 1e5, 1e6),
                               sigmaphi = 5e-10, Ddot = 1, D0 = 40)
get_RLum(results)
```

fit\_ThermalQuenching Fitting Thermal Quenching Data

### **Description**

Applying a nls-fitting to thermal quenching data.

fit\_ThermalQuenching

187

### Usage

```
fit_ThermalQuenching(
  data,
  start_param = list(),
  method_control = list(),
  n.MC = 100,
  verbose = TRUE,
  plot = TRUE,
  ...
)
```

## **Arguments**

data data.frame (**required**): input data with three columns, the first column contains

temperature values in deg. C, columns 2 and 3 the dependent values with its

error

start\_param list (optional): option to provide own start parameters for the fitting, see details

method\_control list (optional): further options to fine tune the fitting, see details for further

information

n.MC numeric (with default): number of Monte Carlo runs for the error estimation. If

n.MC is NULL or <=1, the error estimation is skipped

verbose logical (with default): enables/disables terminal output plot logical (with default): enables/disables plot output

... further arguments that can be passed to control the plotting, support are main,

pch, col\_fit, col\_points, lty, lwd, xlab, ylab, xlim, ylim, xaxt

### **Details**

## **Used equation**

The equation used for the fitting is

$$y = (A/(1 + C * (exp(-W/(k * x))))) + c$$

W is the energy depth in eV and C is dimensionless constant. A and c are used to adjust the curve for the given signal. k is the Boltzmann in eV/K and x is the absolute temperature in K.

## **Error estimation**

The error estimation is done be varying the input parameters using the given uncertainties in a Monte Carlo simulation. Errors are assumed to follow a normal distribution.

```
start_param
```

The function allows the injection of own start parameters via the argument start\_param. The parameters needs to be provided as names list. The names are the parameters to be optimised. Examples:  $start_param = list(A = 1, C = 1e+5, W = 0.5, c = 0)$ 

```
method_control
```

The following arguments can be provided via method\_control. Please note that arguments provided via method\_control are not further tested, i.e., if the function crashes your input was probably wrong.

ARGUMENT	TYPE	DESCRIPTION
upper	named vector	sets upper fitting boundaries, if provided boundaries for all arguments are required, e.g.,
lower	names vector	sets lower fitting boundaries (see upper for details)
trace	logical	enables/disables progression trace for minpack.lm::nlsLM
weights	numeric	option to provide own weights for the fitting, the length of this vector needs to be equal t

#### Value

The function returns numerical output and an (optional) plot.

[ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

[.. \$data : data.frame]

A table with all fitting parameters and the number of Monte Carlo runs used for the error estimation. [.. \$fit : nls object]

The nls stats::nls object returned by the function minpack.lm::nlsLM. This object can be further passed to other functions supporting an nls object (cf. details section in stats::nls)

slot: @info [.. \$call : call]

The original function call.

[ GAPHICAL OUTPUT ]

Plotted are temperature against the signal and their uncertainties. The fit is shown as dashed-line (can be modified). Please note that for the fitting the absolute temperature values are used but are re-calculated to deg. C for the plot.

## **Function version**

0.1.0

## How to cite

Kreutzer, S., 2021. fit\_ThermalQuenching(): Fitting Thermal Quenching Data. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

190 get\_Layout

### References

Wintle, A.G., 1975. Thermal Quenching of Thermoluminescence in Quartz. Geophys. J. R. astr. Soc. 41, 107–113.

#### See Also

minpack.lm::nlsLM

## **Examples**

```
##create short example dataset
data <- data.frame(
    T = c(25, 40, 50, 60, 70, 80, 90, 100, 110),
    V = c(0.06, 0.058, 0.052, 0.051, 0.041, 0.034, 0.035, 0.033, 0.032),
    V_X = c(0.012, 0.009, 0.008, 0.008, 0.007, 0.006, 0.005, 0.005, 0.004))
##fit
fit_ThermalQuenching(
    data = data,
    n.MC = NULL)</pre>
```

get\_Layout

Collection of layout definitions

### **Description**

This helper function returns a list with layout definitions for homogeneous plotting.

# Usage

```
get_Layout(layout)
```

## **Arguments**

layout

character or list object (**required**): name of the layout definition to be returned. If name is provided the respective definition is returned. One of the following supported layout definitions is possible: "default", "journal.1", "small", "empty".

User-specific layout definitions must be provided as a list object of predefined structure, see details.

## **Details**

The easiest way to create a user-specific layout definition is perhaps to create either an empty or a default layout object and fill/modify the definitions (user.layout <-get\_Layout(data = "empty")).

## Value

A list object with layout definitions for plot functions.

get\_Quote 191

### **Function version**

0.1

### How to cite

Dietze, M., 2021. get\_Layout(): Collection of layout definitions. Function version 0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

## **Examples**

get\_Quote

Function to return essential quotes

### **Description**

This function returns one of the collected essential quotes in the growing library. If called without any parameters, a random quote is returned.

## Usage

```
get_Quote(ID, separated = FALSE)
```

192 get\_rightAnswer

### **Arguments**

ID character (optional): quote ID to be returned.

separated logical (with default): return result in separated form.

## Value

Returns a character with quote and respective (false) author.

### **Function version**

0.1.5

#### How to cite

Dietze, M., Kreutzer, S., 2021. get\_Quote(): Function to return essential quotes. Function version 0.1.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Michael Dietze, GFZ Potsdam (Germany), Sebastian Kreutzer, Geography & Earth Science, Aberystwyth University (United Kingdom), Dirk Mittelstraß, TU Dresden (Germany), RLum Developer Team

## **Examples**

```
## ask for an arbitrary quote
get_Quote()
```

get\_rightAnswer

Function to get the right answer

## Description

This function returns just the right answer

## Usage

```
get_rightAnswer(...)
```

## Arguments

... you can pass an infinite number of further arguments

## Value

Returns the right answer

get\_Risoe.BINfileData 193

#### **Function version**

0.1.0

### How to cite

NA, NA, , , 2021. get\_rightAnswer(): Function to get the right answer. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

```
inspired by R.G., RLum Developer Team
```

## **Examples**

```
## you really want to know?
get_rightAnswer()
```

get\_Risoe.BINfileData General accessor function for RLum S4 class objects

## Description

Function calls object-specific get functions for RisoeBINfileData S4 class objects.

### Usage

```
get_Risoe.BINfileData(object, ...)
```

## **Arguments**

object Risoe.BINfileData (required): S4 object of class RLum

... further arguments that one might want to pass to the specific get function

## **Details**

The function provides a generalised access point for specific Risoe.BINfileData objects. Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding Risoe.BINfileData class.

## Value

Return is the same as input objects as provided in the list

## **Function version**

0.1.0

194 get\_RLum

### How to cite

Kreutzer, S., 2021. get\_Risoe.BINfileData(): General accessor function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

Risoe.BINfileData

get\_RLum

General accessors function for RLum S4 class objects

### **Description**

Function calls object-specific get functions for RLum S4 class objects.

### Usage

```
get_RLum(object, ...)
## S4 method for signature 'list'
get_RLum(object, class = NULL, null.rm = FALSE, ...)
## S4 method for signature '`NULL`'
get_RLum(object, ...)
```

### **Arguments**

object	RLum ( <b>required</b> ): S4 object of class RLum or an object of type list containing only objects of type RLum
	further arguments that will be passed to the object specific methods. For further details on the supported arguments please see the class documentation: RLum.Data.Curve, RLum.Data.Spectrum, RLum.Data.Image, RLum.Analysis and RLum.Results
class	character ( <i>optional</i> ): allows to define the class that gets selected if applied to a list, e.g., if a list consists of different type of RLum-class objects, this arguments allows to make selection. If nothing is provided, all RLum-objects are treated.
null.rm	logical (with default): option to get rid of empty and NULL objects

## **Details**

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

GitHub-API 195

#### Value

Return is the same as input objects as provided in the list.

#### **Functions**

- get\_RLum, list-method: Returns a list of RLum objects that had been passed to get\_RLum
- get\_RLum, NULL-method: Returns NULL

#### **Function version**

0.3.3

#### How to cite

Kreutzer, S., 2021. get\_RLum(): General accessors function for RLum S4 class objects. Function version 0.3.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

## **Examples**

```
##Example based using data and from the calc_CentralDose() function
##load example data
data(ExampleData.DeValues, envir = environment())

##apply the central dose model 1st time
temp1 <- calc_CentralDose(ExampleData.DeValues$CA1)

##get results and store them in a new object
temp.get <- get_RLum(object = temp1)</pre>
```

GitHub-API

GitHub API

## Description

R Interface to the GitHub API v3.

196 GitHub-API

## Usage

```
github_commits(user = "r-lum", repo = "luminescence", branch = "master", n = 5)
github_branches(user = "r-lum", repo = "luminescence")
github_issues(user = "r-lum", repo = "luminescence", verbose = TRUE)
```

#### **Arguments**

character (with default): GitHub user name (defaults to 'r-lum').

repo character (with default): name of a GitHub repository (defaults to 'luminescence').

branch character (with default): branch of a GitHub repository (defaults to 'master').

n integer (with default): number of commits returned (defaults to 5).

verbose logical (with default): print the output to the console (defaults to TRUE).

#### **Details**

These functions can be used to query a specific repository hosted on GitHub.

github\_commits lists the most recent n commits of a specific branch of a repository.

github\_branches can be used to list all current branches of a repository and returns the corresponding SHA hash as well as an installation command to install the branch in R via the 'devtools' package.

github\_issues lists all open issues for a repository in valid YAML.

## Value

github\_commits: data.frame with columns:

- [,1] SHA
- [,2] AUTHOR
- [,3] DATE
- [,4] MESSAGE

github\_branches: data.frame with columns:

- [,1] BRANCH
- [,2] SHA
- [,3] INSTALL

github\_commits: Nested list with n elements. Each commit element is a list with elements:

- [[1]] NUMBER
- [[2]] TITLE
- [[3]] BODY
- [[4]] CREATED
- [[5]] UPDATED
- [[6]] CREATOR

[[7]] URL [[8]] STATUS

### **Function version**

0.1.0

#### How to cite

Burow, C., 2021. GitHub-API(): GitHub API. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

#### References

GitHub Developer API v3. https://developer.github.com/v3/, last accessed: 10/01/2017.

## **Examples**

```
## Not run:
github_branches(user = "r-lum", repo = "luminescence")
github_issues(user = "r-lum", repo = "luminescence")
github_commits(user = "r-lum", repo = "luminescence", branch = "master", n = 10)
## End(Not run)
```

install\_DevelopmentVersion

Attempts to install the development version of the 'Luminescence' package

## **Description**

This function is a convenient method for installing the development version of the R package 'Luminescence' directly from GitHub.

## Usage

```
install_DevelopmentVersion(force_install = FALSE)
```

# Arguments

force\_install

logical (optional): If FALSE (the default) the function produces and prints the required code to the console for the user to run manually afterwards. When TRUE and all requirements are fulfilled (see details) this function attempts to install the package itself.

length\_RLum

#### **Details**

This function uses Luminescence::github\_branches to check which development branches of the R package 'Luminescence' are currently available on GitHub. The user is then prompted to choose one of the branches to be installed. It further checks whether the R package 'devtools' is currently installed and available on the system. Finally, it prints R code to the console that the user can copy and paste to the R console in order to install the desired development version of the package.

If force\_install=TRUE the functions checks if 'devtools' is available and then attempts to install the chosen development branch via devtools::remote-reexports.

#### Value

This function requires user input at the command prompt to choose the desired development branch to be installed. The required R code to install the package is then printed to the console.

## **Examples**

```
## Not run:
install_DevelopmentVersion()
## End(Not run)
```

length\_RLum

General accessor function for RLum S4 class objects

## Description

Function calls object-specific get functions for RLum S4 class objects.

### Usage

```
length_RLum(object)
```

## **Arguments**

object RLum (requir

RLum (required): S4 object of class RLum

## **Details**

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

## Value

Return is the same as input objects as provided in the list.

## **Function version**

0.1.0

#### How to cite

Kreutzer, S., 2021. length\_RLum(): General accessor function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) (France) , RLum Developer Team

#### See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

```
merge_Risoe.BINfileData
```

Merge Risoe.BINfileData objects or Risoe BIN-files

## **Description**

Function allows merging Risoe BIN/BINX files or Risoe.BINfileData objects.

### Usage

```
merge_Risoe.BINfileData(
  input.objects,
  output.file,
  keep.position.number = FALSE,
  position.number.append.gap = 0
)
```

### **Arguments**

input.objects

character with Risoe.BINfileData objects (required): Character vector with path
and files names (e.g. input.objects = c("path/file1.bin", "path/file2.bin")
or Risoe.BINfileData objects (e.g. input.objects = c(object1, object2)).
Alternatively a list is supported.

output.file

character (optional): File output path and name. If no value is given, a Risoe.BINfileData is returned instead of a file.

keep.position.number

logical (with default): Allows keeping the original position numbers of the input objects. Otherwise the position numbers are recalculated.

```
position.number.append.gap
```

integer (with default): Set the position number gap between merged BIN-file sets, if the option keep.position.number = FALSE is used. See details for further information.

#### **Details**

The function allows merging different measurements to one file or one object. The record IDs are recalculated for the new object. Other values are kept for each object. The number of input objects is not limited.

position.number.append.gap option

If the option keep.position.number = FALSE is used, the position numbers of the new data set are recalculated by adding the highest position number of the previous data set to the each position number of the next data set. For example: The highest position number is 48, then this number will be added to all other position numbers of the next data set (e.g. 1 + 48 = 49)

However, there might be cases where an additional addend (summand) is needed before the next position starts. Example:

- Position number set (A): 1,3,5,7
- Position number set (B): 1,3,5,7

With no additional summand the new position numbers would be: 1,3,5,7,8,9,10,11. That might be unwanted. Using the argument position.number.append.gap = 1 it will become: 1,3,5,7,9,11,13,15,17.

#### Value

Returns a file or a Risoe.BINfileData object.

#### **Function version**

0.2.7

## How to cite

Kreutzer, S., 2021. merge\_Risoe.BINfileData(): Merge Risoe.BINfileData objects or Risoe BINfiles. Function version 0.2.7. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

The validity of the output objects is not further checked.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## References

Duller, G., 2007. Analyst.

## See Also

Risoe.BINfileData, read\_BIN2R, write\_R2BIN

merge\_RLum 201

### **Examples**

```
##merge two objects
data(ExampleData.BINfileData, envir = environment())

object1 <- CWOSL.SAR.Data
object2 <- CWOSL.SAR.Data
object.new <- merge_Risoe.BINfileData(c(object1, object2))</pre>
```

merge\_RLum

General merge function for RLum S4 class objects

## **Description**

Function calls object-specific merge functions for RLum S4 class objects.

### Usage

```
merge_RLum(objects, ...)
```

## **Arguments**

objects list of RLum (**required**): list of S4 object of class RLum
... further arguments that one might want to pass to the specific merge function

# Details

The function provides a generalised access point for merge specific RLum objects. Depending on the input object, the corresponding merge function will be selected. Allowed arguments can be found in the documentations of each merge function. Empty list elements (NULL) are automatically removed from the input list.

objectcorresponding merge functionRLum.Data.Curve: merge\_RLum.Data.CurveRLum.Analysis: merge\_RLum.AnalysisRLum.Results: merge\_RLum.Results

## Value

Return is the same as input objects as provided in the list.

## **Function version**

0.1.2

### How to cite

Kreutzer, S., 2021. merge\_RLum(): General merge function for RLum S4 class objects. Function version 0.1.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J.,

202 names\_RLum

2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

So far not for every RLum object a merging function exists.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

### **Examples**

```
##Example based using data and from the calc_CentralDose() function
##load example data
data(ExampleData.DeValues, envir = environment())
##apply the central dose model 1st time
temp1 <- calc_CentralDose(ExampleData.DeValues$CA1)
##apply the central dose model 2nd time
temp2 <- calc_CentralDose(ExampleData.DeValues$CA1)
##merge the results and store them in a new object
temp.merged <- get_RLum(merge_RLum(objects = list(temp1, temp2)))</pre>
```

names\_RLum

S4-names function for RLum S4 class objects

## **Description**

Function calls object-specific names functions for RLum S4 class objects.

## Usage

```
names_RLum(object)
## S4 method for signature 'list'
names_RLum(object)
```

### **Arguments**

object RLum (required): S4 object of class RLum

#### **Details**

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding 'names' function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

#### Value

Returns a character

#### **Functions**

• names\_RLum, list-method: Returns a list of RLum objects that had been passed to names\_RLum

### **Function version**

0.1.0

### How to cite

Kreutzer, S., 2021. names\_RLum(): S4-names function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

plot\_AbanicoPlot

Function to create an Abanico Plot.

### **Description**

A plot is produced which allows comprehensive presentation of data precision and its dispersion around a central value as well as illustration of a kernel density estimate, histogram and/or dot plot of the dose values.

## Usage

```
plot_AbanicoPlot(
  data,
  na.rm = TRUE,
  log.z = TRUE,
  z.0 = "mean.weighted",
  dispersion = "qr",
  plot.ratio = 0.75,
```

```
rotate = FALSE,
  mtext.
  summary,
  summary.pos,
  summary.method = "MCM",
  legend,
  legend.pos,
  stats,
  rug = FALSE,
  kde = TRUE,
  hist = FALSE,
  dots = FALSE,
  boxplot = FALSE,
  y.axis = TRUE,
  error.bars = FALSE,
  bar,
  bar.col,
  polygon.col,
  line,
  line.col,
  line.lty,
  line.label,
  grid.col,
  frame = 1,
  bw = "SJ",
  interactive = FALSE,
)
```

# Arguments

data

data.frame or RLum.Results object (**required**): for data.frame two columns: De (data[,1]) and De error (data[,2]). To plot several data sets in one plot the data sets must be provided as list, e.g. list(data.1,data.2).

na.rm

logical (with default): exclude NA values from the data set prior to any further operations.

log.z

logical (with default): Option to display the z-axis in logarithmic scale. Default is TRUE.

z.0

character or numeric: User-defined central value, used for centring of data. One out of "mean", "mean.weighted" and "median" or a numeric value (not its logarithm). Default is "mean.weighted".

dispersion

character (with default): measure of dispersion, used for drawing the scatter polygon. One out of

- "qr" (quartile range),
- "pnn" (symmetric percentile range with nn the lower percentile, e.g.
- "p05" depicting the range between 5 and 95 %),
- "sd" (standard deviation) and
- "2sd" (2 standard deviations),

The default is "qr". Note that "sd" and "2sd" are only meaningful in combination with "z.0 = 'mean'" because the unweighted mean is used to centre the polygon.

plot.ratio numeric: Relative space, given to the radial versus the cartesian plot part, default

is 0.75.

rotate logical: Option to turn the plot by 90 degrees.

mtext character: additional text below the plot title.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available keywords. Results differ depending on the log-option for the z-scale (see details).

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only possible if mtext is not used.

summary.method character (with default): keyword indicating the method used to calculate the statistic summary. One out of

• "unweighted",

• "weighted" and

• "MCM".

See calc Statistics for details.

legend character vector (optional): legend content to be added to the plot.

legend.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the legend to be plotted.

stats character: additional labels of statistically important values in the plot. One or

more out of the following:

"min","max",

"median".

rug logical: Option to add a rug to the KDE part, to indicate the location of individ-

ual values.

kde logical: Option to add a KDE plot to the dispersion part, default is TRUE.

hist logical: Option to add a histogram to the dispersion part. Only meaningful when

not more than one data set is plotted.

dots logical: Option to add a dot plot to the dispersion part. If number of dots exceeds

space in the dispersion part, a square indicates this.

boxplot logical: Option to add a boxplot to the dispersion part, default is FALSE.

y.axis logical: Option to hide standard y-axis labels and show 0 only. Useful for data

with small scatter. If you want to suppress the y-axis entirely please use yaxt

== 'n' (the standard graphics::par setting) instead.

error.bars logical: Option to show De-errors as error bars on De-points. Useful in combi-

nation with y.axis = FALSE, bar.col = "none".

bar numeric (with default): option to add one or more dispersion bars (i.e., bar show-

ing the 2-sigma range) centred at the defined values. By default a bar is drawn

according to "z.0". To omit the bar set "bar = FALSE".

bar.col character or numeric (with default): colour of the dispersion bar. Default is

"grey60".

polygon.col character or numeric (with default): colour of the polygon showing the data

scatter. Sometimes this polygon may be omitted for clarity. To disable it use

FALSE or polygon = FALSE. Default is "grey80".

line numeric: numeric values of the additional lines to be added.

line.col character or numeric: colour of the additional lines.

line.lty integer: line type of additional lines character: labels for the additional lines.

grid.col character or numeric (with default): colour of the grid lines (originating at [0,0]

and stretching to the z-scale). To disable grid lines use FALSE. Default is "grey".

frame numeric (with default): option to modify the plot frame type. Can be one out of

• 0 (no frame),

• 1 (frame originates at 0,0 and runs along min/max isochrons),

• 2 (frame embraces the 2-sigma bar),

• 3 (frame embraces the entire plot as a rectangle).

Default is 1.

bw character (with default): bin-width for KDE, choose a numeric value for manual

setting.

interactive logical (with default): create an interactive abanico plot (requires the 'plotly'

package)

... Further plot arguments to pass (see graphics::plot.default). Supported are: main,

sub, ylab, xlab, zlab, zlim, ylim, cex, lty, lwd, pch, col, tck, tcl, at, breaks. xlab must be a vector of length two, specifying the upper and lower

x-axes labels.

#### Details

The Abanico Plot is a combination of the classic Radial Plot (plot\_RadialPlot) and a kernel density estimate plot (e.g plot\_KDE). It allows straightforward visualisation of data precision, error scatter around a user-defined central value and the combined distribution of the values, on the actual scale of the measured data (e.g. seconds, equivalent dose, years). The principle of the plot is shown in Galbraith & Green (1990). The function authors are thankful for the thought provoking figure in this article.

The semi circle (z-axis) of the classic Radial Plot is bent to a straight line here, which actually is the basis for combining this polar (radial) part of the plot with any other cartesian visualisation method (KDE, histogram, PDF and so on). Note that the plot allows displaying two measures of distribution. One is the 2-sigma bar, which illustrates the spread in value errors, and the other is the polygon, which stretches over both parts of the Abanico Plot (polar and cartesian) and illustrates the actual spread in the values themselves.

Since the 2-sigma-bar is a polygon, it can be (and is) filled with shaded lines. To change density (lines per inch, default is 15) and angle (default is 45 degrees) of the shading lines, specify these parameters. See ?polygon() for further help.

The Abanico Plot supports other than the weighted mean as measure of centrality. When it is obvious that the data is not (log-)normally distributed, the mean (weighted or not) cannot be a valid measure of centrality and hence central dose. Accordingly, the median and the weighted median can be chosen as well to represent a proper measure of centrality (e.g. centrality = "median.weighted"). Also user-defined numeric values (e.g. from the central age model) can be used if this appears appropriate.

The proportion of the polar part and the cartesian part of the Abanico Plot can be modified for display reasons (plot.ratio = 0.75). By default, the polar part spreads over  $75 \setminus \text{shows the KDE}$  graph.

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples)
- "mean" (mean De value)
- "median" (median of the De values)
- "sd.rel" (relative standard deviation in percent)
- "sd.abs" (absolute standard deviation)
- "se.rel" (relative standard error)
- "se.abs" (absolute standard error)
- "in.2s" (percent of samples in 2-sigma range)
- "kurtosis" (kurtosis)
- "skewness" (skewness)

**Note** that the input data for the statistic summary is sent to the function calc\_Statistics() depending on the log-option for the z-scale. If " $\log z = TRUE$ ", the summary is based on the logarithms of the input data. If " $\log z = FALSE$ " the linearly scaled data is used.

**Note** as well, that "calc\_Statistics()" calculates these statistic measures in three different ways: unweighted, weighted and MCM-based (i.e., based on Monte Carlo Methods). By default, the MCM-based version is used. If you wish to use another method, indicate this with the appropriate keyword using the argument summary.method.

The optional parameter layout allows to modify the entire plot more sophisticated. Each element of the plot can be addressed and its properties can be defined. This includes font type, size and decoration, colours and sizes of all plot items. To infer the definition of a specific layout style cf. get\_Layout() or type e.g., for the layout type "journal" get\_Layout("journal"). A layout type can be modified by the user by assigning new values to the list object.

It is possible for the z-scale to specify where ticks are to be drawn by using the parameter at, e.g. at = seq(80,200,20), cf. function documentation of axis. Specifying tick positions manually overrides a zlim-definition.

## Value

returns a plot object and, optionally, a list with plot calculus data.

## **Function version**

0.1.15

#### How to cite

Dietze, M., Kreutzer, S., 2021. plot\_AbanicoPlot(): Function to create an Abanico Plot.. Function version 0.1.15. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Michael Dietze, GFZ Potsdam (Germany) Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Inspired by a plot introduced by Galbraith & Green (1990), RLum Developer Team

### References

Galbraith, R. & Green, P., 1990. Estimating the component ages in a finite mixture. International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements, 17 (3), 197-206.

Dietze, M., Kreutzer, S., Burow, C., Fuchs, M.C., Fischer, M., Schmidt, C., 2015. The abanico plot: visualising chronometric data with individual standard errors. Quaternary Geochronology. doi:10.1016/j.quageo.2015.09.003

### See Also

```
plot_RadialPlot, plot_KDE, plot_Histogram, plot_ViolinPlot
```

#### **Examples**

```
## load example data and recalculate to Gray
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <- ExampleData.DeValues$CA1</pre>
## plot the example data straightforward
plot_AbanicoPlot(data = ExampleData.DeValues)
## now with linear z-scale
plot_AbanicoPlot(data = ExampleData.DeValues,
                 log.z = FALSE)
## now with output of the plot parameters
plot1 <- plot_AbanicoPlot(data = ExampleData.DeValues,</pre>
                          output = TRUE)
str(plot1)
plot1$zlim
## now with adjusted z-scale limits
plot_AbanicoPlot(data = ExampleData.DeValues,
                 zlim = c(10, 200))
## now with adjusted x-scale limits
plot_AbanicoPlot(data = ExampleData.DeValues,
                 xlim = c(0, 20)
## now with rug to indicate individual values in KDE part
plot_AbanicoPlot(data = ExampleData.DeValues,
                 rug = TRUE)
## now with a smaller bandwidth for the KDE plot
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bw = 0.04)
## now with a histogram instead of the KDE plot
plot_AbanicoPlot(data = ExampleData.DeValues,
                 hist = TRUE,
                 kde = FALSE)
## now with a KDE plot and histogram with manual number of bins
plot_AbanicoPlot(data = ExampleData.DeValues,
                 hist = TRUE,
                 breaks = 20)
```

```
## now with a KDE plot and a dot plot
plot_AbanicoPlot(data = ExampleData.DeValues,
                 dots = TRUE)
## now with user-defined plot ratio
plot_AbanicoPlot(data = ExampleData.DeValues,
                 plot.ratio = 0.5)
## now with user-defined central value
plot_AbanicoPlot(data = ExampleData.DeValues,
                 z.0 = 70)
## now with median as central value
plot_AbanicoPlot(data = ExampleData.DeValues,
                 z.0 = "median")
## now with the 17-83 percentile range as definition of scatter
plot_AbanicoPlot(data = ExampleData.DeValues,
                 z.0 = "median",
                 dispersion = "p17")
## now with user-defined green line for minimum age model
CAM <- calc_CentralDose(ExampleData.DeValues,</pre>
                        plot = FALSE)
plot_AbanicoPlot(data = ExampleData.DeValues,
                 line = CAM,
                 line.col = "darkgreen",
                 line.label = "CAM")
## now create plot with legend, colour, different points and smaller scale
plot_AbanicoPlot(data = ExampleData.DeValues,
                 legend = "Sample 1",
                 col = "tomato4",
                 bar.col = "peachpuff",
                 pch = "R",
                 cex = 0.8)
## now without 2-sigma bar, polygon, grid lines and central value line
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bar.col = FALSE,
                 polygon.col = FALSE,
                 grid.col = FALSE,
                 y.axis = FALSE,
                 1wd = 0)
## now with direct display of De errors, without 2-sigma bar
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bar.col = FALSE,
                 ylab = "".
                 y.axis = FALSE,
                 error.bars = TRUE)
## now with user-defined axes labels
plot_AbanicoPlot(data = ExampleData.DeValues,
                 xlab = c("Data error (%)",
                          "Data precision"),
```

```
ylab = "Scatter",
                 zlab = "Equivalent dose [Gy]")
## now with minimum, maximum and median value indicated
plot_AbanicoPlot(data = ExampleData.DeValues,
                 stats = c("min", "max", "median"))
## now with a brief statistical summary as subheader
plot_AbanicoPlot(data = ExampleData.DeValues,
                 summary = c("n", "in.2s"))
## now with another statistical summary
plot_AbanicoPlot(data = ExampleData.DeValues,
                 summary = c("mean.weighted", "median"),
                 summary.pos = "topleft")
## now a plot with two 2-sigma bars for one data set
plot_AbanicoPlot(data = ExampleData.DeValues,
                 bar = c(30, 100)
## now the data set is split into sub-groups, one is manipulated
data.1 <- ExampleData.DeValues[1:30,]</pre>
data.2 <- ExampleData.DeValues[31:62,] * 1.3</pre>
## now a common dataset is created from the two subgroups
data.3 <- list(data.1, data.2)</pre>
## now the two data sets are plotted in one plot
plot_AbanicoPlot(data = data.3)
## now with some graphical modification
plot_AbanicoPlot(data = data.3,
                 z.0 = "median"
                 col = c("steelblue4", "orange4"),
                 bar.col = c("steelblue3", "orange3"),
                 polygon.col = c("steelblue1", "orange1"),
                 pch = c(2, 6),
                 angle = c(30, 50),
                 summary = c("n", "in.2s", "median"))
## create Abanico plot with predefined layout definition
plot_AbanicoPlot(data = ExampleData.DeValues,
                 layout = "journal")
## now with predefined layout definition and further modifications
plot_AbanicoPlot(data = data.3,
                 z.0 = "median"
                 layout = "journal",
                 col = c("steelblue4", "orange4"),
                 bar.col = adjustcolor(c("steelblue3", "orange3"),
                                       alpha.f = 0.5),
                 polygon.col = c("steelblue3", "orange3"))
## for further information on layout definitions see documentation
## of function get_Layout()
## now with manually added plot content
```

plot\_DetPlot 211

```
## create empty plot with numeric output
AP <- plot_AbanicoPlot(data = ExampleData.DeValues,
                       pch = NA,
                       output = TRUE)
## identify data in 2 sigma range
in_2sigma <- AP$data[[1]]$data.in.2s</pre>
## restore function-internal plot parameters
par(AP$par)
## add points inside 2-sigma range
points(x = AP$data[[1]]$precision[in_2sigma],
       y = AP$data[[1]]$std.estimate.plot[in_2sigma],
       pch = 16)
## add points outside 2-sigma range
points(x = AP$data[[1]]$precision[!in_2sigma],
       y = AP$data[[1]]$std.estimate.plot[!in_2sigma],
       pch = 1)
```

plot\_DetPlot

Create De(t) plot

## **Description**

Plots the equivalent dose (De) in dependency of the chosen signal integral (cf. Bailey et al., 2003). The function is simply passing several arguments to the function plot and the used analysis functions and runs it in a loop. Example: legend.pos for legend position, legend for legend text.

## Usage

```
plot_DetPlot(
   object,
   signal.integral.min,
   signal.integral.max,
   background.integral.min,
   background.integral.max,
   method = "shift",
   signal_integral.seq = NULL,
   analyse_function = "analyse_SAR.CWOSL",
   analyse_function.control = list(),
   n.channels = NULL,
   show_ShineDownCurve = TRUE,
   respect_RC.Status = FALSE,
   verbose = TRUE,
   ...
)
```

212 plot\_DetPlot

## **Arguments**

object

signal.integral.min integer (required): lower bound of the signal integral. signal.integral.max integer (required): upper bound of the signal integral. background.integral.min integer (required): lower bound of the background integral. background.integral.max integer (required): upper bound of the background integral. method character (with default): method applied for constructing the De(t) plot. • shift (the default): the chosen signal integral is shifted the shine down curve. expansion: the chosen signal integral is expanded each time by its length signal\_integral.seq numeric (optional): argument to provide an own signal integral sequence for constructing the De(t) plot analyse\_function character (with default): name of the analyse function to be called. Supported functions are: 'analyse\_SAR.CWOSL', 'analyse\_pIRIRSequence' analyse\_function.control list (optional): selected arguments to be passed to the supported analyse functions('analyse\_SAR.CWOSL', 'analyse\_pIRIRSequence') n.channels integer (optional): number of channels used for the De(t) plot. If nothing is pro-

RLum. Analysis (required): input object containing data for analysis

integral. show\_ShineDownCurve

logical (with default): enables or disables shine down curve in the plot output

vided all De-values are calculated and plotted until the start of the background

respect\_RC.Status

logical (with default): remove De-values with 'FAILED' RC.Status from the

plot (cf. analyse\_SAR.CWOSL and analyse\_pIRIRSequence)

verbose logical (with default): enables or disables terminal feedback

... further arguments and graphical parameters passed to plot.default, analyse\_SAR.CWOSL

and analyse\_pIRIRSequence (see details for further information). Plot control parameters are: ylim, xlim, ylab, xlab, main, pch, mtext, cex, legend,

legend.text, legend.pos

#### **Details**

#### method

The original method presented by Bailey et al., 2003 shifted the signal integrals and slightly extended them accounting for changes in the counting statistics. Example: c(1:3,3:5,5:7). However, here also another method is provided allowing to expand the signal integral by consecutively expanding the integral by its chosen length. Example: c(1:3,1:5,1:7)

Note that in both cases the integral limits are overlap. The finally applied limits are part of the function output.

### analyse function.control

The argument analyse\_function.control currently supports the following arguments sequence.structure, dose.points, mtext.outer, fit.method, fit.force\_through\_origin, plot, plot.single

plot\_DetPlot 213

#### Value

A plot and an RLum.Results object with the produced De values @data:

Object	Type	Description
De.values	data.frame	table with De values
signal_integral.seq	numeric	integral sequence used for the calculation

@info:

Object Type Description
call call the original function call

### **Function version**

0.1.3

#### How to cite

NA, NA, , , 2021. plot\_DetPlot(): Create De(t) plot. Function version 0.1.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The entire analysis is based on the used analysis functions, namely analyse\_SAR.CWOSL and analyse\_pIRIRSequence. However, the integrity checks of this function are not that thoughtful as in these functions itself. It means, that every sequence should be checked carefully before running long calculations using several hundreds of channels.

## Author(s)

Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

## References

Bailey, R.M., Singarayer, J.S., Ward, S., Stokes, S., 2003. Identification of partial resetting using De as a function of illumination time. Radiation Measurements 37, 511-518. doi:10.1016/S1350-4487(03)00063-5

## See Also

plot, analyse\_SAR.CWOSL, analyse\_pIRIRSequence

## **Examples**

```
## Not run:
##load data
##ExampleData.BINfileData contains two BINfileData objects
##CWOSL.SAR.Data and TL.SAR.Data
data(ExampleData.BINfileData, envir = environment())
```

214 plot\_DRCSummary

plot\_DRCSummary

Create a Dose-Response Curve Summary Plot

### **Description**

While analysing OSL SAR or pIRIR-data the view on the data is limited usually to one dose-response curve (DRC) at the time for one aliquot. This function overcomes this limitation by plotting all DRC from an RLum.Results object created by the function analyse\_SAR.CWOSL in one single plot.

### Usage

```
plot_DRCSummary(
  object,
  source_dose_rate = NULL,
  sel_curves = NULL,
  show_dose_points = FALSE,
  show_natural = FALSE,
  n = 51L,
  ...
)
```

# Arguments

object RLum.Results object (**required**): input object created by the function anal-

yse\_SAR.CWOSL. The input object can be provided as list.

source\_dose\_rate

numeric (optional): allows to modify the axis and show values in Gy, instead

seconds. Only a single numerical values is allowed.

sel\_curves numeric (optional): id of the curves to be plotting in its occurring order. A

sequence can be provided for selecting, e.g., only every 2nd curve from the

input object

show\_dose\_points

logical (with default): enable or disable plot of dose points in the graph

show\_natural logical (with default): enable or disable the plot of the natural Lx/Tx values

n integer (with default): the number of x-values used to evaluate one curve object.

Large numbers slow down the plotting process and are usually not needed

... Further arguments and graphical parameters to be passed.

plot\_DRCSummary 215

#### **Details**

If you want plot your DRC on an energy scale (dose in Gy), you can either use the option source\_dose\_rate provided below or your can SAR analysis with the dose points in Gy (better axis scaling).

#### Value

An RLum.Results object is returned:

Slot: @data

<b>OBJECT</b>	TYPE	COMMENT
results	data.frame	with dose and LxTx values
data	RLum.Results	original input data

Slot: @info

<b>OBJECT</b>	<b>TYPE</b>	COMMENT
call	call	the original function call
args	list	arguments of the original function call

Note: If the input object is a list a list of RLum.Results objects is returned.

## **Function version**

0.2.1

### How to cite

Kreutzer, S., Burow, C., 2021. plot\_DRCSummary(): Create a Dose-Response Curve Summary Plot. Function version 0.2.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Christoph Burow, University of Cologne , RLum Developer Team

### See Also

RLum.Results, analyse\_SAR.CWOSL

### **Examples**

```
#load data example data
data(ExampleData.BINfileData, envir = environment())
#transform the values from the first position in a RLum.Analysis object
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
```

216 plot\_DRTResults

```
results <- analyse_SAR.CWOSL(
  object = object,
  signal.integral.min = 1,
  signal.integral.max = 2,
  background.integral.min = 900,
  background.integral.max = 1000,
  plot = FALSE
)

##plot only DRC
plot_DRCSummary(results)</pre>
```

plot\_DRTResults

Visualise dose recovery test results

## Description

The function provides a standardised plot output for dose recovery test measurements.

## Usage

```
plot_DRTResults(
  values,
  given.dose = NULL,
  error.range = 10,
  preheat,
  boxplot = FALSE,
  mtext,
  summary,
  summary.pos,
  legend,
  legend.pos,
  par.local = TRUE,
  na.rm = FALSE,
  ...
)
```

## Arguments

values

RLum.Results or data.frame (**required**): input values containing at least De and De error. To plot more than one data set in one figure, a list of the individual data sets must be provided (e.g. list(dataset.1, dataset.2)).

given.dose

numeric (optional): given dose used for the dose recovery test to normalise data. If only one given dose is provided this given dose is valid for all input data sets (i.e., values is a list). Otherwise a given dose for each input data set has to be provided (e.g., given.dose = c(100,200)). If given.dose in NULL the values are plotted without normalisation (might be useful for preheat plateau tests). **Note:** Unit has to be the same as from the input values (e.g., Seconds or Gray).

error.range

numeric: symmetric error range in percent will be shown as dashed lines in the plot. Set error.range to 0 to void plotting of error ranges.

plot\_DRTResults 217

preheat numeric: optional vector of preheat temperatures to be used for grouping the De

values. If specified, the temperatures are assigned to the x-axis.

boxplot logical: optionally plot values, that are grouped by preheat temperature as box-

plots. Only possible when preheat vector is specified.

mtext character: additional text below the plot title.

summary character (optional): adds numerical output to the plot. Can be one or more out

of:

• "n" (number of samples),

• "mean" (mean De value),

• "weighted\$mean" (error-weighted mean),

• "median" (median of the De values),

• "sd.rel" (relative standard deviation in percent),

• "sd.abs" (absolute standard deviation),

• "se.rel" (relative standard error) and

• "se.abs" (absolute standard error)

and all other measures returned by the function calc\_Statistics.

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this

latter option in only possible if mtext is not used.

legend character vector (optional): legend content to be added to the plot.

legend.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the legend to be plotted.

par.local logical (with default): use local graphical parameters for plotting, e.g. the plot

is shown in one column and one row. If par.local = FALSE, global parameters

are inherited, i.e. parameters provided via par() work

na.rm logical: indicating whether NA values are removed before plotting from the input

data set

... further arguments and graphical parameters passed to plot, supported are: xlab,

ylab, xlim, ylim, main, cex, las and 'pch"

# Details

Procedure to test the accuracy of a measurement protocol to reliably determine the dose of a specific sample. Here, the natural signal is erased and a known laboratory dose administered which is treated as unknown. Then the De measurement is carried out and the degree of congruence between administered and recovered dose is a measure of the protocol's accuracy for this sample. In the plot the normalised De is shown on the y-axis, i.e. obtained De/Given Dose.

### Value

A plot is returned.

## **Function version**

0.1.13

218 plot\_DRTResults

#### How to cite

Kreutzer, S., Dietze, M., 2021. plot\_DRTResults(): Visualise dose recovery test results. Function version 0.1.13. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

Further data and plot arguments can be added by using the appropriate R commands.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

#### References

Wintle, A.G., Murray, A.S., 2006. A review of quartz optically stimulated luminescence characteristics and their relevance in single-aliquot regeneration dating protocols. Radiation Measurements, 41, 369-391.

### See Also

plot

# **Examples**

```
## read example data set and misapply them for this plot type
data(ExampleData.DeValues, envir = environment())
## plot values
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
given.dose = 2800, mtext = "Example data")
## plot values with legend
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800,
                legend = "Test data set")
## create and plot two subsets with randomised values
x.1 <- ExampleData.DeValues$BT998[7:11,]</pre>
x.2 <- ExampleData.DeValues$BT998[7:11,] * c(runif(5, 0.9, 1.1), 1)
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800)
## some more user-defined plot parameters
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                pch = c(2, 5),
                col = c("orange", "blue"),
                xlim = c(0, 8),
                ylim = c(0.85, 1.15),
                xlab = "Sample aliquot")
```

```
## plot the data with user-defined statistical measures as legend
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                summary = c("n", "mean.weighted", "sd"))
## plot the data with user-defined statistical measures as sub-header
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                summary = c("n", "mean.weighted", "sd"),
                summary.pos = "sub")
## plot the data grouped by preheat temperatures
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800,
                preheat = c(200, 200, 200, 240, 240))
## read example data set and misapply them for this plot type
data(ExampleData.DeValues, envir = environment())
## plot values
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800, mtext = "Example data")
## plot two data sets grouped by preheat temperatures
plot_DRTResults(values = list(x.1, x.2),
                given.dose = 2800,
                preheat = c(200, 200, 200, 240, 240)
## plot the data grouped by preheat temperatures as boxplots
plot_DRTResults(values = ExampleData.DeValues$BT998[7:11,],
                given.dose = 2800,
                preheat = c(200, 200, 200, 240, 240),
                boxplot = TRUE)
```

plot\_FilterCombinations

Plot filter combinations along with the (optional) net transmission window

## **Description**

The function allows to plot transmission windows for different filters. Missing data for specific wavelengths are automatically interpolated for the given filter data using the function approx. With that a standardised output is reached and a net transmission window can be shown.

## Usage

```
plot_FilterCombinations(
  filters,
  wavelength_range = 200:1000,
  show_net_transmission = TRUE,
  interactive = FALSE,
  plot = TRUE,
  ...
)
```

## **Arguments**

filters list (required): a named list of filter data for each filter to be shown. The filter

data itself should be either provided as data.frame or matrix. (for more options

s. Details)

wavelength\_range

numeric (with default): wavelength range used for the interpolation

show\_net\_transmission

logical (with default): show net transmission window as polygon.

interactive logical (*with default*): enable/disable interactive plot plot logical (*with default*): enables or disables the plot output

further arguments that can be passed to control the plot output. Supported are

main, xlab, ylab, xlim, ylim, type, lty, lwd. For non common plotting pa-

rameters see the details section.

#### **Details**

#### **Calculations**

### Net transmission window

The net transmission window of two filters is approximated by

$$T_{final} = T_1 * T_2$$

## **Optical density**

$$OD = -log(T)$$

### Total optical density

$$OD_{total} = OD_1 + OD_2$$

Please consider using own calculations for more precise values.

## How to provide input data?

## CASE 1

The function expects that all filter values are either of type matrix or data.frame with two columns. The first columns contains the wavelength, the second the relative transmission (but not in percentage, i.e. the maximum transmission can be only become 1).

In this case only the transmission window is show as provided. Changes in filter thickness and reflection factor are not considered.

## CASE 2

The filter data itself are provided as list element containing a matrix or data. frame and additional information on the thickness of the filter, e.g., list(filter1 = list(filter\_matrix, d = 2)). The given filter data are always considered as standard input and the filter thickness value is taken into account by

$$Transmission = Transmission(d)$$

with d given in the same dimension as the original filter data.

### CASE 3

Argument

Same as CASE 2 but additionally a reflection factor P is provided, e.g., list(filter1 = list(filter\_matrix, d = 2,P = 0.9)). The final transmission becomes:

 $Transmission = Transmission^{(d)} * P$ 

## Advanced plotting parameters

The following further non-common plotting parameters can be passed to the function:

Datatype

3	<i>3</i> 1	·
legend	logical	enable/disable legend
legend.pos	character	change legend position (graphics::legend)
legend.text	character	same as the argument legend in (graphics::legend)
<pre>net_transmission.col</pre>	col	colour of net transmission window polygon
<pre>net_transmission.col_lines</pre>	col	colour of net transmission window polygon lines
<pre>net_transmission.density</pre>	numeric	specify line density in the transmission polygon
grid	list	full list of arguments that can be passed to the function graphics::grid

Description

For further modifications standard additional R plot functions are recommend, e.g., the legend can be fully customised by disabling the standard legend and use the function graphics::legend instead.

## Value

Returns an S4 object of type RLum.Results.

#### @data

Object net_transmission_window OD_total filter_matrix	Type Description matrix matrix matrix	the resulting net transmission window the total optical density the filter matrix used for plotting
@ <b>!</b> C-		

# @info

Object	Type Description	
call	call	the original function call

## **Function version**

0.3.1

## How to cite

Kreutzer, S., 2021. plot\_FilterCombinations(): Plot filter combinations along with the (optional) net transmission window. Function version 0.3.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

RLum.Results, approx

### **Examples**

```
## (For legal reasons no real filter data are provided)
## Create filter sets
filter1 <- density(rnorm(100, mean = 450, sd = 20))</pre>
filter1 <- matrix(c(filter1$x, filter1$y/max(filter1$y)), ncol = 2)</pre>
filter2 <- matrix(c(200:799,rep(c(0,0.8,0),each = 200)), ncol = 2)
## Example 1 (standard)
plot_FilterCombinations(filters = list(filter1, filter2))
## Example 2 (with d and P value and name for filter 2)
results <- plot_FilterCombinations(</pre>
filters = list(filter_1 = filter1, Rectangle = list(filter2, d = 2, P = 0.6)))
results
## Example 3 show optical density
plot(results$OD_total)
## Not run:
##Example 4
##show the filters using the interactive mode
plot_FilterCombinations(filters = list(filter1, filter2), interactive = TRUE)
## End(Not run)
```

plot\_GrowthCurve

Fit and plot a growth curve for luminescence data (Lx/Tx against dose)

## **Description**

A dose response curve is produced for luminescence measurements using a regenerative or additive protocol. The function supports interpolation and extrapolation to calculate the equivalent dose.

### Usage

```
plot_GrowthCurve(
   sample,
   na.rm = TRUE,
   mode = "interpolation",
   fit.method = "EXP",
   fit.force_through_origin = FALSE,
   fit.weights = TRUE,
   fit.includingRepeatedRegPoints = TRUE,
   fit.NumberRegPoints = NULL,
   fit.NumberRegPointsReal = NULL,
```

```
fit.bounds = TRUE,
NumberIterations.MC = 100,
output.plot = TRUE,
output.plotExtended = TRUE,
output.plotExtended.single = FALSE,
cex.global = 1,
txtProgressBar = TRUE,
verbose = TRUE,
...
)
```

### **Arguments**

sample

data.frame (**required**): data frame with three columns for x=Dose,y=LxTx,z=LxTx.Error, y1=TnTx. The column for the test dose response is optional, but requires 'TnTx' as column name if used. For exponential fits at least three dose points (including the natural) should be provided.

na.rm

logical (with default): excludes NA values from the data set prior to any further operations.

mode

character (with default): selects calculation mode of the function.

- "interpolation" (default) calculates the De by interpolation,
- "extrapolation" calculates the De by extrapolation and
- "alternate" calculates no De and just fits the data points.

Please note that for option "regenerative" the first point is considered as natural dose

fit.method

character (with default): function used for fitting. Possible options are:

- LIN,
- QDR,
- EXP,
- EXP OR LIN,
- EXP+LIN,
- EXP+EXP,
- GOK,
- LambertW

See details.

fit.force\_through\_origin

logical (with default) allow to force the fitted function through the origin. For method = "EXP+EXP" and method = "GOK" the function will go through the origin in either case, so this option will have no effect.

fit.weights

logical (with default): option whether the fitting is done with or without weights. See details.

fit.includingRepeatedRegPoints

logical (with default): includes repeated points for fitting (TRUE/FALSE).

fit.NumberRegPoints

integer (optional): set number of regeneration points manually. By default the number of all (!) regeneration points is used automatically.

fit.NumberRegPointsReal

integer (*optional*): if the number of regeneration points is provided manually, the value of the real, regeneration points = all points (repeated points) including reg 0, has to be inserted.

 $\begin{tabular}{ll} \textbf{fit.bounds} & \textbf{logical} \ (\textit{with default}) : \ set \ lower \ fit \ bounds \ for \ all \ fitting \ parameters \ to \ 0. \ Limited \end{tabular}$ 

for the use with the fit methods EXP, EXP+LIN, EXP OR LIN, GOK, LambertW Argument to be inserted for experimental application only!

NumberIterations.MC

integer (with default): number of Monte Carlo simulations for error estimation. See details.

output.plot logical (with default): plot output (TRUE/FALSE).

output.plotExtended

logical (with default): If' TRUE, 3 plots on one plot area are provided:

1. growth curve,

2. histogram from Monte Carlo error simulation and

3. a test dose response plot.

If FALSE, just the growth curve will be plotted. **Requires:** output.plot = TRUE.

output.plotExtended.single

 $\label{logical} \begin{tabular}{ll} logical (with \ default): single plot output (TRUE/FALSE) to allow for plotting the results in single plot windows. Requires output.plot = TRUE and output.plotExtended and output.plotE$ 

= TRUE.

cex.global numeric (with default): global scaling factor.

txtProgressBar logical (with default): enables or disables txtProgressBar. If verbose = FALSE

also no txtProgressBar is shown.

verbose logical (with default): enables or disables terminal feedback.

Further arguments and graphical parameters to be passed. Note: Standard ar-

guments will only be passed to the growth curve plot. Supported: xlim, ylim,

main, xlab, ylab

## **Details**

### Fitting methods

For all options (except for the LIN, QDR and the EXP OR LIN), the minpack.lm::nlsLM function with the LM (Levenberg-Marquardt algorithm) algorithm is used. Note: For historical reasons for the Monte Carlo simulations partly the function nls using the port algorithm.

The solution is found by transforming the function or using uniroot.

LIN: fits a linear function to the data using lm:

$$y = m * x + n$$

QDR: fits a linear function to the data using lm:

$$y = a + b * x + c * x^2$$

EXP: try to fit a function of the form

$$y = a * (1 - exp(-(x+c)/b))$$

Parameters b and c are approximated by a linear fit using lm. Note: b = D0

EXP OR LIN: works for some cases where an EXP fit fails. If the EXP fit fails, a LIN fit is done instead.

EXP+LIN: tries to fit an exponential plus linear function of the form:

$$y = a * (1 - exp(-(x+c)/b) + (g * x))$$

The De is calculated by iteration.

**Note:** In the context of luminescence dating, this function has no physical meaning. Therefore, no D0 value is returned.

EXP+EXP: tries to fit a double exponential function of the form

$$y = (a1 * (1 - exp(-(x)/b1))) + (a2 * (1 - exp(-(x)/b2)))$$

This fitting procedure is not robust against wrong start parameters and should be further improved. GOK: tries to fit the general-order kinetics function after Guralnik et al. (2015) of the form of

$$y = a * (1 - (1 + (1/b) * x * c)^{(1/c)})$$

where c > 0 is a kinetic order modifier (not to be confused with c in EXP or EXP+LIN!).

LambertW: tries to fit a dose-response curve based on the Lambert W function according to Pagonis et al. (2020). The function has the form

$$y (1 + (W((R-1) * exp(R-1 - ((x+D_{int})/D_c)))/(1-R))) * N$$

with W the Lambert W function, calculated using the package lamW::lambertW0, R the dimensionless detrapping ratio, N the total concentration of trappings states in cm^-3 and  $D_c = N/R$  a constant.  $D_{int}$  is the offset on the x-axis.

#### Fit weighting

If the option fit.weights = TRUE is chosen, weights are calculated using provided signal errors (Lx/Tx error):

$$fit.weights = 1/error/(sum(1/error))$$

## **Error estimation using Monte Carlo simulation**

Error estimation is done using a parametric bootstrapping approach. A set of Lx/Tx values is constructed by randomly drawing curve data sampled from normal distributions. The normal distribution is defined by the input values (mean = value, sd = value.error). Then, a dose-response curve fit is attempted for each dataset resulting in a new distribution of single De values. The standard deviation of this distribution is becomes then the error of the De. With increasing iterations, the error value becomes more stable. However, naturally the error will not decrease with more MC runs.

Alternatively, the function returns highest probability density interval estimates as output, users may find more useful under certain circumstances.

**Note:** It may take some calculation time with increasing MC runs, especially for the composed functions (EXP+LIN and EXP+EXP).

Each error estimation is done with the function of the chosen fitting method.

### **Subtitle information**

To avoid plotting the subtitle information, provide an empty user mtext mtext = "". To plot any other subtitle text, use mtext.

## Value

Along with a plot (so far wanted) an RLum.Results object is returned containing, the slot data contains the following elements:

## DATA.OBJECT TYPE DESCRIPTION

..\$De: data.frame Table with De values

..\$De.MC: numeric Table with De values from MC runs

..\$Fit: nls or lm object from the fitting for EXP, EXP+LIN and EXP+EXP. In case of a resulting linear fit w
..\$Formula: expression
..\$call: call The original function call

#### **Function version**

1.11.2

#### How to cite

Kreutzer, S., Dietze, M., 2021. plot\_GrowthCurve(): Fit and plot a growth curve for luminescence data (Lx/Tx against dose). Function version 1.11.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

## References

Berger, G.W., Huntley, D.J., 1989. Test data for exponential fits. Ancient TL 7, 43-46.

Guralnik, B., Li, B., Jain, M., Chen, R., Paris, R.B., Murray, A.S., Li, S.-H., Pagonis, P., Herman, F., 2015. Radiation-induced growth and isothermal decay of infrared-stimulated luminescence from feldspar. Radiation Measurements 81, 224-231.

Pagonis, V., Kitis, G., Chen, R., 2020. A new analytical equation for the dose response of dosimetric materials, based on the Lambert W function. Journal of Luminescence 225, 117333. doi: 10.1016/j.jlumin.2020.117333

## See Also

nls, RLum.Results, get\_RLum, minpack.lm::nlsLM, lm, uniroot, lamW::lambertW0

## **Examples**

```
##(1) plot growth curve for a dummy data.set and show De value
data(ExampleData.LxTxData, envir = environment())
temp <- plot_GrowthCurve(LxTxData)
get_RLum(temp)

##(1b) horizontal plot arrangement
layout(mat = matrix(c(1,1,2,3), ncol = 2))
plot_GrowthCurve(LxTxData, output.plotExtended.single = TRUE)

##(1c) to access the fitting value try
get_RLum(temp, data.object = "Fit")

##(2) plot the growth curve only - uncomment to use</pre>
```

```
##pdf(file = "~/Desktop/Growth_Curve_Dummy.pdf", paper = "special")
plot_GrowthCurve(LxTxData)
##dev.off()
##(3) plot growth curve with pdf output - uncomment to use, single output
##pdf(file = "~/Desktop/Growth_Curve_Dummy.pdf", paper = "special")
plot_GrowthCurve(LxTxData, output.plotExtended.single = TRUE)
##dev.off()
##(4) plot resulting function for given intervall x
x < - seq(1,10000, by = 100)
plot(
x = x,
y = eval(temp$Formula),
 type = "1"
##(5) plot using the 'extrapolation' mode
LxTxData[1,2:3] \leftarrow c(0.5, 0.001)
print(plot_GrowthCurve(LxTxData,mode = "extrapolation"))
##(6) plot using the 'alternate' mode
LxTxData[1,2:3] \leftarrow c(0.5, 0.001)
print(plot_GrowthCurve(LxTxData,mode = "alternate"))
\#\#(7) import and fit test data set by Berger & Huntley 1989
QNL84_2_unbleached <-
read.table(system.file("extdata/QNL84_2_unbleached.txt", package = "Luminescence"))
results <- plot_GrowthCurve(</pre>
QNL84_2_unbleached,
 mode = "extrapolation",
plot = FALSE,
 verbose = FALSE)
#calculate confidence interval for the parameters
#as alternative error estimation
confint(results$Fit, level = 0.68)
## Not run:
QNL84_2_bleached <-
read.table(system.file("extdata/QNL84_2_bleached.txt", package = "Luminescence"))
STRB87_1_unbleached <-
read.table(system.file("extdata/STRB87_1_unbleached.txt", package = "Luminescence"))
STRB87_1_bleached <-
read.table(system.file("extdata/STRB87_1_bleached.txt", package = "Luminescence"))
print(
plot_GrowthCurve(
 QNL84_2_bleached,
mode = "alternate",
 plot = FALSE,
 verbose = FALSE)$Fit)
print(
 plot_GrowthCurve(
```

228 plot\_Histogram

```
STRB87_1_unbleached,
mode = "alternate",
plot = FALSE,
verbose = FALSE)$Fit)

print(
  plot_GrowthCurve(
  STRB87_1_bleached,
  mode = "alternate",
  plot = FALSE,
  verbose = FALSE)$Fit)

## End(Not run)
```

plot\_Histogram

Plot a histogram with separate error plot

# Description

Function plots a predefined histogram with an accompanying error plot as suggested by Rex Galbraith at the UK LED in Oxford 2010.

# Usage

```
plot_Histogram(
  data,
  na.rm = TRUE,
  mtext,
  cex.global,
  se,
  rug,
  normal_curve,
  summary,
  summary.pos,
  colour,
  interactive = FALSE,
  ...
)
```

# Arguments

data	data.frame or RLum.Results object ( <b>required</b> ): for data.frame: two columns: De (data[,1]) and De error (data[,2])
na.rm	logical (with default): excludes NA values from the data set prior to any further operations.
mtext	character (optional): further sample information (mtext).
cex.global	numeric (with default): global scaling factor.
se	logical (optional): plots standard error points over the histogram, default is FALSE.
rug	logical (optional): adds rugs to the histogram, default is TRUE.

plot\_Histogram 229

normal\_curve logical (with default): adds a normal curve to the histogram. Mean and standard

deviation are calculated from the input data. More see details section.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only possible if mtext is not used. In case of coordinate specifi-

cation, y-coordinate refers to the right y-axis.

colour numeric or character (with default): optional vector of length 4 which specifies

the colours of the following plot items in exactly this order: histogram bars, rug

lines, normal distribution curve and standard error points (e.g., c("grey", "black", "red", "grey"))

interactive logical (with default): create an interactive histogram plot (requires the 'plotly'

package)

.. further arguments and graphical parameters passed to plot or hist. If y-axis

labels are provided, these must be specified as a vector of length 2 since the plot features two axes (e.g. ylab = c("axis label 1", "axis label 2")). Yaxes limits (ylim) must be provided as vector of length four, with the first two elements specifying the left axes limits and the latter two elements giving the

right axis limits.

#### **Details**

If the normal curve is added, the y-axis in the histogram will show the probability density.

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples),
- "mean" (mean De value),
- "mean.weighted" (error-weighted mean),
- "median" (median of the De values).
- "sdrel" (relative standard deviation in percent),
- "sdrel.weighted" (error-weighted relative standard deviation in percent),
- "sdabs" (absolute standard deviation),
- "sdabs.weighted" (error-weighted absolute standard deviation),
- "serel" (relative standard error),
- "serel.weighted" (error-weighted relative standard error),
- "seabs" (absolute standard error),
- "seabs.weighted" (error-weighted absolute standard error),
- "kurtosis" (kurtosis) and
- "skewness" (skewness).

## **Function version**

230 plot\_Histogram

#### How to cite

Dietze, M., Kreutzer, S., 2021. plot\_Histogram(): Plot a histogram with separate error plot. Function version 0.4.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

The input data is not restricted to a special type.

## Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) ,
RLum Developer Team
```

#### See Also

hist, plot

### **Examples**

```
## load data
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <-</pre>
  Second2Gray(ExampleData.DeValues$BT998, dose.rate = c(0.0438,0.0019))
## plot histogram the easiest way
plot_Histogram(ExampleData.DeValues)
## plot histogram with some more modifications
plot_Histogram(ExampleData.DeValues,
               rug = TRUE,
               normal_curve = TRUE,
               cex.global = 0.9,
               pch = 2,
               colour = c("grey", "black", "blue", "green"),
               summary = c("n", "mean", "sdrel"),
               summary.pos = "topleft",
               main = "Histogram of De-values",
               mtext = "Example data set",
               ylab = c(expression(paste(D[e], " distribution")),
                        "Standard error"),
               xlim = c(100, 250),
               ylim = c(0, 0.1, 5, 20))
```

plot\_KDE 231

plot\_KDE

Plot kernel density estimate with statistics

### **Description**

Plot a kernel density estimate of measurement values in combination with the actual values and associated error bars in ascending order. If enabled, the boxplot will show the usual distribution parameters (median as bold line, box delimited by the first and third quartile, whiskers defined by the extremes and outliers shown as points) and also the mean and standard deviation as pale bold line and pale polygon, respectively.

## Usage

```
plot_KDE(
   data,
   na.rm = TRUE,
   values.cumulative = TRUE,
   order = TRUE,
   boxplot = TRUE,
   rug = TRUE,
   summary,
   summary.pos,
   summary.method = "MCM",
   bw = "nrd0",
   output = TRUE,
   ...
)
```

### **Arguments**

data.frame or RLum.Results object (required): for data.frame: two columns:

De (values[,1]) and De error (values[,2]). For plotting multiple data sets,

these must be provided as list (e.g. list(dataset1, dataset2)).

na.rm logical (with default): exclude NA values from the data set prior to any further

operation.

values.cumulative

logical (with default): show cumulative individual data.

order logical: Order data in ascending order.

boxplot logical (with default): optionally show a boxplot (depicting median as thick

central line, first and third quartile as box limits, whiskers denoting +/- 1.5 in-

terquartile ranges and dots further outliers).

rug logical (with default): optionally add rug.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only possible if mtext is not used. In case of coordinate specifi-

cation, y-coordinate refers to the right y-axis.

plot\_KDE

summary.method character (with default): keyword indicating the method used to calculate the statistic summary. One out of "unweighted", "weighted" and "MCM". See

calc\_Statistics for details.

bw character (with default): bin-width, chose a numeric value for manual setting.

output logical: Optional output of numerical plot parameters. These can be useful to

reproduce similar plots. Default is TRUE.

... further arguments and graphical parameters passed to plot.

#### **Details**

The function allows passing several plot arguments, such as main, xlab, cex. However, as the figure is an overlay of two separate plots, ylim must be specified in the order: c(ymin\_axis1, ymax\_axis1, ymin\_axis2, ymax\_axis2) when using the cumulative values plot option. See examples for some further explanations. For details on the calculation of the bin-width (parameter bw) see density.

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples)
- "mean" (mean De value)
- "median" (median of the De values)
- "sd.rel" (relative standard deviation in percent)
- "sd.abs" (absolute standard deviation)
- "se.rel" (relative standard error)
- "se.abs" (absolute standard error)
- "in.2s" (percent of samples in 2-sigma range)
- "kurtosis" (kurtosis)
- "skewness" (skewness)

**Note** that the input data for the statistic summary is sent to the function calc\_Statistics() depending on the log-option for the z-scale. If "log.z = TRUE", the summary is based on the logarithms of the input data. If "log.z = FALSE" the linearly scaled data is used.

**Note** as well, that "calc\_Statistics()" calculates these statistic measures in three different ways: unweighted, weighted and MCM-based (i.e., based on Monte Carlo Methods). By default, the MCM-based version is used. If you wish to use another method, indicate this with the appropriate keyword using the argument summary.method.

### **Function version**

3.6.0

#### How to cite

Dietze, M., 2021. plot\_KDE(): Plot kernel density estimate with statistics. Function version 3.6.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

plot\_KDE 233

#### Note

The plot output is no 'probability density' plot (cf. the discussion of Berger and Galbraith in Ancient TL; see references)!

### Author(s)

```
Michael Dietze, GFZ Potsdam (Germany)
Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team
```

### See Also

```
density, plot
```

## **Examples**

```
## read example data set
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <-</pre>
  Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))
## create plot straightforward
plot_KDE(data = ExampleData.DeValues)
## create plot with logarithmic x-axis
plot_KDE(data = ExampleData.DeValues,
         log = "x")
## create plot with user-defined labels and axes limits
plot_KDE(data = ExampleData.DeValues,
         main = "Dose distribution",
         xlab = "Dose (s)",
         ylab = c("KDE estimate", "Cumulative dose value"),
         xlim = c(100, 250),
         ylim = c(0, 0.08, 0, 30))
## create plot with boxplot option
plot_KDE(data = ExampleData.DeValues,
         boxplot = TRUE)
## create plot with statistical summary below header
plot_KDE(data = ExampleData.DeValues,
         summary = c("n", "median", "skewness", "in.2s"))
## create plot with statistical summary as legend
plot_KDE(data = ExampleData.DeValues,
         summary = c("n", "mean", "sd.rel", "se.abs"),
         summary.pos = "topleft")
## split data set into sub-groups, one is manipulated, and merge again
data.1 <- ExampleData.DeValues[1:15,]</pre>
data.2 <- ExampleData.DeValues[16:25,] * 1.3</pre>
data.3 <- list(data.1, data.2)</pre>
## create plot with two subsets straightforward
plot_KDE(data = data.3)
```

234 plot\_NRt

plot\_NRt

Visualise natural/regenerated signal ratios

## **Description**

This function creates a Natural/Regenerated signal vs. time (NR(t)) plot as shown in Steffen et al. 2009

# Usage

```
plot_NRt(
  data,
  log = FALSE,
  smooth = c("none", "spline", "rmean"),
  k = 3,
  legend = TRUE,
  legend.pos = "topright",
  ...
)
```

## **Arguments**

data list, data.frame, matrix or RLum.Analysis (required): X,Y data of measured

values (time and counts). See details on individual data structure.

log character (optional): logarithmic axes (c("x", "y", "xy")).

smooth character (optional): apply data smoothing. Use "rmean" to calculate the rolling

where k determines the width of the rolling window (see rollmean). "spline"

applies a smoothing spline to each curve (see smooth.spline)

k integer (with default): integer width of the rolling window.

legend logical (with default): show or hide the plot legend.

legend.pos character (with default): keyword specifying the position of the legend (see leg-

end).

... further parameters passed to plot (also see par).

plot\_NRt 235

#### **Details**

This function accepts the individual curve data in many different formats. If data is a list, each element of the list must contain a two column data. frame or matrix containing the XY data of the curves (time and counts). Alternatively, the elements can be objects of class RLum.Data.Curve.

Input values can also be provided as a data. frame or matrix where the first column contains the time values and each following column contains the counts of each curve.

### Value

Returns a plot and RLum. Analysis object.

#### How to cite

Burow, C., 2021. plot\_NRt(): Visualise natural/regenerated signal ratios. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

#### References

Steffen, D., Preusser, F., Schlunegger, F., 2009. OSL quartz underestimation due to unstable signal components. Quaternary Geochronology, 4, 353-362.

## See Also

plot

### **Examples**

```
## load example data
data("ExampleData.BINfileData", envir = environment())

## EXAMPLE 1

## convert Risoe.BINfileData object to RLum.Analysis object
data <- Risoe.BINfileData2RLum.Analysis(object = CWOSL.SAR.Data, pos = 8, ltype = "OSL")

## extract all OSL curves
allCurves <- get_RLum(data)

## keep only the natural and regenerated signal curves
pos <- seq(1, 9, 2)
curves <- allCurves[pos]

## plot a standard NR(t) plot
plot_NRt(curves)

## re-plot with rolling mean data smoothing
plot_NRt(curves, smooth = "rmean", k = 10)

## re-plot with a logarithmic x-axis</pre>
```

```
plot_NRt(curves, log = "x", smooth = "rmean", k = 5)
## re-plot with custom axes ranges
plot_NRt(curves, smooth = "rmean", k = 5,
         xlim = c(0.1, 5), ylim = c(0.4, 1.6),
         legend.pos = "bottomleft")
## re-plot with smoothing spline on log scale
plot_NRt(curves, smooth = "spline", log = "x",
         legend.pos = "top")
## EXAMPLE 2
# you may also use this function to check whether all
\# TD curves follow the same shape (making it a TnTx(t) plot).
posTD <- seq(2, 14, 2)
curves <- allCurves[posTD]</pre>
plot_NRt(curves, main = "TnTx(t) Plot",
         smooth = "rmean", k = 20,
         ylab = "TD natural / TD regenerated",
         xlim = c(0, 20), legend = FALSE)
## EXAMPLE 3
# extract data from all positions
data <- lapply(1:24, FUN = function(pos) {</pre>
   Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos = pos, ltype = "OSL")
})
# get individual curve data from each aliquot
aliquot <- lapply(data, get_RLum)</pre>
# set graphical parameters
par(mfrow = c(2, 2))
# create NR(t) plots for all aliquots
for (i in 1:length(aliquot)) {
   plot_NRt(aliquot[[i]][pos],
            main = paste0("Aliquot #", i),
            smooth = "rmean", k = 20,
            xlim = c(0, 10),
            cex = 0.6, legend.pos = "bottomleft")
}
# reset graphical parameters
par(mfrow = c(1, 1))
```

plot\_RadialPlot

Function to create a Radial Plot

## **Description**

A Galbraith's radial plot is produced on a logarithmic or a linear scale.

## Usage

```
plot_RadialPlot(
  data,
  na.rm = TRUE,
  log.z = TRUE,
  central.value,
  centrality = "mean.weighted",
  mtext,
  summary,
  summary.pos,
  legend,
  legend.pos,
  stats,
  rug = FALSE,
  plot.ratio,
  bar.col,
  y.ticks = TRUE,
  grid.col,
  line,
  line.col,
  line.label,
  output = FALSE,
)
```

# **Arguments**

data data.frame or RLum.Results object (required): for data.frame two columns:

De (data[,1]) and De error (data[,2]). To plot several data sets in one plot,

the data sets must be provided as list, e.g. list(data.1,data.2).

na.rm logical (with default): excludes NA values from the data set prior to any further

operations.

log. z logical (with default): Option to display the z-axis in logarithmic scale. Default

is TRUE.

central.value numeric: User-defined central value, primarily used for horizontal centring of

the z-axis.

centrality character or numeric (with default): measure of centrality, used for automatically centring the plot and drawing the central line. Can either be one out of

• "mean",

• "median",

• "mean.weighted" and

• "median.weighted" or a

• numeric value used for the standardisation.

mtext character: additional text below the plot title.

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (*with default*): optional position coordinates or keyword (e.g. "topright") for the statistical summary. Alternatively, the keyword "sub"

may be specified to place the summary below the plot header. However, this latter option is only possible if mtext is not used.

legend character vector (optional): legend content to be added to the plot.

legend.pos numeric or character (with default): optional position coordinates or keyword

(e.g. "topright") for the legend to be plotted.

stats character: additional labels of statistically important values in the plot. One or

more out of the following:

"min","max",

• "median".

rug logical: Option to add a rug to the z-scale, to indicate the location of individual

values

plot.ratio numeric: User-defined plot area ratio (i.e. curvature of the z-axis). If omitted,

the default value (4.5/5.5) is used and modified automatically to optimise the z-axis curvature. The parameter should be decreased when data points are plotted

outside the z-axis or when the z-axis gets too elliptic.

bar.col character or numeric (with default): colour of the bar showing the 2-sigma range

around the central value. To disable the bar, use "none". Default is "grey".

y. ticks logical: Option to hide y-axis labels. Useful for data with small scatter.

grid.col character or numeric (with default): colour of the grid lines (originating at [0,0]

and stretching to the z-scale). To disable grid lines, use "none". Default is

"grey".

line numeric: numeric values of the additional lines to be added.

line.col character or numeric: colour of the additional lines.

line.label character: labels for the additional lines.

output logical: Optional output of numerical plot parameters. These can be useful to

reproduce similar plots. Default is FALSE.

... Further plot arguments to pass. xlab must be a vector of length 2, specifying

the upper and lower x-axes labels.

### **Details**

Details and the theoretical background of the radial plot are given in the cited literature. This function is based on an S script of Rex Galbraith. To reduce the manual adjustments, the function has been rewritten. Thanks to Rex Galbraith for useful comments on this function.

Plotting can be disabled by adding the argument plot = "FALSE", e.g. to return only numeric plot output.

Earlier versions of the Radial Plot in this package had the 2-sigma-bar drawn onto the z-axis. However, this might have caused misunderstanding in that the 2-sigma range may also refer to the z-scale, which it does not! Rather it applies only to the x-y-coordinate system (standardised error vs. precision). A spread in doses or ages must be drawn as lines originating at zero precision (x0) and zero standardised estimate (y0). Such a range may be drawn by adding lines to the radial plot (line, line.col, line.label, cf. examples).

A statistic summary, i.e. a collection of statistic measures of centrality and dispersion (and further measures) can be added by specifying one or more of the following keywords:

- "n" (number of samples),
- "mean" (mean De value),

- "mean.weighted" (error-weighted mean),
- "median" (median of the De values),
- "sdrel" (relative standard deviation in percent),
- "sdrel.weighted" (error-weighted relative standard deviation in percent),
- "sdabs" (absolute standard deviation),
- "sdabs.weighted" (error-weighted absolute standard deviation),
- "serel" (relative standard error),
- "serel.weighted" (error-weighted relative standard error),
- "seabs" (absolute standard error),
- "seabs.weighted" (error-weighted absolute standard error),
- "in.2s" (percent of samples in 2-sigma range),
- "kurtosis" (kurtosis) and
- "skewness" (skewness).

#### Value

Returns a plot object.

#### **Function version**

0.5.5

### How to cite

Dietze, M., Kreutzer, S., 2021. plot\_RadialPlot(): Function to create a Radial Plot. Function version 0.5.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Michael Dietze, GFZ Potsdam (Germany)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Based on a rewritten S script of Rex Galbraith, 2010, RLum Developer Team

#### References

Galbraith, R.F., 1988. Graphical Display of Estimates Having Differing Standard Errors. Technometrics, 30 (3), 271-281.

Galbraith, R.F., 1990. The radial plot: Graphical assessment of spread in ages. International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements, 17 (3), 207-214.

Galbraith, R. & Green, P., 1990. Estimating the component ages in a finite mixture. International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements, 17 (3) 197-206.

Galbraith, R.F. & Laslett, G.M., 1993. Statistical models for mixed fission track ages. Nuclear Tracks And Radiation Measurements, 21 (4), 459-470.

Galbraith, R.F., 1994. Some Applications of Radial Plots. Journal of the American Statistical Association, 89 (428), 1232-1242.

Galbraith, R.F., 2010. On plotting OSL equivalent doses. Ancient TL, 28 (1), 1-10.

Galbraith, R.F. & Roberts, R.G., 2012. Statistical aspects of equivalent dose and error calculation and display in OSL dating: An overview and some recommendations. Quaternary Geochronology, 11, 1-27.

#### See Also

```
plot, plot_KDE, plot_Histogram
```

# Examples

```
## load example data
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <- Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))</pre>
## plot the example data straightforward
plot_RadialPlot(data = ExampleData.DeValues)
## now with linear z-scale
plot_RadialPlot(data = ExampleData.DeValues,
                log.z = FALSE)
## now with output of the plot parameters
plot1 <- plot_RadialPlot(data = ExampleData.DeValues,</pre>
                         log.z = FALSE,
                         output = TRUE)
plot1
plot1$zlim
## now with adjusted z-scale limits
plot_RadialPlot(data = ExampleData.DeValues,
               log.z = FALSE,
               zlim = c(100, 200))
\#\# now the two plots with serious but seasonally changing fun
#plot_RadialPlot(data = data.3, fun = TRUE)
\#\# now with user-defined central value, in log-scale again
plot_RadialPlot(data = ExampleData.DeValues,
                central.value = 150)
## now with a rug, indicating individual De values at the z-scale
plot_RadialPlot(data = ExampleData.DeValues,
                rug = TRUE)
\#\# now with legend, colour, different points and smaller scale
plot_RadialPlot(data = ExampleData.DeValues,
                legend.text = "Sample 1",
                col = "tomato4",
                bar.col = "peachpuff",
                pch = "R",
                cex = 0.8)
```

## now without 2-sigma bar, y-axis, grid lines and central value line

```
plot_RadialPlot(data = ExampleData.DeValues,
                bar.col = "none",
                grid.col = "none"
                y.ticks = FALSE,
                lwd = 0)
## now with user-defined axes labels
plot_RadialPlot(data = ExampleData.DeValues,
                xlab = c("Data error (%)",
                          "Data precision"),
                ylab = "Scatter",
                zlab = "Equivalent dose [Gy]")
## now with minimum, maximum and median value indicated
plot_RadialPlot(data = ExampleData.DeValues,
                central.value = 150,
                stats = c("min", "max", "median"))
## now with a brief statistical summary
plot_RadialPlot(data = ExampleData.DeValues,
                summary = c("n", "in.2s"))
## now with another statistical summary as subheader
plot_RadialPlot(data = ExampleData.DeValues,
                summary = c("mean.weighted", "median"),
                summary.pos = "sub")
## now the data set is split into sub-groups, one is manipulated
data.1 <- ExampleData.DeValues[1:15,]</pre>
data.2 <- ExampleData.DeValues[16:25,] * 1.3</pre>
## now a common dataset is created from the two subgroups
data.3 <- list(data.1, data.2)</pre>
## now the two data sets are plotted in one plot
plot_RadialPlot(data = data.3)
## now with some graphical modification
plot_RadialPlot(data = data.3,
                col = c("darkblue", "darkgreen"),
                bar.col = c("lightblue", "lightgreen"),
                pch = c(2, 6),
                summary = c("n", "in.2s"),
                summary.pos = "sub",
                legend = c("Sample 1", "Sample 2"))
```

```
plot_Risoe.BINfileData
```

Plot single luminescence curves from a BIN file object

## **Description**

Plots single luminescence curves from an object returned by the read\_BIN2R function.

## Usage

```
plot_Risoe.BINfileData(
   BINfileData,
   position,
   run,
   set,
   sorter = "POSITION",
   ltype = c("IRSL", "OSL", "TL", "RIR", "RBR", "RL"),
   curve.transformation,
   dose_rate,
   temp.lab,
   cex.global = 1,
   ...
)
```

# Arguments

BINfileData	Risoe.BINfileData ( <b>required</b> ): requires an S4 object returned by the read_BIN2R function.	
position	vector (optional): option to limit the plotted curves by position (e.g. position = 1, position = $c(1,3,5)$ ).	
run	vector (optional): option to limit the plotted curves by run (e.g., run = 1, run = $c(1,3,5)$ ).	
set	vector (optional): option to limit the plotted curves by set (e.g., set = 1, set = $c(1,3,5)$ ).	
sorter	character (with default): the plot output can be ordered by "POSITION", "SET" or "RUN". POSITION, SET and RUN are options defined in the Risoe Sequence Editor.	
ltype	character (with default): option to limit the plotted curves by the type of luminescence stimulation. Allowed values: "IRSL", "OSL", "TL", "RIR", "RBR" (corresponds to LM-OSL), "RL". All type of curves are plotted by default.	
curve.transformation		
	character ( <i>optional</i> ): allows transforming CW-OSL and CW-IRSL curves to pseudo-LM curves via transformation functions. Allowed values are: CW2pLM, CW2pLMi, CW2pHMi and CW2pPMi. See details.	
dose_rate	numeric ( <i>optional</i> ): dose rate of the irradiation source at the measurement date. If set, the given irradiation dose will be shown in Gy. See details.	
temp.lab	character (optional): option to allow for different temperature units. If no value is set deg. C is chosen.	
cex.global	numeric (with default): global scaling factor.	
	further undocumented plot arguments.	

## **Details**

## Nomenclature

See Risoe.BINfileData

### curve.transformation

This argument allows transforming continuous wave (CW) curves to pseudo (linear) modulated curves. For the transformation, the functions of the package are used. Currently, it is not possible

to pass further arguments to the transformation functions. The argument works only for 1type OSL and IRSL.

#### **Irradiation time**

Plotting the irradiation time (s) or the given dose (Gy) requires that the variable IRR\_TIME has been set within the BIN-file. This is normally done by using the 'Run Info' option within the Sequence Editor or by editing in R.

#### Value

Returns a plot.

### **Function version**

0.4.1

### How to cite

Kreutzer, S., Dietze, M., 2021. plot\_Risoe.BINfileData(): Plot single luminescence curves from a BIN file object. Function version 0.4.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

The function has been successfully tested for the Sequence Editor file output version 3 and 4.

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

## References

```
Duller, G., 2007. Analyst. pp. 1-45.
```

## See Also

Risoe.BINfileData,read\_BIN2R, CW2pLM, CW2pLMi, CW2pPMi, CW2pHMi

## **Examples**

```
##load data
data(ExampleData.BINfileData, envir = environment())

##plot all curves from the first position to the desktop
#pdf(file = "~/Desktop/CurveOutput.pdf", paper = "a4", height = 11, onefile = TRUE)

##example - load from *.bin file
#BINfile<- file.choose()
#BINfileData<-read_BIN2R(BINfile)

#par(mfrow = c(4,3), oma = c(0.5,1,0.5,1))
#plot_Risoe.BINfileData(CWOSL.SAR.Data,position = 1)
#mtext(side = 4, BINfile, outer = TRUE, col = "blue", cex = .7)</pre>
```

244 plot\_RLum

#dev.off()

plot\_RLum

General plot function for RLum S4 class objects

## **Description**

Function calls object specific plot functions for RLum S4 class objects.

## Usage

```
plot_RLum(object, ...)
```

## **Arguments**

object

RLum (required): S4 object of class RLum. Optional a list containing objects of class RLum can be provided. In this case the function tries to plot every object in this list according to its RLum class. Non-RLum objects are removed.

further arguments and graphical parameters that will be passed to the specific plot functions. The only argument that is supported directly is main (setting the plot title). In contrast to the normal behaviour main can be here provided as list and the arguments in the list will dispatched to the plots if the object is of type

list as well.

## **Details**

The function provides a generalised access point for plotting specific RLum objects. Depending on the input object, the corresponding plot function will be selected. Allowed arguments can be found in the documentations of each plot function.

> object corresponding plot function RLum.Data.Curve plot\_RLum.Data.Curve RLum.Data.Spectrum plot\_RLum.Data.Spectrum RLum.Data.Image plot\_RLum.Data.Image RLum.Analysis plot\_RLum.Analysis RLum.Results plot\_RLum.Results

## Value

Returns a plot.

## **Function version**

0.4.4

# How to cite

Kreutzer, S., 2021. plot\_RLum(): General plot function for RLum S4 class objects. Function version 0.4.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, plot\_RLum.Analysis 245

J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The provided plot output depends on the input object.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

plot\_RLum.Data.Curve, RLum.Data.Curve, plot\_RLum.Data.Spectrum, RLum.Data.Spectrum, plot\_RLum.Data.Image.RLum.Data.Image, plot\_RLum.Analysis, RLum.Analysis, plot\_RLum.Results

# **Examples**

```
#load Example data
data(ExampleData.CW_OSL_Curve, envir = environment())
#transform data.frame to RLum.Data.Curve object
temp <- as(ExampleData.CW_OSL_Curve, "RLum.Data.Curve")
#plot RLum object
plot_RLum(temp)</pre>
```

plot\_RLum.Analysis

Plot function for an RLum. Analysis S4 class object

## **Description**

The function provides a standardised plot output for curve data of an RLum. Analysis S4 class object

## Usage

```
plot_RLum.Analysis(
  object,
  subset = NULL,
  nrows,
  ncols,
  abline = NULL,
  combine = FALSE,
  records_max = NULL,
  curve.transformation,
  plot.single = FALSE,
  ...
)
```

246 plot\_RLum.Analysis

## **Arguments**

object RLum. Analysis (required): S4 object of class RLum. Analysis

subset named list (optional): subsets elements for plotting. The arguments in the

named list will be directly passed to the function get\_RLum (e.g., subset =

list(curveType = "measured"))

nrows integer (optional): sets number of rows for plot output, if nothing is set the

function tries to find a value.

ncols integer (optional): sets number of columns for plot output, if nothing is set the

function tries to find a value.

abline list (optional): allows to add ab-lines to the plot. Argument are provided in a list

and will be forward to the function abline, e.g., list(v = c(10, 100)) adds two vertical lines add 10 and 100 to all plots. In contrast list(v = c(10), v = c(100)

adds a vertical at 10 to the first and a vertical line at 100 to the 2nd plot.

combine logical (with default): allows to combine all RLum.Data.Curve objects in one

single plot.

records\_max numeric (optional): limits number of records shown if combine = TRUE. Shown

are always the first and the last curve, the other number of curves to be shown a distributed evenly, this may result in less number of curves plotted as specified.

curve.transformation

character (*optional*): allows transforming CW-OSL and CW-IRSL curves to pseudo-LM curves via transformation functions. Allowed values are: CW2pLM,

CW2pLMi, CW2pHMi and CW2pPMi. See details.

plot.single logical (with default): global par settings are considered, normally this should

end in one plot per page

... further arguments and graphical parameters will be passed to the plot function.

Supported arguments: main, mtext, log, lwd, lty type, pch, col, norm (see

plot\_RLum.Data.Curve), xlim,ylim, xlab, ylab, ...

and for combine = TRUE also: sub\_title, legend, legend.text, legend.pos

(typical plus 'outside'), legend.col, smooth.

All arguments can be provided as vector or list to gain in full control of all

plot settings.

# Details

The function produces a multiple plot output. A file output is recommended (e.g., pdf).

## curve.transformation

This argument allows transforming continuous wave (CW) curves to pseudo (linear) modulated curves. For the transformation, the functions of the package are used. Currently, it is not possible to pass further arguments to the transformation functions. The argument works only for 1type 0SL and IRSL.

Please note: The curve transformation within this functions works roughly, i.e. every IRSL or OSL curve is transformed, without considering whether it is measured with the PMT or not! However, for a fast look it might be helpful.

## Value

Returns multiple plots.

plot\_RLum.Analysis 247

#### **Function version**

0.3.13

#### How to cite

Kreutzer, S., 2021. plot\_RLum.Analysis(): Plot function for an RLum.Analysis S4 class object. Function version 0.3.13. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

Not all arguments available for plot will be passed and they partly do not behave in the way you might expect them to work. This function was designed to serve as an overview plot, if you want to have more control, extract the objects and plot them individually.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### See Also

plot, plot\_RLum, plot\_RLum.Data.Curve

## **Examples**

```
##load data
data(ExampleData.BINfileData, envir = environment())
##convert values for position 1
temp <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos=1)</pre>
##(1) plot (combine) TL curves in one plot
plot_RLum.Analysis(
temp,
subset = list(recordType = "TL"),
combine = TRUE,
norm = TRUE,
abline = list(v = c(110))
)
##(2) same as example (1) but using
## the argument smooth = TRUE
plot_RLum.Analysis(
temp,
subset = list(recordType = "TL"),
combine = TRUE,
norm = TRUE,
smooth = TRUE,
abline = list(v = c(110))
)
```

plot\_RLum.Data.Curve Plot function for an RLum.Data.Curve S4 class object

## **Description**

The function provides a standardised plot output for curve data of an RLum. Data. Curve S4-class object.

# Usage

```
plot_RLum.Data.Curve(
  object,
  par.local = TRUE,
  norm = FALSE,
  smooth = FALSE,
  ...
)
```

## **Arguments**

object	RLum.Data.Curve (required): S4 object of class RLum.Data.Curve
par.local	logical (with default): use local graphical parameters for plotting, e.g. the plot is shown in one column and one row. If par.local = FALSE, global parameters are inherited.
norm	logical character ( <i>with default</i> ): allows curve normalisation to the highest count value ('default'). Alternatively, the function offers the modes "max", "min" and "huot" for a background corrected normalisation, see details.
smooth	logical (with default): provides an automatic curve smoothing based on zoo::rollmean
•••	further arguments and graphical parameters that will be passed to the plot function

# Details

Only single curve data can be plotted with this function. Arguments according to plot.

## **Curve normalisation**

```
The argument norm normalises all count values, to date the following options are supported:
```

```
norm = TRUE or norm = "max": Curve values are normalised to the highest count value in the curve norm = "last": Curves values are normalised to the last count value (this can be useful in particular for radiofluorescence curves)
```

norm = "huot": Curve values are normalised as suggested by Sébastien Huot via GitHub:

```
y = (observed - median(background))/(max(observed) - median(background))
```

The background of the curve is defined as the last 20 % of the count values of a curve.

## Value

Returns a plot.

#### **Function version**

0.2.5

#### How to cite

Kreutzer, S., 2021. plot\_RLum.Data.Curve(): Plot function for an RLum.Data.Curve S4 class object. Function version 0.2.5. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

Not all arguments of plot will be passed!

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### See Also

```
plot, plot_RLum
```

### **Examples**

```
##plot curve data

#load Example data
data(ExampleData.CW_OSL_Curve, envir = environment())

#transform data.frame to RLum.Data.Curve object
temp <- as(ExampleData.CW_OSL_Curve, "RLum.Data.Curve")

#plot RLum.Data.Curve object
plot_RLum.Data.Curve(temp)</pre>
```

plot\_RLum.Data.Image Plot function for an RLum.Data.Image S4 class object

## Description

The function provides a standardised plot output for image data of an RLum.Data.ImageS4 class object, mainly using the plot functions provided by the raster package.

## **Details on the plot functions**

Image is visualised as 2D plot using generic plot types provided by other packages.

Supported plot types:

```
plot.type = "plot.raster"
```

Uses the standard plot function for raster data from the package raster::raster: raster::plot. For each raster layer in a raster brick one plot is produced.

Arguments that are passed through the function call:

```
main,axes, xlab, ylab, xlim, ylim,zlim, col, stretch (NULL no strech)
plot.type = "plotRGB"
```

Uses the function raster::plotRGB from the raster::raster package. Only one image plot is produced as all layers in a brick a combined. This plot type is useful to see whether any signal is recorded by the camera

Arguments that are passed through the function call:

```
main,axes, xlab, ylab, ext, interpolate, maxpixels, alpha, colNA, stretch
plot.type = "contour"
```

Uses the function contour plot function from the raster function (raster::contour). For each raster layer one contour plot is produced. Arguments that are passed through the function call:

```
main,axes, xlab, ylab, xlim, ylim, col
```

### Usage

```
plot_RLum.Data.Image(object, par.local = TRUE, plot.type = "plot.raster", ...)
```

## **Arguments**

object	RLum.Data.Image (required): S4 object of class RLum.Data.Image
par.local	logical (with default): use local graphical parameters for plotting, e.g. the plot is shown in one column and one row. If par.local = FALSE global parameters are inherited.
plot.type	<pre>character (with default): plot types. Supported types are plot.raster, plotRGB or contour</pre>
	further arguments and graphical parameters that will be passed to the specific plot functions.

## Value

Returns a plot.

## **Function version**

0.1.1

#### How to cite

Kreutzer, S., 2021. plot\_RLum.Data.Image(): Plot function for an RLum.Data.Image S4 class object. Function version 0.1.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

RLum.Data.Image, plot, plot\_RLum, raster::raster

## **Examples**

```
##load data
data(ExampleData.RLum.Data.Image, envir = environment())
##plot data
plot_RLum.Data.Image(ExampleData.RLum.Data.Image)
```

```
plot_RLum.Data.Spectrum
```

Plot function for an RLum.Data.Spectrum S4 class object

## **Description**

The function provides a standardised plot output for spectrum data of an RLum.Data.Spectrum class object. The purpose of this function is to provide easy and straight-forward spectra plotting, not provide a full customised access to all plot parameters. If this is wanted, standard R plot functionality should be used instead.

### **Matrix structure**

(cf. RLum.Data.Spectrum)

- rows (x-values): wavelengths/channels (xlim, xlab)
- columns (y-values): time/temperature (ylim, ylab)
- cells (z-values): count values (zlim, zlab)

Note: This nomenclature is valid for all plot types of this function!

## Nomenclature for value limiting

- xlim: Limits values along the wavelength axis
- ylim: Limits values along the time/temperature axis
- zlim: Limits values along the count value axis

## **Details on the plot functions**

Spectrum is visualised as 3D or 2D plot. Both plot types are based on internal R plot functions.

```
plot.type = "persp"
```

Arguments that will be passed to graphics::persp:

shade: default is 0.4
phi: default is 15
theta: default is -30
expand: default is 1

• ticktype: default is detailed, r: default is 10

**Note:** Further parameters can be adjusted via par. For example to set the background transparent and reduce the thickness of the lines use: par(bg = NA, 1wd = 0.7) previous the function call.

```
plot.type = "single"
```

Per frame a single curve is returned. Frames are time or temperature steps.

```
plot.type = "multiple.lines"
```

All frames plotted in one frame.

```
'**plot.type = "image" or 'plot.type = "contour" **
```

These plot types use the R functions graphics::image or graphics::contour. The advantage is that many plots can be arranged conveniently using standard R plot functionality. If plot.type = "image" a contour is added by default, which can be disabled using the argument contour = FALSE to add own contour lines of choice.

```
plot.type = "transect"
```

Depending on the selected wavelength/channel range a transect over the time/temperature (y-axis) will be plotted along the wavelength/channels (x-axis). If the range contains more than one channel, values (z-values) are summed up. To select a transect use the xlim argument, e.g. xlim = c(300,310) plot along the summed up count values of channel 300 to 310.

## Further arguments that will be passed (depending on the plot type)

```
xlab, ylab, zlab, xlim, ylim, zlim, main, mtext, pch, type ("single", "multiple.lines",
"interactive"), col, border, box lwd, bty, showscale ("interactive", "image") contour,
contour.col("image")
```

## Usage

```
plot_RLum.Data.Spectrum(
  object,
  par.local = TRUE,
  plot.type = "contour",
  optical.wavelength.colours = TRUE,
  bg.spectrum = NULL,
  bg.channels = NULL,
  bin.rows = 1,
  bin.cols = 1,
  norm = NULL,
  rug = TRUE,
  limit_counts = NULL,
  xaxis.energy = FALSE,
  legend.text,
  ...
)
```

## Arguments

object

RLum.Data.Spectrum or matrix (**required**): S4 object of class RLum.Data.Spectrum or a matrix containing count values of the spectrum.

Please note that in case of a matrix row names and col names are set automatically if not provided.

par.local

logical (with default): use local graphical parameters for plotting, e.g. the plot is shown in one column and one row. If par.local = FALSE global parameters are inherited.

plot.type

character (with default): plot type, for 3D-plot use persp, or interactive, for a 2D-plot image, contour, single or multiple.lines (along the time or temperature axis) or transect (along the wavelength axis)

optical.wavelength.colours

logical (with default): use optical wavelength colour palette. Note: For this, the spectrum range is limited: c(350,750). Own colours can be set with the argument col. If you provide already binned spectra, the colour assignment is likely to be wrong, since the colour gradients are calculated using the bin number.

bg.spectrum

RLum.Data.Spectrum or matrix (optional): Spectrum used for the background subtraction. By definition, the background spectrum should have been measured with the same setting as the signal spectrum. If a spectrum is provided, the argument bg.channels works only on the provided background spectrum.

bg.channels

vector (*optional*): defines channel for background subtraction If a vector is provided the mean of the channels is used for subtraction. If a spectrum is provided via bg. spectrum, this argument only works on the bg. spectrum.

Note: Background subtraction is applied prior to channel binning

bin.rows

integer (*with default*): allow summing-up wavelength channels (horizontal binning), e.g. bin.rows = 2 two channels are summed up. Binning is applied after the background subtraction.

bin.cols

integer (*with default*): allow summing-up channel counts (vertical binning) for plotting, e.g. bin.cols = 2 two channels are summed up. Binning is applied after the background subtraction.

norm

character (*optional*): Normalise data to the maximum (norm = "max") or minimum (norm = "min") count values. The normalisation is applied after the binning.

rug

logical (with default): enables or disables colour rug. Currently only implemented for plot type multiple.lines and single

limit\_counts

numeric (optional): value to limit all count values to this value, i.e. all count values above this threshold will be replaced by this threshold. This is helpful especially in case of TL-spectra.

xaxis.energy

logical (with default): enables or disables energy instead of wavelength axis. For the conversion the function convert\_Wavelength2Energy is used.

**Note:** This option means not only simply redrawing the axis, instead the spectrum in terms of intensity is recalculated, s. details.

legend.text

character (with default): possibility to provide own legend text. This argument is only considered for plot types providing a legend, e.g. plot.type="transect"

..

further arguments and graphical parameters that will be passed to the plot function.

## Value

Returns a plot.

# **Function version**

0.6.3

### How to cite

Kreutzer, S., 2021. plot\_RLum.Data.Spectrum(): Plot function for an RLum.Data.Spectrum S4 class object. Function version 0.6.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

Not all additional arguments (...) will be passed similarly!

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

RLum.Data.Spectrum, convert\_Wavelength2Energy, plot, plot\_RLum, graphics::persp, plotly::plot\_ly, graphics::contour, graphics::image

# **Examples**

```
##load example data
data(ExampleData.XSYG, envir = environment())
##(1)plot simple spectrum (2D) - image
plot_RLum.Data.Spectrum(
 TL.Spectrum,
plot.type="image",
 xlim = c(310,750),
ylim = c(0,300),
 bin.rows=10,
bin.cols = 1)
##(2) plot spectrum (3D)
plot_RLum.Data.Spectrum(
  TL.Spectrum,
  plot.type="persp",
  xlim = c(310,750),
  ylim = c(0,100),
  bin.rows=10,
  bin.cols = 1)
##(3) plot spectrum on energy axis
##please note the background subtraction
plot_RLum.Data.Spectrum(TL.Spectrum,
plot.type="persp",
ylim = c(0,200),
bin.rows=10,
bg.channels = 10,
bin.cols = 1,
xaxis.energy = TRUE)
##(4) plot multiple lines (2D) - multiple.lines (with ylim)
plot_RLum.Data.Spectrum(
```

plot\_RLum.Results 255

```
TL.Spectrum,
 plot.type="multiple.lines",
xlim = c(310,750),
ylim = c(0,100),
bin.rows=10,
bin.cols = 1)
## Not run:
 ##(4) interactive plot using the package plotly ("surface")
plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="interactive",
xlim = c(310,750), ylim = c(0,300), bin.rows=10,
bin.cols = 1)
 ##(5) interactive plot using the package plotly ("contour")
plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="interactive",
 xlim = c(310,750), ylim = c(0,300), bin.rows=10,
bin.cols = 1,
 type = "contour",
 showscale = TRUE)
 ##(6) interactive plot using the package plotly ("heatmap")
 plot_RLum.Data.Spectrum(TL.Spectrum, plot.type="interactive",
 x \lim = c(310,750), y \lim = c(0,300), bin.rows=10,
bin.cols = 1,
 type = "heatmap"
 showscale = TRUE)
## End(Not run)
```

plot\_RLum.Results

Plot function for an RLum.Results S4 class object

# **Description**

The function provides a standardised plot output for data of an RLum.Results S4 class object

# Usage

```
plot_RLum.Results(object, single = TRUE, ...)
```

# **Arguments**

object RLum.Results (**required**): S4 object of class RLum.Results
single logical (with default): single plot output (TRUE/FALSE) to allow for plotting the results in as few plot windows as possible.
... further arguments and graphical parameters will be passed to the plot function.

# Details

The function produces a multiple plot output. A file output is recommended (e.g., pdf).

256 plot\_RLum.Results

#### Value

Returns multiple plots.

# **Function version**

0.2.1

### How to cite

Burow, C., Kreutzer, S., 2021. plot\_RLum.Results(): Plot function for an RLum.Results S4 class object. Function version 0.2.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

Not all arguments available for plot will be passed! Only plotting of RLum.Results objects are supported.

## Author(s)

```
Christoph Burow, University of Cologne (Germany)
Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) ,
RLum Developer Team
```

## See Also

```
plot, plot_RLum
```

## **Examples**

```
###load data
data(ExampleData.DeValues, envir = environment())

# apply the un-logged minimum age model
mam <- calc_MinDose(data = ExampleData.DeValues$CA1, sigmab = 0.2, log = TRUE, plot = FALSE)

##plot
plot_RLum.Results(mam)

# estimate the number of grains on an aliquot
grains<- calc_AliquotSize(grain.size = c(100,150), sample.diameter = 1, plot = FALSE, MC.iter = 100)

##plot
plot_RLum.Results(grains)</pre>
```

plot\_ROI 257

plot_ROI	Create Regions of Interest (ROI) Graphic	
----------	--	--

# Description

Create ROI graphic with data extracted from the data imported via read\_RF2R. This function is used internally by analyse\_IRSAR.RF but might be of use to work with reduced data from spatially resolved measurements. The plot dimensions mimic the original image dimensions

# Usage

```
plot_ROI(
  object,
  exclude_ROI = c(1),
  dist_thre = -Inf,
  dim.CCD = NULL,
  plot = TRUE,
  ...
)
```

# Arguments

guinents	
object	RLum.Analysis or a list of such objects ( <b>required</b> ): data input. Please note that to avoid function errors, only input created by the function read_RF2R is accepted
exclude_ROI	numeric ( <i>with default</i> ): option to remove particular ROIs from the analysis. Those ROIs are plotted but not coloured and not taken into account in distance analysis. NULL excludes nothing.
dist_thre	numeric ( <i>optional</i> ): euclidean distance threshold in pixel distance. All ROI for which the euclidean distance is smaller are marked. This helps to identify ROIs that might be affected by signal cross-talk. Note: the distance is calculated from the centre of an ROI, e.g., the threshold should include consider the ROIs or grain radius.
dim.CCD	numeric (optional): metric x and y for the recorded (chip) surface in $\mu$ m. For instance c(8192,8192), if set additional x and y-axes are shown
plot	logical (with default): enable or disable plot output to use the function only to extract the ROI data
•••	further parameters to manipulate the plot. On top of all arguments of <pre>graph- ics::plot.default</pre> the following arguments are supported: <pre>lwd.ROI</pre> , <pre>lty.ROI</pre> , col.ROI, col.pixel, <pre>text.labels</pre> , text.offset, <pre>grid</pre> (TRUE/FALSE), <pre>legend</pre> .text, legend.pos
	object  exclude_ROI  dist_thre  dim.CCD

# Value

An ROI plot and an RLum.Results object with a matrix containing the extracted ROI data and a object produced by stats::dist containing the euclidean distance between the ROIs.

# **Function version**

0.1.0

258 plot\_ViolinPlot

#### How to cite

Kreutzer, S., 2021. plot\_ROI(): Create Regions of Interest (ROI) Graphic. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Department of Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

### See Also

```
read_RF2R, analyse_IRSAR.RF
```

### **Examples**

```
file <- system.file("extdata", "RF_file.rf", package = "Luminescence")
temp <- read_RF2R(file)
plot_ROI(temp)</pre>
```

plot\_ViolinPlot

Create a violin plot

# Description

Draws a kernel density plot in combination with a boxplot in its middle. The shape of the violin is constructed using a mirrored density curve. This plot is especially designed for cases where the individual errors are zero or to small to be visualised. The idea for this plot is based on the the 'volcano plot' in the ggplot2 package by Hadley Wickham and Winston Chang. The general idea for the violin plot seems to be introduced by Hintze and Nelson (1998).

The function is passing several arguments to the function plot, stats::density, graphics::boxplot:

Supported arguments are: xlim, main, xlab, ylab, col.violin, col.boxplot, mtext, cex, mtext Valid summary keywords

```
'n', 'mean', 'median', 'sd.abs', 'sd.rel', 'se.abs', 'se.rel'. 'skewness', 'kurtosis'
```

# Usage

```
plot_ViolinPlot(
  data,
  boxplot = TRUE,
  rug = TRUE,
  summary = NULL,
  summary.pos = "sub",
  na.rm = TRUE,
  ...
)
```

plot\_ViolinPlot 259

## **Arguments**

data numeric or RLum.Results (required): input data for plotting. Alternatively a

data.frame or a matrix can be provided, but only the first column will be consid-

ered by the function

boxplot logical (with default): enable or disable boxplot rug logical (with default): enable or disable rug

summary character (optional): add statistic measures of centrality and dispersion to the

plot. Can be one or more of several keywords. See details for available key-

words.

summary.pos numeric or character (with default): optional position keywords (cf. legend) for

the statistical summary. Alternatively, the keyword "sub" may be specified to place the summary below the plot header. However, this latter option in only

possible if mtext is not used.

na.rm logical (with default): exclude NA values from the data set prior to any further

operations.

... further arguments and graphical parameters passed to plot.default, stats::density

and boxplot. See details for further information

### **Function version**

0.1.4

#### How to cite

Kreutzer, S., 2021. plot\_ViolinPlot(): Create a violin plot. Function version 0.1.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

Although the code for this function was developed independently and just the idea for the plot was based on the 'ggplot2' package plot type 'volcano', it should be mentioned that, beyond this, two other R packages exist providing a possibility to produces this kind of plot, namely: 'vioplot' and 'violinmplot' (see references for details).

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

# References

Daniel Adler (2005). vioplot: A violin plot is a combination of a box plot and a kernel density plot. R package version 0.2 http://CRAN.R-project.org/package=violplot

Hintze, J.L., Nelson, R.D., 1998. A Box Plot-Density Trace Synergism. The American Statistician 52, 181-184.

Raphael W. Majeed (2012). violinmplot: Combination of violin plot with mean and standard deviation. R package version 0.2.1. http://CRAN.R-project.org/package=violinmplot

Wickham. H (2009). ggplot2: elegant graphics for data analysis. Springer New York.

260 PSL2Risoe.BINfileData

### See Also

```
stats::density, plot, boxplot, rug, calc_Statistics
```

## **Examples**

```
## read example data set
data(ExampleData.DeValues, envir = environment())
ExampleData.DeValues <- Second2Gray(ExampleData.DeValues$BT998, c(0.0438,0.0019))
## create plot straightforward
plot_ViolinPlot(data = ExampleData.DeValues)</pre>
```

PSL2Risoe.BINfileData Convert portable OSL data to an Risoe.BINfileData object

## **Description**

Converts an RLum. Analysis object produced by the function read\_PSL2R() to an Risoe.BINfileData object (BETA).

# Usage

```
PSL2Risoe.BINfileData(object, ...)
```

# **Arguments**

```
object RLum.Analysis (required): RLum.Analysis object produced by read_PSL2R ... currently not used.
```

## **Details**

This function converts an RLum.Analysis object that was produced by the read\_PSL2R function to an Risoe.BINfileData. The Risoe.BINfileData can be used to write a Risoe BIN file via write\_R2BIN.

### Value

Returns an S4 Risoe.BINfileData object that can be used to write a BIN file using write\_R2BIN.

## **Function version**

0.0.1

### How to cite

Burow, C., 2021. PSL2Risoe.BINfileData(): Convert portable OSL data to an Risoe.BINfileData object. Function version 0.0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

read\_BIN2R 261

### Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

## See Also

RLum.Analysis, RLum.Data.Curve, Risoe.BINfileData

# **Examples**

```
# (1) load and plot example data set
data("ExampleData.portableOSL", envir = environment())
plot_RLum(ExampleData.portableOSL)

# (2) merge all RLum.Analysis objects into one
merged <- merge_RLum(ExampleData.portableOSL)
merged

# (3) convert to RisoeBINfile object
bin <- PSL2Risoe.BINfileData(merged)
bin

# (4) write Risoe BIN file
## Not run:
write_R2BIN(bin, "~/portableOSL.binx")

## End(Not run)</pre>
```

read\_BIN2R

Import Risø BIN/BINX-files into R

# **Description**

Import a \*.bin or a \*.binx file produced by a Risø DA15 and DA20 TL/OSL reader into R.

# Usage

```
read_BIN2R(
    file,
    show.raw.values = FALSE,
    position = NULL,
    n.records = NULL,
    zero_data.rm = TRUE,
    duplicated.rm = FALSE,
    fastForward = FALSE,
    show.record.number = FALSE,
    txtProgressBar = TRUE,
    forced.VersionNumber = NULL,
    ignore.RECTYPE = FALSE,
    pattern = NULL,
    verbose = TRUE,
    ...
)
```

262 read\_BIN2R

## **Arguments**

file character or list (required): path and file name of the BIN/BINX file (URLs are

supported). If input is a list it should comprise only characters representing each valid path and BIN/BINX-file names. Alternatively the input character can be just a directory (path), in this case the function tries to detect and import

all BIN/BINX files found in the directory.

show.raw.values

logical (with default): shows raw values from BIN-file for LTYPE, DTYPE and LIGHTSOURCE without translation in characters. Can be provided as list if file

is a list.

position numeric (optional): imports only the selected position. Note: the import perfor-

mance will not benefit by any selection made here. Can be provided as list if

file is a list.

n.records raw (optional): limits the number of imported records. Can be used in combina-

 $tion\ with\ show.\ record.\ number\ for\ debugging\ purposes,\ e.g.\ corrupt\ BIN-files.$ 

Can be provided as list if file is a list.

zero\_data.rm logical (with default): remove erroneous data with no count values. As such data

are usually not needed for the subsequent data analysis they will be removed by

default. Can be provided as list if file is a list.

duplicated.rm logical (with default): remove duplicated entries if TRUE. This may happen due

to an erroneous produced BIN/BINX-file. This option compares only predeces-

sor and successor. Can be provided as list if file is a list.

fastForward logical (with default): if TRUE for a more efficient data processing only a list of

 $RLum. Analysis\ objects\ is\ returned\ instead\ of\ a\ Risoe. BIN file Data\ object.\ Can$ 

be provided as list if file is a list.

show.record.number

logical (with default): shows record number of the imported record, for debug-

ging usage only. Can be provided as list if file is a list.

txtProgressBar logical (with default): enables or disables txtProgressBar.

forced.VersionNumber

integer (optional): allows to cheat the version number check in the function by own values for cases where the BIN-file version is not supported. Can be

provided as list if file is a list.

Note: The usage is at own risk, only supported BIN-file versions have been

tested.

ignore.RECTYPE logical (with default): this argument allows to ignore values in the byte 'REC-

TYPE' (BIN-file version 08), in case there are not documented or faulty set. In

this case the corrupted records are skipped.

pattern character (optional): argument that is used if only a path is provided. The argu-

ment will than be passed to the function list.files used internally to construct a

list of wanted files

verbose logical (with default): enables or disables verbose mode

further arguments that will be passed to the function Risoe.BINfileData2RLum.Analysis.

Please note that any matching argument automatically sets fastForward = TRUE

## **Details**

The binary data file is parsed byte by byte following the data structure published in the Appendices of the Analyst manual p. 42.

read\_BIN2R 263

For the general BIN/BINX-file structure, the reader is referred to the Risø website: https://www.fysik.dtu.dk

### Value

Returns an S4 Risoe.BINfileData object containing two slots:

METADATA A data.frame containing all variables stored in the BIN-file.

DATA A list containing a numeric vector of the measured data. The ID corresponds to

the record ID in METADATA.

If fastForward = TRUE a list of RLum.Analysis object is returned. The internal coercing is done using the function Risoe.BINfileData2RLum.Analysis

### **Function version**

0.16.2

### How to cite

Kreutzer, S., Fuchs, M.C., 2021. read\_BIN2R(): Import Risø BIN/BINX-files into R. Function version 0.16.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

The function works for BIN/BINX-format versions 03, 04, 05, 06, 07 and 08. The version number depends on the used Sequence Editor.

ROI data sets introduced with BIN-file version 8 are not supported and skipped during import.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Margret C. Fuchs, HZDR Freiberg, (Germany) based on information provided by Torben Lapp and Karsten Bracht Nielsen (Risø DTU, Denmark), RLum Developer Team

### References

DTU Nutech, 2016. The Sequence Editor, Users Manual, February, 2016. https://www.fysik.dtu.dk

# See Also

write\_R2BIN, Risoe.BINfileData, base::readBin, merge\_Risoe.BINfileData, RLum.Analysis utils::txtProgressBar, list.files

264 read\_Daybreak2R

### **Examples**

```
##(1) import Risoe BIN-file to R (uncomment for usage)
#FILE <- file.choose()</pre>
#temp <- read_BIN2R(FILE)</pre>
#temp
```

read\_Daybreak2R

Import measurement data produced by a Daybreak TL/OSL reader into R

### **Description**

Import a TXT-file (ASCII file) or a DAT-file (binary file) produced by a Daybreak reader into R. The import of the DAT-files is limited to the file format described for the software TLAPLLIC v.3.2 used for a Daybreak, model 1100.

## Usage

```
read_Daybreak2R(file, raw = FALSE, verbose = TRUE, txtProgressBar = TRUE)
```

## **Arguments**

file character or list (required): path and file name of the file to be imported. Alternatively a list of file names can be provided or just the path a folder containing measurement data. Please note that the specific, common, file extension (txt) is likely leading to function failures during import when just a path is provided. logical (with default): if the input is a DAT-file (binary) a data.table::data.table raw

instead of the RLum. Analysis object can be returned for debugging purposes.

logical (with default): enables or disables terminal feedback verbose txtProgressBar logical (with default): enables or disables txtProgressBar.

## Value

A list of RLum. Analysis objects (each per position) is provided.

### **Function version**

0.3.2

### How to cite

Kreutzer, S., Zink, A., 2021. read\_Daybreak2R(): Import measurement data produced by a Daybreak TL/OSL reader into R. Function version 0.3.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

read\_PSL2R 265

#### Note

[BETA VERSION] This function still needs to be tested properly. In particular the function has underwent only very rough rests using a few files.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Antoine Zink, C2RMF, Palais du Louvre, Paris (France)

The ASCII-file import is based on a suggestion by Willian Amidon and Andrew Louis Gorin , RLum Developer Team

## See Also

RLum.Analysis, RLum.Data.Curve, data.table::data.table

## **Examples**

```
## Not run:
file <- system.file("extdata/Daybreak_TestFile.txt", package = "Luminescence")
temp <- read_Daybreak2R(file)
## End(Not run)</pre>
```

read\_PSL2R

Import PSL files to R

# **Description**

Imports PSL files produced by a SUERC portable OSL reader into R (BETA).

## Usage

```
read_PSL2R(
    file,
    drop_bg = FALSE,
    as_decay_curve = TRUE,
    smooth = FALSE,
    merge = FALSE,
    ...
)
```

# **Arguments**

file

character (**required**): path and file name of the PSL file. If input is a vector it should comprise only characters representing valid paths and PSL file names. Alternatively the input character can be just a directory (path). In this case the the function tries to detect and import all PSL files found in the directory.

drop\_bg
as\_decay\_curve

logical (with default): TRUE to automatically remove all non-OSL/IRSL curves. logical (with default): Portable OSL Reader curves are often given as cumulative light sum curves. Use TRUE (default) to convert the curves to the more usual decay form.

266 read\_PSL2R

smooth	logical (with default): TRUE to apply Tukey's Running Median Smoothing for
	OSL and IRSL decay curves. Smoothing is encouraged if you see random signal
	drops within the decay curves related to hardware errors.
merge	logical (with default): TRUE to merge all RLum. Analysis objects. Only applicable if multiple files are imported.
	currently not used.

### **Details**

This function provides an import routine for the SUERC portable OSL Reader PSL format. PSL files are just plain text and can be viewed with any text editor. Due to the formatting of PSL files this import function relies heavily on regular expression to find and extract all relevant information. See **note**.

### Value

Returns an S4 RLum. Analysis object containing RLum. Data. Curve objects for each curve.

## **Function version**

0.0.1

### How to cite

Burow, C., 2021. read\_PSL2R(): Import PSL files to R. Function version 0.0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Note

Because this function relies heavily on regular expressions to parse PSL files it is currently only in beta status. If the routine fails to import a specific PSL file please report to <christoph.burow@gmx.net> so the function can be updated.

## Author(s)

Christoph Burow, University of Cologne (Germany), RLum Developer Team

## See Also

RLum.Analysis, RLum.Data.Curve, RLum.Data.Curve

# **Examples**

```
# (1) Import PSL file to R
file <- system.file("extdata", "DorNie_0016.psl", package = "Luminescence")
psl <- read_PSL2R(file, drop_bg = FALSE, as_decay_curve = TRUE, smooth = TRUE, merge = FALSE)
print(str(psl, max.level = 3))
plot(psl, combine = TRUE)</pre>
```

read\_RF2R 267

read\_RF2R

Import RF-files to R

## **Description**

Import files produced by the IR-RF 'ImageJ' macro (#TODO ADD REFERENCE) into R and create a list of RLum.Analysis objects

# Usage

read\_RF2R(file)

## **Arguments**

file

character (**required**): path and file name of the RF file. Alternatively a list of file names can be provided.

### **Details**

The results of spatially resolved IR-RF data are summarised in so-called RF-files (#TODO ADD REFERENCE). This functions provides an easy import to process the data seamlessly with the R package 'Luminescence'. The output of the function can be passed to the function analyse\_IRSAR.RF

# Value

Returns an S4 RLum. Analysis object containing RLum. Data. Curve objects for each curve.

## **Function version**

0.1.0

# How to cite

Kreutzer, S., 2021. read\_RF2R(): Import RF-files to R. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Sebastian Kreutzer, Geography & Earth Science, Aberystwyth University (United Kingdom) , RLum Developer Team

## References

#TODO ADD REFERENCE

# See Also

RLum.Analysis, RLum.Data.Curve, analyse\_IRSAR.RF

268 read\_SPE2R

### **Examples**

```
##Import
file <- system.file("extdata", "RF_file.rf", package = "Luminescence")
temp <- read_RF2R(file)</pre>
```

read\_SPE2R

Import Princeton Instruments (TM) SPE-file into R

# **Description**

Function imports Princeton Instruments (TM) SPE-files into R environment and provides RLum.Data.Image objects as output.

# Usage

```
read_SPE2R(
   file,
   output.object = "RLum.Data.Image",
   frame.range,
   txtProgressBar = TRUE,
   verbose = TRUE
)
```

## **Arguments**

# **Details**

Function provides an R only import routine for the Princeton Instruments SPE format. Import functionality is based on the file format description provided by Princeton Instruments and a MatLab script written by Carl Hall (s. references).

read\_SPE2R 269

#### Value

Depending on the chosen option the functions returns three different type of objects:

output.object

RLum.Data.Spectrum

An object of type RLum.Data.Spectrum is returned. Row sums are used to integrate all counts over one channel.

RLum.Data.Image

An object of type RLum.Data.Image is returned. Due to performance reasons the import is aborted for files containing more than 100 frames. This limitation can be overwritten manually by using the argument frame.frange.

matrix

Returns a matrix of the form: Rows = Channels, columns = Frames. For the transformation the function get\_RLum is used, meaning that the same results can be obtained by using the function get\_RLum on an RLum.Data.Spectrum or RLum.Data.Image object.

### **Function version**

0.1.3

### How to cite

Kreutzer, S., 2021. read\_SPE2R(): Import Princeton Instruments (TM) SPE-file into R. Function version 0.1.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The function does not test whether the input data are spectra or pictures for spatial resolved analysis!

The function has been successfully tested for SPE format versions 2.x.

Currently not all information provided by the SPE format are supported.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### References

Princeton Instruments, 2014. Princeton Instruments SPE 3.0 File Format Specification, Version 1.A (for document URL please use an internet search machine)

Hall, C., 2012: readSPE.m. https://www.mathworks.com/matlabcentral/fileexchange/35940-readspe

# See Also

readBin, RLum.Data.Spectrum, raster::raster

270 read\_TIFF2R

## **Examples**

```
## to run examples uncomment lines and run the code
##(1) Import data as RLum.Data.Spectrum object
#file <- file.choose()</pre>
#temp <- read_SPE2R(file)</pre>
#temp
##(2) Import data as RLum.Data.Image object
#file <- file.choose()</pre>
#temp <- read_SPE2R(file, output.object = "RLum.Data.Image")</pre>
#temp
##(3) Import data as matrix object
#file <- file.choose()</pre>
#temp <- read_SPE2R(file, output.object = "matrix")</pre>
#temp
##(4) Export raw data to csv, if temp is a RLum.Data.Spectrum object
# write.table(x = get_RLum(temp),
              file = "[your path and filename]",
#
              sep = ";", row.names = FALSE)
```

 ${\tt read\_TIFF2R}$ 

Import TIFF Image Data into R

# **Description**

Simple wrapper around [tiff::readTIFF] to import TIFF images and TIFF image stacks to be further processed within the package 'Luminescence'

# Usage

```
read_TIFF2R(file)
```

# **Arguments**

```
file [character] (**required**): file name
```

## Value

RLum.Image.Data-class object

# **Function version**

0.1.0

read\_XSYG2R 271

### How to cite

Kreutzer, S., 2021. read\_TIFF2R(): Import TIFF Image Data into R. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

```
[tiff::readTIFF], [RLum.Data.Image-class], [raster::raster]
```

# **Examples**

```
## Not run:
file <- file.choose()
image <- read_TIFF2R(file)
## End(Not run)</pre>
```

read\_XSYG2R

Import XSYG files to R

## **Description**

Imports XSYG-files produced by a Freiberg Instruments lexsyg reader into R.

# Usage

```
read_XSYG2R(
   file,
   recalculate.TL.curves = TRUE,
   fastForward = FALSE,
   import = TRUE,
   pattern = ".xsyg",
   verbose = TRUE,
   txtProgressBar = TRUE
)
```

# Arguments

file

character or list (**required**): path and file name of the XSYG file. If input is a list it should comprise only characters representing each valid path and XSYG-file names. Alternatively the input character can be just a directory (path), in this case the the function tries to detect and import all XSYG-files found in the directory.

272 read\_XSYG2R

recalculate.TL.curves

logical (with default): if set to TRUE, TL curves are returned as temperature against count values (see details for more information) Note: The option overwrites the time vs. count TL curve. Select FALSE to import the raw data delivered

by the lexsyg. Works for TL curves and spectra.

fastForward logical (with default): if TRUE for a more efficient data processing only a list of

RLum. Analysis objects is returned.

import logical (with default): if set to FALSE, only the XSYG file structure is shown.

pattern regex (with default): optional regular expression if file is a link to a folder, to

select just specific XSYG-files

verbose logical (with default): enable or disable verbose mode. If verbose is FALSE the

txtProgressBar is also switched off

txtProgressBar logical (with default): enables TRUE or disables FALSE the progression bar during

import

### **Details**

# How does the import function work?

The function uses the xml package to parse the file structure. Each sequence is subsequently translated into an RLum.Analysis object.

# General structure XSYG format

So far, each XSYG file can only contain one <Sample></Sample>, but multiple sequences.

Each record may comprise several curves.

# TL curve recalculation

On the FI lexsyg device TL curves are recorded as time against count values. Temperature values are monitored on the heating plate and stored in a separate curve (time vs. temperature). If the option recalculate.TL.curves = TRUE is chosen, the time values for each TL curve are replaced by temperature values.

Practically, this means combining two matrices (Time vs. Counts and Time vs. Temperature) with different row numbers by their time values. Three cases are considered:

- 1. HE: Heating element
- 2. PMT: Photomultiplier tube
- 3. Interpolation is done using the function approx

```
CASE(1): nrow(matrix(PMT)) > nrow(matrix(HE))
```

Missing temperature values from the heating element are calculated using time values from the PMT measurement.

read\_XSYG2R 273

```
CASE(2): nrow(matrix(PMT)) < nrow(matrix(HE))</pre>
```

Missing count values from the PMT are calculated using time values from the heating element measurement.

```
CASE(3): nrow(matrix(PMT)) == nrow(matrix(HE))
```

A new matrix is produced using temperature values from the heating element and count values from the PMT.

**Note:** Please note that due to the recalculation of the temperature values based on values delivered by the heating element, it may happen that multiple count values exists for each temperature value and temperature values may also decrease during heating, not only increase.

## Advanced file import

To allow for a more efficient usage of the function, instead of single path to a file just a directory can be passed as input. In this particular case the function tries to extract all XSYG-files found in the directory and import them all. Using this option internally the function constructs as list of the XSYG-files found in the directory. Please note no recursive detection is supported as this may lead to endless loops.

### Value

# **Using the option** import = FALSE

A list consisting of two elements is shown:

- data.frame with information on file.
- data.frame with information on the sequences stored in the XSYG file.

## Using the option import = TRUE (default)

A list is provided, the list elements contain:

Sequence.Header

data.frame with information on the sequence.

Sequence.Object

RLum. Analysis containing the curves.

### **Function version**

0.6.8

# How to cite

Kreutzer, S., 2021. read\_XSYG2R(): Import XSYG files to R. Function version 0.6.8. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

### Note

This function is a beta version as the XSYG file format is not yet fully specified. Thus, further file operations (merge, export, write) should be done using the functions provided with the package xml.

# So far, no image data import is provided!

Corresponding values in the XSXG file are skipped.

274 replicate\_RLum

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### References

Grehl, S., Kreutzer, S., Hoehne, M., 2013. Documentation of the XSYG file format. Unpublished Technical Note. Freiberg, Germany

## **Further reading**

XML: https://en.wikipedia.org/wiki/XML

### See Also

```
xml, RLum.Analysis, RLum.Data.Curve, approx
```

# **Examples**

```
##(1) import XSYG file to R (uncomment for usage)
#FILE <- file.choose()</pre>
#temp <- read_XSYG2R(FILE)</pre>
##(2) additional examples for pure XML import using the package XML
      (uncomment for usage)
  ##import entire XML file
  #FILE <- file.choose()</pre>
  #temp <- XML::xmlRoot(XML::xmlTreeParse(FILE))</pre>
  ##search for specific subnodes with curves containing 'OSL'
  #getNodeSet(temp, "//Sample/Sequence/Record[@recordType = 'OSL']/Curve")
##(2) How to extract single curves ... after import
data(ExampleData.XSYG, envir = environment())
##grep one OSL curves and plot the first curve
OSLcurve <- get_RLum(OSL.SARMeasurement$Sequence.Object, recordType="OSL")[[1]]
##(3) How to see the structure of an object?
structure_RLum(OSL.SARMeasurement$Sequence.Object)
```

replicate\_RLum

General replication function for RLum S4 class objects

# **Description**

Function replicates RLum S4 class objects and returns a list for this objects

## Usage

```
replicate_RLum(object, times = NULL)
```

## **Arguments**

object RLum (required): an RLum object

times integer (optional): number for times each element is repeated element

## Value

Returns a list of the object to be repeated

# **Function version**

0.1.0

## How to cite

Kreutzer, S., 2021. replicate\_RLum(): General replication function for RLum S4 class objects. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

# See Also

**RLum** 

report\_RLum

Create a HTML-report for (RLum) objects

# Description

Create a HTML-report for (RLum) objects

# Usage

```
report_RLum(
  object,
  file = tempfile(),
  title = "RLum.Report",
  compact = TRUE,
  timestamp = TRUE,
  show_report = TRUE,
  launch.browser = FALSE,
  css.file = NULL,
  quiet = TRUE,
  clean = TRUE,
  ...
)
```

# **Arguments**

object	(required): The object to be reported on, preferably of any RLum-class.
file	character (with default): A character string naming the output file. If no filename is provided a temporary file is created.
title	character (with default): A character string specifying the title of the document.
compact	logical (with default): When TRUE the following report components are hidden: @.pid, @.uid, 'Object structure', 'Session Info' and only the first and last 5 rows of long matrices and data frames are shown. See details.
timestamp	logical (with default): TRUE to add a timestamp to the filename (suffix).
show_report	logical (with default): If set to TRUE the function tries to display the report output in the local viewer, e.g., within RStudio after rendering.
launch.browser	logical (with default): TRUE to open the HTML file in the system's default web browser after it has been rendered.
css.file	character (optional): Path to a CSS file to change the default styling of the HTML document.
quiet	logical (with default): TRUE to suppress printing of the pandoc command line.
clean	logical (with default): TRUE to clean intermediate files created during rendering.
	further arguments passed to or from other methods and to control the document's structure (see details).

# **Details**

This function creates a HTML-report for a given object, listing its complete structure and content. The object itself is saved as a serialised .Rds file. The report file serves both as a convenient way of browsing through objects with complex data structures as well as a mean of properly documenting and saving objects.

The HTML report is created with rmarkdown::render and has the following structure:

Section	Description	
Header	A summary of general characteristics of the object	
Object content	A comprehensive list of the complete structure and content of the provided object.	
Object structure	Summary of the objects structure given as a table	
File	Information on the saved RDS file	
Session Info	Captured output from sessionInfo()	
Plots	(optional) For RLum-class objects a variable number of plots	

The structure of the report can be controlled individually by providing one or more of the following arguments (all logical):

Argui	nent	Description
heade	er	Hide or show general information on the object
main		Hide or show the object's content
struc	cture	Hide or show object's structure
rds		Hide or show information on the saved RDS file
sessi	ion	Hide or show the session info
plot		Hide or show the plots (depending on object)

Note that these arguments have higher precedence than compact.

Further options that can be provided via the . . . argument:

Argument	Description
short_table	If TRUE only show the first and last 5 rows of long tables.
theme	Specifies the Bootstrap theme to use for the report. Valid themes include "default", "cerulean", "jour
highlight	Specifies the syntax highlighting style. Supported styles include "default", "tango", "pygments", "ka
css	TRUE or FALSE to enable/disable custom CSS styling

The following arguments can be used to customise the report via CSS (Cascading Style Sheets):

Argument	Description
font_family	Define the font family of the HTML document (default: "arial")
headings_size	Size of the <h1> to <h6> tags used to define HTML headings (default: 166%).</h6></h1>
content color	Colour of the object's content (default: #a72925).

Note that these arguments must all be of class character and follow standard CSS syntax. For exhaustive CSS styling you can provide a custom CSS file for argument css.file. CSS styling can be turned of using css = FALSE.

# Value

Writes a HTML and .Rds file.

## **Function version**

0.1.4

## How to cite

Burow, C., Kreutzer, S., 2021. report\_RLum(): Create a HTML-report for (RLum) objects. Function version 0.1.4. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

This function requires the R packages 'rmarkdown', 'pander' and 'rstudioapi'.

# Author(s)

Christoph Burow, University of Cologne (Germany), Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

# See Also

rmarkdown::render, pander::pander\_return, pander::openFileInOS, rstudioapi::viewer, browseURL

### **Examples**

```
## Not run:
## Example: RLum.Results ----
# load example data
data("ExampleData.DeValues")
# apply the MAM-3 age model and save results
mam <- calc_MinDose(ExampleData.DeValues$CA1, sigmab = 0.2)</pre>
# create the HTML report
report_RLum(object = mam, file = "~/CA1_MAM.Rmd",
            timestamp = FALSE,
            title = "MAM-3 for sample CA1")
\# when creating a report the input file is automatically saved to a
# .Rds file (see saveRDS()).
\label{eq:mam_report} $$\operatorname{\mathsf{readRDS}}("^{\mathsf{CA1}}_{\mathsf{MAM}}.Rds")$$
all.equal(mam, mam_report)
## Example: Temporary file & Viewer/Browser ----
# Specifying a filename is not necessarily required. If no filename is provided,
# the report is rendered in a temporary file. If you use the RStudio IDE, the
\ensuremath{\text{\#}} temporary report is shown in the interactive Viewer pane.
report_RLum(object = mam)
# (b)
# Additionally, you can view the HTML report in your system's default web browser.
report_RLum(object = mam, launch.browser = TRUE)
## Example: RLum.Analysis ----
data("ExampleData.RLum.Analysis")
# create the HTML report (note that specifying a file
# extension is not necessary)
report_RLum(object = IRSAR.RF.Data, file = "~/IRSAR_RF")
## Example: RLum.Data.Curve ----
data.curve <- get_RLum(IRSAR.RF.Data)[[1]]</pre>
# create the HTML report
report_RLum(object = data.curve, file = "~/Data_Curve")
## Example: Any other object ----
x <- list(x = 1:10,
          y = runif(10, -5, 5),
          z = data.frame(a = LETTERS[1:20], b = dnorm(0:9)),
          NA)
```

```
report_RLum(object = x, file = "~/arbitray_list")
## End(Not run)
```

Risoe.BINfileData2RLum.Analysis

Convert Risoe.BINfileData object to an RLum.Analysis object

# **Description**

Converts values from one specific position of a Risoe.BINfileData S4-class object to an RLum.Analysis object.

# Usage

```
Risoe.BINfileData2RLum.Analysis(
  object,
  pos = NULL,
  grain = NULL,
  run = NULL,
  set = NULL,
  ltype = NULL,
  dtype = NULL,
  protocol = "unknown",
  keep.empty = TRUE,
  txtProgressBar = FALSE
)
```

# **Arguments**

object	Risoe.BINfileData (required): Risoe.BINfileData object
pos	numeric (optional): position number of the Risoe.BINfileData object for which the curves are stored in the RLum.Analysis object. If length(position)>1 a list of RLum.Analysis objects is returned. If nothing is provided every position will be converted. If the position is not valid NA is returned.
grain	vector, numeric (optional): grain number from the measurement to limit the converted data set (e.g., grain = c(1:48)). Please be aware that this option may lead to unwanted effects, as the output is strictly limited to the chosen grain number for all position numbers
run	vector, numeric (optional): run number from the measurement to limit the converted data set (e.g., run = $c(1:48)$ ).
set	vector, numeric (optional): set number from the measurement to limit the converted data set (e.g., set = $c(1:48)$ ).
ltype	vector, character ( <i>optional</i> ): curve type to limit the converted data. Commonly allowed values are: IRSL, OSL, TL, RIR, RBR and USER (see also Risoe.BINfileData)
dtype	vector, character (optional): data type to limit the converted data. Commonly allowed values are listed in Risoe.BINfileData
protocol	character (optional): sets protocol type for analysis object. Value may be used by subsequent analysis functions.

keep.empty logical (with default): If TRUE (default) an RLum. Analysis object is returned even if it does not contain any records. Set to FALSE to discard all empty objects.

txtProgressBar logical (with default): enables or disables txtProgressBar.

## **Details**

The RLum.Analysis object requires a set of curves for specific further protocol analyses. However, the Risoe.BINfileData usually contains a set of curves for different aliquots and different protocol types that may be mixed up. Therefore, a conversion is needed.

## Value

Returns an RLum. Analysis object.

### **Function version**

0.4.2

### How to cite

Kreutzer, S., 2021. Risoe.BINfileData2RLum.Analysis(): Convert Risoe.BINfileData object to an RLum.Analysis object. Function version 0.4.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The protocol argument of the RLum. Analysis object is set to 'unknown' if not stated otherwise.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

### See Also

Risoe.BINfileData, RLum.Analysis, read\_BIN2R

# **Examples**

```
##load data
data(ExampleData.BINfileData, envir = environment())
##convert values for position 1
Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data, pos = 1)
```

RLum-class 281

RLum-class Class "RLum"

## **Description**

Abstract class for data in the package Luminescence Subclasses are:

# Usage

```
## S4 method for signature 'RLum'
replicate_RLum(object, times = NULL)
```

# **Arguments**

object RLum (required): an object of class RLum

times integer (optional): number for times each element is repeated element

## Details

## RLum-class

-RLum.Results

# Methods (by generic)

• replicate\_RLum: Replication method RLum-objects

# Slots

originator Object of class character containing the name of the producing function for the object. Set automatically by using the function set\_RLum.

info Object of class list for additional information on the object itself

- .uid Object of class character for a unique object identifier. This id is usually calculated using the internal function create\_UID() if the function set\_RLum is called.
- .pid Object of class character for a parent id. This allows nesting RLum-objects at will. The parent id can be the uid of another object.

## **Objects from the Class**

A virtual Class: No objects can be created from it.

# Class version

0.4.0

#### How to cite

Kreutzer, S., 2021. RLum-class(): Class 'RLum'. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

RLum is a virtual class.

### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

RLum.Data, RLum.Data.Curve, RLum.Data.Spectrum, RLum.Data.Image, RLum.Analysis, RLum.Results, methods\_RLum

# **Examples**

```
showClass("RLum")
```

scale\_GammaDose

Calculate the gamma dose deposited within a sample taking layer-to-layer variations in radioactivity into account (according to Aitken, 1985)

# Description

This function calculates the gamma dose deposited in a luminescence sample taking into account layer-to-layer variations in sediment radioactivity . The function scales user inputs of uranium, thorium and potassium based on input parameters for sediment density, water content and given layer thicknesses and distances to the sample.

## Usage

```
scale_GammaDose(
  data,
  conversion_factors = c("Cresswelletal2018", "Guerinetal2011", "AdamiecAitken1998",
     "Liritzisetal2013")[1],
  fractional_gamma_dose = c("Aitken1985")[1],
  verbose = TRUE,
  plot = TRUE,
  plot_single = TRUE,
  ...
)
```

## **Arguments**

data

data.frame (**required**): A table containing all relevant information for each individual layer. The table must have the following named columns:

- id (character): an arbitrary id or name of each layer
- thickness (numeric): vertical extent of each layer in cm
- sample\_offset (logical): distance of the sample in cm, measured from the BOTTOM OF THE TARGET LAYER. Except for the target layer all values must be NA.
- K (numeric): K nuclide content in %
- K\_se (numeric): error on the K content
- Th (numeric): Th nuclide content in ppm
- Th\_se (numeric): error on the Th content
- U (numeric): U nuclide content in ppm
- U\_se (numeric): error on the U content
- water\_content (numeric): water content of each layer in %
- water\_content\_se (numeric): error on the water content
- density (numeric): bulk density of each layer in g/cm^-3

## conversion\_factors

character (optional): The conversion factors used to calculate the dose rate from sediment nuclide contents. Valid options are:

- "Cresswelletal2018" (default)
- "Liritzisetal2013"
- "Guerinetal2011"
- "AdamiecAitken1998"

fractional\_gamma\_dose

character (optional): Factors to scale gamma dose rate values. Valid options are:

• "Aitken1985" (default): Table H1 in the appendix

verbose logical (optional): Show or hide console output (defaults to TRUE).

plot logical (optional): Show or hide the plot (defaults to TRUE).

plot\_single logical (optional): Show all plots in one panel (defaults to TRUE).

... Further parameters passed to barplot.

### **Details**

# **User Input**

To calculate the gamma dose which is deposited in a sample, the user needs to provide information on those samples influencing the luminescence sample. As a rule of thumb, all sediment layers within at least 30 cm radius from the luminescence sample taken should be taken into account when calculating the gamma dose rate. However, the actual range of gamma radiation might be different, depending on the emitting radioelement, the water content and the sediment density of each layer (Aitken, 1985). Therefore the user is advised to provide as much detail as possible and physically sensible

The function requires a data frame that is to be structured in columns and rows, with samples listed in rows. The first column contains information on the layer/sample ID, the second on the thickness (in cm) of each layer, whilst column 3 should contain NA for all layers that are not sampled for OSL/TL. For the layer the OSL/TL sample was taken from a numerical value must be provided, which is the distance (in cm) measured from **bottom** of the layer of interest. If the whole layer was

sampled insert 0. If the sample was taken from *within* the layer, insert a numerical value >0, which describes the distance from the middle of the sample to the bottom of the layer in cm. Columns 4 to 9 should contain radionuclide concentrations and their standard errors for potassium (in %), thorium (in ppm) and uranium (in ppm). Columns 10 and 11 give information on the water content and its uncertainty (standard error) in %. The layer density (in g/cm3) should be given in column 12. No cell should be left blank. Please ensure to keep the column titles as given in the example dataset (data('ExampleData.ScaleGammaDose'), see examples).

The user can decide which dose rate conversion factors should be used to calculate the gamma dose rates. The options are:

- "Cresswelletal2018" (Cresswell et al., 2018)
- "Liritzisetal2013" (Liritzis et al., 2013)
- "Guerinetal2011" (Guerin et al., 2011)
- "AdamiecAitken1998" (Adamiec and Aitken, 1998)

### Water content

The water content provided by the user should be calculated according to:

$$(Wetweight[g] - Dryweight[g])/Dryweight[g] * 100$$

#### **Calculations**

After converting the radionuclide concentrations into dose rates, the function will scale the dose rates based on the thickness of the layers, the distances to the sample, the water content and the density of the sediment. The calculations are based on Aitken (1985, Appendix H). As an example (equivalent to Aitken, 1985), assuming three layers of sediment, where **L** is inert and positioned in between the infinite thick and equally active layers **A** and **B**, the dose in **L** and **B** due to **A** is given by

$$1 - f(x)D_A$$

Where x is the distance into the inert medium, so f(x) is the weighted average fractional dose at x and D\_A denotes that the dose is delivered by A. f(x) is derived from table H1 (Aitken, 1985), when setting z = x. Consequently, the dose in A and L due to B is given by

$$1 - f(t - x)D_B$$

Here t is the thickness of L and the other parameters are denoted as above, just for the dose being delivered by B. f(t-x) is derived from table H1 (Aitken, 1985), when setting z equal to t-x. Following this, the dose in L delivered by A and B is given by

$$2 - f(x) - f(t - x)D_{AB}$$

Since **A** and **B** are equally active  $D_{AB} = D_A = D_B$ .

The function uses the value of the fractional dose rate at the layer boundary to start the calculation for the next layer. This way, the function is able to scale the gamma dose rate accurately for distant layers when the density and water content is not constant for the entire section.

### Value

After performing the calculations the user is provided with different outputs.

1. The total gamma dose rate received by the sample (+/- uncertainties) as a print in the console.

- 2. A plot showing the sediment sequence, the user input sample information and the contribution to total gamma dose rate.
- 3. RLum Results. If the user wishes to save these results, writing a script to run the function and to save the results would look like this:

```
mydata <- read.table("c:/path/to/input/file.txt")
results <- scale_GammaDose(mydata)
table <- get_RLum(results)
write.csv(table, "c:/path/to/results.csv")</pre>
```

# [ NUMERICAL OUTPUT ]

RLum.Results-object

slot: @data

Element	Type	Description
\$summary	data.frame	summary of the model results
\$data	data.frame	the original input data
\$dose_rates	list	two data. frames for the scaled and infinite matrix dose rates
\$tables	list	several data. frames containing intermediate results
\$args	character	arguments of the call
\$call	call	the original function call

slot: @info

Currently unused.

[ PLOT OUTPUT ]

Three plots are produced:

- A visualisation of the provided sediment layer structure to quickly assess whether the data was provided and interpreted correctly.
- A scatter plot of the nuclide contents per layer (K, Th, U) as well as the water content. This may help to correlate the dose rate contribution of specific layers to the layer of interest.
- A barplot visualising the contribution of each layer to the total dose rate received by the sample in the target layer.

# **Function version**

### Acknowledgements

We thank Dr Ian Bailiff for the provision of an excel spreadsheet, which has been very helpful when writing this function.

### How to cite

Riedesel, S., Autzen, M., Burow, C., 2021. scale\_GammaDose(): Calculate the gamma dose deposited within a sample taking layer-to-layer variations in radioactivity into account (according to Aitken, 1985). Function version 0.1.2. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

This function has BETA status. If possible, results should be cross-checked.

### Author(s)

Svenja Riedesel, Aberystwyth University (United Kingdom)

Martin Autzen, DTU NUTECH Center for Nuclear Technologies (Denmark)

Christoph Burow, University of Cologne (Germany)

Based on an excel spreadsheet and accompanying macro written by Ian Bailiff. , RLum Developer Team

#### References

Aitken, M.J., 1985. Thermoluminescence Dating. Academic Press, London.

Adamiec, G., Aitken, M.J., 1998. Dose-rate conversion factors: update. Ancient TL 16, 37-46.

Cresswell., A.J., Carter, J., Sanderson, D.C.W., 2018. Dose rate conversion parameters: Assessment of nuclear data. Radiation Measurements 120, 195-201.

Guerin, G., Mercier, N., Adamiec, G., 2011. Dose-rate conversion factors: update. Ancient TL, 29, 5-8.

Liritzis, I., Stamoulis, K., Papachristodoulou, C., Ioannides, K., 2013. A re-evaluation of radiation dose-rate conversion factors. Mediterranean Archaeology and Archaeometry 13, 1-15.

## See Also

ExampleData.ScaleGammaDose, BaseDataSet.ConversionFactors, approx, barplot

## **Examples**

Second2Gray 287

get\_RLum(results)

Second2Gray

Converting equivalent dose values from seconds (s) to Gray (Gy)

# Description

Conversion of absorbed radiation dose in seconds (s) to the SI unit Gray (Gy) including error propagation. Normally used for equivalent dose data.

# Usage

Second2Gray(data, dose.rate, error.propagation = "omit")

## **Arguments**

data data.frame (required): input values, structure: data (values[,1]) and data error

(values [,2]) are required

dose.rate RLum.Results, data.frame or numeric (required): RLum.Results needs to be

originated from the function calc\_SourceDoseRate, for vector dose rate in Gy/s

and dose rate error in Gy/s

error.propagation

character (with default): error propagation method used for error calculation

(omit, gaussian or absolute), see details for further information

# **Details**

Calculation of De values from seconds (s) to Gray (Gy)

$$De[Gy] = De[s] * DoseRate[Gy/s])$$

Provided calculation error propagation methods for error calculation (with 'se' as the standard error and 'DR' of the dose rate of the beta-source):

(1) omit (default)

$$se(De)[Gy] = se(De)[s] * DR[Gy/s]$$

In this case the standard error of the dose rate of the beta-source is treated as systematic (i.e. non-random), it error propagation is omitted. However, the error must be considered during calculation of the final age. (cf. Aitken, 1985, pp. 242). This approach can be seen as method (2) (gaussian) for the case the (random) standard error of the beta-source calibration is 0. Which particular method is requested depends on the situation and cannot be prescriptive.

(2) gaussian error propagation

$$se(De)[Gy] = \sqrt{((DR[Gy/s] * se(De)[s])^2 + (De[s] * se(DR)[Gy/s])^2)}$$

Applicable under the assumption that errors of De and se are uncorrelated.

(3) absolute error propagation

$$se(De)[Gy] = abs(DR[Gy/s] * se(De)[s]) + abs(De[s] * se(DR)[Gy/s])$$

Applicable under the assumption that errors of De and se are correlated.

288 Second2Gray

#### Value

Returns a data.frame with converted values.

### **Function version**

0.6.0

### How to cite

Kreutzer, S., Dietze, M., Fuchs, M.C., 2021. Second2Gray(): Converting equivalent dose values from seconds (s) to Gray (Gy). Function version 0.6.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

If no or a wrong error propagation method is given, the execution of the function is stopped. Furthermore, if a data. frame is provided for the dose rate values is has to be of the same length as the data frame provided with the argument data

## Author(s)

```
Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Michael Dietze, GFZ Potsdam (Germany) Margret C. Fuchs, HZDR, Helmholtz-Institute Freiberg for Resource Technology (Germany) , RLum Developer Team
```

### References

Aitken, M.J., 1985. Thermoluminescence dating. Academic Press.

### See Also

```
calc_SourceDoseRate
```

### **Examples**

set\_Risoe.BINfileData 289

```
data(ExampleData.DeValues, envir = environment())
# apply dose.rate to convert De(s) to De(Gy)
Second2Gray(ExampleData.DeValues$BT998, dose.rate)
```

set\_Risoe.BINfileData General accessor function for RLum S4 class objects

# **Description**

Function calls object-specific get functions for RisoeBINfileData S4 class objects.

# Usage

```
set_Risoe.BINfileData(
   METADATA = data.frame(),
   DATA = list(),
   .RESERVED = list()
)
```

# **Arguments**

```
METADATA x
DATA x
.RESERVED x
```

# **Details**

The function provides a generalised access point for specific Risoe.BINfileData objects. Depending on the input object, the corresponding get function will be selected. Allowed arguments can be found in the documentations of the corresponding Risoe.BINfileData class.

# Value

Return is the same as input objects as provided in the list.

# **Function version**

0.1

#### How to cite

Kreutzer, S., 2021. set\_Risoe.BINfileData(): General accessor function for RLum S4 class objects. Function version 0.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

290 set\_RLum

## See Also

Risoe.BINfileData

set_RLum G	General set function for	RLum S4 class objects
------------	--------------------------	-----------------------

# Description

Function calls object-specific set functions for RLum S4 class objects.

# Usage

```
set_RLum(class, originator, .uid = create_UID(), .pid = NA_character_, ...)
```

# Arguments

class	RLum (required): name of the S4 class to create
originator	character ( <i>automatic</i> ): contains the name of the calling function (the function that produces this object); can be set manually.
.uid	character ( <i>automatic</i> ): sets an unique ID for this object using the internal C++ function create_UID.
.pid	character (with default): option to provide a parent id for nesting at will.
	further arguments that one might want to pass to the specific set method

## **Details**

The function provides a generalised access point for specific RLum objects.

Depending on the given class, the corresponding method to create an object from this class will be selected. Allowed additional arguments can be found in the documentations of the corresponding RLum class:

- RLum.Data.Curve,
- RLum.Data.Image,
- RLum.Data.Spectrum,
- RLum.Analysis,
- RLum.Results

# Value

Returns an object of the specified class.

# **Function version**

0.3.0

smooth\_RLum 291

#### How to cite

Kreutzer, S., 2021. set\_RLum(): General set function for RLum S4 class objects. Function version 0.3.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

# **Examples**

```
##produce empty objects from each class
set_RLum(class = "RLum.Data.Curve")
set_RLum(class = "RLum.Data.Spectrum")
set_RLum(class = "RLum.Data.Spectrum")
set_RLum(class = "RLum.Analysis")
set_RLum(class = "RLum.Results")

##produce a curve object with arbitrary curve values
object <- set_RLum(
class = "RLum.Data.Curve",
curveType = "arbitrary",
recordType = "OSL",
data = matrix(c(1:100,exp(-c(1:100))),ncol = 2))

##plot this curve object
plot_RLum(object)</pre>
```

smooth\_RLum

Smoothing of data

# **Description**

Function calls the object-specific smooth functions for provided RLum S4-class objects.

# Usage

```
smooth_RLum(object, ...)
## S4 method for signature 'list'
smooth_RLum(object, ...)
```

292 smooth\_RLum

#### **Arguments**

```
object RLum (required): S4 object of class RLum
... further arguments passed to the specific class method
```

## **Details**

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class. The smoothing is based on an internal function called .smoothing.

#### Value

An object of the same type as the input object is provided

#### **Functions**

• smooth\_RLum, list-method: Returns a list of RLum objects that had been passed to smooth\_RLum

# **Function version**

0.1.0

## How to cite

Kreutzer, S., 2021. smooth\_RLum(): Smoothing of data. Function version 0.1.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

#### Note

 $Currently\ only\ RLum\ objects\ of\ class\ RLum. Data. Curve\ and\ RLum. Analysis\ (with\ curve\ data)\ are\ supported!$ 

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

## See Also

RLum.Data.Curve, RLum.Analysis

#### **Examples**

```
##load example data
data(ExampleData.CW_OSL_Curve, envir = environment())
##create RLum.Data.Curve object from this example
curve <-
    set_RLum(
        class = "RLum.Data.Curve",</pre>
```

sTeve 293

```
recordType = "OSL",
    data = as.matrix(ExampleData.CW_OSL_Curve)
)

##plot data without and with smoothing
plot_RLum(curve)
plot_RLum(smooth_RLum(curve))
```

sTeve

sTeve - sophisticated tool for efficient data validation and evaluation

# Description

This function provides a sophisticated routine for comprehensive luminescence dating data analysis.

# Usage

```
sTeve(n_frames = 10, t_animation = 2, n.tree = 7, type)
```

## **Arguments**

n\_frames integer (with default): n frames t\_animation integer (with default): t animation

n.tree integer (with default): how many trees do you want to cut?

type integer (optional): Make a decision: 1, 2 or 3

# Details

This amazing sophisticated function validates your data seriously.

#### Value

Validates your data.

# How to cite

NA, NA, , , 2021. sTeve(): sTeve - sophisticated tool for efficient data validation and evaluation. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Note

This function should not be taken too seriously.

# Author(s)

R Luminescence Team, 2012-2046, RLum Developer Team

294 structure\_RLum

#### See Also

```
plot_KDE
```

# **Examples**

##no example available

structure\_RLum

General structure function for RLum S4 class objects

## **Description**

Function calls object-specific get functions for RLum S4 class objects.

# Usage

```
structure_RLum(object, ...)
## S4 method for signature 'list'
structure_RLum(object, ...)
```

# **Arguments**

object RLum (required): S4 object of class RLum

... further arguments that one might want to pass to the specific structure method

# **Details**

The function provides a generalised access point for specific RLum objects.

Depending on the input object, the corresponding structure function will be selected. Allowed arguments can be found in the documentations of the corresponding RLum class.

# Value

Returns a data.frame with structure of the object.

# **Functions**

structure\_RLum, list-method: Returns a list of RLum objects that had been passed to structure RLum

# **Function version**

0.2.0

# How to cite

Kreutzer, S., 2021. structure\_RLum(): General structure function for RLum S4 class objects. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

template\_DRAC 295

#### Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### See Also

RLum.Data.Curve, RLum.Data.Image, RLum.Data.Spectrum, RLum.Analysis, RLum.Results

# **Examples**

```
##load example data
data(ExampleData.XSYG, envir = environment())
##show structure
structure_RLum(OSL.SARMeasurement$Sequence.Object)
```

template\_DRAC

Create a DRAC input data template (v1.2)

# **Description**

This function returns a DRAC input template (v1.2) to be used in conjunction with the use\_DRAC function

# Usage

```
template_DRAC(nrow = 1, preset = NULL, notification = TRUE)
```

## **Arguments**

nrow

integer (with default): specifies the number of rows of the template (i.e., the number of data sets you want to submit).

preset

character (optional): By default, all values of the template are set to NA, which means that the user needs to fill in **all** data first before submitting to DRAC using use\_DRAC(). To reduce the number of values that need to be provided, preset can be used to create a template with at least a minimum of reasonable preset values.

preset can be one of the following:

- quartz\_coarse
- quartz\_fine
- feldspar\_coarse
- polymineral\_fine
- DRAC-example\_quartz
- DRAC-example\_feldspar
- DRAC-example\_polymineral

Note that the last three options can be used to produce a template with values directly taken from the official DRAC input .csv file.

notification

logical (with default): show or hide the notification

296 template\_DRAC

#### Value

A list.

#### How to cite

Burow, C., Kreutzer, S., 2021. template\_DRAC(): Create a DRAC input data template (v1.2). In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Author(s)

Christoph Burow, University of Cologne (Germany), Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom), RLum Developer Team

#### References

Durcan, J.A., King, G.E., Duller, G.A.T., 2015. DRAC: Dose Rate and Age Calculator for trapped charge dating. Quaternary Geochronology 28, 54-61. doi:10.1016/j.quageo.2015.03.012

#### See Also

as.data.frame, list

#### **Examples**

```
# create a new DRAC input input
input <- template_DRAC(preset = "DRAC-example_quartz")</pre>
# show content of the input
print(input)
print(input$`Project ID`)
print(input[[4]])
## Example: DRAC Quartz example
# note that you only have to assign new values where they
# are different to the default values
input$`Project ID` <- "DRAC-Example"</pre>
input$`Sample ID` <- "Quartz"</pre>
input$`Conversion factors` <- "AdamiecAitken1998"</pre>
input$`External U (ppm)` <- 3.4</pre>
input$`errExternal U (ppm)` <- 0.51</pre>
input$`External Th (ppm)` <- 14.47</pre>
input$`errExternal Th (ppm)` <- 1.69</pre>
input\External\ K\ (\%) <- 1.2
input\ensuremath{^{\circ}}errExternal K (%)\ensuremath{^{\circ}} <- 0.14
input$`Calculate external Rb from K conc?` <- "N"</pre>
input$`Calculate internal Rb from K conc?` <- "N"</pre>
input$`Scale gammadoserate at shallow depths?` <- "N"</pre>
input$`Grain size min (microns)` <- 90</pre>
input$`Grain size max (microns)` <- 125</pre>
input$`Water content ((wet weight - dry weight)/dry weight) %` <- 5</pre>
input$`errWater content %` <- 2</pre>
```

tune\_Data 297

```
input$`Depth (m)` <- 2.2
input$`errDepth (m)` <- 0.22
input$`Overburden density (g cm-3)` <- 1.8
input$`errOverburden density (g cm-3)` <- 0.1
input$`Latitude (decimal degrees)` <- 30.0000
input$`Longitude (decimal degrees)` <- 70.0000
input$`Altitude (m)` <- 150
input$`De (Gy)` <- 20
input$`errDe (Gy)` <- 0.2

# use DRAC
## Not run:
output <- use_DRAC(input)</pre>
## End(Not run)
```

tune\_Data

Tune data for experimental purpose

## **Description**

The error can be reduced and sample size increased for specific purpose.

# Usage

```
tune_Data(data, decrease.error = 0, increase.data = 0)
```

# **Arguments**

```
data.frame (required): input values, structure: data (values[,1]) and data error (values [,2]) are required

decrease.error numeric: factor by which the error is decreased, ranges between 0 and 1.

increase.data numeric: factor by which the error is decreased, ranges between 0 and Inf.
```

# Value

Returns a data.frame with tuned values.

#### **Function version**

0.5.0

#### How to cite

Dietze, M., 2021. tune\_Data(): Tune data for experimental purpose. Function version 0.5.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

298 use\_DRAC

#### Note

You should not use this function to improve your poor data set!

#### Author(s)

Michael Dietze, GFZ Potsdam (Germany), RLum Developer Team

# **Examples**

use\_DRAC

Use DRAC to calculate dose rate data

## **Description**

The function provides an interface from R to DRAC. An R-object or a pre-formatted XLS/XLSX file is passed to the DRAC website and the results are re-imported into R.

# Usage

```
use_DRAC(file, name, print_references = TRUE, citation_style = "text", ...)
```

## **Arguments**

character (required): spreadsheet to be passed to the DRAC website for calculation. Can also be a DRAC template object obtained from template\_DRAC().

name character (with default): Optional user name submitted to DRAC. If omitted, a random name will be generated

print\_references

(with default): Print all references used in the input data table to the console.

citation\_style (with default): If print\_references = TRUE this argument determines the output style of the used references. Valid options are "Bibtex", "citation", "html", "latex" or "R". Default is "text".

... Further arguments.

- url character: provide an alternative URL to DRAC
- verbose logical: show or hide console output

use\_DRAC 299

#### Value

Returns an RLum.Results object containing the following elements:

DRAC list: a named list containing the following elements in slot @data:

\$highlights data.frame summary of 25 most important input/output fields \$header character HTTP header from the DRAC server response \$labels data.frame descriptive headers of all input/output fields \$content data.frame complete DRAC input/output table \$input data.frame DRAC input table \$output data.frame DRAC output table A list of bib entries of used references references list

data character or list path to the input spreadsheet or a DRAC template

call call the function call args list used arguments

The output should be accessed using the function get\_RLum.

#### **Function version**

0.1.3

## How to cite

Kreutzer, S., Dietze, M., Burow, C., 2021. use\_DRAC(): Use DRAC to calculate dose rate data. Function version 0.1.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) Michael Dietze, GFZ Potsdam (Germany) Christoph Burow, University of Cologne (Germany), RLum Developer Team

#### References

Durcan, J.A., King, G.E., Duller, G.A.T., 2015. DRAC: Dose Rate and Age Calculator for trapped charge dating. Quaternary Geochronology 28, 54-61. doi:10.1016/j.quageo.2015.03.012

# **Examples**

```
## (1) Method using the DRAC spreadsheet
file <- "/PATH/TO/DRAC_Input_Template.csv"
# send the actual IO template spreadsheet to DRAC
## Not run:
use_DRAC(file = file)</pre>
```

```
## End(Not run)
## (2) Method using an R template object
# Create a template
input <- template_DRAC(preset = "DRAC-example_quartz")</pre>
# Fill the template with values
input$`Project ID` <- "DRAC-Example"</pre>
input$`Sample ID` <- "Quartz"</pre>
input$`Conversion factors` <- "AdamiecAitken1998"</pre>
input$`External U (ppm)` <- 3.4
input$`errExternal U (ppm)` <- 0.51</pre>
input$`External Th (ppm)` <- 14.47</pre>
input$`errExternal Th (ppm)` <- 1.69</pre>
input\External\ K\ (\%) <- 1.2
input$`errExternal K (%)` <- 0.14</pre>
input$`Calculate external Rb from K conc?` <- "N"</pre>
input$`Calculate internal Rb from K conc?` <- "N"</pre>
input$`Scale gammadoserate at shallow depths?` <- "N"</pre>
input$`Grain size min (microns)` <- 90</pre>
input$`Grain size max (microns)` <- 125</pre>
input
$`Water content ((wet weight - dry weight)/dry weight) %
 < 5
input$`errWater content %` <- 2</pre>
input^Depth (m) < -2.2
input$`errDepth (m)` <- 0.22</pre>
input^{\circ}Overburden density (g cm-3)^{\circ} <- 1.8
input$`Latitude (decimal degrees)` <- 30.0000</pre>
input$`Longitude (decimal degrees)` <- 70.0000
input$`Altitude (m)` <- 150
input$`De (Gy)` <- 20
input\ensuremath{\text{`errDe (Gy)`}} <- 0.2
# use DRAC
## Not run:
output <- use_DRAC(input)</pre>
## End(Not run)
```

```
verify_SingleGrainData
```

Verify single grain data sets and check for invalid grains, i.e. zero-light level grains

# Description

This function tries to identify automatically zero-light level curves (grains) from single grain data measurements.

#### Usage

```
verify_SingleGrainData(
  object,
  threshold = 10,
  cleanup = FALSE,
  cleanup_level = "aliquot",
  verbose = TRUE,
  plot = FALSE,
   ...
)
```

#### **Arguments**

object Risoe.BINfileData or RLum.Analysis (required): input object. The function

also accepts a list with objects of allowed type.

threshold numeric (with default): numeric threshold value for the allowed difference be-

tween the mean and the var of the count values (see details)

cleanup logical (with default): if set to TRUE curves identified as zero light level curves

are automatically removed. Output is an object as same type as the input, i.e.

either Risoe.BINfileData or RLum.Analysis

cleanup\_level character (with default): selects the level for the clean-up of the input data sets.

Two options are allowed: "curve" or "aliquot":

• If "curve" is selected every single curve marked as invalid is removed.

• If "aliquot" is selected, curves of one aliquot (grain or disc) can be marked as invalid, but will not be removed. An aliquot will be only removed if all

curves of this aliquot are marked as invalid.

verbose logical (with default): enables or disables the terminal feedback

plot logical (with default): enables or disables the graphical feedback

... further parameters to control the plot output; if selected. Supported arguments

main, ylim

# Details

# How does the method work?

The function compares the expected values (E(X)) and the variance (Var(X)) of the count values for each curve. Assuming that the background roughly follows a Poisson distribution the absolute difference of both values should be zero or at least around zero as

$$E(x) = Var(x) = \lambda$$

Thus the function checks for:

$$abs(E(x) - Var(x)) >= \Theta$$

With  $\Theta$  an arbitrary, user defined, threshold. Values above the threshold indicating curves comprising a signal.

Note: the absolute difference of E(X) and Var(x) instead of the ratio was chosen as both terms can become 0 which would result in 0 or Inf, if the ratio is calculated.

#### Value

The function returns

# [ NUMERICAL OUTPUT ]

RLum.Results-object

slot:\*\*\*\*@data

Element	Type	Description
<pre>\$unique_pairs</pre>	data.frame	the unique position and grain pairs
\$selection_id	numeric	the selection as record ID
\$selection full	data frame	implemented models used in the baSAR-model core

slot:\*\*\*\*@info

The original function call

#### **Output variation**

For cleanup = TRUE the same object as the input is returned, but cleaned up (invalid curves were removed). This means: Either an Risoe.BINfileData or an RLum.Analysis object is returned in such cases. An Risoe.BINfileData object can be exported to a BIN-file by using the function write R2BIN.

# **Function version**

0.2.3

#### How to cite

Kreutzer, S., 2021. verify\_SingleGrainData(): Verify single grain data sets and check for invalid grains, i.e. zero-light level grains. Function version 0.2.3. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Note

This function can work with Risoe.BINfileData objects or RLum.Analysis objects (or a list of it). However, the function is highly optimised for Risoe.BINfileData objects as it make sense to remove identify invalid grains before the conversion to an RLum.Analysis object.

The function checking for invalid curves works rather robust and it is likely that Reg0 curves within a SAR cycle are removed as well. Therefore it is strongly recommended to use the argument cleanup = TRUE carefully.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

write\_R2BIN 303

#### See Also

Risoe.BINfileData, RLum.Analysis, write\_R2BIN, read\_BIN2R

# **Examples**

```
##01 - basic example I
##just show how to apply the function
data(ExampleData.XSYG, envir = environment())
##verify and get data.frame out of it
verify\_SingleGrainData (OSL.SARMeasurement \$ Sequence.Object) \$ selection\_full \\
##02 - basic example II
data(ExampleData.BINfileData, envir = environment())
id <- verify_SingleGrainData(object = CWOSL.SAR.Data,</pre>
cleanup_level = "aliquot")$selection_id
## Not run:
##03 - advanced example I
##importing and exporting a BIN-file
##select and import file
file <- file.choose()</pre>
object <- read_BIN2R(file)</pre>
##remove invalid aliquots(!)
object <- verify_SingleGrainData(object, cleanup = TRUE)</pre>
##export to new BIN-file
write_R2BIN(object, paste0(dirname(file),"/", basename(file), "_CLEANED.BIN"))
## End(Not run)
```

write\_R2BIN

Export Risoe.BINfileData into Risø BIN/BINX-file

# **Description**

Exports a Risoe.BINfileData object in a \*.bin or \*.binx file that can be opened by the Analyst software or other Risø software.

# Usage

```
write_R2BIN(
  object,
  file,
  version,
  compatibility.mode = FALSE,
  txtProgressBar = TRUE
)
```

304 write\_R2BIN

# **Arguments**

version

object Risoe.BINfileData (**required**): input object to be stored in a bin file.

file character (required): file name and path of the output file

• [WIN]: write\_R2BIN(object, "C:/Desktop/test.bin")

• [MAC/LINUX]: write\_R2BIN("/User/test/Desktop/test.bin")

character (*optional*): version number for the output file. If no value is provided the highest version number from the Risoe.BINfileData is taken automatically.

Note: This argument can be used to convert BIN-file versions.

compatibility.mode

logical (with default): this option recalculates the position values if necessary and set the max. value to 48. The old position number is appended as comment (e.g., 'OP: 70). This option accounts for potential compatibility problems with the Analyst software. It further limits the maximum number of points per curve to 9,999. If a curve contains more data the curve data got binned using the smallest possible bin width.

txtProgressBar logical (with default): enables or disables txtProgressBar.

#### **Details**

The structure of the exported binary data follows the data structure published in the Appendices of the *Analyst* manual p. 42.

If LTYPE, DTYPE and LIGHTSOURCE are not of type character, no transformation into numeric values is done.

# Value

Write a binary file.

# **Function version**

0.5.1

# How to cite

Kreutzer, S., 2021. write\_R2BIN(): Export Risoe.BINfileData into Risø BIN/BINX-file. Function version 0.5.1. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

## Note

The function just roughly checks the data structures. The validity of the output data depends on the

The validity of the file path is not further checked. BIN-file conversions using the argument version may be a lossy conversion, depending on the chosen input and output data (e.g., conversion from version 08 to 07 to 06 to 05 to 04 or 03).

## Warning

Although the coding was done carefully it seems that the BIN/BINX-files produced by Risø DA 15/20 TL/OSL readers slightly differ on the byte level. No obvious differences are observed in the

write\_RLum2CSV 305

METADATA, however, the BIN/BINX-file may not fully compatible, at least not similar to the once directly produced by the Risø readers!

ROI definitions (introduced in BIN-file version 8) are not supported! There are furthermore ignored by the function read\_BIN2R.

# Author(s)

Sebastian Kreutzer, Geography & Earth Sciences, Aberystwyth University (United Kingdom) , RLum Developer Team

#### References

DTU Nutech, 2016. The Sequence Editor, Users Manual, February, 2016. https://www.fysik.dtu.dk

#### See Also

```
read_BIN2R, Risoe.BINfileData, writeBin
```

# **Examples**

```
## Not run:
##load exampled dataset
data(ExampleData.BINfileData, envir = environment())
##create temporary filepath
##(for usage replace by own path)
temp_file <- temp_file <- tempfile(pattern = "output", fileext = ".bin")
##export to temporary file path
write_R2BIN(CWOSL.SAR.Data, file = temp_file)
## End(Not run)</pre>
```

write\_RLum2CSV

Export RLum-objects to CSV

# Description

This function exports RLum-objects to CSV-files using the R function utils::write.table. All RLum-objects are supported, but the export is lossy, i.e. the pure numerical values are exported only. Information that cannot be coerced to a data.frame or a matrix are discarded as well as metadata.

# Usage

```
write_RLum2CSV(
  object,
  path = NULL,
  prefix = "",
  export = TRUE,
```

306 write\_RLum2CSV

```
compact = TRUE,
...
)
```

#### **Arguments**

object RLum or a list of RLum objects (required): objects to be written

path character (optional): character string naming folder for the output to be written.

If nothing is provided path will be set to the working directory. Note: this

argument is ignored if the the argument export is set to FALSE.

prefix character (with default): optional prefix to name the files. This prefix is valid for

all written files

export logical (with default): enable or disable the file export. If set to FALSE nothing

is written to the file connection, but a list comprising objects of type data.frame

and matrix is returned instead

compact logical (with default): if TRUE (the default) the output will be more simple but

less comprehensive, means not all elements in the objects will be fully broken down. This is in particular useful for writing RLum.Results objects to CSV-files, such objects can be rather complex and not all information are needed in a

CSV-file or can be meaningful translated to it.

... further arguments that will be passed to the function utils::write.table. All argu-

ments except the argument file are supported

## **Details**

However, in combination with the implemented import functions, nearly every supported import data format can be exported to CSV-files, this gives a great deal of freedom in terms of compatibility with other tools.

#### Input is a list of objects

If the input is a list of objects all explicit function arguments can be provided as list.

# Value

The function returns either a CSV-file (or many of them) or for the option export == FALSE a list comprising objects of type data.frame and matrix

#### **Function version**

0.2.0

#### How to cite

Kreutzer, S., 2021. write\_RLum2CSV(): Export RLum-objects to CSV. Function version 0.2.0. In: Kreutzer, S., Burow, C., Dietze, M., Fuchs, M.C., Schmidt, C., Fischer, M., Friedrich, J., Mercier, N., Philippe, A., Riedesel, S., Autzen, M., Mittelstrass, D., Gray, H.J., 2021. Luminescence: Comprehensive Luminescence Dating Data Analysis. R package version 0.9.14.9000-42. https://CRAN.R-project.org/package=Luminescence

# Author(s)

Sebastian Kreutzer, Geography & Earth Science, Aberystwyth University (United Kingdom) , RLum Developer Team

write\_RLum2CSV 307

## See Also

RLum.Analysis, RLum.Data, RLum.Results, utils::write.table

# **Examples**

```
##transform values to a list (and do not write)
data(ExampleData.BINfileData, envir = environment())
object <- Risoe.BINfileData2RLum.Analysis(CWOSL.SAR.Data)[[1]]
write_RLum2CSV(object, export = FALSE)

## Not run:

##create temporary filepath
##(for usage replace by own path)
temp_file <- tempfile(pattern = "output", fileext = ".csv")

##write CSV-file to working directory
write_RLum2CSV(temp_file)

## End(Not run)</pre>
```

# Index

* <b>IO</b>	analyse_SAR.TL,46
<pre>convert_Activity2Concentration,</pre>	calc_AverageDose, 62
127	calc_CobbleDoseRate, 67
convert_BIN2CSV, 129	calc_FadingCorr, 75
convert_Daybreak2CSV, 132	calc_gSGC, 86
convert_PSL2CSV, 133	calc_gSGC_feldspar, 88
convert_RLum2Risoe.BINfileData,	calc_Huntley2006, 91
134	calc_Kars2008,98
convert_SG2MG, 135	calc_Lamothe2003, 100
convert_Wavelength2Energy, 136	calc_OSLLxTxDecomposed, 111
convert_XSYG2CSV, 139	calc_OSLLxTxRatio, 113
extract_IrradiationTimes, 169	calc_Statistics, 119
merge_Risoe.BINfileData, 199	calc_ThermalLifetime, 121
PSL2Risoe.BINfileData, 260	calc_TLLxTxRatio, 123
read_BIN2R, 261	convert_Concentration2DoseRate,
read_Daybreak2R, 264	130
read_PSL2R, 265	fit_SurfaceExposure, 183
read_RF2R, 267	plot_FilterCombinations, 219
read_SPE2R, 268	plot_ROI, 257
read_TIFF2R, 270	scale_GammaDose, 282
read_XSYG2R, 271	verify_SingleGrainData, 300
<pre>write_R2BIN, 303</pre>	datasets
write_RLum2CSV, 305	BaseDataSet.ConversionFactors, 54
	BaseDataSet.ConversionFactors, 54 BaseDataSet.CosmicDoseRate, 55
write_RLum2CSV, 305	
<pre>write_RLum2CSV, 305 * aplot</pre>	BaseDataSet.CosmicDoseRate, 55
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose,
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57
<pre>write_RLum2CSV, 305 * aplot plot_FilterCombinations, 219 plot_RLum.Analysis, 245 plot_RLum.Data.Curve, 248</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation,
<pre>write_RLum2CSV, 305 * aplot plot_FilterCombinations, 219 plot_RLum.Analysis, 245 plot_RLum.Data.Curve, 248 plot_RLum.Data.Image, 249</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al2O3C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al2O3C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9     analyse_Al2O3C_ITC, 11</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156 ExampleData.portableOSL, 160
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al203C_CrossTalk, 9     analyse_Al203C_ITC, 11     analyse_Al203C_Measurement, 13</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156 ExampleData.portableOSL, 160 ExampleData.RLum.Analysis, 160
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9     analyse_Al2O3C_ITC, 11     analyse_Al2O3C_Measurement, 13     analyse_FadingMeasurement, 24     analyse_IRSAR.RF, 28</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al2O3C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156 ExampleData.Fading, 156 ExampleData.RLum.Analysis, 160 ExampleData.RLum.Data.Image, 161 ExampleData.ScaleGammaDose, 162 ExampleData.SurfaceExposure, 162
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9     analyse_Al2O3C_ITC, 11     analyse_Al2O3C_ITC, 11     analyse_basAR, 16     analyse_FadingMeasurement, 24     analyse_IRSAR.RF, 28     analyse_pIRIRSequence, 34</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156 ExampleData.RLum.Analysis, 160 ExampleData.RLum.Data.Image, 161 ExampleData.ScaleGammaDose, 162
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9     analyse_Al2O3C_ITC, 11     analyse_Al2O3C_Measurement, 13     analyse_baSAR, 16     analyse_IRSAR.RF, 28     analyse_pIRIRSequence, 34     analyse_portableOSL, 37</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al203C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156 ExampleData.Rlum.Analysis, 160 ExampleData.RLum.Data.Image, 161 ExampleData.ScaleGammaDose, 162 ExampleData.TR_OSL, 165 ExampleData.XSYG, 166
<pre>write_RLum2CSV, 305 * aplot     plot_FilterCombinations, 219     plot_RLum.Analysis, 245     plot_RLum.Data.Curve, 248     plot_RLum.Data.Image, 249     plot_RLum.Data.Spectrum, 251     plot_RLum.Results, 255 * classes     RLum-class, 281 * datagen     analyse_Al2O3C_CrossTalk, 9     analyse_Al2O3C_ITC, 11     analyse_Al2O3C_Measurement, 13     analyse_baSAR, 16     analyse_FadingMeasurement, 24     analyse_IRSAR.RF, 28     analyse_pIRIRSequence, 34     analyse_portableOSL, 37     analyse_SAR.CWOSL, 39</pre>	BaseDataSet.CosmicDoseRate, 55 BaseDataSet.FractionalGammaDose, 57 BaseDataSet.GrainSizeAttenuation, 58 ExampleData.Al2O3C, 151 ExampleData.BINfileData, 152 ExampleData.CobbleData, 153 ExampleData.CW_OSL_Curve, 154 ExampleData.DeValues, 155 ExampleData.Fading, 156 ExampleData.portableOSL, 160 ExampleData.RLum.Analysis, 160 ExampleData.RLum.Data.Image, 161 ExampleData.ScaleGammaDose, 162 ExampleData.SurfaceExposure, 162 ExampleData.TR_OSL, 165

Analyse_SAR.OSLdata,43	analyse_FadingMeasurement, 24, 26, 76, 78,
calc_FuchsLang2001,85	93, 98
fit_CWCurve, 171	analyse_IRSAR.RF, 28, 257, 258, 267
fit_LMCurve, 175	analyse_pIRIRSequence, 34, 45, 100, 102,
plot_DRTResults, 216	212, 213
plot_Risoe.BINfileData, 241	analyse_portableOSL, 37
plot_RLum, 244	analyse_SAR.CWOSL, 35, 36, 39, 45, 100, 102,
k manip	113, 116, 212–215
apply_CosmicRayRemoval, 49	Analyse_SAR.OSLdata, 42, 43, 116
apply_EfficiencyCorrection, 51	analyse_SAR.TL, 46, <i>125</i>
calc_SourceDoseRate, 116	app_RLum, 52
CW2pHMi, 140	apply_CosmicRayRemoval, 49, 51
CW2pLM, 144	apply_EfficiencyCorrection, 51
CW2pLMi, 145	approx, 142, 219, 222, 272, 274, 286
CW2pPMi, 148	array, <i>122</i>
extract_IrradiationTimes, 169	as, 53
merge_Risoe.BINfileData, 199	as.data.frame, 296
Risoe.BINfileData2RLum.Analysis,	
279	barplot, 283, 286
Second2Gray, 287	base::readBin, 263
sTeve, 293	BaseDataSet.ConversionFactors, 54, 67,
tune_Data, 297	130, 286
verify_SingleGrainData, 300	BaseDataSet.CosmicDoseRate, 55, 74
∗ models	BaseDataSet.FractionalGammaDose, 57
fit_CWCurve, 171	BaseDataSet.GrainSizeAttenuation, 58
fit_LMCurve, 175	bin_RLum.Data, 58
* package	boxplot, 259, 260
Luminescence-package, 8	boxplot.default, 23
k plot	browseURL, 277
analyse_pIRIRSequence, 34	2, 2, 2, 7
analyse_portableOSL, 37	<pre>calc_AliquotSize, 60</pre>
analyse_SAR.CWOSL, 39	calc_AverageDose, 62
analyse_SAR.TL, 46	calc_CentralDose, 65, 71, 84, 86, 98, 105,
plot_ROI, 257	109, 127
k utilities	calc_CobbleDoseRate, 67, 153
bin_RLum.Data, 58	calc_CommonDose, 67, 69, 84, 86, 98, 105, 109
get_Risoe.BINfileData, 193	calc_CosmicDoseRate, 71
get_RLum, 194	calc_FadingCorr, 25, 27, 75, 101, 102
length_RLum, 198	calc_FastRatio, 79
merge_RLum, 201	calc_FiniteMixture, 67, 71, 81, 86, 98, 105,
names_RLum, 202	109
replicate_RLum, 274	calc_FuchsLang2001, 67, 71, 84, 85, 98, 105,
set_Risoe.BINfileData, 289	109, 127
set_RLum, 290	calc_gSGC, 86, 90
smooth_RLum, 291	calc_gSGC_feldspar, 88
structure_RLum, 294	calc_HomogeneityTest, 90
Structure_Neum, 294	
-hl: 246	calc_Huntley2006, 91, 98
abline, 246	calc_Huntley2006(), 99
analyse_Al203C_CrossTalk, 9, 151, 152	calc_IEU, 96
analyse_Al203C_ITC, 11, 11, 16, 151, 152	calc_Kars2008, 98
analyse_Al203C_Measurement, 13, 151, 152	calc_Lamothe2003, 100
analyse_baSAR, 16	calc_MaxDose, 102, 109

calc_MinDose, 67, 71, 84, 86, 98, 103-105,	231, 234, 237, 259, 263, 273, 283,
105	287, 288, 294, 297, 299, 305, 306
calc_OSLLxTxDecomposed, 111	data.table::data.table, 264, 265
calc_OSLLxTxRatio, 18-21, 23, 27, 36, 41,	data_CrossTalk (ExampleData.Al203C), 151
42, 44, 45, 113	data_ITC (ExampleData.Al203C), 151
calc_SourceDoseRate, 116, 287, 288	Date, <i>117</i>
calc_Statistics, 119, 205, 217, 232, 260	density, 232, 233
calc_ThermalLifetime, 121	DEoptim::DEoptim, 182
calc_TLLxTxRatio, 47, 48, 123	DEoptim::DEoptim.control, 181
calc_WodaFuchs2008, 126	devtools::remote-reexports, 198
call, 36, 61, 66, 70, 73, 83, 85, 87, 89, 90, 97,	• •
108, 178, 221, 299	ExampleData.Al2O3C, 151
character, 10, 12, 14, 17–20, 25, 28, 30, 35,	ExampleData.BINfileData, 152
40, 44, 47, 49, 52, 53, 63, 64, 78, 82,	ExampleData.CobbleData, 153
87, 89, 93, 98, 112, 113, 117, 119,	ExampleData.CW_OSL_Curve, 154
121, 127, 129, 130, 132, 133, 135,	ExampleData.DeValues, 155
139, 169, 172, 176, 190, 192, 194,	ExampleData.Fading, 156
196, 199, 203–206, 212, 217, 223,	ExampleData.FittingLM, 157
228, 229, 231, 232, 234, 237, 238,	ExampleData.LxTxData, 158
242, 246, 248, 250, 253, 259, 262,	ExampleData.LxTxOSLData, 159
264, 265, 267, 268, 271, 276, 277,	ExampleData.MortarData, 159
279, 281, 283, 287, 290, 295, 298,	ExampleData.portableOSL, 160
299, 301, 304, 306	ExampleData.RLum.Analysis, 160
coda::mcmc.list, 21	ExampleData.RLum.Data.Image, 161
confint, 174	ExampleData.ScaleGammaDose, 162, 286
convert_Activity2Concentration, 127	ExampleData.SurfaceExposure, 162, 186
convert_BIN2CSV, 129	ExampleData.TR_OSL, 165
convert_Concentration2DoseRate, 69, 130	ExampleData.XSYG, 166
convert_Daybreak2CSV, 132	expression, 226
convert_PSL2CSV, 133	extdata, 167
convert_RLum2Risoe.BINfileData, 134	extract_IrradiationTimes, 27, 169
convert_SG2MG, 135	fit_CWCurve, 80, 81, 171, 178
convert_Wavelength2Energy, 136, 253, 254	fit_LMCurve, <i>142</i> , <i>145</i> , <i>147</i> , <i>150</i> , <i>174</i> , 175
convert_XSYG2CSV, 139	fit_OSLLifeTimes, 165, 179
CW2pHMi, 140, 145, 147, 150, 243	fit_SurfaceExposure, 162, 183
CW2pLM, 142, 144, 147, 150, 176, 243	fit_ThermalQuenching, 186
CW2pLMi, 142, 145, 145, 150, 243	formula, 42
CW2pPMi, 142, 145, 147, 148, 243	
CW_Curve.BosWallinga2012	get_Layout, 190
(ExampleData.CW_OSL_Curve), 154	get_Quote, 191
CWOSL.SAR.Data	get_rightAnswer, 192
(ExampleData.BINfileData), 152	<pre>get_Risoe.BINfileData, 193</pre>
	get_RLum, 10, 12, 14, 32, 33, 36, 42, 47, 48,
data.frame, 24, 25, 36, 41, 42, 45, 47, 51, 53,	61, 66, 70, 73, 78, 81, 83, 88, 90, 97,
58, 61, 63, 65–67, 69, 70, 73, 77, 79,	108, 115, 118, 123, 169, 174, 178,
80, 82, 83, 85, 87, 89, 90, 92, 95, 97,	194, 195, 226, 246, 269, 299
100, 103, 106, 108, 111, 113, 114,	<pre>get_RLum,list-method(get_RLum), 194</pre>
119, 124, 126, 127, 129–133, 136,	<pre>get_RLum, NULL-method (get_RLum), 194</pre>
137, 139, 140, 144, 146, 148, 152,	GitHub-API, 195
153, 155, 156, 158, 159, 162, 163,	github_branches(GitHub-API), 195
166, 172–177, 179, 183, 184, 187,	github_commits(GitHub-API), 195
196 204 215 216 220 223 228	github issues (GitHub-API) 195

glm, 177	Luminescence::github_branches, 198
graphics::barplot, 82, 83	Lx.data(ExampleData.LxTxOSLData), 159
graphics::boxplot, 258	LxTxData (ExampleData.LxTxData), 158
graphics::contour, 252, 254	
graphics::grid, 221	matrix, 53, 68, 83, 122, 129, 131–133, 136,
graphics::hist, 63, 65	137, 139, 173, 174, 177, 179, 220,
graphics::image, 252, 254	234, 252, 253, 259, 305, 306
graphics::legend, 29, 221	merge_Risoe.BINfileData, 199, 263
graphics::matplot, 123	merge_RLum, 201
graphics::par, 205	methods::as, 54
graphics::persp, 251, 254	methods::language, 32
graphics::plot.default, 206, 257	methods_RLum, 282
	minpack.lm::nls.lm, <i>181</i> , <i>182</i>
hist, 229, 230	minpack.lm::nlsLM, 31, 33, 93, 95, 174, 178,
	181, 184–186, 189, 190, 224, 226
<pre>install_DevelopmentVersion, 197</pre>	mle2, 108
integer, 18–20, 25, 30, 34, 35, 40, 46, 47, 49,	MortarData (ExampleData.MortarData), 159
63, 64, 76, 87, 112, 114, 117, 119,	mtext, 228
124, 137, 175, 196, 199, 206, 212,	meexe, 220
214, 223, 224, 234, 246, 253, 262,	names_RLum, 202, 203
275, 281, 293, 295	names_RLum, list-method (names_RLum), 202
IRSAR.RF.Data	nlminb, 107
<pre>(ExampleData.RLum.Analysis),</pre>	
160	nls, 29, 30, 32, 33, 171–178, 224, 226
	numeric, 9–12, 14, 15, 17, 18, 20, 29–31, 35,
lamW::lambertW0, 225, 226	40, 44, 47, 49, 60, 63–65, 69, 72, 76,
legend, 234, 259	77, 79, 80, 82, 85, 89, 93, 95, 97,
length_RLum, 198	100, 101, 103, 106, 108, 112–114,
list, 10–12, 14, 17, 18, 20, 24, 28, 29, 32,	117, 119, 121, 122, 126, 172, 176, 180, 181, 183, 184, 187, 189,
34–36, 39–41, 45–47, 49, 51, 53, 54,	
57, 61, 63, 66, 70, 73, 80, 83, 85, 87,	204–206, 212, 214, 216, 217, 220,
89, 90, 97, 108, 112, 115, 117, 121,	224, 228, 229, 231, 237, 238, 242,
124, 134, 136, 155, 156, 162, 163,	246, 253, 257, 259, 262, 279, 283,
169, 178, 180, 183, 184, 187, 190,	287, 297, 301
194, 196, 201, 212, 214, 215, 220,	
234, 244, 246, 257, 262–264, 271,	OSL.SARMeasurement (ExampleData.XSYG),
275, 281, 296, 299, 306	166
list.files, 262, 263	
lm, 141, 142, 145, 146, 149, 224, 226	pander::openFileInOS, 277
logical, 10, 12, 14, 18, 19, 25, 29, 30, 35, 38,	pander::pander_return,277
40, 41, 44, 49, 50, 60, 63, 66, 69, 72,	par, 234
76, 80, 82, 85, 87, 89, 90, 93, 97,	pchisq, <i>91</i>
101, 103, 106, 114, 119, 121, 126,	pdf, 246, 255
127, 134, 135, 137, 169, 172, 176,	plot, 67, 85, 86, 93, 98, 172, 174, 178, 184,
180, 181, 184, 187, 189, 192, 194,	211, 213, 217, 218, 229, 230,
196, 197, 199, 204–206, 212, 214,	232–235, 240, 247–249, 251, 254,
217, 220, 223, 224, 228, 229, 231,	256, 258, 260
232, 234, 237, 238, 246, 248, 250,	plot.default, 47, 121, 180, 212, 259
252, 253, 255, 257, 259, 262,	plot_AbanicoPlot, 120, 203
264–266, 268, 272, 276, 280, 283,	plot_DetPlot, 211
295, 298, 301, 304, 306	plot_DRCSummary, 214
Luminescence (Luminescence-package), 8	plot_DRTResults, 216
Luminescence-package, 8	plot_FilterCombinations, 219

plot_GrowthCurve, 12, 13, 18, 20, 21, 23, 35,	rjags::coda.samples, 23
36, 41, 42, 45, 47, 48, 93, 94,	rjags::jags.model, 20, 23
100–102, 113, 116, 222	RLum, 53, 194, 195, 198, 201–203, 244, 275,
plot_Histogram, 208, 228, 240	281, 290, 292, 294, 305, 306
plot_KDE, 208, 231, 240, 294	RLum-class, 281
plot_NRt, 234	RLum.Analysis, 9, 11, 14, 17, 24, 28, 33, 34,
plot_RadialPlot, 208, 236	36, 38, 39, 41, 42, 46, 48, 49, 51–53,
plot_Risoe.BINfileData, 241	79, 81, 129, 133–135, 140, 151, 160,
plot_RLum, 118, 138, 167, 244, 247, 249, 251,	166, 167, 169–171, 179, 180, 194,
254, 256	195, 199, 201–203, 212, 234, 235,
plot_RLum.Analysis, <i>167</i> , <i>244</i> , <i>245</i> , 245	244–246, 257, 260, 261, 263–267,
plot_RLum.Data.Curve, 244-247, 248	272–274, 280–282, 290–292, 295,
plot_RLum.Data.Image, 244, 245, 249	301–303, 307
plot_RLum.Data.Spectrum, 167, 244, 245, 251	RLum. Data, 58, 129, 133, 134, 140, 281, 282, 307
plot_RLum.Results, 244, 245, 255	RLum. Data. Curve, 39, 53, 59, 79, 81, 113,
plot_ROI, 257	116, 124, 134, 135, 140, 142,
plot_ViolinPlot, 208, 258	144–148, 150, 160, 165, 172, 174,
plotly::plot_ly, 254	175, 179, 194, 195, 199, 201–203,
profile, 173, 174	235, 244–246, 248, 261, 265–267,
profile.mle2, 108	274, 281, 282, 290–292, 295
PSL2Risoe.BINfileData, 260	RLum. Data. Image, 53, 161, 194, 195, 199,
240, 250	202, 203, 244, 245, 250, 251, 268,
raster, 249, 250	269, 281, 282, 290, 291, 295
raster::contour, 250	RLum.Data.Spectrum, 49, 51, 52, 54, 59,
raster::plot, 250	136–138, 166, 167, 194, 195, 199,
raster::plotRGB, 250	202, 203, 244, 245, 251–254, 269,
raster::raster, 250, 251, 269	281, 282, 290, 291, 295
raw, 262	RLum.Results, 10, 14, 17, 18, 20, 26, 33, 35,
read.table, 65	36, 38, 41, 42, 47, 48, 54, 61, 63, 65,
read_BIN2R, 19, 21, 23, 27, 44, 45, 129, 135,	66, 68–70, 73, 76–78, 80–83, 85–90,
136, 170, 171, 200, 241–243, 261,	94, 97, 99–101, 103, 106, 108, 112,
280, 303, 305	115, 117, 119, 122, 124–126, 129,
read_Daybreak2R, <i>132</i> , <i>133</i> , 264	131, 133, 134, 140, 170, 171, 173,
read_PSL2R, 38, 133, 134, 260, 265	174, 194, 195, 199, 201–204,
read_RF2R, 257, 258, 267	213–216, 221, 222, 226, 228, 231,
read_SPE2R, <i>161</i> , 268	237, 244, 245, 255, 257, 259, 281,
read_TIFF2R, 270	282, 287, 290, 291, 295, 299, 307
read_XSYG2R, 27, 139, 140, 151, 165–167,	RLumShiny::app_RLum,52
<i>169–171</i> , 271	RLumShiny::RLumShiny-package, 52
readBin, 269	rmarkdown::render, 276, 277
readx1::read_excel, 19, 21, 23	rollmean, 234
regex, 272	rstudioapi::viewer,277
replicate_RLum, 274	rug, <i>260</i>
replicate_RLum,RLum-method	
(RLum-class), 281	scale_GammaDose, 282
report_RLum, 275	Second2Gray, 116-118, 287
Risoe.BINfileData, 17, 19, 42, 44, 45,	set.seed, <i>76</i> , <i>77</i>
134–136, 152, 171, 193, 194, 199,	set_Risoe.BINfileData, 289
200, 242, 243, 260–263, 279, 280,	set_RLum, <i>281</i> , 290
<i>289, 290, 301–305</i>	smooth, <i>49-51</i>
Risoe.BINfileData2RLum.Analysis, 262,	smooth.spline, <i>49-51</i> , <i>234</i>
263, 279	smooth_RLum, 291, 292

```
smooth_RLum,list-method(smooth_RLum),
                                                 xml, 272-274
        291
                                                 zoo::rollmean, 248
stats::approx, 51
stats::confint, 172, 173, 176, 177
stats::density, 258-260
stats::dist, 257
stats::FDist, 181
stats::lm, 25, 26
stats::nls, 26, 189
stats::rnorm, 123
stats::uniroot, 76
sTeve, 293
structure_RLum, 294, 294
structure_RLum,list-method
        (structure_RLum), 294
summary, 173, 174, 177
template_DRAC, 295
TL.SAR.Data(ExampleData.BINfileData),
        152
TL. Spectrum (ExampleData. XSYG), 166
tune_Data, 297
Tx.data(ExampleData.LxTxOSLData), 159
txtProgressBar, 76, 262, 264, 268, 280, 304
uniroot, 77, 78, 87, 88, 90, 224, 226
use_DRAC, 127, 295, 298
utils::txtProgressBar, 263
utils::write.table, 129, 133, 134, 140,
        305-307
values.cosmic.Softcomp
        (BaseDataSet.CosmicDoseRate),
        55
values.curve (ExampleData.FittingLM),
values.curveBG (ExampleData.FittingLM),
values.factor.Altitude
        (BaseDataSet.CosmicDoseRate),
        55
values.par.FJH
        (BaseDataSet.CosmicDoseRate),
vector, 18, 25, 28, 35, 38, 44, 47, 76, 114,
         140, 146, 148, 172, 189, 242, 253,
        263, 268, 279
verify_SingleGrainData, 20, 21, 23, 300
write_R2BIN, 134-136, 169-171, 200, 260,
        263, 302, 303, 303
write_RLum2CSV, 129, 132-134, 139, 140, 305
writeBin, 305
```