

$L_n, L_x$  curves

ALQ Pos. 1

$T_n, T_x$  curves



Cutheat – TL curves



IRSLT

IRSL/BOSL = 0.88%



IRSL curve (10 s)



help("Analyse\_SAR\_OSLdata")

unknown measurement





**Fig. 4 – Bos & Wallinga (2012)**





`help("CW2pLM")`



**Fig. 4 – Bos & Wallinga (2012)**







**Fig. 4 – Bos & Wallinga (2012)**





# Histogram




# Histogram





`help("ExampleData.FittingLM")`



`help("ExampleData.LxTxData")`



`help("ExampleData.LxTxOSLData")`



`help("ExampleData.LxTxOSLData")`



**RF**

#1



**RF**

#2



[help\("ExampleData.RLum.Analysis"\)](#)

# RLum.Data.Image



# OSL (UVVIS)



help("ExampleData.XSYG")

RLum.Data.Spectrum




help("ExampleData.XSYG")

# IR-RF


$D_e = 623.25$  [600.63 ; 635.8]



TL previous  $L_n, L_x$  curves



TL previous  $T_n, T_x$  curves



$L_n, L_x$  curves



$T_n, T_x$  curves



●  
Natural  
(0)

●  
R1  
(450)

●  
R2  
(1050)

●  
R3  
(2000)

●  
R4  
(2550)

●  
R5  
(450)

●  
R0  
(0)


Growth curve

$D_e = 1668.25 \pm 46.11$  | fit: EXP




$D_e$  from MC simulation

$D_{eMC} = 1664.49 \pm 46.11$  | quality = 99.8 %



Test dose response



## Rejection criteria


Recycling ratio



Recuperation rate



Palaeodose error



— 0.2    + 0.2

## IRSL



`help("analyse_SAR.CWOSL")`



$L_n, L_x$  curves $T_n, T_x$  curvesPlateau test  $L_n, L_x$  curvesplateau Test  $T_n, T_x$  curves

Natural  
(0)

Natural  
(136)

Natural  
(317)

Natural  
(544)

Natural  
(815)

Natural  
(0)

Natural  
(317)


# Growth curve

$D_e = 406.85 \pm 42.81$  | fit: LIN



## $D_e$ from MC simulation

$D_{eMC} = 402.95 \pm 42.81$  | quality = 99 %



## Test dose response



## Pseudo pIRIR data set based on quartz OSL

TL  
pseudolRSL1  
pseudolRSL2

help("analyse\_pIRIRSequence")

# Pseudo pIRIR data set based on quartz OSL



# Pseudo pIRIR data set based on quartz OSL



# Pseudo pIRIR data set based on quartz OSL



# Pseudo pIRIR data set based on quartz OSL



# Pseudo pIRIR data set based on quartz OSL

$D_e = 1668.25 \pm 46.11$  | fit: EXP





# D<sub>e</sub> from MC simulation

D<sub>MC</sub> = 1664.49 ± 46.11 | quality = 99.8 %



help("analyse\_pIRIRSequence")

Test dose response



# Pseudo pIRIR data set based on quartz OSL



# Pseudo pIRIR data set based on quartz OSL





Pseudo pIRIR data set based on quartz OSL

$D_e = 1668.25 \pm 48.13$  | fit: EXP



help("analyse\_pIRIRSequence")

# D<sub>e</sub> from MC simulation

D<sub>e,MC</sub> = 1663.13 ± 48.13 | quality = 99.7 %



n = 100 , valid fits = 100

help("analyse\_pIRSequence")

# Test dose response





# Summarised Dose Response Curves



help("analyse\_pIRSequence")

# Sensitivity change



## Rejection criteria



# Monte Carlo Simulation

$n = 10000 \mid \hat{\mu} = 42 \mid \hat{\sigma} = 20 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 0 \mid v = 0.89$



Profile log likelihood for  $\sigma_{OD}$



# Finite Mixture Model

$\sigma_b = 0.2 \mid n = 62$

## Normal distributions



## Proportion of components



## Statistical criteria



help("calc\_FiniteMixture")

# Fuchs & Lang (2001)









help("calc\_I EU")

**Likelihood profile: gamma**



**Likelihood profile: sigma**



help("calc\_MaxDose")

**Likelihood profile: p0**



**Likelihood profile: gamma**



**Likelihood profile: sigma**



help("calc\_MinDose")

**Likelihood profile: p0**



**Likelihood profile: gamma**



**Likelihood profile: sigma**



help("calc\_MinDose")

**Likelihood profile: p0**



### 3-parameter Minimum Age Model

Parameters:  $\sigma_b = 0.1$  ,  $\gamma = 3.5$  ,  $\sigma = 0.7$  ,  $\rho = 0.01$

n = 62

mean = 69.93

weighted mean = 47.95

median = 71.07

Standardised estimate



Relative standard error (%)

n

20

10

6.7

0

15

0

5

10

15

0

0.106

Precision

Density (bw 0.1)

# Source Dose Rate Prediction

source type: Sr-90 | half-life: 28.9 a



help("calc\_SourceDoseRate")

# D<sub>e</sub> distribution



# gSGC and resulting De





# CW Curve Fit

Default




## Component contribution to sum curve



## Default



## Component contribution to sum curve



# Background



## Default



## Component contribution to sum curve



## Default



## Component contribution to sum curve




# D<sub>e</sub> distribution

n = 25

n = 62

Standardised estimate



D<sub>e</sub> (Gy)

help("get\_Layout")

help("get\_Layout")

Relative standard error (%)

10

5

3.3

0

10

20

30

0

0.015


Precision

Density (bw 0.085)

### D<sub>e</sub> distribution

$n = 25$

n = 62




```
help("get_Layout")
```

Profile log likelihood for  $\sigma_{OD}$





# TL (UVVIS)



help("merge\_RLum.Data.Curve")

# TL (UVVIS)



help("merge\_RLum.Data.Curve")

# TL (UVVIS)



help("merge\_RLum.Data.Curve")

Profile log likelihood for  $\sigma_{OD}$




Profile log likelihood for  $\sigma_{OD}$




# D<sub>e</sub> distribution

n = 62




# $D_e$ distribution

n = 62



# D<sub>e</sub> distribution

n = 62






# $D_e$ distribution

n = 62

Standardised estimate



help("plot\_AbanicoPlot")

help("plot\_AbanicoPlot")

Relative standard error (%)

20

10

6.7

0

5

10

15


Precision

Density (bw 0.15)

0.016

# $D_e$ distribution


n = 62



# $D_e$ distribution

n = 62

Standardised estimate



$D_e$  (Gy)

`help("plot_AbanicoPlot")`

`help("plot_AbanicoPlot")`

Relative standard error (%)

20

10

6.7

0

5

10

15

0.016


Precision

Density (bw 0.15)

# D<sub>e</sub> distribution

n = 62

Standardised estimate



Relative standard error (%)

20

10

6.7

0

5

10

15

0

0.264


Precision

Density (bw 0.04)

# D<sub>e</sub> distribution


n = 62

Standardised estimate




## $D_e$ distribution

n = 62




# D<sub>e</sub> distribution

n = 62



# $D_e$ distribution

n = 62





# $D_e$ distribution

n = 62

Standardised estimate



Relative standard error (%)

20

10

6.7

0

5

10

15

0.016

Precision

Density (bw 0.15)

# $D_e$ distribution

n = 62

Standardised estimate



$D_e$  (Gy)

Relative standard error (%)

20

10

6.7

0

5

10

15

0.016

Precision

Density (bw 0.15)

# $D_e$ distribution

n = 62

Standardised estimate



$D_e$  (Gy)

Relative standard error (%)

20

10

6.7

0

5

10

15


0.016

Precision

Density (bw 0.15)

# D<sub>e</sub> distribution

n = 62




# D<sub>e</sub> distribution

n = 62

R Sample 1

Standardised estimate



Relative standard error (%)

20

10

6.7

0

5

10

15

0

0.016

Precision

Density (bw 0.15)


# D<sub>e</sub> distribution

n = 62




# D<sub>e</sub> distribution

n = 62



# D<sub>e</sub> distribution

n = 62






# D<sub>e</sub> distribution

n = 62

Standardised estimate



Relative standard error (%)

20

10

6.7

0

5

10

15


0.016

Precision

Density (bw 0.15)

# D<sub>e</sub> distribution


n = 62 | in 2 sigma = 22.6 %



# D<sub>e</sub> distribution

weighted mean = 47.95  
median = 71.07

Standardised estimate



D<sub>e</sub> (Gy)

`help("plot_AbanicoPlot")`

Relative standard error (%)

20

10

6.7

0

5

10

15


0.016

Precision

Density (bw 0.15)

# $D_e$ distribution

n = 62




# D<sub>e</sub> distribution

n = 30

n = 32

Standardised estimate



Relative standard error (%)

20

10

6.7

0

5

10

15

0.032


Precision

Density (bw 0.074)

# D<sub>e</sub> distribution


n = 30 | in 2 sigma = 70 %    median = 52.94

n = 32 | in 2 sigma = 84.4 %    median = 109.93





`help("plot_AbanicoPlot")`



help("plot\_AbanicoPlot")



# Dose recovery test

Example data



# Dose recovery test



# Dose recovery test



# Dose recovery test



# Dose recovery test



# Dose recovery test

| n = 5 | weighted mean = 1.01 |

| n = 5 | weighted mean = 1 |



# Dose recovery test



# Dose recovery test

Example data





# Dose recovery test



# Dose recovery test



# Growth curve

$D_e = 1737.88 \pm 57.45$  | fit: EXP




$D_e$  from MC simulation

$D_{eMC} = 1733.43 \pm 57.45$  | quality = 99.7 %



Test dose response



# Growth curve

$D_e = 1737.88 \pm 59.97$  | fit: EXP



$D_e$  from MC simulation

$D_{eMC} = 1732.18 \pm 59.97$  | quality = 99.7 %




**Test dose response**



n = 100, valid fits = 100

# Growth curve

$D_e = 1737.88 \pm 61.2$  | fit: EXP



[help\("plot\\_GrowthCurve"\)](#)

# D<sub>e</sub> from MC simulation

D<sub>EMC</sub> = 1743.04 ± 61.2 | quality = 99.7 %



help("plot\_GrowthCurve")

# Test dose response



help("plot\_GrowthCurve")

# Histogram





# Histogram of De-values

Example data set



# D<sub>e</sub> distribution



# D<sub>e</sub> distribution



# Dose distribution



**D<sub>e</sub> distribution**



# D<sub>e</sub> distribution

n = 25 | median = 126.34 | skewness = 1.34



# D<sub>e</sub> distribution



**D<sub>e</sub> distribution**





# D<sub>e</sub> distribution



# D<sub>e</sub> distribution



NR(t) Plot




NR(t) Plot



help("plot\_NRt")

NR(t) Plot



NR(t) Plot



# NR(t) Plot



**TnTx(t) Plot**







**Aliquot #1****Aliquot #2**

help("plot\_NRt")

**Aliquot #3****Aliquot #4**

**Aliquot #5****Aliquot #6**

help("plot\_NRt")



**Aliquot #7****Aliquot #8**

**Aliquot #9****Aliquot #10**


help("plot\_NRt")


**Aliquot #11****Aliquot #12**

**Aliquot #13****Aliquot #14****Aliquot #15****Aliquot #16**


**Aliquot #17****Aliquot #18**





help("plot\_NRt")

**Aliquot #19****Aliquot #20**



**Aliquot #21****Aliquot #22**

help("plot\_NRt")

**Aliquot #23****Aliquot #24**






help("plot\_RLumAnalysis")











# TL combined



## unkown curve type



# RLum.Data.Image



RLum.Data.Spectrum



[help\("plot\\_RLum.Data.Spectrum"\)](#)

# RLum.Data.Spectrum



[help\("plot\\_RLum.Data.Spectrum"\)](#)



# RLum.Data.Spectrum



# unkown curve type



**Likelihood profile: gamma**



**Likelihood profile: sigma**




**Likelihood profile: p0**



help("plot\_RLum.Results")

# Monte Carlo Simulation

$n = 10000 \mid \hat{\mu} = 43 \mid \hat{\sigma} = 20 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 0 \mid v = 0.85$




# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %






# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution


n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %

radialPlot()



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %

Standardised estimate

0

0

20

5

10

10

6.7

15

5

20

4

25

3.3

30

Precision

Relative standard error (%)

adialPlot")

180


160

140

120

100

D<sub>e</sub> (Gy)



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %




# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution

n = 25 | in 2 sigma = 68 %



# D<sub>e</sub> distribution

weighted mean = 126.85 | median = 126.34





# D<sub>e</sub> distribution

n = 15 | in 2 sigma = 53.3 %

n = 10 | in 2 sigma = 90 %



# D<sub>e</sub> distribution

n = 15 | in 2 sigma = 53.3 %

n = 10 | in 2 sigma = 90 %

△ Sample 1

▽ Sample 2



# Violin Plot

n = 25 | median = 126.34

Density




[help\("plot\\_ViolinPlot"\)](#)

# OSL



# D<sub>e</sub> distribution

n = 62 | mean = 69.93



# D<sub>e</sub> distribution

n = 62 | mean = 69.93

