
ALQ Pos. 1
Ln,Lx curves
BT 607
OSL [cts/0.04 s]
Time [s]
Natural
R1
R2
R3
R4
R5
R0
Tn,Tx curves
BT 607
OSL [cts/0.04 s]
Time [s]
help("Analyse_SAR.OSLdata")
unkown measurement
Cutheat − TL curves
BT 607
TL [cts/0.64 °C]
T [°C]
(5 K/s)
IRSLT
IRSL/BOSL = 0.88%
OSL and IRSL [cts/0.04 s]
R1 again
IRSL
Time [s]
IRSL curve (10 s)
IRSL [cts/0.04 s]
Time [s]


values.transformed$y.t
0
1000
2000
3000
4000
5000
6000
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
50.00
values.transformed$x
help("CW2pHMi")



6000
5000
4000
3000
2000
1000
0
curve.transformed$y.t
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
50.00
curve.transformed$x
help("CW2pHMi")



Fig. 4 − Bos & Wallinga (2012)
pseudo OSL (cts/0.01 s)
0
2000
4000
6000
8000
t [s]
1e−03
1e−02
1e−01
1e+00
1e+01
HM
LM
PM
help("CW2pHMi")



temp.values...2.
400
300
200
100
0
0
20
40
60
80
u
help("CW2pLM")



values.transformed$y.t
values.transformed$x
0
2000
4000
6000
8000
10000
12000
0.05
0.10
0.20
0.50
1.00
2.00
help("CW2pLMi")



Fig. 4 − Bos & Wallinga (2012)
pseudo OSL (cts/0.01 s)
0
2000
4000
6000
8000
1e−03
1e−02
1e−01
1e+00
1e+01
t [s]
HM
LM
PM
help("CW2pLMi")



15000
10000
5000
values.transformed$y.t
0.05
0.10
0.20
0.50
1.00
values.transformed$x
help("CW2pPMi")



Fig. 4 − Bos & Wallinga (2012)
pseudo OSL (cts/0.01 s)
0
2000
4000
6000
8000
t [s]
1e−03
1e−02
1e−01
1e+00
1e+01
HM
LM
PM
help("CW2pPMi")



help("ExampleData.CW_OSL_Curve")
y
x
0
2000
4000
6000
8000
10000
0
10
20
30
40


Histogram
Frequency
0
2
4
6
8
10
12
14
2400
2600
2800
3000
3200
3400
3600
3800
De [s]
Standard error
80
100
120
140
help("ExampleData.DeValues")


Histogram
Frequency
0
2
4
6
8
10
12
14
Standard error
3.5
4.0
4.5
5.0
5.5
6.0
6.5
help("ExampleData.DeValues")
110
120
130
140
150
160
170
De [Gy]


help("ExampleData.FittingLM")
y
x
0
100
200
300
400
500
600
1
5
10
50
100
500
5000



LxTxData$LxTx
LxTxData$Dose
0
1
2
3
4
5
0
500
1000
1500
2000
2500
help("ExampleData.LxTxData")



V1
V2
0
5
10
15
20
0
10000
20000
30000
40000
50000
help("ExampleData.LxTxOSLData")



V2
4000
3000
2000
1000
0
5
10
15
20
V1
help("ExampleData.LxTxOSLData")



RF
#1
RF [cts/1.26 s]
1425
1430
1435
0 1 2 3 4 5 6
Stimulation time [s]
RF
#2
RF [cts/1.37 s]
1400
1600
1800
2000
0 200 400 600
Stimulation time [s]
help("ExampleData.RLum.Analysis")



RLum.Data.Image
Height [px]
800
600
400
200
0
−200
−400
−600
Length [px]
0
200
400
600
800
1000
1200
help("ExampleData.RLum.Data.Image")
20000
15000
10000
5000



OSL (UVVIS)
cts [1/ch]
0
200
400
600
800
0
10
20
30
40
50
t [s]
(resolution: 0.1 s)
help("ExampleData.XSYG")



RLum.Data.Spectrum
t [s]
wavelength [nm]
help("ExampleData.XSYG")
0
50
100
150
200
250
300
400
500
600
700
5800
6000
6200
6400
6600
6800



IR−RF
De = 623.25 [600.63 ; 635.8]
RF_nat
RF_reg
IR−RF/(cts/1.3 s)
2.0e+03
1.8e+03
1.6e+03
1.4e+03
E
0
100
200
300
400
500
600
700
Time/s


TL previous L_n,L_x curves
TL [cts/0.9 °C]
T [°C]
TL previous T_n,T_x curves
TL [cts/0.6 °C]
T [°C]
L_n,L_x curves
OSL [cts/0.04 s]
Time [s]
T_n,T_x curves
OSL [cts/0.04 s]
Time [s]
Natural
(0)
R1
(450)
R2
(1050)
R3
(2000)
R4
(2550)
R5
(450)
R0
(0)



Growth curve
D_e = 1668.25 ± 46.11 | fit: EXP
REG points
REG point repeated
REG point 0
L_x/T_x
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
Dose [s]
D_e from MC simulation
D_eMC = 1664.49 ± 46.11 | quality = 99.8 %
Frequency
2
6
10
14
1600
1700
Dose [s]
Test dose response
T_n/T_x
1.00
1.10
1.20
1
2
3
4
5
6
7
SAR cycle



Rejection criteria
Recycling ratio
Recuperation rate
Palaeodose error
− 0.2
+ 0.2
IRSL
IRSL [cts/0.04 s]
0
10
20
30
40
Stimulation time [s]
help("analyse_SAR.CWOSL")



Ln,Lx curves
Tn,Tx curves
TL [a.u.]
Temp. [°C]
Plateau test Ln,Lx curves
plateau Test Tn,Tx curves
Natural (0)
Natural (136)
Natural (317)
Natural (544)
Natural (815)
Natural (0)
Natural (317)


Growth curve
$D_e = 406.85 \pm 42.81$ | fit: LIN
REG points
REG point repeated
REG point 0
L_x/T_x
0
2
4
6
0
200
400
600
800
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 402.95 \pm 42.81$ | quality = 99 %
Frequency
1
6
12
17
300
400
500
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
0.96
1.00
1.04
1
2
3
4
5
6
7
SAR cycle

Pseudo pIRIR data set based on quartz OSL

help("analyse_pIRIRSequence")

TL
pseudoIRSL1
pseudoIRSL2



Pseudo pIRIR data set based on quartz OSL
TL previous L_n,L_x curves
TL [cts/0.9 °C]
T [°C]
0
200
400
600
800
0
50
100
150
200
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
L_n,L_x curves
OSL [cts/0.04 s]
15000
10000
5000
0
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")



Pseudo pIRIR data set based on quartz OSL
TL previous T_n,T_x curves
TL [cts/0.6 °C]
T [°C]
0
50
100
150
200
250
300
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
T_n,T_x curves
OSL [cts/0.04 s]
Time [s]
0
500
1000
1500
2000
2500
3000
0
10
20
30
40
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
$D_e = 1668.25 \pm 46.11$ | fit: EXP
REG points
REG point repeated
REG point 0
L_x/T_x
Dose [s]
0
500
1000
1500
2000
2500
0
1
2
3
4
5
6
help("analyse_pIRIRSequence")



D$_e$ from MC simulation
D$_{e_{MC}}$ = 1664.49 ± 46.11 | quality = 99.8 %
Frequency
2
6
10
14
1600
1650
1700
1750
Dose [s]
help("analyse_pIRIRSequence")



Test dose response
1.00
1.05
1.10
1.15
1.20
1.25
T_n/T_x
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
Ln,Lx curves
OSL [cts/0.04 s]
0
5000
10000
15000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


Pseudo pIRIR data set based on quartz OSL
T_n,T_x curves
OSL [cts/0.04 s]
0
500
1000
1500
2000
2500
3000
0
10
20
30
40
Time [s]
help("analyse_pIRIRSequence")


help("analyse_pIRIRSequence")
Natural
(0)
R1
(450)
R2
(1050)
R3
(2000)
R4
(2550)
R5
(450)
R0
(0)


Pseudo pIRIR data set based on quartz OSL
$D_e = 1668.25 \pm 43.79$ | fit: EXP
REG points
REG point repeated
REG point 0
L_x/T_x
Dose [s]
0
1
2
3
4
5
6
0
500
1000
1500
2000
2500
help("analyse_pIRIRSequence")



De from MC simulation
DeMC = 1662.56 ± 43.79 | quality = 99.7 %
Frequency
1
7
12
18
1550
1600
1650
1700
1750
Dose [s]
n = 100 , valid fits = 100
help("analyse_pIRIRSequence")


Test dose response
1.00
1.05
1.10
1.15
1.20
1.25
Tn/Tx
1
2
3
4
5
6
7
SAR cycle
help("analyse_pIRIRSequence")



Summarised Dose Response Curves
L_x/T_x
0
1
2
3
4
5
0
500
1000
1500
2000
2500
Dose [s]
pseudoIRSL1
pseudoIRSL2
help("analyse_pIRIRSequence")


Sensitivity change
T_x/T_n
1.00
1.05
1.10
1.15
1.20
1.25
0
1
2
3
4
5
6
7
Cycle
pseudoIRSL1
pseudoIRSL2
help("analyse_pIRIRSequence")



Rejection criteria
Recycling ratio
Recuperation rate
Palaeodose error
pseudoIRSL1
pseudoIRSL2
− 0.2
0/1
+ 0.1
help("analyse_pIRIRSequence")



Monte Carlo Simulation
$n = 10000 \mid \hat{\mu} = 42 \mid \hat{\sigma} = 20 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 0 \mid v = 0.89$
mean
median
0.05 / 0.95 quantile
help("calc_AliquotSize")
Density
0.000
0.005
0.010
0.015
0.020
0
50
100
150
0
50
100
150
Amount of grains on aliquot



Profile log likelihood for σOD
Log likelihood
0
−50
−100
−150
28.84
34.72
42.48
10
20
30
40
50
60
σOD [%]



Finite Mixture Model
σb = 0.2 | n = 62
help("calc_FiniteMixture")
Normal distributions
k = 2
k = 3
k = 4
De [Gy]
120
100
80
60
40
20
Density [a.u.]
Proportion of components
Proportion [%]
80
40
0
2
3
4
Statistical criteria
BIC
Lmax
70
50
−16
−20
−24
2
3
4
k Components



Fuchs & Lang (2001)
unknown sample
used values = 22
Aliquots
0
5
10
15
20
25
2500
3000
3500
4000
De [s]
help("calc_FuchsLang2001")


help("calc_IEU")
Zbar, weighted mean (Gy)
Dbar (Gy)
20
30
40
50
60
70
20
30
40
50
60
70



help("calc_IEU")
R = [α_in/α_ex]
Z [Gy]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
20
30
40
50
60


Likelihood profile: gamma
|z|
gamma
0.1
0.2
0.3
0.4
0.5
0.0
0.5
1.0
1.5
2.0
2.5
99%
95%
90%
80%
50%
Likelihood profile: sigma
|z|
sigma
0.4
0.6
0.8
1.0
1.2
99%
95%
90%
80%
50%
help("calc_MaxDose")
Likelihood profile: p0
|z|
p0
0.0
0.2
0.4
0.6
0.8
99%
95%
90%
80%
50%


Likelihood profile: gamma
Likelihood profile: sigma
Likelihood profile: p0
|z|
gamma
sigma
p0
99%
95%
90%
80%
50%
0.0
0.5
1.0
1.5
2.0
2.5
3.4
3.5
3.6
3.7
0.5
0.6
0.7
0.8
0.9
1.0
0.00
0.05
0.10
0.15
help("calc_MinDose")


Likelihood profile: gamma
Likelihood profile: sigma
Likelihood profile: p0
|z|
gamma
sigma
p0
99%
95%
90%
80%
50%
0.0
0.5
1.0
1.5
2.0
2.5
3.4
3.5
3.6
3.7
0.5
0.6
0.7
0.8
0.9
1.0
0.00
0.05
0.10
0.15
help("calc_MinDose")


3−parameter Minimum Age Model
Parameters: $\sigma_b = 0.1$, $\gamma = 3.5$, $\sigma = 0.7$, $\rho = 0.01$
n = 62
mean = 66.01
weighted mean = 62.16
median = 71.07
Standardised estimate
2
0
−2
34.3±2.6 Gy
120
100
80
60
40
20
D_e (Gy)
help("calc_MinDose")
help("calc_MinDose")
Relative standard error (%)
20
10
6.7
n
0
15
0
5
10
15
0
0.106
Precision
Density (bw 0.1)


Source Dose Rate Prediction
source type: Sr−90 | half−life: 28.9 a
Dose rate/(Gy/s)
0.042
0.043
0.044
0.045
0.046
0.047
0.048
0.049
2012
2013
2014
Date
help("calc_SourceDoseRate")


D_e distribution
Density
0.0000
0.0005
0.0010
0.0015
0.0020
0.0025
0.0030
Cumulative frequency
5
10
15
20
25
2500
3000
3500
4000
D_e (Gy)


gSGC and resulting De
help("calc_gSGC")
Re−norm. L_x/T_x
0.0
0.5
1.0
1.5
0
100
200
300
400
500
Dose/(a.u.)



CW Curve Fit
Default
sum curve
component 1
component 2
component 3
OSL [cts/0.04 s]
0
2000
4000
6000
8000
10000
Residual [a.u.]
200
50
−100
0.05
0.10
0.20
0.50
1.00
2.00
5.00
10.00
20.00
50.00
Time [s]
Component contribution to sum curve
Contribution [%]
0
40
80



Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Background
y = 0*x^3+0*x^2+0.07*x+26.35
LM−OSL [a.u.]
Time [s]
0
100
200
300
400
500
0
1000
2000
3000
4000
help("fit_LMCurve")



Default
sum curve
component 1
component 2
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
50
0
−100
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]


Default
sum curve
component 1
component 2
component 3
LM−OSL [cts/1 s]
0
100
200
300
400
500
600
700
Residual
−100
50
1
5
10
50
100
500
1000
5000
Time [s]
Component contribution to sum curve
Contribution [%]
0
60
1
5
10
50
100
500
1000
5000
Time [s]



De distribution
n = 25
n = 62
Standardised estimate
2
0
-2
4000
3000
2000
1000
De (Gy)
help("get_Layout")
help("get_Layout")
Relative standard error (%)
10
5
3.3
0
10
20
30
0
0.015
Precision
Density (bw 0.085)



help("get_Layout")
D$_e$ distribution
n = 25
n = 62
4000
3000
2000
1000
help("get_Layout")
D$_e$ (Gy)
Standardised estimate
2
0
-2
Relative standard error (%)
10
5
3.3
0
10
20
30
0
0.015
Precision
Density (bw 0.085)



Profile log likelihood for σOD
0
−50
−100
−150
Log likelihood
28.84
34.72
42.48
10
20
30
40
50
60
σOD [%]


TL (UVVIS)
cts [1/ch]
t [s]
0
20
40
60
80
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")



TL (UVVIS)
cts [1/ch]
0
500
1000
1500
t [s]
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")



TL (UVVIS)
cts [1/ch]
t [s]
0
100
200
300
400
500
600
0
20
40
60
80
100
120
help("merge_RLum.Data.Curve")



Profile log likelihood for σOD
0
−50
−100
−150
Log likelihood
28.84
34.72
42.48
10
20
30
40
50
60
σOD [%]


Profile log likelihood for σ_{OD}
0
−50
−100
−150
Log likelihood
28.84
34.72
42.48
10
20
30
40
50
60
σ_{OD} [%]



D_e distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



De distribution
n = 62
Standardised estimate
2
0
-2
Standard error
10
5
3.3
2.5
2
0.0
0.1
0.2
0.3
0.4
0.5
0
0.016
Precision
Density (bw 11.795)
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")



De distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62
Standardised estimate
2
0
-2
200
150
100
50
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
5
0
5
10
15
20
0
0.016
Precision
Density (bw 0.15)



De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.264
Density (bw 0.04)


De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
Relative standard error (%)
20
10
6.7
n
0
15
0
5
10
15
Precision



D$_e$ distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
n
0
10
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



De distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
−2
120
100
80
60
40
20
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D$_e$ distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



De distribution
n = 62
Standardised estimate
2
0
-2
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D_e distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
-2
CAM
120
100
80
60
40
20
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62
R Sample 1
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D_e distribution
n = 62
Standardised estimate
0
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



De distribution
n = 62
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
0
120
100
80
60
40
20
De (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62
Scatter
2
0
−2
Equivalent dose (Gy)
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Data error (%)
20
10
6.7
0
5
10
15
Data precision
0
0.016
Density (bw 0.15)



De distribution
n = 62
Standardised estimate
2
0
−2
119.1
70.1
19.7
120
100
80
60
40
20
De (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D_e distribution
n = 62 | in 2 sigma = 41.9 %
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D$_e$ distribution
weighted mean = 62.16
median = 71.07
Standardised estimate
2
0
−2
120
100
80
60
40
20
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
D$_e$ (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D$_e$ distribution
n = 62
Standardised estimate
2
0
−2
120
100
80
60
40
20
D$_e$ (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)



D_e distribution
n = 30
n = 32
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Standardised estimate
2
0
-2
150
100
50
D_e (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.032
Precision
Density (bw 0.074)



D_e distribution
n = 30 | in 2 sigma = 70 %   median = 52.94
n = 32 | in 2 sigma = 84.4 %   median = 109.93
Standardised estimate
2
0
−2
150
100
50
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.032
Precision
Density (bw 0.074)



help("plot_AbanicoPlot")



D_e distribution
n = 30
n = 32
Standardised estimate
2
0
−2
150
100
50
D_e (Gy)
help("plot_AbanicoPlot")
help("plot_AbanicoPlot")
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.032
Density (bw 0.074)


Dose recovery test
Example data
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
1
2
3
4
5
6
Aliquot

Dose recovery test





Dose recovery test
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
Aliquot


Dose recovery test
+10 %
−10%
Normalised D_e
Sample aliquot
1.15
1.10
1.05
1.00
0.95
0.90
0.85
1
2
3
4
5
6



Dose recovery test
n = 5
weighted mean = 1.01
n = 5
weighted mean = 1
+10 %
−10%
Normalised De
0.8
0.9
1.0
1.1
1.2
1
2
3
4
5
6
Aliquot



Dose recovery test
| n = 5 | weighted mean = 1.01 |
| n = 5 | weighted mean = 1 |
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
1
2
3
4
5
6
Aliquot


Dose recovery test
+10 %
−10%
1.2
1.1
1.0
0.9
0.8
Normalised D_e
200
240
Preheat temperature [°C]



Dose recovery test
Example data
+10 %
−10%
Normalised D_e
1.2
1.1
1.0
0.9
0.8
1
2
3
4
5
6
Aliquot



Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]


Dose recovery test
Normalised D_e
1.2
1.1
1.0
0.9
0.8
+10 %
−10%
200
240
Preheat temperature [°C]



Growth curve
De = 1737.88 ± 57.45 | fit: EXP
REG points
REG point repeated
REG point 0
Lx/Tx
Dose [s]
0
500
1000
1500
2000
2500
0
1
2
3
4
5
6
De from MC simulation
DeMC = 1733.43 ± 57.45 | quality = 99.7 %
Frequency
4
12
20
28
36
1600
1750
1900
Dose [s]
n = 100 , valid fits = 100
Test dose response
Tn/Tx
1.00
1.10
1.20
1.30
1
3
5
7
SAR cycle



Growth curve
$D_e = 1737.88 \pm 59.97$ | fit: EXP
REG points
REG point repeated
REG point 0
L_x/T_x
Dose [s]
D_e from MC simulation
$D_{e_{MC}} = 1732.18 \pm 59.97$ | quality = 99.7 %
Frequency
Dose [s]
n = 100 , valid fits = 100
Test dose response
T_n/T_x
SAR cycle


Growth curve
$D_e = 1737.88 \pm 61.2$ | fit: EXP
REG points
REG point repeated
REG point 0
0
1
2
3
4
5
6
L_x/T_x
0
500
1000
1500
2000
2500
Dose [s]
help("plot_GrowthCurve")



D_e from MC simulation
$D_{e_{MC}}$ = 1743.04 ± 61.2 | quality = 99.7 %
help("plot_GrowthCurve")
Frequency
0
9
18
28
1600
1700
1800
1900
2000
Dose [s]



Test dose response
1.00
1.05
1.10
1.15
1.20
1.25
1.30
T_n/T_x
1
2
3
4
5
6
7
SAR cycle
help("plot_GrowthCurve")



Histogram
Frequency
0
2
4
6
8
10
12
14
Standard error
3.5
4.0
4.5
5.0
5.5
6.0
6.5
help("plot_Histogram")
110
120
130
140
150
160
170
D_e (Gy)



Histogram of De−values
Example data set
n = 25
mean = 129.25
rel. sd = 9.54 %
help("plot_Histogram")
De distribution
Standard error
De (Gy)
0.00
0.02
0.04
0.06
0.08
0.10
5
10
15
20
100
150
200
250



D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
110
120
130
140
150
160
170
D_e (Gy)
Cumulative frequency
5
10
15
20
25
help("plot_KDE")



D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
110
120
130
140
150
160
170
D_e (Gy)
Cumulative frequency
5
10
15
20
25
help("plot_KDE")


Dose distribution
KDE estimate
0.00
0.02
0.04
0.06
0.08
100
150
200
250
Dose (s)
0
5
10
15
20
25
30
Cumulative dose value
help("plot_KDE")



De distribution
Density
0.00
0.02
0.04
0.06
0.08
median
mean
help("plot_KDE")
Cumulative frequency
0
5
10
15
20
25
30
35
110
120
130
140
150
160
170
De (Gy)



D_e distribution
n = 25 | median = 126.34 | skewness = 1.34
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
110
120
130
140
150
160
170
D_e (Gy)
Cumulative frequency
5
10
15
20
25
help("plot_KDE")



De distribution
n = 25
mean = 129.25
rel. sd = 9.54 %
se = 2.47
help("plot_KDE")
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
Cumulative frequency
5
10
15
20
25
110
120
130
140
150
160
170
De (Gy)



D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
100
120
140
160
180
D_e (Gy)
Cumulative frequency
2
4
6
8
10
12
14
help("plot_KDE")



D_e distribution
n = 15
median = 125.06
skewness = 0.82
n = 10
median = 164.24
skewness = −0.65
help("plot_KDE")
Density
Cumulative frequency
D_e (Gy)
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
100
120
140
160
180
2
4
6
8
10
12
14



D_e distribution
Density
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
110
120
130
140
150
160
170
D_e (Gy)
Cumulative frequency
5
10
15
20
25
help("plot_KDE")


NR(t) Plot
Natural signal / Regenerated signal
Time [s]
0
1
2
3
4
0
10
20
30
40
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
0
10
20
30
Time [s]



NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.0
0.5
1.0
1.5
2.0
2.5
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]


NR(t) Plot
Natural signal / Regenerated signal
Time [s]
help("plot_NRt")
N/R1
N/R2
N/R3
N/R4
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1
2
3
4
5



NR(t) Plot
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
Natural signal / Regenerated signal
0.6
0.8
1.0
1.2
1.4
1.6
0.1
0.2
0.5
1.0
2.0
5.0
10.0
20.0
Time [s]



TnTx(t) Plot
TD natural / TD regenerated
Time [s]
1.4
1.2
1.0
0.8
0.6
0
5
10
15
20
help("plot_NRt")



Aliquot #1
Aliquot #2
Aliquot #3
Aliquot #4
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #5
Aliquot #6
Aliquot #7
Aliquot #8
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")


Aliquot #9
Aliquot #10
Aliquot #11
Aliquot #12
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")
0
2
4
6
8
10
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.4
1.6


Aliquot #13
Aliquot #14
Aliquot #15
Aliquot #16
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")



Aliquot #17
Aliquot #18
Aliquot #19
Aliquot #20
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")



Aliquot #21
Aliquot #22
Aliquot #23
Aliquot #24
Natural signal / Regenerated signal
Time [s]
N/R1
N/R2
N/R3
N/R4
help("plot_NRt")



TL
#1
TL [cts/0.88 °C]
0
40
80
120
0
50
100
150
200
Temperature [°C]
OSL
#2
OSL [cts/0.04 s]
0
4000
8000
0
10
20
30
40
Stimulation time [s]
help("plot_RLum.Analysis")
TL
#3
TL [cts/0.64 °C]
0
50
150
250
0
50
100
150
Temperature [°C]
OSL
#4
OSL [cts/0.04 s]
0
1000
2000
0
10
20
30
40
Stimulation time [s]
TL
#5
TL [cts/0.88 °C]
0
50
150
0
50
100
150
200
Temperature [°C]
OSL
#6
OSL [cts/0.04 s]
0
1000
3000
0
10
20
30
40
Stimulation time [s]


TL
#7
TL [cts/0.64 °C]
0
100
200
300
0
50
100
150
Temperature [°C]
OSL
#8
OSL [cts/0.04 s]
0
1000
2000
0
10
20
30
40
Stimulation time [s]
help("plot_RLum.Analysis")
TL
#9
TL [cts/0.88 °C]
0
100
300
0
50
100
150
200
Temperature [°C]
OSL
#10
OSL [cts/0.04 s]
0
2000
6000
0
10
20
30
40
Stimulation time [s]
TL
#11
TL [cts/0.64 °C]
0
50
150
250
0
50
100
150
Temperature [°C]
OSL
#12
OSL [cts/0.04 s]
0
1000
2000
0
10
20
30
40
Stimulation time [s]


TL
#13
TL [cts/0.88 °C]
0
200
400
600
0
50
100
150
200
Temperature [°C]
OSL
#14
OSL [cts/0.04 s]
0
4000
10000
0
10
20
30
40
Stimulation time [s]
help("plot_RLum.Analysis")
TL
#15
TL [cts/0.64 °C]
0
100
200
300
0
50
100
150
Temperature [°C]
OSL
#16
OSL [cts/0.04 s]
0
1000
2000
0
10
20
30
40
Stimulation time [s]
TL
#17
TL [cts/0.88 °C]
0
400
800
0
50
100
150
200
Temperature [°C]
OSL
#18
OSL [cts/0.04 s]
0
5000
15000
0
10
20
30
40
Stimulation time [s]



TL
#19
TL [cts/0.64 °C]
Temperature [°C]
OSL
#20
OSL [cts/0.04 s]
Stimulation time [s]
help("plot_RLum.Analysis")
TL
#21
TL [cts/0.88 °C]
Temperature [°C]
OSL
#22
OSL [cts/0.04 s]
Stimulation time [s]
TL
#23
TL [cts/0.64 °C]
Temperature [°C]
OSL
#24
OSL [cts/0.04 s]
Stimulation time [s]


TL
#25
TL [cts/0.88 °C]
0
40
80
120
0
50
100
150
200
Temperature [°C]
OSL
#26
OSL [cts/0.04 s]
40
60
80
100
0
10
20
30
40
Stimulation time [s]
help("plot_RLum.Analysis")
TL
#27
TL [cts/0.64 °C]
0
100
200
300
0
50
100
150
Temperature [°C]
OSL
#28
OSL [cts/0.04 s]
0
1000
2500
0
10
20
30
40
Stimulation time [s]
TL
#29
TL [cts/0.88 °C]
0
50
150
250
0
50
100
150
200
Temperature [°C]
IRSL
#30
IRSL [cts/0.04 s]
0
10
20
30
40
0
10
20
30
40
Stimulation time [s]


TL combined
y
x
0.0
0.2
0.4
0.6
0.8
1.0
0
50
100
150
200
Curve 1
Curve 2
Curve 3
Curve 4
Curve 5
Curve 6
Curve 7
Curve 8
Curve 9
Curve 10
Curve 11
Curve 12
Curve 13
Curve 14
Curve 15
help("plot_RLum.Analysis")



unkown curve type
Dependent [unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
Independent [Unknown]
help("plot_RLum.Data.Curve")



RLum.Data.Image
Height [px]
Length [px]
600
400
200
0
−200
−400
−600
0
200
400
600
800
1000
1200
20000
15000
10000
5000
help("plot_RLum.Data.Image")
help("plot_RLum.Data.Image")



RLum.Data.Spectrum
help("plot_RLum.Data.Spectrum")
t [s]
wavelength [nm]
300
400
500
600
700
0
50
100
150
200
250
5800
6000
6200
6400
6600
6800



RLum.Data.Spectrum
cts [1/ch]
6400
6200
6000
5800
80
60
40
20
t [s]
400
500
600
700
wavelength [nm]
help("plot_RLum.Data.Spectrum")



RLum.Data.Spectrum
Luminescence [cts/channel]
5600
5800
6000
6200
6400
300
400
500
600
700
wavelength [nm]
0 t [s]
20 t [s]
40 t [s]
60 t [s]
80 t [s]
help("plot_RLum.Data.Spectrum")


unkown curve type
Dependent [unknown]
Independent [Unknown]
0
2000
4000
6000
8000
10000
0
10
20
30
40
help("plot_RLum")



Likelihood profile: gamma
99%
95%
90%
80%
50%
|z|
0.0
0.5
1.0
1.5
2.0
2.5
3.6
3.7
3.8
3.9
4.0
gamma
Likelihood profile: sigma
99%
95%
90%
80%
50%
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.3
0.4
0.5
0.6
0.7
sigma
help("plot_RLum.Results")
Likelihood profile: p0
99%
95%
90%
80%
50%
|z|
0.0
0.5
1.0
1.5
2.0
2.5
0.0
0.1
0.2
0.3
0.4
p0



Monte Carlo Simulation
$n = 10000 \mid \hat{\mu} = 43 \mid \hat{\sigma} = 20 \mid \frac{\hat{\sigma}}{\sqrt{n}} = 0 \mid v = 0.85$
mean
median
0.05 / 0.95 quantile
Density
0.000
0.005
0.010
0.015
0.020
0
50
100
150
help("plot_RLum.Results")
Amount of grains on aliquot



D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
180
160
140
120
100
D_e (Gy)
Standardised estimate
2
0
−2
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



De distribution
n = 25 | in 2 sigma = 68 %
Standardised estimate
2
0
−2
180
160
140
120
100
De (Gy)
RadialPlot")
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision



D$_e$ distribution
n = 25 | in 2 sigma = 68 %
RadialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D$_e$ (Gy)
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision



D$_e$ distribution
n = 25 | in 2 sigma = 68 %
_RadialPlot")
200
180
160
140
120
100
D$_e$ (Gy)
Standardised estimate
2
0
−2
Standard error
20
10
6.7
5
4
0.00
0.05
0.10
0.15
0.20
0.25
Precision



D_e distribution
n = 25 | in 2 sigma = 68 %
ialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e (Gy)
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e (Gy)
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



D$_e$ distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
180
160
140
120
100
D$_e$ (Gy)
2
0
−2
Standardised estimate
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



De distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
180
160
140
120
100
De (Gy)
Standardised estimate
0
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



D_e distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
180
160
140
120
100
Equivalent dose (Gy)
Scatter
2
0
−2
Data error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Data precision


D_e distribution
n = 25 | in 2 sigma = 68 %
ialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e (Gy)
165.8
125.1
110.8
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



D$_e$ distribution
n = 25 | in 2 sigma = 68 %
adialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D$_e$ (Gy)
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



D_e distribution
weighted mean = 126.85 | median = 126.34
adialPlot")
180
160
140
120
100
D_e (Gy)
Standardised estimate
2
0
−2
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



De distribution
n = 15 | in 2 sigma = 53.3 %
n = 10 | in 2 sigma = 90 %
ialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
De (Gy)
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



D_e distribution
n = 15 | in 2 sigma = 53.3 %
n = 10 | in 2 sigma = 90 %
Sample 1
Sample 2
ialPlot")
Standardised estimate
2
0
−2
180
160
140
120
100
D_e (Gy)
Relative standard error (%)
20
10
6.7
5
4
3.3
0
5
10
15
20
25
30
Precision



Violin Plot
n = 25 | median = 126.34
Density
110
120
130
140
150
160
170
De/(a.u.)
help("plot_ViolinPlot")



OSL
OSL [cts/1 s]
0.0
0.1
0.2
0.3
0
20
40
60
80
100
Stimulation time [s]
help("set_RLum")



D_e distribution
n = 62 | mean = 66.01
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
0
0.016
Precision
Density (bw 0.15)



D_e distribution
n = 62 | mean = 66.01
Standardised estimate
2
0
−2
120
100
80
60
40
20
D_e (Gy)
Relative standard error (%)
20
10
6.7
0
5
10
15
Precision
0
0.016
Density (bw 0.15)