English | 한국어

Shared Supabase Capacity — Historical Discussion

English reading edition of the 20 screenshot fragments in the legacy HTML attachment. The fragments begin and end mid-discussion; they are not a complete source transcript. This records an earlier planning discussion, not verified current pricing, quotas, or an approved production plan. The original Korean HTML/PDF are retained as source archives.

Main question

Would one Supabase project, separated by schemas/tables, avoid the need for a paid plan solely to obtain more projects? The discussion answered yes: multiple school apps can share one database project. App count and database-project count are different constraints.

Proposed layout

A shared DICS Core would hold canonical students, accounts/authentication, and enrollment, while schemas separate Study Planner, discipline, computer-lab, placement, SAT/TOEFL, and future portal/dashboard records. A second development project could host disposable prototypes, migration trials, and schema experiments without real student data. Separate free organizations/projects were discussed for experimental MVPs and personal learning.

The draft examples included public.students/classes/enrollments; discipline incidents/rewards/weekly/monthly summaries; study_planner tasks/progress/assignments; computer_lab checkins/sessions/device_logs; and testing English/math placement and speaking results. These names were conceptual sketches, not the current migration contract. In particular, an early student_auth_pins/profile-PIN sketch is superseded: current architecture keeps credentials in Auth, never plaintext student-profile PIN columns.

Why consider a paid operational environment?

The discussion emphasized inactivity pausing, backup/recovery, compute capacity, usage headroom, and reliability rather than the number of apps. School holidays can reduce activity, making a paused database at term restart an operational inconvenience. Each separate project has its own resources, so multiplying projects can also multiply operational and compute costs.

It suggested a single free project could be adequate for an MVP/internal test and that a real daily-use school service should evaluate a paid plan for continuity and recovery. That suggestion was not a recorded purchase or capacity test.

Historical numeric claims in the screenshots

Topic	Claim in the old discussion
Free active projects	Two
Inactivity	Possible pausing after seven days of low activity
Database	500 MB
Monthly active users	50,000
Storage	1 GB
Egress	5 GB uncached plus 5 GB cached
Edge Function invocations	500,000
Realtime messages	2 million
Free maximum file size	50 MB

These figures are preserved for translation fidelity only. Recheck official plan/account conditions before a purchasing or deployment decision. The source's claim that tens of thousands of discipline/lab rows and hundreds of thousands of planner tasks would likely fit was an estimate, not a measurement; indexes, retention, query patterns, and record size still matter.

Binary files and recovery

Text/numbers/timestamps are usually smaller than screenshots, PDFs, and audio. Retained speaking recordings could dominate storage and transfer. Separate object storage or a separate media workload was suggested rather than placing all binary content in Core. The source also stressed that managed backup access differs by plan and that school identity, learning, and assessment records need a recovery strategy. Its last screenshot ends during that discussion; no missing conclusion has been invented here.

Source and current authority

- Original Korean screenshot HTML - Original Korean PDF - Bilingual reading PDF - Current repository architecture - Migration and recovery governance

Supabase pricing (https://supabase.com/pricing) and the production checklist (https://supabase.com/docs/guides/deployment/going-into-prod) are verification starting points; this translation does not assert their present contents.

English | 한국어

Supabase 공통 DB 용량 — 과거 논의

기존 HTML의 한국어 스크린샷 20개를 읽기용으로 정리한 판이다. 원본은 대화 중간에서 시작·종료되며 완전한 대화록이 아니다. 현재 요금·한도·승인된 운영 계획으로 해석하지 않는다. 원본 HTML/PDF는 보관 자료로 남긴다.

질문

하나의 Supabase 프로젝트를 스키마·테이블로 나누면 프로젝트 수 때문에 유료로 바꿀 필요가 없는가? 당시 논의는 여러 학교 앱이 하나의 DB를 공유할 수 있으므로 앱 수와 DB 프로젝트 수를 구분해야 한다고 답했다.

제안 구조

공통 학생·계정/인증·학적은 Core에 두고 학습·생활지도·컴퓨터실·배치고사·SAT/TOEFL·향후 포털/현황판을 스키마로 나눈다. 두 번째 개발 프로젝트는 실제 학생 자료 없이 시제품·이관·구조 시험에 사용하고, 실험 MVP·개인 학습은 별도 무료 조직/프로젝트도 검토했다.

초기 예시는 public 학생/반/학적, discipline 사건/보상/주간·월간 요약, study_planner 과제/진척/배정, computer_lab 출입/세션/기기 로그, testing 영어/수학/말하기 기록이었다. 현재 SQL 계약이 아닌 개념도다. 특히 초기 student_auth_pins 같은 표현은 현재 설계로 대체됐다. 인증정보는 Auth에서 관리하며 학생 프로필에 평문 PIN을 저장하지 않는다.

유료 운영을 검토한 이유

앱 개수보다 휴면 중지·백업/복구·컴퓨팅·사용량·안정성을 강조했다. 방학 동안 사용량이 줄면 개학 시 DB를 재개해야 하는 불편이 생길 수 있다. 별도 프로젝트마다 자원이 있어 분할은 관리·컴퓨팅 비용도 늘릴 수 있다.

MVP/내부 시험은 무료 단일 프로젝트로 시작할 수 있고 실제 일상 업무에서는 연속성과 복구를 기준으로 유료를 평가하자는 의견이었다. 구매 결정이나 용량 시험 결과가 아니다.

원본의 과거 수치

항목	당시 대화의 주장
무료 활성 프로젝트	2개
낮은 사용량	7일 후 중지 가능
DB	500MB
월 활성 사용자	50,000
저장소	1GB
전송	비캐시 5GB + 캐시 5GB
Edge Function	500,000회
Realtime 메시지	200만
무료 단일 파일	50MB

번역 충실도를 위해 보존한 값이며 구매·배포 전 공식 조건과 계정 상태를 다시 확인한다. 벌점/컴퓨터실 각 수만 행·학습 과제 수십만 행도 충분할 수 있다는 말은 추정이다. 실제 크기·인덱스·보존기간·조회 패턴 측정은 없었다.

파일과 복구

텍스트·숫자·시간보다 이미지·PDF·음성이 저장/전송량을 크게 만들 수 있다. 말하기 녹음은 외부 객체 저장소나 분리된 미디어 업무로 관리하는 안을 논의했다. 요금제별 관리형 백업 차이와 학생·학습·평가 자료의 복구 전략 필요성을 강조하던 중 마지막 화면이 끝난다. 누락된 결론을 임의로 추가하지 않는다.

출처와 현재 기준

- 한국어 원본 HTML - 한국어 원본 PDF - 영·한 읽기용 PDF - 현재 Core 설계 - 이관·복구 관리

공식 요금 (https://supabase.com/pricing)과 운영 점검 (https://supabase.com/docs/guides/deployment/going-into-prod)은 재확인 출발점이다. 이번 번역에서 현재 내용을 검증한 것은 아니다.