

School of Computer Science
Language Technologies Institute

DiscourseDB

Facilitating Cross-Platform Analyses
of Educational Discourse







DiscourseDB

D Fusion >

- inference over multiple data sources

A Abstraction >

T

- uniform representation
- simplification helps to form hypotheses
- retention of complexity avoids oversimplification

A Contextualization >

- conversational context is key to understanding
- represent multimodal context and synchronize with discussion





DiscourseDB

Macro Structure

- network structure of discourse
- integrates content from multiple sources
- keep track of changes over time

Micro Structure

- internal organization of contributions
- linguistic annotation
- content analysis
- multiple layers
- multimodal



Discussion in Context

- Course assignments with a discussion component require an integrated analysis of discussion and context
- Easy in traditional courses
- More loosely structured courses (cMOOCs) more challenging
 - Discussion spread out over platforms
 - Fuzzy boundaries between learning tasks
- **Discussion context is an integral component of DiscourseDB and will enable analyses in weakly structured learning environments.**

Multi-Layer Representation of Discourse



- Discourse is multi-dimensional – different research questions require different views
- Explicit vs. implicit (inferred) discourse structure
- Access and clickstream data to represent “silent” user interactions
 - Reading posts or profiles
 - Following users/threads/pages

Data Source Management


- DiscourseDB unifies discourse data
- BUT: we want to keep track of where each data point came from
 - ➔ Necessary at import time in order to make sense of relational data
 - ➔ Helpful later to recover details that are not explicitly represented in DiscourseDB

***Source-controlled* entities in DiscourseDB keep track of where they came from and how the entity can be found in the source.**

SCHEMA



Downloaded from the Internet
 www.internet.com
 www.internet.com



DiscourseDB Layers

System

- Source Control
- Maintenance

Annotation (micro structure)

- Annotations

Macro

- Discourse containers (DiscourseParts)
- Contributions
- Content
- Context
- Discourse relations


User

- Users
- Groups
- Interactions

DiscourseDB Entity Properties

aka “entity capabilities”

- Timed entities
 - start date
 - end date
- Annotatable entities
 - set of annotations
- Source controlled entities
 - set of data sources
- Type entities
 - tied to a non-type entities




contribution	
id_contribution	BIGINT(20)
created	DATETIME
end_time	DATETIME
start_time	DATETIME
version	BIGINT(20)
downvotes	INT(11)
upvotes	INT(11)
fk_annotation	BIGINT(20)
fk_data_sources	BIGINT(20)
fk_current_revision	BIGINT(20)
fk_first_revision	BIGINT(20)
fk_contribution_type	BIGINT(20)

Central Entities

- Discourse
- DiscoursePart
- Contribution
- Context
- Content
- User

Discourse and DiscoursePart





DISCOURSE

- COURSE INSTANCE
- WIKIPEDIA INSTANCE
- EXPERIMENT



DISCOURSE PART

- FORUM
- SUBFORUM
- THREAD
- TALK PAGE
- BLOG




Contribution/Content



Context




User




Central Relations

- DiscourseRelation
- DiscoursePartRelation
- DiscoursePartInteraction
- ContributionInteraction

Discourse(Part)Relation




- Reply
- Descendant
- Comment
- Reshare




- TalkPageDiscussion
- SubForum

Interactions



- Read
- Follow
- Delete
- Revert
- Share

Interactions



- Join
- Ready
- Leave


Data Source Management

We want to keep track of where imported data came from
→ Necessary at import time in order to make sense of relational data

→ Helpful later to recover details that are not explicitly represented in DiscourseDB

data_source_instance	
id_data_source_instance	BIGINT(20)
created	DATETIME
version	BIGINT(20)
dataset_name	VARCHAR(255)
entity_source_id	VARCHAR(255)
entity_source_descriptor	VARCHAR(255)
source_type	VARCHAR(255)
fk_sources	BIGINT(20)
Indexes	

data_sources	
id_data_sources	BIGINT(20)
created	DATETIME
version	BIGINT(20)
Indexes	



data_source_instance	
id_data_source_instance	BIGINT(20)
created	DATETIME
version	BIGINT(20)
dataset_name	VARCHAR(255)
entity_source_id	VARCHAR(255)
entity_source_descriptor	VARCHAR(255)
source_type	VARCHAR(255)
fk_sources	BIGINT(20)
Indexes	

→ _id.\$oid

<edx_test_forum.json>

```
{
  "_id": {
    "$oid": "50f1dd4ae05f6d2600000001"
  },
  "_type": "CommentThread",
  "anonymous": false,
  "anonymous_to_peers": false,
  "at_position_list": [
  ],
  "author_id": "NNNNNNN",
  "author_username": "AAAAAAAAA",
  "body": "Welcome to the edX101 forum!\n\nThis forum will be regularly monitored by edX. Please post your questions and comments here. When asking a question, don't forget to search the forum to check whether your question has already been answered.\n\n",
  "closed": false,
  "comment_count": 0,
  "commentable_id": "i4x-edX-edX101-course-How_to_Create_an_edX_Course",
  "course_id": "edX\vedX101\How_to_Create_an_edX_Course",
  "created_at": {
    "$date": 1358028106904
  },
  "last_activity_at": {
    "$date": 1358134464424
  },
  "tags_array": [
  ],
  "thread_type": "discussion",
  "title": "Welcome to the edX101 forum!",
  "updated_at": {
    "$date": 1358134453862
  },
  "votes": {
    "count": 1,
    "down": [
    ],
    "down_count": 0,
    "point": 1,
    "up": [
      "48"
    ],
    "up_count": 1
  }
}
```

Questions?

Use Case: EdX Forum

- A course has a single forum
- A **CommentThread** represents the first level of interaction: a post that opens a new thread, often a student question of some sort.
- A **Comment** represents both the second and third levels of interaction: a response made directly to the conversation started by a CommentThread is a Comment. Any further contributions made to a specific response are also in Comment objects.

https://edx.readthedocs.org/en/latest/internal_data_formats/discussion_data.html

comment thread

```
{
  "_id": {
    "$oid": "50f1dd4ae05f6d2600000001"
  },
  "_type": "CommentThread",
  "anonymous": false,
  "anonymous_to_peers": false,
  "at_position_list": [

  ],
  "author_id": "NNNNNNN",
  "author_username": "AAAAAAAAA",
  "body": "Welcome to the edX101 forum!\n\nmonitored by edX. Please post your question asking a question, don't forget to search your question has already been answered.\n",
  "closed": false,
  "comment_count": 0,
  "commentable_id": "i4x-edX-edX101-course-",
  "course_id": "edX\vedX101\How_to_Create_a",
  "created_at": {
    "$date": 1358028106904
  },
  "last_activity_at": {
    "$date": 1358134464424
  },
  "tags_array": [

  ],
  "thread_type": "discussion",
  "title": "Welcome to the edX101 forum!",
  "updated_at": {
    "$date": 1358134453862
  },
  "votes": {
    "count": 1,
    "down": [

    ],
    "down_count": 0,
    "point": 1,
    "up": [
      "48"
    ],
    "up_count": 1
  },
}
```

comment

```
{
  "_id": {
    "$oid": "52e54fdd801eb74c33000070"
  },
  "votes": {
    "up": [

    ],
    "down": [

    ],
    "up_count": 0,
    "down_count": 0,
    "count": 0,
    "point": 0
  },
  "visible": true,
  "abuse_flaggers": [

  ],
  "historical_abuse_flaggers": [

  ],
  "parent_ids": [

  ],
  "at_position_list": [

  ],
  "body": "I'm hoping this Demonstration course to take the course I enrolled in. I am just want to benefit from it as much as possible in it.\n",
  "course_id": "edX\DemoX\Demo_Course",
  "_type": "Comment",
  "endorsed": true,
  "endorsement": {
    "user_id": "9",
    "time": {
      "$date": 1390759911966
    }
  },
  "anonymous": false,
  "anonymous_to_peers": false,
  "author_id": "NNNNNNN",
  "comment_thread_id": {
    "$oid": "52e4e880c0df1fa59600004d"
  },
  "author_username": "AAAAAAAAA",
  "sk": "52e54fdd801eb74c33000070",
  "updated_at": {
    "$date": 1390759901966
  },
  "created_at": {
    "$date": 1390759901966
  },
}
```


Use Case: EdX Forum

- A course has a single forum
- A **CommentThread** represents an interaction between a new thread and a question
- A **Comment** represents the second interaction directly started by a user contributing specific information to the **CommentThread**

comment thread

```
{
  "_id": {
    "$oid": "50f1dd4ae05f6d2600000001"
  },
  "_type": "CommentThread",
  "anonymous": false,
  "anonymous_to_peers": false,
  "at_position_list": [
```

comment

```
{
  "_id": {
    "$oid": "52e54fdd801eb74c33000070"
  },
  "votes": {
    "up": [
    ],
    "down": [
```

How would we translate the edX forum data to DiscourseDB?

Main Entities?
Relations?
Interactions?
Versioning?
Data Sources?

Forum format documentation:

https://edx.readthedocs.org/en/latest/internal_data_formats/discussion_data.html

https://edx.readthedocs.org/en/latest/internal_data_formats/discussion_data.html

```
    "point": 1,
    "up": [
      "48"
    ],
    "up_count": 1
  }
}
```

```
    "author_username": "AAAAAAAAA",
    "sk": "52e54fdd801eb74c33000070",
    "updated_at": {
      "$date": 1390759901966
    },
    "created_at": {
      "$date": 1390759901966
    }
  }
}
```