kobriendublin.wordpress.com

Youtube: StatsLabDublin

Prove by Induction the following expression

$$\sum_{r=1}^{r=n} r^2 = \frac{n(n+1)(2n+1)}{6}$$

for all $n \in N_0$.

- ▶ **Step 1** : Is the proposition true for n = 1?
- ▶ **Step 2** : Show that if the proposition is true for n = k, then it is also true for n = k + 1.
- ► **Step 3**: Conclude that the proposition is true for all natural numbers greater than or equal to one.

Prove by induction the following expression

$$\sum_{r=1}^{r=n} r^2 = \frac{n(n+1)(2n+1)}{6}$$

for all $n \in N_0$.

▶ **Step 1** : Is the proposition true for n = 1?

Left-hand side

$$\sum_{r=1}^{r=1} r^2 = 1^2 = 1$$

Left-hand side

$$\sum_{r=1}^{r=1} r^2 = 1^2 = 1$$

Right-hand side

$$\frac{n(n+1)(2n+1)}{6} = \frac{1(1+1)(2\cdot 1+1)}{6}$$
$$= \frac{1\times 2\times 3}{6} = \frac{6}{6} = \mathbf{1}$$

▶ **Step 1** : Is the proposition true for n = 1?

Yes: The left-hand side and right-hand side of the equation yield the same value.

▶ **Step 2** : Show that if the proposition is true for n = k, then it is also true for n = k + 1.

Given:

$$\sum_{r=1}^{r=k} r^2 = \frac{k(k+1)(2k+1)}{6}$$

To Prove:

$$\sum_{r=1}^{r=k+1} r^2 = \frac{(k+1)(k+2)(2k+3)}{6}$$

$$\sum_{r=1}^{r=k+1} r^2 = 1^2 + 2^2 + 3^2 + \ldots + k^2 + (k+1)^2$$

$$\sum_{r=1}^{r=k+1} r^2 = 1^2 + 2^2 + 3^2 + \dots + k^2 + (k+1)^2$$

$$\sum_{r=1}^{r=k+1} r^2 = \sum_{r=1}^{r=k} r^2 + (k+1)^2$$

$$\sum_{r=1}^{r=k+1} r^2 = \sum_{\mathbf{r}=\mathbf{1}}^{\mathbf{r}=\mathbf{k}} \mathbf{r}^2 + (k+1)^2$$

$$\sum_{r=1}^{r=k+1} r^2 = \frac{k(k+1(2k+1))}{6} + (k+1)^2$$