

Ejercicio – HTML y CSS

Práctica de Maquetación Web: HTML Semántico y CSS Clásico



2º DAW – Diseño de Interfaces Web

IES San Vicente
Curso 2025 – 2026

Enunciado

Crear una estructura que demuestre el uso combinado de position: relative; en un elemento padre y position: absolute; en sus elementos hijos, utilizando las propiedades direccionales (top, right, bottom, left) para anclar los hijos a las esquinas del padre.

Dado el HTML siguiente

No podemos modificar el HTML

```
<!DOCTYPE html>
<html lang="es">
<head>
<meta charset="UTF-8">
<title>Ejercicio de Position CSS</title>
<link rel="stylesheet" href="ex-positionleft.css">
</head>
<body>

<div class="contenedor">
<div class="caja caja-1">Top-Left</div>
<div class="caja caja-2">Top-Right</div>
<div class="caja caja-3">Bottom-Left</div>
<div class="caja caja-4">Bottom-Right</div>
</div>


</body>
</html>
```

Requisitos de CSS

La hoja de estilos debes:

1. Darle un ancho y alto fijo al contenedor padre
2. Los hijos deben tener un ancho y alto más pequeño

Resultado a obtener:



Opcional:

Aplica un “efecto” a la caja para que cada vez que hagas un hover se desplacen los hijos y luego vuelvan a su posición origen al salir del contenedor padre. Ejemplo:



The diagram consists of a large dark gray rectangle with a thick cyan border. Inside this rectangle, there are four smaller squares arranged in a 2x2 grid. Each square has a dashed border of the same color as its fill. The top-left square is pink and labeled 'Top-Left'. The top-right square is orange and labeled 'Top-Right'. The bottom-left square is green and labeled 'Bottom-Left'. The bottom-right square is blue and labeled 'Bottom-Right'.

Top-Left

Top-Right

Bottom-Left

Bottom-
Right