



Pinnacle Pet Group

Azure & M365

Naming Conventions Document

Document Information

Heading	Details
Document Title	Azure & M365 Naming Conventions
Workstream	Microsoft 365
Delivery Lead	
Author	
Current version	0.2
File Name:	Calandra - M365 & Azure Naming Conventions Document v0.1.docx

Version Control

Version	Section	Summary of Change	Author	Date
V0.1	All	First Version (review of previous Avande release 1.3/ 1.4	Ashish Kumar Bhatt	
V0.2	2,5,2	Update to PAC and RBAC groups	Rob Hackney	31/07/25

Approvers

Role	Name	Version	Date
Calandra Project Manager			
Calandra Enterprise Architect			
Calandra Security Architect			

Contents

1	Introduction.....	1
1.1	Executive Summary	1
1.2	Document Purpose	1
2	User Naming Conventions.....	2
2.1	Standard User Accounts.....	2
2.2	External User Accounts	3
2.3	Elevated User Accounts.....	3
2.4	Service Accounts	4
2.5	Security Groups	5
2.5.1	Permission Groups	5
2.5.2	Privilege Groups.....	5
2.5.3	License Groups	6
2.5.4	Distribution Lists	6
3	Shared / Functional Mailboxes	7
3.1	Functional Mailboxes	7
3.2	Shared Mailboxes	7
4	Azure Naming Standard	8
4.1	Azure Resources and Naming conventions	8
4.2	Naming Standards for Azure Landing Zone Resources	8
4.2.1	Asset Naming Conventions	8
4.2.2	Azure Environment Naming Conventions.....	10
4.2.3	Azure Region Naming convention.....	10
4.2.4	Subscription.....	10
4.2.5	Resource Group.....	11
4.2.6	Virtual Hub.....	11
4.2.7	Virtual Network	11
4.2.8	Subnet.....	11
4.2.9	Route Table.....	12
4.2.10	NSG – Network Security Group.....	12
4.2.11	ASG – Application Security Group	12
4.2.12	Public IP.....	13
4.2.13	Firewall.....	13
4.2.14	Firewall Policy.....	13
4.2.15	Storage account	13
4.2.16	Key vault.....	14

4.2.17 Bastion	14
4.2.18 Virtual machine.....	14
4.2.19 Virtual machine Scale set (VMSS).....	15
4.2.20 Network Interface Card (NIC).....	15

Tables within Document

Table 1 - Naming Convention - Standard User Accounts.....	3
Table 2 - Naming Convention - External User Accounts.....	3
Table 3 - Naming Convention - Elevated User Accounts.....	4
Table 4 – Naming Convention – Service Accounts.....	4
Table 5 - Naming Convention – Permission Groups.....	5
Table 6 - Naming Convention – Privilege Groups.....	6
Table 7 - Naming Convention – License Groups.....	6
Table 8 - Naming Convention – Distribution Lists.....	6
Table 9 - Naming Convention – Functional Mailbox	7
Table 10 - Naming Convention – Shared Mailbox.....	7

Figures within Document

No table of figures entries found.

1 Introduction

1.1 Executive Summary

In response to evolving digital technologies and the need for heightened operational efficiency, the Pinnacle Pet Group (PPG) has initiated the "Calandra V1" project. This project, executed by Avanade, is designed to catalyse a substantial transformation within PPG's IT ecosystem. At its core, Calandra V1 seeks to deliver a secure Azure Landing Zone and Microsoft 365 (M365) tenant, pivotal for subsequent phases.

The primary goal of the Calandra V1 project is the creation of a secure, high-performance platform built on M365 and Microsoft Azure. This platform will facilitate the migration of Pinnacle's users and M365 data to a new, greenfield Microsoft 365 tenant.

Concurrently, the project includes essential tasks such as devising a comprehensive cloud strategy, ensuring business readiness, formulating a change management process, and performing meticulous application discovery for the Pinnacle asset.

Calandra V1 project entails complex tenant migrations. The initial task involves transferring the Pinnacle Pet Group's existing tenant to the new Pinnacle Tenant, necessitating a seamless transition with minimal disruption to data and services. Additionally, another migration effort will involve relocating a subset of users from the Kopernikus tenant to the Pinnacle Tenant, consolidating PPG's digital infrastructure.

1.2 Document Purpose

This document details the naming convention proposed for the Calandra M365 services. It is to be used in conjunction with the other M365 design documents.

2 User Naming Conventions

The following name is used as an example in the sections below:

- **First Name:** John
- **Last Name:** Doe



Note

These naming conventions are the recommended ones followed by Avanade

Asset Naming Conventions:

- **Single Word Names:** For companies with single-word names, the first three letters of the name are chosen for simplicity and ease of recognition.
- **Multi-Word Names:** For those with multi-word names, the initial letter of each word is selected. In case where fewer than three initials are derived, a "X" is appended to achieve a 3-character length, thus ensuring consistency across the board.
- **Uniqueness:** A countermeasure is in place to amend the code in case of duplicates but not immediate requirement
- **Uniform Length:** All code names have been standardised to 3-character length for data consistency

Company Name	3 Character Code	Explanation
Pinnacle Pet Group	PPG	Derived from the first letters of Pinnacle Pet Group
Pinnacle Pet UK	PIN	Derived from the first letters of the single-word name, "Pinnacle"
VioVet	VIO	Derived from the first letters of the single-word name, "VioVet"
Pet Protect	PPX	Initials from the words "Pet" and "Protect" are "PP". An Additional "X" is added for a 3-char code.
Agila	AGI	Derived from the first letters of the single-word name, "Agila"
Vetafina	VET	Derived from the first letters of the single-word name, "Vetafina"
Animal Friends Investment Ltd	AFI	AFI Initials from the words "Animal", "Friends" and "Investments"
Hubert Derai Assurances	HDA	Initials from the words "Hubert", "Derai" and "Assurances"
Captain Vet	CVX	Initials from the words "Captain" and "Assurance" are "Vet". An Additional "X" is added for a 3-char code uniformity

2.1 Standard User Accounts

The standard user accounts are the regular user accounts that will be used for day-to-day computing.

Attribute	Convention	Example	Conflict Mitigation
Name	<First name> " <Last name>	John Doe	Not applicable.
userPrincipalName	<First name>." <Last name>@Pinnaclepetgroup.co.uk	John.Doe@Pinnaclepetgroup.co.uk John.Doe1@Pinnaclepetgroup.co.uk	Add first initial of the middle name i.e. Firstname.<First initial of Middle name>.lastname. If the user has no middle name or this would not resolve the conflict, a numeral is added to the end i.e. firstname.lastname<nn> (start with 2, as it is the second time the name exists).

proxyAddresses	Same as userPrincipalName	SMTP: John.Doe@Pinnaclepetgroup.co.uk SMTP: John.Doe1@Pinnaclepetgroup.co.uk	As above
-----------------------	---------------------------	--	----------

Table 1 - Naming Convention - Standard User Accounts

2.2 External User Accounts

The External user accounts are vendor / 3rd party / consultant user accounts.

Attribute	Convention	Example	Conflict Mitigation
Name	<First name>" "<Last name>	John Doe	Not applicable.
userPrincipalName	<First name>".<Last name>.ext@Pinnaclepetuk.com	John.Doe.ext@Pinnaclepetuk.com John.Doe1.ext@Pinnaclepetuk.com	Add first initial of the middle name i.e. Firstname.<First initial of Middle name>.lastname. If the user has no middle name or this would not resolve the conflict, a numeral is added to the end i.e. firstname.lastname<nn> (start with 2, as it is the second time the name exists).
proxyAddresses	Same as userPrincipalName	SMTP: John.Doe.ext@Pinnaclepetuk.com SMTP: John.Doe1.ext@Pinnaclepetuk.com	As above

Table 2 - Naming Convention - External User Accounts

2.3 Elevated User Accounts

The **Elevated user accounts are to be used for administrative functions and are not for day-to-day activities.**

This account is different from normal accounts and do not have any mailbox. If a normal user required to perform admin-related tasks, then **must create a separate admin account.**

These elevated accounts are classified into T0 & T1. See the table below for roles classified as T0; any other M365, Entra, and Azure Roles are classified as T1. Break glass accounts are also classified as T0 accounts.

T0 Roles
Billing Administrator
Hybrid Identity Administrator
Tenant Creator
Domain Name Administrator
Global Administrator

On PIM:
Permanent Eligible
No Permanent Assignment

Attribute	Convention	Example	Conflict Mitigation
Name	<First name> " "<Last name>	John Doe	Not applicable.
userPrincipalName	T0 Accounts ADM.PPG.<First name.Lastname> @Pinnaclepetgrouppltd.onmicrosoft.com ADM.PPG.<First name.Lastname>.ext @Pinnaclepetgrouppltd.onmicrosoft.com (for eternal users) M365 & Azure T1 Accounts ADM.<Company 3 Character Code>.<First name.Last name> @pinnaclepetuk.com ADM.<Company 3 Character Code>.<First name.Last name>.ext @pinnaclepetuk.com Doman Admin DOM.<First name.Last name>@Pinnaclepetuk.com DOM.<First name.Last name>.ext@Pinnaclepetuk.com	T0 Accounts <i>adm.PPG.John.Doe@Pinnaclepetgrouppltd.onmicrosoft.com</i> <i>adm.PPG.John.Doe1@Pinnaclepetgrouppltd.onmicrosoft.com</i> <i>Adm.John.Doe.ext@Pinnaclepetgrouppltd.onmicrosoft.com</i> <i>Adm.John.Doe2.ext@Pinnaclepetgrouppltd.onmicrosoft.com</i> M365 & Azure T1 Accounts <i>adm.PIN.John.Doe@pinnaclepetuk.com</i> <i>adm.PIN.John.Doe1@pinnaclepetuk.com</i> <i>adm.AGI.John.Doe@.....</i> <i>adm.AGI.John.Doe1@.....</i> <i>adm.PIN.John.Doe.ext@pinnaclepetuk.com</i> <i>adm.PIN.John.Doe1.ext@pinnaclepetuk.com</i> Domain Admin <i>dom.John.Doe@Pinnaclepetuk.com</i> <i>dom.John.Doe1@Pinnaclepetuk.com</i> <i>dom.John.Doe.ext@Pinnaclepetuk.com</i> <i>dom.John.Doe1.ext@Pinnaclepetuk.com</i>	A numeric value <nn> after given_name and surname to resolve conflicts.

Table 3 - Naming Convention - Elevated User Accounts

2.4 Service Accounts

The service accounts are the user accounts that are created explicitly to provide a security context for services running on Windows Server operating systems.

On PIM:

Permanent Assignment

Attribute	Convention	Example	Conflict Mitigation
Name	svc.xxx svc: Prefix for Service Account	<i>svc.aadsync</i> <i>svc.App1</i>	Use the company 3 char code svc.pin.app1
userPrincipalName	SamAccountName@idcollaboration.com	<i>svc.aadsync@idcollaboration.com</i> <i>msvc.App1@idcollaboration.com</i>	Use the company 3 char code svc.pin.app1

Table 4 – Naming Convention – Service Accounts

2.5 Security Groups

A convention for the various types of groups has been configured to use specific prefixes:

- **PG-*** are Permission Groups.
 - **PAC-*** are Privilege Access Control (for grouped Entra roles in Privileged Identity Management Groups)
 - **RBAC-*** are Role Based Access Control (for specific Azure, Entra or M365 roles used in Privileged Identity Management Groups)
- **LG-*** are License Groups (for Group-Based Licensing)
- **DL-*** are Distribution Lists (for Exchange Distribution Lists)

2.5.1 Permission Groups

These groups are used to provide Access to any application or service.

Attribute	Convention	Example	Conflict Mitigation
Name	PG <Asset ID - 3 Chars> <Description - Free meaningful text>	To allow only a Pinnacle group of users to use SSPR service – PG-PIN-SSPR-Users	Not applicable.
Group Type	Security	-	Not applicable.
Group email address	Not Allowed	Not applicable	Not applicable.

Table 5 - Naming Convention – Permission Groups

2.5.2 Privilege Groups

These groups provide access to any Privileged roles for privileged users on Entra ID, M365 and Azure Resources.

Attribute	Convention	Example	Conflict Mitigation
Name	PG-<Asset ID - 3 Chars>-<PAC>-<Description - Free meaningful text to describe the Group>	This allows only a Service Desk member to use the required Privileged Entra Roles for their job function. E.g. PG-PIN-PIM-ServiceDesk	Not applicable.
	PG-<Asset ID - 3 Chars>-<RBAC>-<Entra Role>	This allows only a privileged user to use the required RBAC Roles for their specific job function. E.g. PG-HEX-RBAC-Groups Administrator	
	PG-<Asset ID - 3 Chars>-<RBAC>-<MG or Subscription Level><Azure Role>	This allows only an infrastructure member to use the required Owner role specific to the assigned subscriptions and Tenant. E.g. PG-AGI-RBAC-MG-Landingzones-Owner PG-PPG-RBAC-MG-Contributor PG-TRV-PWT-RBAC-MG-Landingzones-Reader	

Group Type	Security	-	Not applicable.
Group email address	Not Allowed	Not applicable	Not applicable.

Table 6 - Naming Convention – Privilege Groups

2.5.3 License Groups

These groups are used to automatically assign Microsoft 365 licenses. Groups should be created in AD except for the dynamic O365 group to assign E5 licenses.

Attribute	Convention	Example	Conflict Mitigation
Name	LG-<Asset ID - 3 Chars> - <App Name>-<License Type> App Name – Name of the Application License Type – Type of the License	For O365 E5 users, one needs to create the group as LG-AGI-M365-Core-O365-License For Power Bi Pro users – LG-AGI-PowerBI-Free-License	Not applicable.
Group Type	Security		Not applicable.
Group email address	Not Allowed	Not applicable	Not applicable.

Table 7 - Naming Convention – License Groups



Note

A dynamic user group is created to automatically assign any real users with Microsoft 365 E5 licenses: LG-AGI-M365-Core-O365-License

Dynamic rule syntax:

(user.onPremisesDistinguishedName -contains "OU=Agila_Users,OU=Calandra_Agila,DC=id,DC=pinnaclepetgrouppltd,DC=com") and (user.accountEnabled -eq True) and (user.objectId -ne Null) and (user.userType -eq "member") and (user.displayName -notStartsWith "svc") and (user.displayName -notContains "Test") and (user.givenName -ne Null) and (user.surname -ne Null) and (user.userPrincipalName -notContains "Pinnaclepetgrouppltd.com")

2.5.4 Distribution Lists

These groups are used to define the distribution lists for sending emails to a group of users.

Attribute	Convention	Examples	Conflict Mitigation
Name	DL <Asset ID - 3 Chars> <Description - Free meaningful text>	DL PIN All Staff (Distribution list for all Pinnacle Staff) DL PPG Finance (Distribution list for PPG Finance Team) DL AFX Web Developers (Distribution list for Animal Friends Web Developers)	Not applicable.
Group Type	Microsoft 365	-	Not applicable.
Group email address	AllUsers@Pinnaclepetuk.com	For all staff in Pinnacle, one needs to create the primary SMTP as – AllUsers@Pinnaclepetuk.com	Not applicable.

Table 8 - Naming Convention – Distribution Lists

3 Shared / Functional Mailboxes

There are two types of shared mailboxes defined; those shared mailboxes that are customer facing and send emails to customers are referred to as Functional Mailboxes; those that are used for internal use or do not send emails to customers are referred to as Shared Mailboxes:

3.1 Functional Mailboxes

Attribute	Convention	Examples	Conflict Mitigation
Name	FMB <Asset ID - 3 Chars> <Description - Free meaningful text>	FMB PIN SBA Customer Services (Functional Mailbox for Pinnacle - used for Sainsbury's Customer Services emails) FMB PIN Info (Functional mailbox to receive/send info@pinnaclepetuk.com emails)	Not applicable.
userPrincipalName		FMBPINSBACustomerServices@pinnaclepetgroup.com	Not applicable.
proxyAddresses		FMBPINSBACustomerServices@pinnaclepetgroup.com	Not applicable.

Table 9 - Naming Convention – Functional Mailbox

3.2 Shared Mailboxes

Attribute	Convention	Examples	Conflict Mitigation
Name	SMB <Asset ID - 3 Chars> <Description - Free meaningful text>	SMB PIN IT Projects Team (Shared mailbox used by the Pinnacle IT Projects Team) SMB PPX Operations Team (Shared mailbox used by the Pet Protect Operations Team)	Not applicable.
userPrincipalName		SMBPINITProjectsTeam@pinnaclepetgroup.com SMBPPXOperationsTeam@pinnaclepetgroup.com	Not applicable.
proxyAddresses		SMBPINITProjectsTeam@pinnaclepetgroup.com SMBPPXOperationsTeam@pinnaclepetgroup.com	Not applicable.

Table 10 - Naming Convention – Shared Mailbox

4 Azure Naming Standard

Ensuring deployment engineers follow naming standard guidelines will significantly assist in reducing the likelihood of creating a conflict in the naming and identification of various Azure resources. New naming standards have been created for the Landing Zone platform, which are influenced from the Microsoft CAF naming standard. Resources deployed into the new platform will adhere to the naming standard where possible. Details are given in the Appendix of this document.

This document shows three types of Naming standards for Platform, Group Business and Transversal applications.



Design Decision

- Resources deployed will follow the new naming standards provided, based on the Microsoft CAF recommendations.

4.1 Azure Resources and Naming conventions

Resource Type	Document Reference Link
Subscription	4.2.4
Resource Group	4.2.5
Virtual Network	4.2.6
Subnet	4.2.7
Route Table	4.2.8
NSG – Network Security Group	4.2.9
ASG – Application Security Group	4.2.10
Public IP	4.2.11
Firewall	4.2.12
Storage account	4.2.13
Key vault	4.2.14
Virtual machine	4.2.15

4.2 Naming Standards for Azure Landing Zone Resources

4.2.1 Asset Naming Conventions

- **Single Word Names:** For companies with single-word names, the first three letters of the name are chosen for simplicity and ease of recognition.
- **Multi-Word Names:** For those with multi-word names, the initial letter of each word is selected. In case where fewer than three initials are derived, a "X" is appended to achieve a 3-character length, thus ensuring consistency across the board.

- **Uniqueness:** A countermeasure is in place to amend the code in case of duplicates but not immediate requirement
- **Uniform Length:** All code names have been standardised to 3-character length for data consistency.
- **Transversal assets:** For transversal assets, a prefix of 'TRV' will be added to the associated asset. For example, Pawtal will use code TRV-PWT for naming all it's Azure resources.

Company Name	3 Character Code	Explanation
Pinnacle	PIN	Derived from the first letters of the single-word name, "Pinnacle"
VioVet	VIO	Derived from the first letters of the single-word name, "VioVet"
Pet Protect	PPX	Initials from the words "Pet" and "Protect" are "PP". AN Additional "X" is added for a 3-char code.
Agila	AGI	Derived from the first letters of the single-word name, "Agila"
Vetarfina	VET	Derived from the first letters of the single-word name, "Vetarfina"
Animal Friends Insurance	AFI	Initials from the 2 words "Animal" and "Friends" & "AF".
Hubert Derai Assurances	HDA	Initials from the words "Hubert Derai" and "Assurances" are "HDA".
Captain Vet	CVX	Initials from the words "Captain" and "Assurance" are "Vet". An Additional "X" is added for a 3-char code uniformity
Pawtal	PWT	Derived from the letters of the single word name 'Pawtal'
Ecosystem	ECO	Derived from the letters of the single word name 'Ecosystem'
Figo France	FFX	Initials from the words "Figo" and "France" are "FF". An Additional "X" is added for a 3-char code uniformity
Figo Netherlands	FNX	Initials from the words "Figo" and "Netherlands" are "FN". An Additional "X" is added for a 3-char code uniformity
Pinnacle Pet Group	PPG	Initials from the words "Pinnacle Pet " and "Group" are "PPG".

Doubtless Pet	DPX	Initials from the words "Doubtless" and "Pet" are "DP". An Additional "X" is added for a 3-char code uniformity
----------------------	-----	---

4.2.2 Azure Environment Naming Conventions

Environment	Short Code
Production	PRD
Staging	STG
Test	TST
Development	DEV
User Acceptance Test	UAT
Sandpit	SANDPIT

4.2.3 Azure Region Naming convention

NOTE: If the Azure region is equal to or greater than 4 digits, short code should be no more than 3 digits.

Azure Region	Short Code
UK South	UKS
UK West	UKW
Germany West Central	GWC
Germany North	GMN

4.2.4 Subscription

Azure Resource	Format	Example
Platform Subscription	<org>-sub-<Subscription type>-<platform service>-<region>-<###>	ppg-sub-shd-idn-uks-001
Group Business Subscription	<org>-sub-<asset shortname>-<environment>-<region>-<Workload classification>-<###>	ppg-sub-pin-prd-uks-int-001
Transversal Application Subscription	<org>-sub-<Transversal shortcode>-<asset shortname>-<environment>-<region>-<Workload classification>-<###>	ppg-sub-trv-pwt-prd-uks-int-001
Doubtless Pet Subscription	<org>-sub-<asset shortname>-<environment>-<region>-<Workload classification>-<###>	dpx-sub-dat-prd-uks-int-001

4.2.5 Resource Group

Azure Resource	Format	Example
Platform Resource Group	<Org Shortname>-<App / Service name>-<Subscription type>-<Subscription shortname>-<region>-rg-<###>	ppg-adds-shd-idn-uks-rg-001 ppg-VNet-shd-con-gwc-rg-001
Group Business Resource Group	<Asset Shortname>-<App / Service name>-<Subscription shortname>-<Workload classification>-<region>-rg-<###>	pin-sap-prd-ext-uks-rg-001 agi-sap-dev-int-gwc-rg-001
Transversal Application Resource Group	<Transversal shortcode>-<Asset Shortname>-<App / Service name>-<Subscription shortname>-<Workload classification>-<region>-rg-<###>	trv-pwt-sap-prd-ext-uks-rg-001
Doubtless Pet Resource Group	<Asset Shortname>-<App / Service name>-<Subscription shortname>-<Workload classification>-<region>-rg-<###>	dpx-dls-prd-int-uks-rg-001

4.2.6 Virtual Hub

Azure Resource	Format	Example
Platform Virtual Network	<Org Shortname>-<Subscription shortname>-<region>-vhub-<###>	ppg-shd-con-uks-vhub-001

4.2.7 Virtual Network

Azure Resource	Format	Example
Platform Virtual Network	<Org Shortname>-<Subscription shortname>-<region>-VNet-<###>	ppg-shd-idn-uks-vnet-001
Group Business Virtual Network	<Asset Shortname>-Subscription shortname>-<Subscription type>-<region>-VNet-<###>	pin-prd-ext-uks-vnet-001
Transversal Application Virtual Network	<Transversal shortcode>-<Asset Shortname>-Subscription shortname>-<Subscription type>-<region>-VNet-<###>	trv-pwt-prd-ext-uks-vnet-001

4.2.8 Subnet

Azure Resource	Format	Example
Platform Subnet	<Org Shortname>-<App/Service name shortname>-<Subscription shortname>-<region>-snet-<###>	ppg-adds-shd-idn-uks-snet-001
Group Business Subnet	<Asset Shortname>-<App/Service name shortname>-<Subscription shortname>-<Subscription type>-<region>-snet-<###>	pin-sap-prd-ext-uks-snet-001

Transversal Application Subnet	<Transversal shortcode>-<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-snet-<###>	trv-pwt-sap-prd-ext-uks-snet-001
---------------------------------------	---	----------------------------------

4.2.9 Route Table

Azure Resource	Format	Example
Platform Route Table	<Org Shortname>-<Subscription shortcode>-<region>-snet-<###>	ppg-adds-shd-idn-uks-rt-001
Group Business Route Table	<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-rt-<###>	pin-sap-prd-ext-uks-rt-001
Transversal Route Table	<Transversal shortcode>-<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-rt-<###>	trv-pwt-sap-prd-ext-uks-rt-001

4.2.10 NSG – Network Security Group

Azure Resource	Format	Example
Platform NSG	<Org Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<region>-nsg-<###>	ppg-adds-shd-idn-uks-nsg-001
Group Business NSG	<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-nsg-<###>	pin-sap-prd-ext-uks-nsg-001
Transversal Application NSG	<Transversal shortcode>-<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-nsg-<###>	trv-pwt-sap-prd-ext-uks-nsg-001

4.2.11 ASG – Application Security Group

Azure Resource	Format	Example
Platform ASG	<Org Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<region>-asg-<###>	ppg-adds-shd-idn-uks-asg-001
Group Business ASG	<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-asg-<###>	pin-sap-prd-ext-uks-nsg-001
Transversal Application ASG	<Transversal shortcode>-<Asset Shortname>-<App/Service name shortcode>-<Subscription shortcode>-<Subscription type>-<region>-asg-<###>	trv-pwt-sap-prd-ext-uks-nsg-001

4.2.12 Public IP

Azure Resource	Format	Example
Platform Public IP	<Org Shortname>-<App/Service name shortname>-<Subscription shortname>-<region>-pip-<###>	ppg-adds-shd-idn-uks-pip-001
Group Business Public IP	<Asset Shortname>-<App/Service name shortname>-<Subscription shortname>-<Subscription type>-<region>-pip-<###>	pin-sap-prd-ext-uks-pip-001
Transversal Application Public IP	<Transversal shortcode>-<Asset Shortname>-<App/Service name shortname>-<Subscription shortname>-<Subscription type>-<region>-pip-<###>	trv-pwt-sap-prd-ext-uks-pip-001

4.2.13 Firewall

Azure Resource	Format	Example
Platform Firewall	<Org Shortname>-<App/Service name shortname>-<Subscription shortname>-<region>-afw-<###>	ppg-shd-con-uks-afw-001

4.2.14 Firewall Policy

Azure Resource	Format	Example
Platform Firewall Policy	<Org Shortname>-<App/Service name shortname>-<Subscription shortname>-<region>-<Firewall Policy shortcode>-afwp-<###>	ppg-shd-con-uks-afwp-001

4.2.15 Storage account

Azure Resource	Format	Example
Platform Storage account	<Org Shortname>-<App/Service name shortname>-<Subscription shortname>-<region>-st-<###>	ppgtfshdidngwcst001 (storage account for TF State)
Group Business Storage account	<Asset Shortname>-<App/Service name shortname>-<Subscription shortname>-<Subscription type>-<region>-st-<###>	pintfprdmextuksst001

Transversal Application Storage account	<Transversal shortcode>-<Asset Shortname>-<App/Service name shortname>-<Subscription shortname>-<Subscription type>-<region>-st-<###>	trvpwttfprdextuksst001
Doubtless Pet Storage account	<Asset Shortname>-<App/Service name shortname>-<Subscription shortname>-<Subscription type>-<region>-st-<###>	dpxdlprdintuksst001

4.2.16 Key vault

Azure Resource	Format	Example
Platform Key vault	<Org Shortname><App/Service name shortname><Subscription shortname><region><kv><###>	ppgtfshdidngwckv001
Group Business Key vault	<Asset Shortname><App/Service name shortname><Subscription shortname><Subscription type><region><kv><###>	pintfprdextukskv001
Transversal Application Key vault	<Transversal shortcode><Asset Shortname><App/Service name shortname><Subscription shortname><Subscription type><region><kv><###>	trvpwttfprdextukskv001
Doubtless Pet Key vault	<Asset Shortname><App/Service name shortname><Subscription shortname><Subscription type><region><kv><###>	dpxdlprdintukskv001

4.2.17 Bastion

Azure Resource	Format	Example
Platform Bastion	<Org Shortname>-<Asset Shortname>-<Subscription shortname>-<region>-<App/Service name>-<###>	ppg-shd-con-gwc-bas-001

4.2.18 Virtual machine

Azure Resource	Format	Example
Platform Virtual Machine	<Org Short name-3 char>-<Application-2 char><Role-2 char>-<environment-3 char>-<Region-2 char>-<sequence number- 3 char>	ppgaddciduks001 pinfsinprduks001 <Org Shortname-3 char>: ppg <Application-2 char>: ad (Active Directory) <Role-2 char>: dc (Domain Controller) <platform environment-3 char>- id (In Identity environment) <Region-3 char>- uks (UK South)

		<sequence number- 3 char>- 001
Group Business Virtual Machine	<Asset Short name Shortname-3 char>-<Application-2 char><Role-2 char>-< LZ Spoke -3 char>-<Region-2 char>-<sequence number- 3 char>	pinaddciduks001 pinaaedevintvm001 <Asset Shortname-3 char>: pin/agi <Application-2 char>: ad (Active Directory) <Role-2 char>: db (Database) <LZ Spoke environment-3 char>- dev (Development environment) <Region-3 char>- uks (UK South) <sequence number- 3 char>- 001(This can be 2 char as well if required)
Transversal Application Virtual Machine	<Transversal shortcode>-<Asset Short name Shortname-3 char>-<Application-2 char><Role-2 char>-< LZ Spoke -3 char>-<Region-3 char>-<sequence number- 3 char>	trvpwtaddciduks001 <Asset Shortname-3 char>: pin/agi <Application-2 char>: ad (Active Directory) <Role-2 char>: db (Database) <LZ Spoke environment-3 char>- dev (Development environment) <Region-3 char>- uks (UK South) <sequence number- 3 char>- 001(This can be 2 char as well if required)

4.2.19 Virtual machine Scale set (VMSS)

Azure Resource	Format	Example
Platform Virtual Machine Scale Set	<Org Shortname>-<Private Build Agent short code pba>-<AssetShortName>-<management sub shortcode mgt>-<Region>-vmss-001	ppg-pba-shd-mgt-gwc-vmss-001

4.2.20 Network Interface Card (NIC)

Azure Resource	Format	Example
Platform Network Interface Card (Nic)	<Org Shortname>-<Private Build Agent short code pba>-<AssetShortName>-<management sub shortcode mgt>-<RegionShortName>-nic-001	ppg-pba-agi-mgt-gwc-nic-001