

5A curl http://127.0.0.1:5000/

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\vdi-terminal\cw_praca_z_kodem> curl http://127.0.0.1:5000/

StatusCode      : 200
StatusDescription : OK
Content          : <!DOCTYPE html>
                  <html lang="en">
                  <head>
                    <meta charset="UTF-8">
                    <title>FlaskBlog</title>
                  </head>
                  <body>
                    <h1>Welcome to FlaskBlog</h1>
                  </body>
                  </html>
RawContent       : HTTP/1.1 200 OK
                  Connection: close
                  Content-Length: 159
                  Content-Type: text/html; charset=utf-8
                  Date: Sun, 24 Mar 2024 16:33:44 GMT
                  Server: Werkzeug/3.0.1 Python/3.11.2

                  <!DOCTYPE html>
                  <html lang...
Forms            : {}
Headers          : {[Connection, close], [Content-Length, 159], [Content-Type, text/html; charset=utf-8], [Date, Sun, 24 Mar 2024 16:33:44 GMT]...}
Images           : {}
InputFields      : {}
Links            : {}
ParsedHtml       : mshtml.HTMLDocumentClass
RawContentLength : 159

PS C:\Users\vdi-terminal\cw_praca_z_kodem>
```

5B curl http://127.0.0.1:5000/hello

```
vdi-terminal@MX1-Prog-017 MINGW64 ~/cw_praca_z_kodem (master)
$ curl http://127.0.0.1:5000/hello
<!doctype html>
<html lang=en>
<title>Redirecting...</title>
<h1>Redirecting...</h1>
<p>You should be redirected automatically to the target URL: <a href="http://127.0.0.1:5000/hello/">http://127.0.0.1:5000/hello/</a>. If not, click the link.
```

5C curl http://127.0.0.1:5000/hello/Adam

```
vdi-terminal@MX1-Prog-017 MINGW64 ~/cw_praca_z_kodem (master)
$ curl http://127.0.0.1:5000/hello/Adam
<!doctype html>
<title>Hello from Flask</title>

  <h1>Hello Adam!</h1>
```

6A curl http://127.0.0.1:5000/hello

```
vdi-terminal@MX1-Prog-017 MINGW64 ~/cw_praca_z_kodem (master)
$ curl http://127.0.0.1:5000/hello
<!doctype html>
<html lang=en>
<title>Redirecting...</title>
<h1>Redirecting...</h1>
<p>You should be redirected automatically to the target URL: <a href="http://127.0.0.1:5000/hello/">http://127.0.0.1:5000/hello/</a>. If not, click the link.
```

Po zmianie parametru “name”, który przyjmuje metoda render_template na moje imię zmienił się link do strony z <http://127.0.0.1:5000/hello/Adam> na <http://127.0.0.1:5000/hello> a wynik pozostał ten sam ponieważ zmieniliśmy parametr name.

9

```
010147.17004001 master -> master

vdi-terminal@MX1-Prog-017 MINGW64 ~/cw_praca_z_kodem (master)
$ make check
python -m pylint app.py
***** Module app
app.py:1:0: C0114: Missing module docstring (missing-module-docstring)
app.py:7:0: C0116: Missing function or method docstring (missing-function-docstring)
app.py:13:0: C0116: Missing function or method docstring (missing-function-docstring)
app.py:13:10: W0613: Unused argument 'name' (unused-argument)
app.py:2:0: W0611: Unused escape imported from markupsafe (unused-import)

-----
Your code has been rated at 2.86/10 (previous run: 2.86/10, +0.00)

make: *** [Makefile:6: check] Error 20
```