

Employee Spreadsheet Import

Six Phase Project Documentation

Import Data using Transform Maps Spreadsheet

Team lead Disney Antro J

Team members Praveen N and Sibin P

Team ID Not assigned

ServiceNow Zurich | dev230529

Implementation evidence 29 September 2026

Read only recheck 30 September 2026

This master document brings the six project phases into one submission: ideation, requirements, design, planning, development and testing, and the final project report. It describes a verified employee import workflow with 17 final records, five field mappings and three saved reports on one dashboard.

All three recorded transformations completed with zero errors. The baseline inserted 15 employees; the update inserted two and updated two; the repeat run inserted none and classified four unchanged rows as ignored. Reviewer acceptance remains pending. A separate 2 minute 20 second English captioned video is prepared for the team lead to add a personal voiceover; the narrated video is not yet complete.

How to use this document

Phase 1 Ideation Phase — problem statements, empathy map and idea prioritization

Phase 2 Requirement Analysis — journey, requirements, data flow, user stories and technology

Phase 3 Project Design Phase — problem solution fit, proposed solution and architecture

Phase 4 Project Planning Phase — backlog, sprint estimates, tracker, velocity and planned burndown

Phase 5 Project Development Phase — implementation summary, functional tests, performance observations and UAT

Phase 6 Project Documentation — final report, actual results, screenshots, limitations and submission appendix

Research personas and journeys are design assumptions. Planned dates, actual velocity, signatures and approvals are not invented. The source template examples for other technology tracks are not treated as implemented project features.

Phase 1 Ideation Phase

The following persona and problem statements are design assumptions for this employee import exercise. They do not represent interviews or external research findings.

1 Define the Problem Statements

Problem	I am	I am trying to	But	Because	Which makes me feel
PS1	A ServiceNow administrator	Maintain current employee records	Repeated files can create duplicates	Rows are inserted without a stable matching key	Uncertain about data quality
PS2	A staff member preparing employee data	Provide usable employee updates	Names and fields can be mapped incorrectly	Spreadsheet and target labels differ	Concerned that a correction will affect the wrong record

2 Empathy Map Canvas

Area	Design persona observations
Think and feel	Wants a predictable update process and confidence in each employee's identity.
Hear	Requests to add employees, change contact details and provide department summaries.
See	Multiple spreadsheet versions, varied column labels and import status messages.
Say and do	Checks source IDs, uploads files, reviews mappings and inspects target records.
Pain	Duplicate records, overlooked field mappings and manual comparison of revisions.
Gain	Reusable configuration, visible import results and counts that reconcile with the employee list.

3 Brainstorm and Idea Prioritization

Step 1 Team Gathering and Problem Selection

The selected problem is maintaining one current employee record per Employee ID when data arrives in successive spreadsheets. Team responsibilities follow the task board: Praveen N prepares the data and tables, Disney Antro J configures and validates transformation, and Sibin P handles update data and reporting.

Step 2 Idea Listing and Grouping

Idea	Group	Benefit	Limitation
Enter every employee using forms	Manual entry	Straightforward for a few changes	Repeated typing and comparison
Insert every spreadsheet row	Bulk loading	Quick first load	Duplicate records on repeated import
Stage, map and coalesce on Employee ID	Reusable import	Supports inspection, updates and additions	Requires clean stable IDs and correct mappings
Show saved reports on a dashboard	Data review	Makes totals and employee details accessible	Accurate only when source and target data are correct

Step 3 Idea Prioritization

Selected idea	Importance	Feasibility	Decision
Clean source schema and stable IDs	High	High	Essential before any load
Five explicit field mappings	High	High	Essential for correct target values
Employee ID coalesce	High	High	Essential for update and repeat tests
Department and location summaries	Medium	High	Required presentation stage
Scheduled integration and custom validation scripts	Future	To assess	Outside the current manual-import scope

Phase 2 Requirement Analysis

Requirements follow the five employee fields, the 15 row baseline and four row update, Employee ID matching, validation, reporting and dashboard tasks.

4 Customer Journey Map

Stage	Steps and interactions	Goal	Positive moment	Pain point	Opportunity
Entice	Receive an employee update spreadsheet	Understand the changes needed	A familiar spreadsheet source	Different file versions	Keep distinct baseline and update files
Enter	Validate headers, IDs and row count	Supply usable input	Clear five-column contract	Missing or repeated IDs	Check the source before loading
Engage	Load staging, inspect rows and configure the map	Transfer correct values	Source rows can be checked first	Name differs from Employee Name	Save the explicit mapping
Exit	Transform and compare target records	Confirm inserts and updates	Run counts and target values agree	A completion banner can hide row errors	Inspect both history and records
Extend	Repeat the update file and view reports	Maintain confidence across future files	No unintended new records	Counts drift if filters differ	Reuse the same map and consistent report data

5 Solution Requirements

Functional Requirements


FR No	Functional requirement	Sub requirement and acceptance criterion
FR1	Spreadsheet preparation	Employee ID, Name, Email, Department, Location; 15 baseline rows and 4 update rows; no blank or duplicate source IDs.
FR2	Table structure	Employee Test (u_employee_test) with Employee ID, Employee Name, Email, Department and Location, all String.
FR3	Import staging	Employee Import (u_employee_import) receives rows from the spreadsheet or equivalent CSV; preserve headers and inspect all loaded rows.
FR4	Transformation	Sample Spreadsheet Import maps all five source fields; Name maps to Employee Name.

FR No	Functional requirement	Sub requirement and acceptance criterion
FR5	Stable updates	Coalesce only on Employee ID; existing IDs retain target identity after updates.
FR6	Duplicate prevention demonstration	Repeat the equivalent update data; zero new inserts and 17 unique project IDs.
FR7	Reporting	Employees by Department pie grouped by Department and Count; Employees by Location bar grouped by Location and Count; Employee List Report with all five fields.
FR8	Dashboard	Employee Analytics Dashboards contains all three reports and preserves the layout after reload.

Non Functional Requirements

ID	Category	Requirement
NFR1	Usability	Use clear table, field, map and report labels; show all five employee fields in the review list.
NFR2	Security	Use authorized instance access; keep credentials out of reports, sample data and repository files.
NFR3	Reliability	Reconcile values and counts after each transform, and preserve record identity for matched employees.
NFR4	Performance	Capture elapsed duration and row throughput for the provided files; no unmeasured response-time guarantee.
NFR5	Availability	Confirm the development instance is accessible during import and demonstration; no production uptime claim.
NFR6	Scalability	Reuse the map for additional rows with the same schema; validate larger volumes before making scale claims.

6 Data Flow Diagram and User Stories



Administrator verifies staged rows, transformation results and target values

Data flow from spreadsheet to dashboard

User type	Epic	Story	User story or task	Acceptance criteria	Priority	Release
Data preparer	Source data	US1	Prepare the employee spreadsheet	Five headers, 15 valid baseline rows	High	Sprint 1
Administrator	Configuration	US2	Create target and import tables	Required table and field definitions inspected	High	Sprint 1
Administrator	Transformation	US3	Save all five mappings	Name maps to Employee Name; correct source and target	High	Sprint 1
Administrator	Validation	US4	Transform the baseline	15 correct target records from an empty target; no row errors	High	Sprint 2
Administrator	Coalesce	US5	Update matching employees and add new employees	Two updates, two inserts, 17 unique IDs; original sys_id retained for updates	High	Sprint 2
Administrator	Coalesce	US6	Repeat the update file	No new inserts; final records and values unchanged	High	Sprint 2
Reviewer	Reporting	US7	Inspect employee summaries and details	Saved department, location and list reports reconcile with target	High	Sprint 3

User type	Epic	Story	User story or task	Acceptance criteria	Priority	Release
Reviewer	Dashboard	US8	Open the saved dashboard	All three reports available after reload	High	Sprint 3

7 Technology Stack

Components and Technologies

Component	Description	Technology
User interface	Authorized administrator performs the workflow	ServiceNow browser interface
Source files	Five columns with synthetic employee records	XLSX and equivalent comma-delimited CSV
Application logic	Load staging rows, map fields and match employee keys	Import Sets and Transform Map
Data storage	Staged source rows and final employee records	u_employee_import and u_employee_test
File storage	Local workbooks and approved public synthetic CSV inputs	Workspace and GitHub repository
Reporting	Count by department/location and show employee details	ServiceNow reports and dashboard
Infrastructure	Instance hosts processing and data; local client supplies files	ServiceNow development instance and browser

Application Characteristics

Characteristic	Project treatment	Technology
Open source frameworks	No custom application framework required	Native ServiceNow configuration
Security implementations	Use existing authorized access; verify any table-access issue specifically	Instance roles and access controls

Characteristic	Project treatment	Technology
Scalable architecture	Reuse the same mapping for a consistent input schema; larger volumes need further tests	Import staging and transformation
Availability	Development instance must be awake and accessible	ServiceNow development hosting
Performance	Measure actual runs; inspect errors and target values	Transform History and row results

Phase 3 Project Design Phase

1 Problem Solution Fit


Purpose and vision: make employee spreadsheet imports repeatable, inspectable and useful for reporting.

Canvas section	Project response
1 Customer segments	ServiceNow administrators and staff preparing employee spreadsheets.
2 Jobs to be done and problems	Add employees, correct details and review totals without unintended duplicates.
3 Triggers	A new employee joins or an existing employee's details change.
4 Emotions before and after	Before: uncertainty about repeated imports. Desired after: confidence from verified mapping and results.
5 Available solutions	Manual record entry, unconditional bulk insertion, or staged import with matching.
6 Customer constraints	Browser/instance access, agreed spreadsheet schema and clean employee identifiers.
7 Behaviour	Prepare a file, upload it, inspect rows, run the map and compare records.
8 Channels of behaviour	Online: ServiceNow instance and project repository. Offline/local: workbook preparation and review.
9 Problem root cause	Repeated files do not inherently identify which rows should update existing target records.
10 Your solution	Stage rows and use Employee ID coalesce with five explicit field mappings.

2 Proposed Solution

Parameter	Description
Problem statement	Maintain correct employee data when successive spreadsheets contain both existing and new employees.
Idea and solution	Load each file into Employee Import, transform through Sample Spreadsheet Import, validate Employee Test, then report the results.
Novelty and uniqueness	The project applies an explicit input contract and key-based update demonstration to this employee dataset; it does not claim a new platform capability.
Social impact and customer satisfaction	Less repeated administration and a clearer way to review employee information. Benefits are qualitative until measured.
Business model	Internal operational value; no revenue-generating feature is required.
Scalability	Reuse the schema and map for additional employees; further volume testing is required for production use.

3 Solution Architecture



Local files and ServiceNow components

Local workbooks define the input data. Their equivalent CSV files are published in the approved project repository and loaded through ServiceNow HTTPS data sources after a browser file-chooser restriction blocked direct upload. The instance stores raw rows in Employee Import. The active Transform Map writes Employee Test using direct field mappings, with Employee ID identifying matching target records. Reports read Employee Test, and the dashboard combines the three saved reports.

The Zurich implementation uses Platform Analytics data visualizations for the required reports. Access the visualization library through Platform Analytics, create each table-based visualization, then add the saved visualizations to an inline dashboard. This preserves the project's required report names, chart types and employee data while using the supported instance interface.

Object	Verified identifier or label	Responsibility
Target table	Employee Test, u_employee_test	Store the current employee records
Staging table	Employee Import, u_employee_import	Hold source rows for inspection and transformation
Transform Map	Sample Spreadsheet Import	Apply mappings and Employee ID coalesce
Department report	Employees by Department	Pie chart; Department group; Count aggregation
Location report	Employees by Location	Bar chart; Location group; Count aggregation
List report	Employee List Report	Show the five employee fields
Dashboard	Employee Analytics Dashboards	Present all three reports together

Field Mapping Contract

Source header	Target label	Verified internal target name	Type	Coalesce
Employee ID	Employee ID	u_employee_id	String 40	Yes
Name	Employee Name	u_employee_name	String 100	No
Email	Email	u_email	String 100	No
Department	Department	u_department	String 100	No

Source header	Target label	Verified internal target name	Type	Coalesce
Location	Location	u_location	String 100	No

The five internal field names and lengths in this table have been verified in the instance. The saved map explicitly maps u_name to u_employee_name. Employee ID alone is marked coalesce. Department and Location are Strings for this exercise.

Record Matching and Validation

A staged row whose Employee ID matches an existing target updates that record. A new Employee ID inserts a new target. No other field participates in coalesce; otherwise a name or email change could prevent the intended match. Coalesce does not remove historical duplicates or validate every source field.

Source preparation should exclude blank or duplicate IDs from the upload set before loading. The transformation is then verified by actual history counts, row errors, all five field values. Before/after target sys_id snapshots were not collected in this run. Preserve the same map when loading the update and repeat files.

Test Dataset Design

File	Rows	Intended effect from an empty baseline target
Sample Spreadsheet.xlsx	15	Insert SB-0001 through SB-0015
Updated Sample Spreadsheet.xlsx	4	Update SB-0004 and SB-0010; insert SB-0016 and SB-0017
Same update file loaded again	4	Match four existing IDs; insert no new records
Expected Final Target.csv	17	Comparison fixture only; not a source of measured results

The verified final target has ServiceNow 9 and Salesforce 8. All 17 captured target rows match the expected comparison fixture. All sample records are synthetic and use example.com email addresses.

Boundaries and Future Changes

This implementation uses HTTPS CSV loading and native configuration. XLSX files remain included as the required spreadsheet artifacts. It does not require custom transform scripts, external APIs, scheduled jobs, machine-learning components or a separate application server. Any later enhancement must preserve the employee key policy and include new acceptance tests.

Phase 4 Project Planning Phase

Story points and the burndown are planning estimates. The observed project status is 90 percent with all nine stories in Review. Actual sprint dates, velocity and reviewer acceptance remain unrecorded.

1 Product Backlog and Sprint Schedule

Sprint	Functional requirement or epic	Story	User story or task	Points	Priority	Team member
1	Source data	US1	Creation Of Spreadsheet	2	High	Praveen N
1	Target structure	US2	Creation of Tables	3	High	Praveen N
1	Import staging	US3	Create Importset Table	2	High	Praveen N
1	Field mapping	US4	Create Transform Map	3	High	Disney Antro J
2	Import validation	US5	Transform Data & Validate	3	High	Disney Antro J
2	Record matching	US6	Enable Coalesce to Avoid Duplicate Records	3	High	Disney Antro J
2	Updated dataset	US7	Inserting New Data In Excel Format	2	High	Sibin P
3	Reports	US8	Report 1	3	High	Sibin P
3	Dashboard	US9	Adding Reports to Dashboard	2	High	Sibin P

Total estimate: 23 story points. Sprint 1 plans 10 points, Sprint 2 plans 8 and Sprint 3 plans 5. These planning story identifiers follow the nine task-board items; the requirements document groups related acceptance stories separately.

2 Dependencies and Completion Criteria

Sprint 1 establishes source files, fields, staging and mappings. The observed execution loaded the baseline first, then enabled Employee ID coalesce before the update and repeat tests. Sprint 2 verifies baseline, update and repeat behavior. Sprint 3 uses the verified target records to produce the three reports and saved dashboard.

An item is complete only when its saved output exists, the acceptance check has been performed, and the supporting evidence is recorded. Updating a task-board status alone is not a completion check.

3 Project Tracker


Sprint	Total points	Duration	Start date	Planned end	Points completed by planned end	Actual release date
1	10	Pending	Pending	Pending	Pending	Pending
2	8	Pending	Pending	Pending	Pending	Pending
3	5	Pending	Pending	Pending	Pending	Pending

4 Velocity

Average sprint velocity = total completed story points / number of completed sprints. Compute it only when completed-sprint data is available. If measuring daily throughput, use completed points / elapsed working days and state the units separately. Planned points are not actual velocity.

Completed points: Pending. Completed sprints: Pending. Actual velocity: Not yet calculated.

5 Burndown Chart



Planned remaining story points by sprint boundary

This is a planned trajectory: 23 points before Sprint 1, 13 after Sprint 1, 5 after Sprint 2 and 0 after Sprint 3. No actual-progress line is drawn. Add actual remaining work only from dated completion records.

6 Delivery Checklist

- Five String field definitions and all five mappings verified.
- Baseline, update and repeat runs recorded: 15 inserts; 2 inserts and 2 updates; then 4 ignored and zero inserts. All runs have zero errors.
- Preserve history and final-value comparisons; before/after sys_id snapshots were not captured.
- Reconcile all three reports with the final target data and reload the saved dashboard.
- Add real evidence, dates, links and tester sign-off to the report.
- Verify SkillWallet upload requirements and record the submission acknowledgement.

Phase 5 Project Development Phase

Implementation summary

The target table Employee Test stores Employee ID, Employee Name, Email, Department and Location as String fields. Equivalent CSV versions of the supplied XLSX files were loaded into Employee Import through HTTPS data sources. The active Sample Spreadsheet Import map connects all five source fields to the target, with Employee ID as the only coalesce key. Native ServiceNow configuration performs this workflow; no custom transform script is required.

The baseline, update and repeated update were executed on 29 September 2026. A read only recheck on 30 September found the same three Complete history rows with zero errors. It also confirmed the active map and its five mappings, and the saved dashboard showing 17 employee rows. No import was rerun during that recheck.

The map displays an optional warning that its coalesce field is not indexed. No index was created during the recheck. Indexing and larger volume performance testing remain possible future improvements; the warning does not mean the recorded transformations failed.

Current transform history evidence

Transform Histories

Started

Search

Actions on selected rows...

All

	Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
	2026-09-29 03:02:19	Complete	2026-09-29 03:02:19	0 Seconds	ISSET0010001	Employee Import - Baseline CSV [u_employee_import]	15	15	0	0	0	0	Sample Spreadsheet Import
	2026-09-29 03:04:45	Complete	2026-09-29 03:04:45	0 Seconds	ISSET0010002	Employee Import - Baseline CSV [u_employee_import]	4	2	2	0	0	0	Sample Spreadsheet Import
	2026-09-29 03:05:17	Complete	2026-09-29 03:05:17	0 Seconds	ISSET0010003	Employee Import - Baseline CSV [u_employee_import]	4	0	0	4	0	0	Sample Spreadsheet Import

1 to 3 of 3

1 Project Overview

The project imports synthetic employee spreadsheet records through a ServiceNow staging table and Transform Map, then presents the employee target in three reports and a dashboard. The main acceptance condition is correct insertion and update behavior with Employee ID coalescing, including no new records when the update file is repeated.

Project version: 1.0 configuration exercise. Verification date: 29 September 2026. Formal reviewer acceptance remains pending.

2 Testing Scope and Environment

Scope includes the five String fields, source loading, all five field mappings, baseline transformation, existing-record updates, new-record inserts, repeat-import behavior, reports and dashboard persistence. Source-preparation negative checks are separate from live platform validation tests.

Environment item	Value
Instance URL and release	https://dev230529.service-now.com; Zurich
Target table	Employee Test, u_employee_test, Global scope
Table definition record	a88a703ec3a78b54c34b78cc050131bf
Target fields	u_employee_id String(40); u_employee_name, u_email, u_department, u_location String(100)
Staging and map	Employee Import u_employee_import; Sample Spreadsheet Import 16feadfec36f8b54c34b78cc050131a3
Reporting interface	Platform Analytics data visualizations and inline dashboard on Zurich
Source data	Baseline XLSX 15 rows; update XLSX 4 rows; expected final comparison CSV 17 rows
Access	Authorized administrator session; no password is recorded in this document

The target schema has been observed in the instance. Its form screenshot is evidence E02. The three transforms and complete target-data comparison passed. Saved report data and the populated dashboard also passed visual verification.

3 Test Cases

ID	Test scenario	Test steps	Expected result	Actual result	Status
FT01	Target field structure	Inspect target Dictionary and form.	Five required String fields; Employee ID length 40, other four lengths 100.	Fields verified; E02 supplied.	Pass
FT02	Baseline staging	Load the approved equivalent CSV through its HTTPS source; inspect staged rows.	15 rows; five correct fields; header not a data row.	ISSET0010001: 15 staged rows; evidence 08.	Pass
FT03	Field mappings and key	Inspect saved Field Maps after enabling the key.	Five mappings; Name to Employee Name; only Employee ID coalesces.	Saved u_name to u_employee_name; only u_employee_id coalesces; evidence 10.	Pass

ID	Test scenario	Test steps	Expected result	Actual result	Status
FT04	Baseline transform	Transform the baseline into an empty target; inspect history.	15 inserted rows and no errors.	TH0001001: 15 total, 15 inserts, 0 updates, 0 errors; evidence 09.	Pass
FT05	Delta update and insert	Transform the update CSV; inspect history and final values.	Two updates, two inserts; correct changed values; 17 unique IDs.	TH0001002: 2 inserts, 2 updates, 0 errors. All 17 target rows match expected; evidence 11 and 16.	Pass
FT06	Repeat delta	Reload the same four-row CSV with the same map; compare count and values.	Zero new inserts; 17 unique IDs; unchanged values; no errors.	TH0001003: 0 inserts, 0 updates, 4 ignored, 0 errors; full final comparison passed; evidence 12 and 16.	Pass
FT07	Department report	Save pie report grouped by Department, aggregation Count; inspect chart totals.	Employees by Department: ServiceNow 9, Salesforce 8; total 17 after imports pass.	Saved and populated; counts reconcile to 17; evidence 14.	Pass
FT08	Location report	Save bar report grouped by Location, aggregation Count; compare to target values.	Employees by Location category counts match target and total 17.	Saved and populated; counts reconcile to 17; evidence 14.	Pass
FT09	Employee list report	Save list with Employee ID, Employee Name, Email, Department, Location.	Employee List Report shows all five fields and the 17 final project records.	Saved and populated; counts reconcile to 17; evidence 14.	Pass
FT10	Dashboard persistence	Add all three saved reports to Employee Analytics Dashboards; save and reload.	All three reports remain present with the expected data and readable titles.	Saved view shows all three reports; evidence 14.	Pass
PT01	Import duration	Record start/end and row count for baseline, delta and repeat runs; divide processed rows by nonzero elapsed seconds.	Record elapsed seconds and rows/second alongside data checks; if duration rounds to zero, report throughput as unavailable.	All three history rows display 0 Seconds; throughput unavailable at this resolution.	Pass

For FT05, SB-0004 must change from Ajay Kumar to Ajay; SB-0010 email must change to test18@example.com. SB-0016 is Harini Balaji and SB-0017 is Deepak Anand. Unchanged fields must remain correct. For FT06, the instance classified all four unchanged rows as ignored. The full final-data comparison is recorded in final-data-reconciliation.json. Before/after target sys_id snapshots were not captured; FT05 relies on history update counts and the final values, not an independent identity comparison.

Source Preparation Negative Checks

Use disposable copies of the input for these checks and preserve the valid baseline/update files. Do not claim the platform rejected a row merely because a local preparation check detected it.

ID	Scenario	Steps	Expected result	Actual result	Status
NC01	Blank Employee ID	Clear one ID in a disposable source copy; inspect required values.	Preparation check identifies the row and stops that copy from being loaded.	Pending recorded check	Not run
NC02	Repeated source ID	Duplicate an ID within a disposable file; inspect uniqueness.	Duplicate rows are flagged and resolved before upload.	Pending recorded check	Not run
NC03	Missing or wrong header	Remove or rename one required header in a disposable copy; compare schema.	Schema mismatch is identified before mapping/transformation.	Pending recorded check	Not run
NC04	Missing Name mapping	Review the Field Maps against the five-column contract.	Review flags an omitted Name to Employee Name map before a transform.	Pending recorded check	Not run

4 Defect Register

Bug ID	Description	Reproduction steps	Severity	Status	Feedback or evidence
ENV01	Browser file chooser blocked automated direct upload	Choose file requested ChatGPT extension Allow access to file URLs even after enabled	Environment blocker	Workaround applied	User approved public synthetic CSVs; HTTPS data sources loaded successfully. No import defect inferred.

5 Defect Analysis

Record actual resolved/closed defects by resolution and the agreed severity scale. Use By Design, Duplicate, External, Fixed, Not Reproduced, Skipped or Won't Fix where applicable. Sum the underlying defect records; do not copy the template's example counts.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
No product defects recorded in executed cases	0	0	0	0	0

6 Test Case Analysis

Section	Total cases	Not tested	Fail	Pass
Functional FT01 to FT10	10	0	0	10

Section	Total cases	Not tested	Fail	Pass
Performance PT01	1	0	0	1
Source preparation NC01 to NC04	4	4	0	0
Total	15	4	0	11

The four unexecuted items are supplementary negative preparation scenarios; they are not represented as completed tests. PT01 records the displayed duration without claiming precise timing or throughput. These totals reflect only the evidence entered in this document. Update them whenever an actual result changes. A Not run case is not a pass. Reconcile pass/fail/untested totals with the detailed test log before sign-off.

7 Evidence Register

ID	Evidence required	Current reference
E02	Employee form and field verification	01-employee-form.png; five field types and lengths verified by instance inspection
E03	Baseline staging	08-baseline-staging-load.png; ISET0010001
E04 and E05	Map, field maps and coalesce	10-transform-map-coalesce.png
E06	Baseline, delta and repeat history	09, 11, 12 screenshots; TH0001001 to TH0001003. Run time displays 0 Seconds in each history row; precise throughput is unavailable.
E07	Target records and values	16-final-ordered-employee-list.png; final-target-ui-data.json; final-data-reconciliation.json
E08	Three saved reports	03, 04 and 05 configuration screenshots
E09	Saved dashboard after reload	14-populated-dashboard.png; saved dashboard 549ca1bac36f8b54c34b78cc05013131

8 Sign off

Evidence prepared for team lead Disney Antro J. Verification date: 29 September 2026. Human tester signature: Pending.

Project manager or team lead acceptance: Pending. Product owner or reviewer acceptance: Pending. Record real approvals and signatures after reviewing results and open issues. The source template requests these human approvals before formal acceptance; no signature is inferred from preparing this document.

Phase 6 Project Documentation

This final report follows the supplied Project Documentation outline and summarizes the implementation, results and supporting evidence. Detailed phase artifacts appear earlier in this same document.

1 Introduction

Project overview and purpose: the workflow loads synthetic employee spreadsheets into ServiceNow, matches Employee ID for updates and presents the verified target in reports. It reduces repeated entry and makes each import result traceable. The verified final state contains 17 unique employees.

2 Ideation Phase

Phase 1 contains the problem statements, empathy canvas and brainstorm. The selected approach stages data and uses a reusable map because direct insertion of every incoming row would not provide update matching. Persona statements are design assumptions.

3 Requirement Analysis

Phase 2 contains the customer journey, functional and non functional requirements, data flow, user stories and technology stack. The source contract is five employee columns, a 15 row baseline and a four row update. Acceptance checks cover data values, record counts, repeat imports, reports and the saved dashboard.

4 Project Design

Phase 3 records the problem solution fit, proposed solution and architecture. Employee Import stages the data; Sample Spreadsheet Import maps all five fields to Employee Test. Employee ID alone is the coalesce key. Native Platform Analytics provides the three required reports and dashboard.

5 Project Planning and Scheduling

Phase 4 records the backlog, three planned sprints, 23 estimated points, ownership, tracker, velocity definition and planned burndown. Actual sprint dates and velocity have not been provided. All nine SkillWallet stories are in Review at 90 percent progress; reviewer acceptance remains pending.

6 Functional and Performance Testing

Phase 5 contains the detailed test and UAT record. The saved baseline run inserted 15 rows, the update inserted two and updated two, and the repeat inserted none and ignored four unchanged rows. Each run recorded zero errors. All 17 captured target rows match the expected five field values. The displayed duration of 0 Seconds cannot support precise throughput or production performance claims. Four supplementary negative preparation cases and human signoff remain unexecuted.

7 RESULTS

7 1 Output Screenshots

Evidence ID	Required output	Verified evidence
E01	Source workbook and equivalent CSV	Local workbooks verified; 07-published-baseline-csv.png
E02	Target table and five String field definitions	Verified; 01-employee-form.png and field inspection
E03	Baseline import set with 15 staged rows	08-baseline-staging-load.png; ISET0010001

Evidence ID	Required output	Verified evidence
E04	Saved Transform Map and five field mappings	10-transform-map-coalesce.png; Sample Spreadsheet Import
E05	Employee ID coalesce configuration	10-transform-map-coalesce.png; Employee ID only
E06	Baseline, update and repeat history	09, 11 and 12 screenshots; TH0001001 to TH0001003
E07	Final values and 17 unique Employee IDs	16-final-ordered-employee-list.png; full JSON comparison passed
E08	Three saved report configurations	03, 04 and 05 report configuration screenshots
E09	Employee Analytics Dashboards	14-populated-dashboard.png; saved dashboard 549ca1bac36f8b54c34b78cc05013131

The verified target table is Employee Test (u_employee_test) in Global scope. Its table-definition record ID is a88a703ec3a78b54c34b78cc050131bf. Employee ID is u_employee_id, String length 40. Employee Name, Email, Department and Location are u_employee_name, u_email, u_department and u_location, each String length 100. The following image is the actual employee form. The following figures are genuine captures from the implementation. Earlier no-data report configuration screenshots are retained in the evidence folder; they are not presented as populated final charts.

The screenshot shows a web form titled "Employee Test New record". It contains five input fields, each with a label to its left: "Employee ID", "Employee Name", "Email", "Department", and "Location". The "Employee ID" field is highlighted with a green border. Below the fields is a "Submit" button. The form is set against a light blue background.

E02 Employee Test form showing the five required fields

Progress

Name ImportProcessor
State Complete
Completion code Success
Message Processed: 15, inserts 15, updates 0, errors 0, empty and ignored 0, ignored errors 0 (0:00:02.198)

Next steps...

[Import sets](#) Go to the import sets for this data load

[Loaded data](#) Go to the newly imported data inside the staging table: u_employee_import

[Create transform map](#) Create a transform map for the newly staged data

[Import log](#) View the import log

E03 Baseline source loaded into Employee Import

Table Transform Map
Sample Spreadsheet Import

Copy empty fields ☐

Create new record on empty coalesce fields ☐

Copy Update Delete

Related Links
[Auto Map Matching Fields](#)
[Mapping Assist](#)
[Validate Coalesce Fields](#)
[Transform](#)
[Index Coalesce Fields](#)
[Run Point Scan](#)

Field Maps (5) Transform Scripts Unused coalesce fields for empty values (1)

Source field	Target field	Coalesce
u_email	u_email	false
u_employee_id	u_employee_id	true
u_location	u_location	false
u_name	u_employee_name	false
☐ ⓘ u_department	u_department	false

1 to 5 of 5

E04 and E05 Saved mappings with Employee ID coalesce

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010001

	Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
☐	2026-09-29 03:02:19	Complete	2026-09-29 03:02:19	0 Seconds	ISET0010001	Employee Import - Baseline CSV [u_employee_import]	15	15	0	0	0	0	Sample Spreadsheet Import

1 to 1 of 1

E06 Baseline transformation with 15 inserted rows

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010002

Started

State

Completed

Run time

Set

Import set table

Total

Inserts

Updates

Ignored

Skipped

Errors

Transform Map

2026-09-29 03:04:45

Complete

2026-09-29 03:04:45

0 Seconds

ISET0010002

Employee Import - Baseline CSV [u_employee_import]

4

2

2

0

0

0

Sample Spreadsheet Import

1 to 1 of 1

E06 Update transformation with two inserts and two updates

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010003

	Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
	2026-09-29 03:05:17	Complete	2026-09-29 03:05:17	0 Seconds	ISET0010003	Employee Import - Baseline CSV [u_employee_import]	4	0	0	4	0	0	Sample Spreadsheet Import

E06 Repeat transformation with zero inserts and four ignored rows

Employee Tests

Employee ID

Search

ⓘ

Actions on selected rows...

New

All

Q

Employee ID

:

Employee Name

Email

Department

Location

SB-0001

Arun Prakash

arun.prakash@example.com

ServiceNow

Chennai

SB-0002

Priya Nair

priya.nair@example.com

Salesforce

Coimbatore

SB-0003

Karthik Raj

karthik.raj@example.com

ServiceNow

Madurai

SB-0004

Ajay

ajay.kumar@example.com

Salesforce

Chennai

SB-0005

Divya Ramesh

divya.ramesh@example.com

ServiceNow

Tiruchirappalli

SB-0006

Vignesh Kumar

vignesh.kumar@example.com

Salesforce

Salem

SB-0007

Sneha Menon

sneha.menon@example.com

ServiceNow

Coimbatore

SB-0008

Rohit Sharma

rohit.sharma@example.com

Salesforce

Bengaluru

SB-0009

Meena Krishnan

meena.krishnan@example.com

ServiceNow

Chennai

SB-0010

Ravi Teja

test18@example.com

Salesforce

Hyderabad

SB-0011

Nandhini Suresh

nandhini.suresh@example.com

ServiceNow

Madurai

SB-0012

Surya Prasad

surya.prasad@example.com

Salesforce

Tirunelveli

SB-0013

Ananya Rao

ananya.rao@example.com

ServiceNow

Bengaluru

SB-0014

Sathish Kumar

sathish.kumar@example.com

Salesforce

Erode

SB-0015

Lakshmi Priya

lakshmi.priya@example.com

ServiceNow

Thanjavur

SB-0016

Harini Balaji

harini.balaji@example.com

ServiceNow

Vellore

SB-0017


Deepak Anand

deepak.anand@example.com

Salesforce


Chennai

E07 Final Employee Test records



E08 and E09 Populated Employee Analytics Dashboards

Department totals are ServiceNow 9 and Salesforce 8. Location totals are Chennai 4; Bengaluru, Coimbatore and Madurai 2 each; Erode, Hyderabad, Salem, Thanjavur, Tiruchirappalli, Tirunelveli and Vellore 1 each. Both charts reconcile to 17 employees. The saved list uses Employee ID, Employee Name, Email, Department and Location.



SkillWallet milestones at 90 percent with repository and demo links

All nine stories remain in Review. The final observed portal state is 90 percent; reviewer acceptance is still required.

8 ADVANTAGES AND DISADVANTAGES

Advantages include reusable mappings, explicit update matching, a staging checkpoint, recorded transformation outcomes and reports built on the same target dataset. Limitations include dependence on a stable Employee ID, the need to validate source data, and the fact that all five fields are Strings rather than structured reference or choice fields. The sample dataset demonstrates the workflow at small scale and does not establish production-scale performance.

9 CONCLUSION

The implemented workflow imports employee records, updates matching Employee IDs and avoids duplicates on a repeated update file. All 17 target rows match the expected data. The reports and dashboard are saved. The history displays each transform duration as 0 Seconds, which does not support a precise throughput calculation. Formal reviewer sign-off and final SkillWallet acceptance remain pending.

10 FUTURE SCOPE

Possible later improvements include formal input validation, controlled department/location values, scheduled imports, a documented employee key policy, and larger-volume performance tests. These are future options rather than features claimed in the current implementation.

11 APPENDIX

Source code: the current design uses direct Transform Map configuration. Add configuration exports or scripts only if actually created and required for submission. The companion project-runbook.md records the implementation and demonstration procedure.

Dataset files: Sample Spreadsheet.xlsx (15 rows); Updated Sample Spreadsheet.xlsx (4 rows); Expected Final Target.csv (17 expected records). Published dataset folder:

<https://github.com/DisneyAntroJ/skillwallet/tree/main/data>. The approved public CSV files contain synthetic records.

GitHub project: <https://github.com/DisneyAntroJ/skillwallet>. Baseline CSV commit: 9a24c7f0acde456ffacf28d5bcdcd916f5a71a16. Update CSV commit prefix: a92bf12.

Project demo link: <https://dev230529.service-now.com/now/platform-analytics-workspace/dashboards/params/edit/false/sys-id/549ca1bac36f8b54c34b78cc05013131>. SkillWallet saved this live dashboard URL and displayed View Demo after reload. The link requires authorized instance access; it is not a recorded video. Team ID: Not assigned.

Instance: <https://dev230529.service-now.com>. The live demo link above opens the saved dashboard and requires an authorized session.

Import trace: ISET0010001 / TH0001001 at UI time 2026-09-29 03:02:19; ISET0010002 / TH0001002 at 03:04:45; ISET0010003 / TH0001003 at 03:05:17. The history Run time column displays 0 Seconds for each run. This rounded display cannot establish a precise elapsed duration or rows per second.

References: supplied Final Report Template and phase templates; the following official ServiceNow documentation explains the platform behavior used in this design.

- Transform Map settings: https://www.servicenow.com/docs/r/integrate-applications/system-import-sets/t_CreateATransformMap.html
- Field Map settings: https://www.servicenow.com/docs/r/integrate-applications/system-import-sets/t_CreatingAFieldMap.html
- Coalesce behavior: https://www.servicenow.com/docs/r/xanadu/integrate-applications/system-import-sets/c_ImportSetCoalesce.html
- Zurich reporting and Data Visualizations: https://www.servicenow.com/docs/r/zurich/now-intelligence/reporting/t_CreateYourOwnReport.html
- Platform Analytics dashboards: <https://www.servicenow.com/docs/r/zurich/now-intelligence/create-db-in-ac.html>

Submission and demonstration status

Prepared deliverables

This consolidated document is supplied as an editable DOCX and a PDF. The project package includes the original baseline and update XLSX files, equivalent CSVs, expected and observed final target data, the runbook and authentic evidence screenshots. The original five supporting documents are retained as source materials.

Recorded walkthrough and personal voiceover

Transform_Maps_Demo_Add_Your_Voice.mp4 is a 140 second English captioned walkthrough made from authentic project screenshots. It contains no audio and is provided locally for manual voiceover recording. It is not a continuous screen recording or a finished narrated submission. A timed narration script and SRT accompany it. The team lead still needs to add the personal voiceover, review the completed video and provide the final narrated version for submission.

Submission links

Repository location: <https://github.com/DisneyAntroJ/skillwallet>. The live dashboard link in the report requires authorized ServiceNow instance access. A Google Docs version of this master document is intended for the requested single document handoff; the final created link and upload confirmation must be recorded after publication, not inferred from local preparation.

Acceptance status

SkillWallet currently records all nine project stories in Review and 90 percent project progress. The overview identifies Disney Antro J as lead, with Praveen N and Sibin P as members; no mentor is assigned. Formal reviewer acceptance, human signatures and the final personal voiceover remain pending. These pending items are separate from the completed import configuration and observed results.

Fresh evidence captured on 30 September

The current evidence folder contains the populated dashboard, transform settings, all five field mappings with Employee ID coalesce, and the three completed transform histories. These captures supplement the implementation evidence dated 29 September and preserve the actual interface without visual alteration.