

Employee Spreadsheet Import Six Phase Project Documentation

Import Data using Transform Maps Spreadsheet

Team lead Disney Antro J

Team members Praveen N and Sibin P

Team ID Not assigned

ServiceNow Zurich | dev230529

Implementation evidence 29 September 2026

Read only recheck 30 September 2026

This master document brings the six project phases into one submission: ideation, requirements, design, planning, development and testing, and the final project report. It describes a verified employee import workflow with 17 final records, five field mappings and three saved reports on one dashboard.

The original CSV tests passed: 15 baseline inserts, then two inserts and two updates, then zero duplicate inserts. Actual Excel uploads were also verified on 3 October 2026 against the existing 17 records. All six transformations completed with zero errors. The narrated demo is complete; formal human and reviewer acceptance remain pending.

How to use this document

Phase 1 Ideation Phase — problem statements, empathy map and idea prioritization

Phase 2 Requirement Analysis — journey, requirements, data flow, user stories and technology

Phase 3 Project Design Phase — problem solution fit, proposed solution and architecture

Phase 4 Project Planning Phase — backlog, sprint estimates, tracker, velocity and planned burndown

Phase 5 Project Development Phase — implementation summary, functional tests, performance observations and UAT

Phase 6 Project Documentation — final report, actual results, screenshots, limitations and submission appendix

Research personas and journeys are design assumptions. Planned dates, actual velocity, signatures and approvals are not invented. The source template examples for other technology tracks are not treated as implemented project features.

Phase 1 Ideation Phase

The following persona and problem statements are design assumptions for this employee import exercise. They do not represent interviews or external research findings.

1 Define the Problem Statements

Problem	I am	I am trying to	But	Because	Which makes me feel
PS1	A ServiceNow administrator	Maintain current employee records	Repeated files can create duplicates	Rows are inserted without a stable matching key	Uncertain about data quality
PS2	A staff member preparing employee data	Provide usable employee updates	Names and fields can be mapped incorrectly	Spreadsheet and target labels differ	Concerned that a correction will affect the wrong record

2 Empathy Map Canvas

Area	Design persona observations
Think and feel	Wants a predictable update process and confidence in each employee's identity.
Hear	Requests to add employees, change contact details and provide department summaries.
See	Multiple spreadsheet versions, varied column labels and import status messages.
Say and do	Checks source IDs, uploads files, reviews mappings and inspects target records.
Pain	Duplicate records, overlooked field mappings and manual comparison of revisions.
Gain	Reusable configuration, visible import results and counts that reconcile with the employee list.

3 Brainstorm and Idea Prioritization

Step 1 Team Gathering and Problem Selection

The selected problem is maintaining one current employee record per Employee ID when data arrives in successive spreadsheets. Team responsibilities follow the task board: Praveen N prepares the data and tables, Disney Antro J configures and validates transformation, and Sibin P handles update data and reporting.

Step 2 Idea Listing and Grouping

Idea	Group	Benefit	Limitation
Enter every employee using forms	Manual entry	Straightforward for a few changes	Repeated typing and comparison
Insert every spreadsheet row	Bulk loading	Quick first load	Duplicate records on repeated import
Stage, map and coalesce on Employee ID	Reusable import	Supports inspection, updates and additions	Requires clean stable IDs and correct mappings
Show saved reports on a dashboard	Data review	Makes totals and employee details accessible	Accurate only when source and target data are correct

Step 3 Idea Prioritization

Selected idea	Importance	Feasibility	Decision
Clean source schema and stable IDs	High	High	Essential before any load
Five explicit field mappings	High	High	Essential for correct target values
Employee ID coalesce	High	High	Essential for update and repeat tests
Department and location summaries	Medium	High	Required presentation stage
Scheduled integration and custom validation scripts	Future	To assess	Outside the current manual-import scope

Phase 2 Requirement Analysis

Requirements follow the five employee fields, the 15 row baseline and four row update, Employee ID matching, validation, reporting and dashboard tasks.

4 Customer Journey Map

Stage	Steps and interactions	Goal	Positive moment	Pain point	Opportunity
Entice	Receive an employee update spreadsheet	Understand the changes needed	A familiar spreadsheet source	Different file versions	Keep distinct baseline and update files
Enter	Validate headers, IDs and row count	Supply usable input	Clear five-column contract	Missing or repeated IDs	Check the source before loading
Engage	Load staging, inspect rows and configure the map	Transfer correct values	Source rows can be checked first	Name differs from Employee Name	Save the explicit mapping
Exit	Transform and compare target records	Confirm inserts and updates	Run counts and target values agree	A completion banner can hide row errors	Inspect both history and records
Extend	Repeat the update file and view reports	Maintain confidence across future files	No unintended new records	Counts drift if filters differ	Reuse the same map and consistent report data

5 Solution Requirements

Functional Requirements


FR No	Functional requirement	Sub requirement and acceptance criterion
FR1	Spreadsheet preparation	Employee ID, Name, Email, Department, Location; 15 baseline rows and 4 update rows; no blank or duplicate source IDs.
FR2	Table structure	Employee Test (u_employee_test) with Employee ID, Employee Name, Email, Department and Location, all String.
FR3	Import staging	Employee Import (u_employee_import) receives rows from the spreadsheet or equivalent CSV; preserve headers and inspect all loaded rows.
FR4	Transformation	Sample Spreadsheet Import maps all five source fields; Name maps to Employee Name.

FR No	Functional requirement	Sub requirement and acceptance criterion
FR5	Stable updates	Coalesce only on Employee ID; existing IDs retain target identity after updates.
FR6	Duplicate prevention demonstration	Repeat the equivalent update data; zero new inserts and 17 unique project IDs.
FR7	Reporting	Employees by Department pie grouped by Department and Count; Employees by Location bar grouped by Location and Count; Employee List Report with all five fields.
FR8	Dashboard	Employee Analytics Dashboards contains all three reports and preserves the layout after reload.

Non Functional Requirements

ID	Category	Requirement
NFR1	Usability	Use clear table, field, map and report labels; show all five employee fields in the review list.
NFR2	Security	Use authorized instance access; keep credentials out of reports, sample data and repository files.
NFR3	Reliability	Reconcile values and counts after each transform, and preserve record identity for matched employees.
NFR4	Performance	Capture elapsed duration and row throughput for the provided files; no unmeasured response-time guarantee.
NFR5	Availability	Confirm the development instance is accessible during import and demonstration; no production uptime claim.
NFR6	Scalability	Reuse the map for additional rows with the same schema; validate larger volumes before making scale claims.

6 Data Flow Diagram and User Stories



Administrator verifies staged rows, transformation results and target values

Data flow from spreadsheet to dashboard

User type	Epic	Story	User story or task	Acceptance criteria	Priority	Release
Data preparer	Source data	US1	Prepare the employee spreadsheet	Five headers, 15 valid baseline rows	High	Sprint 1
Administrator	Configuration	US2	Create target and import tables	Required table and field definitions inspected	High	Sprint 1
Administrator	Transformation	US3	Save all five mappings	Name maps to Employee Name; correct source and target	High	Sprint 1
Administrator	Validation	US4	Transform the baseline	15 correct target records from an empty target; no row errors	High	Sprint 2
Administrator	Coalesce	US5	Update matching employees and add new employees	Two updates, two inserts, 17 unique IDs; original sys_id retained for updates	High	Sprint 2
Administrator	Coalesce	US6	Repeat the update file	No new inserts; final records and values unchanged	High	Sprint 2
Reviewer	Reporting	US7	Inspect employee summaries and details	Saved department, location and list reports reconcile with target	High	Sprint 3

User type	Epic	Story	User story or task	Acceptance criteria	Priority	Release
Reviewer	Dashboard	US8	Open the saved dashboard	All three reports available after reload	High	Sprint 3

7 Technology Stack

Components and Technologies

Component	Description	Technology
User interface	Authorized administrator performs the workflow	ServiceNow browser interface
Source files	Five columns with synthetic employee records	XLSX and equivalent comma-delimited CSV
Application logic	Load staging rows, map fields and match employee keys	Import Sets and Transform Map
Data storage	Staged source rows and final employee records	u_employee_import and u_employee_test
File storage	Local workbooks and approved public synthetic CSV inputs	Workspace and GitHub repository
Reporting	Count by department/location and show employee details	ServiceNow reports and dashboard
Infrastructure	Instance hosts processing and data; local client supplies files	ServiceNow development instance and browser

Application Characteristics

Characteristic	Project treatment	Technology
Open source frameworks	No custom application framework required	Native ServiceNow configuration
Security implementations	Use existing authorized access; verify any table-access issue specifically	Instance roles and access controls

Characteristic	Project treatment	Technology
Scalable architecture	Reuse the same mapping for a consistent input schema; larger volumes need further tests	Import staging and transformation
Availability	Development instance must be awake and accessible	ServiceNow development hosting
Performance	Measure actual runs; inspect errors and target values	Transform History and row results

Phase 3 Project Design Phase

1 Problem Solution Fit


Purpose and vision: make employee spreadsheet imports repeatable, inspectable and useful for reporting.

Canvas section	Project response
1 Customer segments	ServiceNow administrators and staff preparing employee spreadsheets.
2 Jobs to be done and problems	Add employees, correct details and review totals without unintended duplicates.
3 Triggers	A new employee joins or an existing employee's details change.
4 Emotions before and after	Before: uncertainty about repeated imports. Desired after: confidence from verified mapping and results.
5 Available solutions	Manual record entry, unconditional bulk insertion, or staged import with matching.
6 Customer constraints	Browser/instance access, agreed spreadsheet schema and clean employee identifiers.
7 Behaviour	Prepare a file, upload it, inspect rows, run the map and compare records.
8 Channels of behaviour	Online: ServiceNow instance and project repository. Offline/local: workbook preparation and review.
9 Problem root cause	Repeated files do not inherently identify which rows should update existing target records.
10 Your solution	Stage rows and use Employee ID coalesce with five explicit field mappings.

2 Proposed Solution

Parameter	Description
Problem statement	Maintain correct employee data when successive spreadsheets contain both existing and new employees.
Idea and solution	Load each file into Employee Import, transform through Sample Spreadsheet Import, validate Employee Test, then report the results.
Novelty and uniqueness	The project applies an explicit input contract and key-based update demonstration to this employee dataset; it does not claim a new platform capability.
Social impact and customer satisfaction	Less repeated administration and a clearer way to review employee information. Benefits are qualitative until measured.
Business model	Internal operational value; no revenue-generating feature is required.
Scalability	Reuse the schema and map for additional employees; further volume testing is required for production use.

3 Solution Architecture



Architecture of the original CSV demonstration

The baseline and update XLSX workbooks are uploaded using ServiceNow Load Data, File, Sheet 1 and header row 1. Employee Import stages the source rows. Sample Spreadsheet Import maps all five fields into Employee Test, using Employee ID to match existing records. Three saved reports present the final target. Original CSV-over-HTTPS runs remain recorded as the initial insert demonstration.

The Zurich implementation uses Platform Analytics data visualizations for the required reports. Access the visualization library through Platform Analytics, create each table-based visualization, then add the saved visualizations to an inline dashboard. This preserves the project's required report names, chart types and employee data while using the supported instance interface.

Object	Verified identifier or label	Responsibility
Target table	Employee Test, u_employee_test	Store the current employee records
Staging table	Employee Import, u_employee_import	Hold source rows for inspection and transformation
Transform Map	Sample Spreadsheet Import	Apply mappings and Employee ID coalesce
Department report	Employees by Department	Pie chart; Department group; Count aggregation
Location report	Employees by Location	Bar chart; Location group; Count aggregation
List report	Employee List Report	Show the five employee fields
Dashboard	Employee Analytics Dashboards	Present all three reports together

Field Mapping Contract

Source header	Target label	Verified internal target name	Type	Coalesce
Employee ID	Employee ID	u_employee_id	String 40	Yes
Name	Employee Name	u_employee_name	String 100	No
Email	Email	u_email	String 100	No
Department	Department	u_department	String 100	No
Location	Location	u_location	String 100	No

The five internal field names and lengths in this table have been verified in the instance. The saved map explicitly maps u_name to u_employee_name. Employee ID alone is marked coalesce. Department and Location are Strings for this exercise.

Record Matching and Validation

A staged row whose Employee ID matches an existing target updates that record. A new Employee ID inserts a new target. No other field participates in coalesce; otherwise a name or email change could prevent the intended match. Coalesce does not remove historical duplicates or validate every source field. Validate required values, unique IDs and the five-column schema before upload. Check transform history, row errors and all final values. The 3 October Excel replay retained all 17 target sys_id values. Use the same map for the update and repeat files.

Test Dataset Design

File	Rows	Intended effect from an empty baseline target
Sample Spreadsheet.xlsx	15	Insert SB-0001 through SB-0015
Updated Sample Spreadsheet.xlsx	4	Update SB-0004 and SB-0010; insert SB-0016 and SB-0017
Same update file loaded again	4	Match four existing IDs; insert no new records
Expected Final Target.csv	17	Comparison fixture only; not a source of measured results

The verified final target has ServiceNow 9 and Salesforce 8. All 17 captured target rows match the expected comparison fixture. All sample records are synthetic and use example.com email addresses.

Boundaries and Future Changes

The implementation uses native Import Sets and Transform Maps. Actual XLSX uploads were verified on 3 October 2026; equivalent CSV sources preserve the original demonstration. No custom transform script is required. Later changes must preserve the employee key and pass the same data checks.

Phase 4 Project Planning Phase

The backlog totals 23 estimated points across three planned sprints. SkillWallet remains at the last observed 90 percent with nine stories in Review. Actual sprint dates and accepted points must come from team records; reviewer acceptance is separate from the technical evidence.

1 Product Backlog and Sprint Schedule

Sprint	Functional requirement or epic	Story	User story or task	Points	Priority	Team member
1	Source data	US1	Creation Of Spreadsheet	2	High	Praveen N
1	Target structure	US2	Creation of Tables	3	High	Praveen N
1	Import staging	US3	Create Importset Table	2	High	Praveen N
1	Field mapping	US4	Create Transform Map	3	High	Disney Antro J
2	Import validation	US5	Transform Data & Validate	3	High	Disney Antro J
2	Record matching	US6	Enable Coalesce to Avoid Duplicate Records	3	High	Disney Antro J
2	Updated dataset	US7	Inserting New Data In Excel Format	2	High	Sibin P
3	Reports	US8	Report 1	3	High	Sibin P
3	Dashboard	US9	Adding Reports to Dashboard	2	High	Sibin P

Total estimate: 23 story points. Sprint 1 plans 10 points, Sprint 2 plans 8 and Sprint 3 plans 5. These planning story identifiers follow the nine task-board items; the requirements document groups related acceptance stories separately.

2 Dependencies and Completion Criteria

Sprint 1 plans source files, fields, staging and mappings. Sprint 2 covers baseline, update and repeat tests. Sprint 3 covers the three reports and saved dashboard. The original execution loaded the baseline before enabling Employee ID coalesce; the later Excel replay used the saved coalesce map throughout.

An item is complete only when its saved output exists, the acceptance check has been performed, and the supporting evidence is recorded. Updating a task-board status alone is not a completion check.

3 Project Tracker


Sprint	Total points	Duration	Start date	Planned end	Points completed by planned end	Actual release date
1	10	Not recorded	Not recorded	Not recorded	Not recorded	Not recorded
2	8	Not recorded	Not recorded	Not recorded	Not recorded	Not recorded
3	5	Not recorded	Not recorded	Not recorded	Not recorded	Not recorded

4 Velocity

Average sprint velocity = total completed story points / number of completed sprints. Compute it only when completed-sprint data is available. If measuring daily throughput, use completed points / elapsed working days and state the units separately. Planned points are not actual velocity.

Actual sprint dates, accepted completed points and completed-sprint count: Not recorded. Actual velocity cannot be calculated until the team lead supplies those records.

5 Burndown Chart



Planned remaining story points by sprint boundary

This is a planned trajectory: 23 points before Sprint 1, 13 after Sprint 1, 5 after Sprint 2 and 0 after Sprint 3. No actual-progress line is drawn. Add actual remaining work only from dated completion records.

6 Delivery Checklist

- Five String field definitions and all five mappings verified.
- Baseline, update and repeat runs recorded: 15 inserts; 2 inserts and 2 updates; then 4 ignored and zero inserts. All runs have zero errors.
- Excel replay: all 17 target record IDs preserved; retain the before/after evidence.
- Reconcile all three reports with the final target data and reload the saved dashboard.
- Add real evidence, dates, links and tester sign-off to the report.
- Verify SkillWallet upload requirements and record the submission acknowledgement.

Phase 5 Project Development Phase

Implementation summary

Employee Test stores five String fields: Employee ID, Employee Name, Email, Department and Location. Actual baseline and update XLSX files were uploaded into Employee Import on 3 October 2026. Sample Spreadsheet Import maps all five fields; Employee ID is the only coalesce key. Original CSV histories retain the initial insert evidence.

The baseline, update and repeated update were executed on 29 September 2026. A read only recheck on 30 September found the same three Complete history rows with zero errors. It also confirmed the active map and its five mappings, and the saved dashboard showing 17 employee rows. No import was rerun during that recheck.

The map displays an optional warning that its coalesce field is not indexed. No index was created during the recheck. Indexing and larger volume performance testing remain possible future improvements; the warning does not mean the recorded transformations failed.

Original CSV transform history evidence

Transform Histories														Actions on selected rows...	
All															
☐	Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map		
	2026-09-29 03:02:19	Complete	2026-09-29 03:02:19	0 Seconds	ISSET0010001	Employee Import - Baseline CSV [u_employee_import]	15	15	0	0	0	0	Sample Spreadsheet Import		
	2026-09-29 03:04:45	Complete	2026-09-29 03:04:45	0 Seconds	ISSET0010002	Employee Import - Baseline CSV [u_employee_import]	4	2	2	0	0	0	Sample Spreadsheet Import		
	2026-09-29 03:05:17	Complete	2026-09-29 03:05:17	0 Seconds	ISSET0010003	Employee Import - Baseline CSV [u_employee_import]	4	0	0	4	0	0	Sample Spreadsheet Import		

1 to 3 of 3

1 Project Overview

The project imports synthetic employee spreadsheet records through a ServiceNow staging table and Transform Map, then presents the employee target in three reports and a dashboard. The main acceptance condition is correct insertion and update behavior with Employee ID coalescing, including no new records when the update file is repeated.

Project version: 1.1 configuration exercise. Initial verification: 29 September 2026. Excel attachment and source-check verification: 3 October 2026. Formal reviewer acceptance remains pending.

2 Testing Scope and Environment

Scope includes the five String fields, source loading, all five field mappings, baseline transformation, existing-record updates, new-record inserts, repeat-import behavior, reports and dashboard persistence. Source-preparation negative checks are separate from live platform validation tests.

Environment item	Value
Instance URL and release	https://dev230529.service-now.com; Zurich
Target table	Employee Test, u_employee_test, Global scope
Table definition record	a88a703ec3a78b54c34b78cc050131bf
Target fields	u_employee_id String(40); u_employee_name, u_email, u_department, u_location String(100)
Staging and map	Employee Import u_employee_import; Sample Spreadsheet Import 16feadfec36f8b54c34b78cc050131a3
Reporting interface	Platform Analytics data visualizations and inline dashboard on Zurich
Source data	Baseline XLSX 15 rows; update XLSX 4 rows; expected final comparison CSV 17 rows
Access	Authorized administrator session; no password is recorded in this document

The target schema has been observed in the instance. Its form screenshot is evidence E02. The three transforms and complete target-data comparison passed. Saved report data and the populated dashboard also passed visual verification.

3 Test Cases

ID	Test scenario	Test steps	Expected result	Actual result	Status
FT01	Target field structure	Inspect target Dictionary and form.	Five required String fields; Employee ID length 40, other four lengths 100.	Fields verified; E02 supplied.	Pass
FT02	Baseline staging	Load the approved equivalent CSV through its HTTPS source; inspect staged rows.	15 rows; five correct fields; header not a data row.	ISSET0010001: 15 staged rows; evidence 08.	Pass
FT03	Field mappings and key	Inspect saved Field Maps after enabling the key.	Five mappings; Name to Employee Name; only Employee ID coalesces.	Saved u_name to u_employee_name; only u_employee_id coalesces; evidence 10.	Pass

ID	Test scenario	Test steps	Expected result	Actual result	Status
FT04	Original CSV baseline transform	Transform the baseline into an empty target; inspect history.	15 inserted rows and no errors.	TH0001001: 15 total, 15 inserts, 0 updates, 0 errors; evidence 09.	Pass
FT05	Delta update and insert	Transform the update CSV; inspect history and final values.	Two updates, two inserts; correct changed values; 17 unique IDs.	TH0001002: 2 inserts, 2 updates, 0 errors. All 17 target rows match expected; evidence 11 and 16.	Pass
FT06	Repeat delta	Reload the same four-row CSV with the same map; compare count and values.	Zero new inserts; 17 unique IDs; unchanged values; no errors.	TH0001003: 0 inserts, 0 updates, 4 ignored, 0 errors; full final comparison passed; evidence 12 and 16.	Pass
FT07	Department report	Save pie report grouped by Department, aggregation Count; inspect chart totals.	Employees by Department: ServiceNow 9, Salesforce 8; total 17 after imports pass.	Saved and populated; counts reconcile to 17; evidence 14.	Pass
FT08	Location report	Save bar report grouped by Location, aggregation Count; compare to target values.	Employees by Location category counts match target and total 17.	Saved and populated; counts reconcile to 17; evidence 14.	Pass
FT09	Employee list report	Save list with Employee ID, Employee Name, Email, Department, Location.	Employee List Report shows all five fields and the 17 final project records.	Saved and populated; counts reconcile to 17; evidence 14.	Pass
FT10	Dashboard persistence	Add all three saved reports to Employee Analytics Dashboards; save and reload.	All three reports remain present with the expected data and readable titles.	Saved view shows all three reports; evidence 14.	Pass
PT01	Import duration	Record start/end and row count for baseline, delta and repeat runs; divide processed rows by nonzero elapsed seconds.	Record elapsed seconds and rows/second alongside data checks; if duration rounds to zero, report throughput as unavailable.	All three history rows display 0 Seconds; throughput unavailable at this resolution.	Pass

FT01–FT10 and PT01 record the original implementation checks. FT02, FT04, FT05 and FT06 used CSV sources. FT05 changed SB-0004 from Ajay Kumar to Ajay and SB-0010 email to test18@example.com, and inserted SB-0016 and SB-0017. The later Excel replay independently retained all 17 target sys_id values. The new XF checks below supplement the original insert demonstration.

Excel Attachment Verification — 3 October 2026

These checks replayed the actual XLSX files against 17 existing employees. The original empty-target inserts remain documented in TH0001001 and TH0001002. Sheet number and header row were both 1.

XF01 — Pass. Baseline file: 15 staged rows. ISET0010004 / TH0001004: 0 inserts, 2 updates, 13 ignored, 0 errors. The two prior changes returned to their baseline values.

XF02 — Pass. Update file: 4 staged rows. ISET0010005 / TH0001005: 0 inserts, 2 updates, 2 ignored, 0 errors. Final Ajay and test18@example.com values were restored.

XF03 — Pass. Repeated update file: 4 staged rows. ISET0010006 / TH0001006: 0 inserts, 0 updates, 4 ignored, 0 errors. No duplicates were added.

XF04 — Pass. Final reconciliation: 17 records, 17 unique Employee IDs, 85/85 field values matching and 17/17 sys_id values unchanged. Evidence: xlsx-verification.json, three UI snapshots and screenshots 23–33 in the package.

Source Preparation Negative Checks

The negative cases used disposable in-memory copies and preserved both original workbooks. These checks verify local preparation; invalid records were not submitted to ServiceNow.

ID	Scenario	Steps	Expected result	Actual result	Status
NC01	Blank Employee ID	Clear the first ID in an in-memory source copy; run the local validator.	Preparation check identifies the row and stops that copy from being loaded.	REQUIRED_VALUE detected at row 2, Employee ID; invalid copy not uploaded.	Pass
NC02	Repeated source ID	Copy the first ID to row 3 in memory; run the local validator.	Duplicate rows are flagged and resolved before upload.	DUPLICATE_ID detected at row 3 for SB-0001; invalid copy not uploaded.	Pass
NC03	Missing or wrong header	Rename Name to Full Name in an in-memory header; validate the schema.	Schema mismatch is identified before mapping/transformation.	HEADERS mismatch detected; invalid copy not uploaded.	Pass
NC04	Missing Name mapping	Remove Name from an in-memory mapping contract; validate all five mappings.	Review flags an omitted Name to Employee Name map before a transform.	FIELD_MAPPING detected for Name to u_employee_name; the live map was unchanged.	Pass

4 Defect Register

Bug ID	Description	Reproduction steps	Severity	Status	Feedback or evidence
ENV01	Browser file chooser blocked automated direct upload	Select the local workbook in Load Data; the file selector did not attach the file.	Environment blocker	Resolved 3 Oct 2026	Original CSV workaround succeeded. Direct XLSX file upload also succeeded on 3 October; see XF01–XF04.

5 Defect Analysis

No product defects were observed in the executed cases. The resolved file-upload issue was an environment blocker and is listed separately as ENV01.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
No product defects recorded in executed cases	0	0	0	0	0

6 Test Case Analysis

Section	Total cases	Not tested	Fail	Pass
Functional FT01–FT10 and Excel XF01–XF04	14	0	0	14
Performance PT01	1	0	0	1
Source preparation NC01 to NC04	4	0	0	4
Total	19	0	0	19

All 19 recorded cases passed: ten original functional checks, one duration observation, four Excel replay checks and four local source-preparation checks. The negative cases used disposable in-memory copies and do not establish ServiceNow rejection rules. PT01 records displayed duration; precise throughput remains unavailable. Human UAT signatures and reviewer approval are separate.

7 Evidence Register

ID	Evidence required	Current reference
E02	Employee form and field verification	01-employee-form.png; five field types and lengths verified by instance inspection

ID	Evidence required	Current reference
E03	Baseline staging	08-baseline-staging-load.png; ISET0010001
E04 and E05	Map, field maps and coalesce	10-transform-map-coalesce.png
E06	Baseline, delta and repeat history	09, 11, 12 screenshots; TH0001001 to TH0001003. Run time displays 0 Seconds in each history row; precise throughput is unavailable.
E07	Target records and values	16-final-ordered-employee-list.png; final-target-ui-data.json; final-data-reconciliation.json
E08	Three saved reports	03, 04 and 05 configuration screenshots
E09	Saved dashboard after reload	14-populated-dashboard.png; saved dashboard 549ca1bac36f8b54c34b78cc05013131

8 Sign off

Evidence prepared for team lead Disney Antro J. Latest technical verification: 3 October 2026. Human tester name, verification date and signature: Awaiting the tester's own review.

Team lead acceptance and date: Awaiting human review. Faculty or reviewer acceptance and date: Awaiting reviewer approval. Each person must enter their own approval after checking results and open issues; no signature is inferred from this report.

Phase 6 Project Documentation

This final report follows the supplied Project Documentation outline and summarizes the implementation, results and supporting evidence. Detailed phase artifacts appear earlier in this same document.

1 Introduction

Project overview and purpose: the workflow loads synthetic employee spreadsheets into ServiceNow, matches Employee ID for updates and presents the verified target in reports. It reduces repeated entry and makes each import result traceable. The verified final state contains 17 unique employees.

2 Ideation Phase

Phase 1 contains the problem statements, empathy canvas and brainstorm. The selected approach stages data and uses a reusable map because direct insertion of every incoming row would not provide update matching. Persona statements are design assumptions.

3 Requirement Analysis

Phase 2 contains the customer journey, functional and non functional requirements, data flow, user stories and technology stack. The source contract is five employee columns, a 15 row baseline and a four row update. Acceptance checks cover data values, record counts, repeat imports, reports and the saved dashboard.

4 Project Design

Phase 3 records the problem solution fit, proposed solution and architecture. Employee Import stages the data; Sample Spreadsheet Import maps all five fields to Employee Test. Employee ID alone is the coalesce key. Native Platform Analytics provides the three required reports and dashboard.

5 Project Planning and Scheduling

Phase 4 contains the backlog, three planned sprints, 23 estimated points, ownership, tracker, velocity definition and planned burndown. Historical sprint dates and accepted points are not recorded; the team lead must provide them from real records. SkillWallet acceptance remains under review.

6 Functional and Performance Testing

Phase 5 records 19 passed technical cases. Original CSV histories prove the initial 15 inserts, two updates plus two inserts, and zero duplicate inserts on repeat. Actual Excel uploads later passed against the existing 17 employees, retaining all sys_id values and matching 85/85 expected field values. Four local negative preparation checks passed. Human signatures and reviewer acceptance remain outstanding.

7 RESULTS

7 1 Output Screenshots

Evidence ID	Required output	Verified evidence
E01	Source workbook and equivalent CSV	Local workbooks verified; 07-published-baseline-csv.png
E02	Target table and five String field definitions	Verified; 01-employee-form.png and field inspection
E03	Baseline import set with 15 staged rows	08-baseline-staging-load.png; ISET0010001

Evidence ID	Required output	Verified evidence
E04	Saved Transform Map and five field mappings	10-transform-map-coalesce.png; Sample Spreadsheet Import
E05	Employee ID coalesce configuration	10-transform-map-coalesce.png; Employee ID only
E06	Baseline, update and repeat history	09, 11 and 12 screenshots; TH0001001 to TH0001003
E07	Final values and 17 unique Employee IDs	16-final-ordered-employee-list.png; full JSON comparison passed
E08	Three saved report configurations	03, 04 and 05 report configuration screenshots
E09	Employee Analytics Dashboards	14-populated-dashboard.png; saved dashboard 549ca1bac36f8b54c34b78cc05013131

The verified target table is Employee Test (u_employee_test) in Global scope. Its table-definition record ID is a88a703ec3a78b54c34b78cc050131bf. Employee ID is u_employee_id, String length 40. Employee Name, Email, Department and Location are u_employee_name, u_email, u_department and u_location, each String length 100. The following image is the actual employee form. The following figures are genuine captures from the implementation. Earlier no-data report configuration screenshots are retained in the evidence folder; they are not presented as populated final charts.

The screenshot shows a web form titled "Employee Test New record". It contains five input fields, each with a label to its left: "Employee ID", "Employee Name", "Email", "Department", and "Location". The "Employee ID" field is highlighted with a green border. Below the fields is a "Submit" button. The form is set against a light blue background.

E02 Employee Test form showing the five required fields

Progress

Name

ImportProcessor

State

Complete

Completion code

Success

Message

Processed: 15, inserts 15, updates 0, errors 0, empty and ignored 0, ignored errors 0 (0:00:02.198)

Next steps...

Import sets

Go to the import sets for this data load

Loaded data

Go to the newly imported data inside the staging table: u_employee_import

Create transform map

Create a transform map for the newly staged data

Import log

View the import log

E03 Baseline source loaded into Employee Import

Table Transform Map

Sample Spreadsheet Import

Copy empty fields

Create new record on empty coalesce fields

Copy

Update

Delete

Related Links

Auto Map Matching Fields

Mapping Assist

Validate Coalesce Fields

Transform

Index Coalesce Fields

Run Point Scan

Field Maps (5)

Transform Scripts

Unused coalesce fields for empty values (1)

Source field

Target field

Coalesce

u_email

u_email

false

u_employee_id

u_employee_id

true

u_location

u_location

false

u_name

u_employee_name

false

u_department

u_department

false

1 to 5 of 5

E04 and E05 Saved mappings with Employee ID coalesce

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010001

☐	Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
	2026-09-29 03:02:19	Complete	2026-09-29 03:02:19	0 Seconds	ISET0010001	Employee Import - Baseline CSV [u_employee_import]	15	15	0	0	0	0	Sample Spreadsheet Import

<<

<

1 to 1 of 1

>

>>

E06 Baseline transformation with 15 inserted rows

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010002

☐		Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
		2026-09-29 03:04:45	Complete	2026-09-29 03:04:45	0 Seconds	ISET0010002	Employee Import - Baseline CSV [u_employee_import]	4	2	2	0	0	0	Sample Spreadsheet Import

<<<

<

1 to 1 of 1

>

>>>

E06 Update transformation with two inserts and two updates

Transform Histories

Started

Search

Actions on selected rows...

All > Set Number = ISET0010003

Started	State	Completed	Run time	Set	Import set table	Total	Inserts	Updates	Ignored	Skipped	Errors	Transform Map
2026-09-29 03:05:17	Complete	2026-09-29 03:05:17	0 Seconds	ISET0010003	Employee Import - Baseline CSV [u_employee_import]	4	0	0	0	4	0	Sample Spreadsheet Import

1 to 1 of 1

E06 Repeat transformation with zero inserts and four ignored rows

Employee Tests

Employee ID

Search

Actions on selected rows...


New

All

Employee ID	Employee Name	Email	Department	Location
SB-0001	Arun Prakash	arun.prakash@example.com	ServiceNow	Chennai
SB-0002	Priya Nair	priya.nair@example.com	Salesforce	Coimbatore
SB-0003	Karthik Raj	karthik.raj@example.com	ServiceNow	Madurai
SB-0004	Ajay	ajay.kumar@example.com	Salesforce	Chennai
SB-0005	Divya Ramesh	divya.ramesh@example.com	ServiceNow	Tiruchirappalli
SB-0006	Vignesh Kumar	vignesh.kumar@example.com	Salesforce	Salem
SB-0007	Sneha Menon	sneha.menon@example.com	ServiceNow	Coimbatore
SB-0008	Rohit Sharma	rohit.sharma@example.com	Salesforce	Bengaluru
SB-0009	Meena Krishnan	meena.krishnan@example.com	ServiceNow	Chennai
SB-0010	Ravi Teja	test18@example.com	Salesforce	Hyderabad
SB-0011	Nandhini Suresh	nandhini.suresh@example.com	ServiceNow	Madurai
SB-0012	Surya Prasad	surya.prasad@example.com	Salesforce	Tirunelveli
SB-0013	Ananya Rao	ananya.rao@example.com	ServiceNow	Bengaluru
SB-0014	Sathish Kumar	sathish.kumar@example.com	Salesforce	Erode
SB-0015	Lakshmi Priya	lakshmi.priya@example.com	ServiceNow	Thanjavur
SB-0016	Harini Balaji	harini.balaji@example.com	ServiceNow	Vellore
SB-0017	Deepak Anand	deepak.anand@example.com	Salesforce	Chennai


1 to 17 of 17

E07 Final Employee Test records



E08 and E09 Populated Employee Analytics Dashboards

Department totals are ServiceNow 9 and Salesforce 8. Location totals are Chennai 4; Bengaluru, Coimbatore and Madurai 2 each; Erode, Hyderabad, Salem, Thanjavur, Tiruchirappalli, Tirunelveli and Vellore 1 each. Both charts reconcile to 17 employees. The saved list uses Employee ID, Employee Name, Email, Department and Location.



SkillWallet milestones at 90 percent with repository and demo links

All nine stories remain in Review. The final observed portal state is 90 percent; reviewer acceptance is still required.

8 ADVANTAGES AND DISADVANTAGES

Advantages include reusable mappings, explicit update matching, a staging checkpoint, recorded transformation outcomes and reports built on the same target dataset. Limitations include dependence on a stable Employee ID, the need to validate source data, and the fact that all five fields are Strings rather than structured reference or choice fields. The sample dataset demonstrates the workflow at small scale and does not establish production-scale performance.

9 CONCLUSION

The implemented workflow imports employee records, updates matching Employee IDs and avoids duplicates on a repeated update file. All 17 target rows match the expected data. The reports and dashboard are saved. The history displays each transform duration as 0 Seconds, which does not support a precise throughput calculation. Formal reviewer sign-off and final SkillWallet acceptance remain pending.

10 FUTURE SCOPE

Possible later improvements include formal input validation, controlled department/location values, scheduled imports, a documented employee key policy, and larger-volume performance tests. These are future options rather than features claimed in the current implementation.

11 APPENDIX

Source code: the current design uses direct Transform Map configuration. Add configuration exports or scripts only if actually created and required for submission. The companion project-runbook.md records the implementation and demonstration procedure.

Dataset files: Sample Spreadsheet.xlsx (15 rows), Updated Sample Spreadsheet.xlsx (4 rows) and Expected Final Target.csv (17 expected records). The repository provides both required XLSX workbooks and equivalent CSVs. All employee records are synthetic.

GitHub project: <https://github.com/DisneyAntroJ/skillwallet>. Baseline CSV commit: 9a24c7f0acde456ffacf28d5bcdcd916f5a71a16. Update CSV commit prefix: a92bf12.

Project demo video: <https://drive.google.com/file/d/1gonx-uMMW-M-BO6GmONjhmYsgV-lulr7/view>. This 2 minute 20 second narrated walkthrough is available to anyone with the link. SkillWallet uses this video as the project demo. Team ID: Not assigned.

Live ServiceNow dashboard: <https://dev230529.service-now.com/now/platform-analytics-workspace/dashboards/params/edit/false/sys-id/549ca1bac36f8b54c34b78cc05013131>. Opening the live dashboard requires an authorized instance session.

Import trace: ISET0010001 / TH0001001 at UI time 2026-09-29 03:02:19; ISET0010002 / TH0001002 at 03:04:45; ISET0010003 / TH0001003 at 03:05:17. The history Run time column displays 0 Seconds for each run. This rounded display cannot establish a precise elapsed duration or rows per second.

References: supplied Final Report Template and phase templates; the following official ServiceNow documentation explains the platform behavior used in this design.

- Transform Map settings: https://www.servicenow.com/docs/r/integrate-applications/system-import-sets/t_CreateATransformMap.html
- Field Map settings: https://www.servicenow.com/docs/r/integrate-applications/system-import-sets/t_CreatingAFieldMap.html
- Coalesce behavior: https://www.servicenow.com/docs/r/xanadu/integrate-applications/system-import-sets/c_ImportSetCoalesce.html
- Zurich reporting and Data Visualizations: https://www.servicenow.com/docs/r/zurich/now-intelligence/reporting/t_CreateYourOwnReport.html
- Platform Analytics dashboards: <https://www.servicenow.com/docs/r/zurich/now-intelligence/create-db-in-ac.html>

Submission and demonstration status

Prepared deliverables

This six-phase report is supplied as editable DOCX, PDF and an owner Google Doc. The package includes both XLSX workbooks, equivalent CSVs, original results, actual Excel replay evidence, the local source validator, the setup guide and the completed narrated demo.

Project demonstration

Transform_Maps_Project_Demo.mp4 is the completed 2 minute 20 second walkthrough with English captions and the team lead's narration. It uses project screenshots to explain the original CSV import, coalesce results and dashboard. The 3 October Excel attachment verification is documented separately in this report and xlsx-verification.md. The repository includes a 1080p MP4 copy.

Submission links

Repository: <https://github.com/DisneyAntroJ/skillwallet>. The repository includes the six-phase PDF and DOCX, source workbooks, validation evidence, setup guide and narrated demo. Editable Google Doc: <https://docs.google.com/document/d/1LFzab42jFeOn9L5nKm1muUL8pDDFKQp9AvjMelc7vPs/edit>. The Google Doc requires Drive permission; the public repository PDF and DOCX are available to reviewers.

Acceptance status

The last observed SkillWallet state is 90 percent, with all nine stories in Review. Disney Antro J is team lead, with Praveen N and Sibin P as members. The narrated demo, actual Excel imports and 19 recorded technical checks are complete. Human signatures, actual sprint records and formal reviewer acceptance remain to be supplied by the responsible people.

Fresh evidence captured on 30 September

The current evidence folder contains the populated dashboard, transform settings, all five field mappings with Employee ID coalesce, and the three completed transform histories. These captures supplement the implementation evidence dated 29 September and preserve the actual interface without visual alteration.

Final Human Verification

1. In Employee Test, confirm 17 records, SB-0004 name Ajay and SB-0010 email test18@example.com. Open Employee Analytics Dashboards and inspect all three reports.
2. Play the submitted narrated video and open the repository PDF and both Excel workbooks. Read the original CSV results together with the later Excel replay evidence.
3. Enter the actual tester name, verification date and signature in Phase 5. The team lead records their own acceptance after review; the faculty or reviewer records their separate approval.
4. Fill the Phase 4 sprint tracker from genuine team records. If dates or accepted points were not recorded, retain Not recorded and ask the faculty how to complete the planning record. Calculate velocity only from confirmed completed sprints.
5. Request review of the nine SkillWallet items already in Review. Confirm that the demo and repository links open correctly. Final platform completion is established by the reviewer's recorded acceptance.