

Open issues for the next release

Table of contents

1 [FOR-591] MaxMemory needs increasing for large document sets: Memory Leak with XMLFileModule.....	2
2 [FOR-713] HTML-to-document.xsl no longer generates an XDoc.....	2
3 [FOR-855] verify the license situation prior to each release.....	2
4 [FOR-865] Add missing entries to status.xml to generate the changes list.....	2
5 [FOR-868] add relevant notes to the "Upgrading" xdoc.....	3
6 [FOR-867] need doc to explain status of skins and dispatcher.....	3
7 [FOR-572] run a memory profiler while forrest is operating.....	3
8 [FOR-388] Use plugins in-place if src available.....	3
9 [FOR-533] Auto Generate plugins.xml entry.....	3
10 [FOR-639] define terminology for the various aspects of Dispatcher.....	4
11 [FOR-735] Plugins are not correctly deployed in webapp mode.....	4
12 [FOR-711] Cache results from the Locationmap.....	4
13 [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo.....	4
14 [FOR-876] locationmap demo in fresh-site is broken.....	4
15 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes.....	5
16 [FOR-210] whole-site html and pdf: broken link faq, broken image links.....	5
17 [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs.....	5
18 [FOR-211] whole-site html and pdf: broken ext links.....	5
19 [FOR-203] 2nd level tabs are not selected appropriately.....	5
20 [FOR-200] Locationmap for Forrest and Users.....	6
21 [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture.....	6
22 [FOR-560] Remove duplicate jars from eclipse plugins.....	6
23 [FOR-644] code-style cleanup for xml files.....	6
24 [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html.....	7
25 [FOR-726] use locationmap in all of the plugins.....	7

Note:

These are the top 25 open issues for the next release that are scheduled in our [issue tracking system](#) (see [all](#) open issues). The listing below is regenerated on each Forrest run.

1. [FOR-591] MaxMemory needs increasing for large document sets: Memory Leak with XMLFileModule

<http://issues.apache.org/jira/browse/FOR-591>

Since the docs restructuring for the 0.7 release it has become necessary to increase the maxmemory to be able to build the Forrest site. We gained three copies of the documents so suddenly have a large document set to trigger memory leakage issues.

 Possibly COCOON-1574 "Memory Leak with XMLFileModule".

 Does someone have the tools to run some diagnostics?

 (NB maxmemory has been increased in our site-author/forrest.properties, if we resolve this issue it should be reduced again)

2. [FOR-713] HTML-to-document.xsl no longer generates an XDoc

<http://issues.apache.org/jira/browse/FOR-713>

html-to-document.xsl no longer converts content to an XDoc. Instead it renders converts documents to XDoc, instead it allows H1, H2 etc. elements to pass through.

 The result is a page that seems to render correctly and in the single test case I have used it still renders correctly in PDF and Text format. However, this is a backward incompatible change that will break sites that use includes with XPath statements such as /section[@id="foo"] (sections are no longer created)

3. [FOR-855] verify the license situation prior to each release

<http://issues.apache.org/jira/browse/FOR-855>

This should be continually happening anyway, but immediately prior to each release we need to verify that our license situation is in order. This issue should not ever be closed, rather just move the "Fix for Version" on to the next release.

 Here are some of the tasks:

 A) Ensure that all supporting libraries have a corresponding license. Basically every jar file or other external package needs to have a *.license.txt file. Ensure that any license conditions are met, e.g. for some we must add an entry to NOTICE.txt, while for some others we must not. Remember to abide by the ASF guidelines (e.g. nothing more restrictive than the Apache License).

 B) Scan the whole trunk repository to add missing ASF license headers to source files and to ensure that the ASF license headers have not been accidentally added to external files. See etc/relicense.txt

4. [FOR-865] Add missing entries to status.xml to generate the changes list

<http://issues.apache.org/jira/browse/FOR-865>

There are insufficient entries in our site-author/status.xml to generate the changes.html for the upcoming release.

 Besides informing users of the major changes and providing cross-links

to the issue tracker, this file also provides recognition of contributions ... at the moment there are too few. It also has the importance=high attribute, which generates our release announcement ... again, too few.

 Re: better use of changes.html (Was: Community health)
 http://marc.theaimsgroup.com/?t=114274836600001

5. [FOR-868] add relevant notes to the "Upgrading" xdoc

<http://issues.apache.org/jira/browse/FOR-868>

We need to add some notes to the upgrading_0*.html doc for the upcoming release. This would most easily be done after attending to FOR-865 "Add missing entries to status.xml to generate the changes list".

6. [FOR-867] need doc to explain status of skins and dispatcher

<http://issues.apache.org/jira/browse/FOR-867>

Need doc to explain status of skins and dispatcher. Link to the doc from warnings of dispatchers docs, from skins.html and from upgrading_08.html

 I have already commenced this xdoc.

7. [FOR-572] run a memory profiler while forrest is operating

<http://issues.apache.org/jira/browse/FOR-572>

We need to run a memory profiler while forrest is operating.

8. [FOR-388] Use plugins in-place if src available

<http://issues.apache.org/jira/browse/FOR-388>

At present Forrest will attempt to download plugins even if they are available in src form in the local filesystem as part of an SVN checkout.

 Have Forrest mount plugins from designated directories in preference to downloading them wherever possible (need more than possible location for src plugins as some people may be developing their own plugins outside of Forrest)

9. [FOR-533] Auto Generate plugins.xml entry

<http://issues.apache.org/jira/browse/FOR-533>

The information in the plugins.xml file would be better kept in the plugin directory and added to the plugins.xml file when deployed. This would reduce the amount of duplication in the plugins config files.

 All the necessary values are now in the plugin build.xml file.

 This change will require that the plugins.xml file be retrieved from the build directory rather than the plugins directory when building the plugin documentation pages. We will therefore need a fall back to retrieve this file from the network if it is not currently available - this can be done with the locationmap

10. [FOR-639] define terminology for the various aspects of Dispatcher

<http://issues.apache.org/jira/browse/FOR-639>

See the email thread:
 http://marc.theaimsgroup.com/?t=112276643700001

11. [FOR-735] Plugins are not correctly deployed in webapp mode

<http://issues.apache.org/jira/browse/FOR-735>

(At this point I didn't try this scenario step by step any more; basically it is what we did to setup the site, except that we copied our project data from forrest 0.6 before trying the pdf links)

 - run forrest webapp to create an empty webapp
 - configure Tomcat to run the webapp (we did it by creating a context descriptor and put it onder Tomcat's config directory)
 - the pdf links give an error "Resource Not Found";

12. [FOR-711] Cache results from the Locationmap

<http://issues.apache.org/jira/browse/FOR-711>

Now that we are using the locationmap extensively it is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requeests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap.

 I think a simple cache will sufice, lets just provide a static hashmap using the hint as a key and, of course, the location as the value.

 If we test all locationmaps and find no result we should record that tere is no result in this hashmap. This will also be a good place to throw an exception so that Cocoon can better report such errors (see FOR-701)

13. [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo

<http://issues.apache.org/jira/browse/FOR-742>

The plugin retrieval and deployment process are not quite correct. Recently the projectInfo plugin had its version number incremented and the "unversioned" plugin now relates specifically to 0.8-dev version. That prevents 0.7 from accessing the relevant plugin.

 The solution is discussed here:
 http://marc.theaimsgroup.com/?t=113176328300002

14. [FOR-876] locationmap demo in fresh-site is broken

<http://issues.apache.org/jira/browse/FOR-876>

See
 Re: locationmap demo is broken
 http://marc.theaimsgroup.com/?t=114681865100003

15. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

<http://issues.apache.org/jira/browse/FOR-241>

If I have a url like this inside the XML source: `

 http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1`
`

` validate-xdocs fails because it wants the literal `&` to be typed out as `
 &` instead. So I correct it to become: `

 http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1`
`

` However, the generated HTML has the entity resolution **UNDONE!**: `

 http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1`
`

` This HTML fails validation as 4.01 transitional. `

` David Crossley adds: `
`
There is a demonstration of the problem in the document `
`
`src/documentation/content/xdocs/docs/dreams.xml` `
` The ampersand in the link element text is properly handled but `
` the ampersand in the link href attribute is not.

16. [FOR-210] whole-site html and pdf: broken link faq, broken image links

<http://issues.apache.org/jira/browse/FOR-210>

The "fresh-site" build from 'forrest seed site' reports some failures for faq.html and various missing images. Wonder if sitemap issue? `

`

17. [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs

<http://issues.apache.org/jira/browse/FOR-209>

When there are two levels of tabs, the selected first level tab does not get highlighted, nor are there any other visual or structural clues as to which first-level tab is active, and which contains the displayed 2nd level tabs. `

` This is checked with both the default skin, and with tigris-style. `
`

18. [FOR-211] whole-site html and pdf: broken ext links

<http://issues.apache.org/jira/browse/FOR-211>

In the the generated site.html all of the external links are broken (i.e. the href attributes are like ...
error:#ext:forrest).

19. [FOR-203] 2nd level tabs are not selected appropriately

<http://issues.apache.org/jira/browse/FOR-203>

The 2nd level tabs are not shown for menu entries that caused the issue `<a href="http://issues.apache.org/jira/browse/FOR-111" title="Seem to get all tab menus, not default tab's`

~~menus."~~</strike>FOR-111</strike>. This happens because the starts-with() path comparison fails
for menu entries that do not reside the same directory as is specified in the &"dir"&; attribute
of the 2nd level tabs.

See the attached bug-demo.tgz for an example. Select
&"Samples/Apache document"&; and notice that the 2nd level tabs are shown. Now select
&"Samples/BUG DEMO"&; and notice that the 2nd level tabs are not shown.

This
is because the document corresponding to &"Samples/Apache document"&; resides in the
directory &"samples"&; whereas the document corresponding to &"Samples/BUG
DEMO"&; resides in the directory &"bug-sample"&;.

Kind regards,

Lorenz Frohofer.

20. [FOR-200] Locationmap for Forrest and Users

<http://issues.apache.org/jira/browse/FOR-200>

The locationmap gives us the ability to specify where sources are, both for Forrest and for the users. Beware that it will not work for raw files that are not linked, as this "feature" currently uses a fixed dir being copied by Ant.

21. [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture

<http://issues.apache.org/jira/browse/FOR-546>

The example at <http://forrest.apache.org/0.7/docs/sitemap-ref.html#pdf> uses a fo2pdf serializer. This probably worked in versions < 0.7, because the PDF output feature was in the core, and the serializer was very likely declared there. With version 0.7, PDF output is moved to a plugin, the fo2pdf serializer seems to be no longer there. The serializer should probably be added to the example, for completeness.

```
<map:components>  
  <map:serializers>  
    <map:serializer name="fo2pdf"/>  
  </map:serializers>  
</map:components>
```

I found out about this because my sitemap uses the fo2pdf too (docbook to PDF), and had to add the serializer.

22. [FOR-560] Remove duplicate jars from eclipse plugins

<http://issues.apache.org/jira/browse/FOR-560>

tools/eclipse/plugins/org.apache.forrest.eclipse.servletEngine/lib contains some duplicate jars to those in the main Forrest trunk. We should find a way of reusing the jars from their existing location.

23. [FOR-644] code-style cleanup for xml files

<http://issues.apache.org/jira/browse/FOR-644>

We have much inconsistent whitespace in all of our files. This is known to cause trouble in a collaborative environment. See discussion at: <http://marc.theaimsgroup.com/?t=112450901100001> and <http://marc.theaimsgroup.com/?t=112450901100002> and various linked discussions.

24. [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html

<http://issues.apache.org/jira/browse/FOR-666>

The pattern matching example is quite misleading. There should be a note where exactly to copy your old site (in a standard seeded project) to make the pattern matching work.

 At least for me it worked only after I used a *.html directive.

 `<map:match pattern="old_site/*.html" />`

25. [FOR-726] use locationmap in all of the plugins

<http://issues.apache.org/jira/browse/FOR-726>

Each plugin has sitemaps that need to use the locationmap.

 (Perhaps we need Jira sub-tasks for each plugin.)