Table of contents

1 Top-level element(s)	4
2 List of elements	4
3 Element declarations	5
3.1	5
3.2	6
3.3	6
3.4	6
3.5	7
3.6	7
3.7	8
3.8	8
3.9	8
3.10	9
3.11	9
3.12	10
3.13	10
3.14	11
3.15	11
3.16	12
3.17	12
3.18	12
3.19	13
3.20	13
3.21	13

3.22	14
3.23	14
3.24	15
3.25	15
3.26	16
3.27	16
3.28	16
3.29	17
3.30	17
3.31	18
3.32	18
3.33	18
3.34	19
3.35	19
3.36	19
3.37	20
3.38	20
3.39	21
3.40	21
3.41	21
3.42	22
3.43	22
3.44	22
3.45	23
3.46	23
3.47	23
3.48	23
3.49	24
3.50	24

1. Top-level element(s)

- jump
- fork
- <u>document</u>
- <u>faqs</u>

2. List of elements

- a
- <u>abstract</u>
- <u>acronym</u>
- anchor
- <u>answer</u>
- <u>authors</u>
- <u>body</u>
- <u>br</u>
- <u>caption</u>
- code
- <u>dd</u>
- <u>dl</u>
- <u>document</u>
- <u>dt</u>
- <u>elaboration</u>
- <u>em</u>
- <u>faq</u>
- <u>faqs</u>
- <u>fagsection</u>
- <u>figure</u>
- <u>fixme</u>
- <u>footer</u>
- <u>fork</u>
- header
- <u>icon</u>
- <u>img</u>
- <u>jump</u>
- <u>legal</u>li
- meta
- <u>note</u>
- <u>notice</u>

- <u>ol</u>
- <u>p</u>
- <u>person</u>
- <u>question</u>
- <u>section</u>
- <u>source</u>
- <u>strong</u>
- <u>sub</u>
- <u>subtitle</u>
- <u>sup</u>
- <u>table</u>
- <u>td</u>
- <u>th</u>
- <u>title</u>
- <u>tr</u>
- <u>type</u>
- <u>ul</u>
- <u>version</u>
- <u>warning</u>

3. Element declarations

3.1.

person		
Content model	EMPTY	
A 11		
Attributes	id	
	xml:lang	
	name	
	email	
Used inside	<u>authors</u>	

3.2.

strong		
Content model	(#PCDATA strong em img icon acronym a) *	code sub sup br
Attributes	id	
	xml:lang	
Used inside strong em a jump fork p source note warning fixme caption th td li dt dd title subtitle notice abstract legal question elaboration answer		
	·	

3.3.

em		
Content model	(#PCDATA strong em code s img icon acronym a) *	sub sup br
	I	
Attributes	id	
	xml:lang	
Used inside strong em a jump fork p source note warning fixme caption th td li dt dd title subtitle notice abstract legal question elaboration answer		

3.4.

code		
Content model	(#PCDATA)	
Attributes	id	

	xml:lang	
Used inside	strong em a jump fork p so warning fixme caption th td subtitle notice abstract legal elaboration answer	<u>li dt dd title</u>

3.5.

sup		
Content model	(#PCDATA)	
Attributes		
Attributes	id	
	xml:lang	
Used inside	strong em a jump fork p source note warning fixme caption th td li dt dd title subtitle notice abstract legal question elaboration answer	
	<u> </u>	

3.6.

sub		
Content model	(#PCDATA)	
Assett is		
Attributes	id	
	xml:lang	
Used inside strong em a jump fork p source note warning fixme caption th td li dt dd title subtitle notice abstract legal question elaboration answer		

3.7.

а		
Content model	(#PCDATA strong em img icon acronym) *	n <u>code</u> <u>sub</u> <u>sup</u> <u>br</u>
Attributes	id	
	xml:lang	
	href	
	title	
Used inside	strong em p source note warning fixme caption th td li dt dd title notice abstract legal question elaboration answer	
	1	

3.8.

jump	
Content model	(#PCDATA strong em code sub sup br img icon acronym) *
Attributes	id
	xml:lang
	href
	title

3.9.

fork	
Content model	(#PCDATA strong em code sub sup br img icon acronym) *

3.10.

br		
Content model	EMPTY	
Attributes	i.a	
	id	
	xml:lang	
Used inside strong em a jump fork p source note warning fixme caption th td li dt dd title notice abstract legal question elaboration answer		

3.11.

3.11.		
img		
Content model	EMPTY	
Attributes		
Allibutes	src	
	alt	
	height	
	width	
	usemap	
	ismap	

	id xml:lang	
Used inside	strong em a jump fork p so warning fixme caption th td legal question answer	<u>li dt dd title</u>

3.12.

icon		
Content model	EMPTY	
Attributes	src	
	alt	
	height	
	width	
	id	
	xml:lang	
Used inside	strong em a jump fork p so warning fixme caption th td notice abstract legal question answer	<u>li dt dd title </u>

3.13.

acronym	
Content model	(#PCDATA)*

Attributes	title	
	id	
	xml:lang	
Used inside	strong em a jump fork p so warning fixme caption th td ! notice abstract legal question answer	<u>i dt dd title</u>

3.14.

p		
Content model	(#PCDATA strong em code sub sup br img icon acronym a) *	:1
		-
Attributes	id	
	xml:lang	
	xml:space	
	1	
Used inside	th td li dd body section answer	

3.15.

source		
Content model	(#PCDATA strong em code img icon acronym a) *	<u>sub</u> <u>sup</u> <u>br</u>
Attributes	id	
	xml:lang	
	xml:space	

Used inside	th td li dd body section ans	swer

3.16.

note		
Content model	(#PCDATA strong en img icon acronym a	n <u>code</u> <u>sub</u> <u>sup</u> <u>br</u>) *
Attributes	id	
	xml:lang	
Used inside	<u>th</u> <u>td</u> <u>li</u> <u>dd</u> <u>body</u> <u>se</u>	ction answer
	'	

3.17.

warning		
Content model (#PCDATA strong em code sub sup br img icon acronym a) *		
Attributes	id	
	xml:lang	
Used inside	th td li dd body section answer	

3.18.

fixme		

Content model	(#PCDATA strong em img icon acronym a) *	<u>code sub sup br </u>	
Attributes	author		
	id		
	xml:lang		
Used inside	th td li dd body secti	th td li dd body section answer	

3.19.

table		
Content model	(<u>caption</u> ? , <u>tr</u> +)	
A		
Attributes	id	
	xml:lang	
Used inside	th td li dd body section	n answer
	·	

3.20.

caption		
Content model	(#PCDATA strong em code sub sup img icon acronym a) *	<u>)</u> <u>br</u>
Attributes	id	
	xml:lang	
Used inside	table	
	·	

3.21.

tr		
Content model	(<u>th</u> <u>td</u>) +	
Attributes	id	
	xml:lang	
Used inside	<u>table</u>	
	·	

3.22.

(#PCDATA strong em img icon acronym a p warning fixme table ol anchor) *	code sub sup br source note ul dl figure
id	
xml:lang	
colspan	
rowspan	
tr.	<u>'</u>
	id xml:lang colspan

3.23.

td	
Content model	(#PCDATA strong em code sub sup br img icon acronym a p source note warning fixme table ol ul dl figure

	anchor)*	
Attributes	id	
	xml:lang	
	colspan	
	rowspan	
Used inside	tr	

3.24.

li		
Content model	(#PCDATA strong em code sub sup br img icon acronym a p source note warning fixme table ol ul dl figure anchor) *	
Attributes	id	
	xml:lang	
Used inside	미 이	

3.25.

ul		
Content model	(<u>li</u>)+	
Attributes	id	
	xml:lang	
	spacing	

Page 15

Used inside	th td li dd body	<u>section</u> <u>answer</u>	
3.26.			
ol			
Content model	(<u>li</u>)+		
Attributes	id		
	xml:lang		
	spacing		
Used inside	<u>th td li dd body</u>	section answer	
3.27.			_
dl			
Content model	(<u>dt</u> , <u>dd</u>) +		_
Attributes	id		

xml:lang

th | td | li | dd | body | section | answer

3.28.

Used inside

dt	
Content model	(#PCDATA strong em code sub sup br

	img icon acronym a) *	
Attributes	id xml:lang	
Used inside	<u>d</u>	
	I	

3.29.

dd		
Content model	(#PCDATA strong em code sub img icon acronym a p source n warning fixme table ol ul dl figu anchor) *	<u>ote</u>
Attributes		
	id	
	xml:lang	
Used inside	<u>dl</u>	
	·	

3.30.

figure		
Content model	EMPTY	
Attributes		
Attibutes	src	
	alt	
	height	
	width	
	usemap	

Page 17

	ismap		
	align		
	id		
	xml:lang		
Used inside	th td li dd body section answer		

3.31.

anchor			
Content model	EMPTY		
Attributes	id		
	xml:lang		
Used inside	th td li dd body section answer		
	,		

3.32.

document		
Content model	(header , body , footer ?)	
Attributes	id	
	xml:lang	

3.33.

header	
Content model	(title , subtitle ? , version ? , type ? , authors ? , notice * , abstract ? , meta *)

Attributes	id	
	xml:lang	
Used inside	document	

3.34.

title	
Content model	(#PCDATA strong em code sub sup a br img icon acronym)*
Attributes	id xml:lang
Used inside	header section faqs faqsection

3.35.

subtitle		
Content model	(#PCDATA strong em code sub sup) *
Attributes	id	
	xml:lang	
Used inside	<u>header</u>	

3.36.

version	
Content model	(#PCDATA)

Page 19

Attributes	id	
	xml:lang	Ī
	major	Γ
	minor	Ī
	fix	
	tag	
Used inside header		
Oseu IIIside	header	

3.37.

type		
Content model	(#PCDATA)	
Attributes	id	
	xml:lang	
Used inside	<u>header</u>	
	·	

3.38.

authors		
Content model	(person +)	
Attributes	id	
	xml:lang	
Used inside	header faqs	

3.39.

notice		
Content model	(#PCDATA strong em code sub sup br img icon acronym a) *	
Attributes	id	
	Id	
	xml:lang	
Used inside	<u>header</u>	
	·	

3.40.

abstract		
Content model	odel (#PCDATA strong em code sub sup br img icon acronym a) *	
Attributes	id xml:lang	
Used inside	header	

3.41.

meta	
Content model	(#PCDATA)
Attributes	name
	id
	xml:lang

Used inside	<u>header</u>

3.42.

body		
Content model	(section p source note warning fixme table ol ul dl figure anchor) +	
Attributes	id xml:lang	
Used inside	document	

3.43.

section		
Content model	odel (title , (section p source note warning fixme table ol ul dl figure anchor) *)	
Attributes	id xml:lang	
Used inside	body section	

3.44.

footer	
Content model	(legal)
Used inside	document

3.45.

legal		
Content model	(#PCDATA strong em code sub sup br img icon acronym a) *	
Attributes	id	_
	lu	
	xml:lang	
Used inside	footer	

3.46.

faqs	
Content model	(title ?, authors ?, (faq faqsection) +)
Attributes	id
	xml:lang

3.47.

faqsection	
Content model	(title , (faq faqsection) +)
Attributes	id
	xml:lang
Used inside	faqs faqsection

3.48.

foa		
iaq		

Content model	(question , answer)	
Attributes	id xml:lang	
Used inside	faqs faqsection	

3.49.

question			
Content model	(#PCDATA strong em code sub img icon acronym a elaboration) *	(#PCDATA strong em code sub sup br img icon acronym a elaboration) *	
Attributes	id xml:lang		
Used inside	faq		

3.50.

elaboration				
Content model	(#PCDATA strong em code sub sup br img icon acronym a) *			
Attributes	id xml:lang			
Used inside	question			

3.51.

answer				
Content model	(#PCDATA strong em code sub sup img icon acronym a p source note warning fixme table ol ul dl figure anchor) *	warning fixme table ol ul dl figure		
Attributes				
Allibutes	author			
Used inside	faq			
	·			