# Open issues for the next release

## **Table of contents**

1 [FOR-855] verify the license situation prior to each release	2
2 [FOR-868] add relevant notes to the "Upgrading" xdoc	2
3 [FOR-865] Add missing entries to status.xml to generate the changes list	2
4 [FOR-911] decide content of release	
5 [FOR-533] Auto Generate plugins.xml entry	2
6 [FOR-639] define terminology for the various aspects of Dispatcher	3
7 [FOR-735] Plugins are not correctly deployed in webapp mode	3
8 [FOR-742] trouble accessing unversioned plugin for a released version of Forrest projectInfo	
9 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes	3
10 [FOR-200] Locationmap for Forrest and Users	4
11 [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture	4
12 [FOR-644] code-style cleanup for xml files	4
13 [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html	4
14 [FOR-726] use locationmap in all of the plugins	5
15 [FOR-765] forrest war and classpath issues with Jetty	5
16 [FOR-901] Review the note on the home page about first forrest run and retrieving plugins network	
17 [FOR-906] locationmap documentation explain this-to-that.xsl naming convention and defarmatches	
18 [FOR-922] update all docs that explain sitemap fragments	5
19 [FOR-936] Forrest "looses" the locale when switching pages	6
20 [FOR-704] span-template in html2document.xsl doubles span-content	6
21 [FOR-537] Plugin documentation sitemap references	6
22 [FOR-635] images not reproduced in PDFs, if sources are in xdocs/images directory	6
23 [FOR-671] Layering error of HTML headings breaks rest of the page w/o warning	7
24 [FOR-731] empty linkmap.html document, side-effect of workaround to FOR-675	7
25 [FOR-767] Forrestbot webapp reports successful even when there are broken links	7

#### Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

### 1. [FOR-855] verify the license situation prior to each release

#### http://issues.apache.org/jira/browse/FOR-855

## 2. [FOR-868] add relevant notes to the "Upgrading" xdoc

#### http://issues.apache.org/jira/browse/FOR-868

We need to add some notes to the upgrading\_0\*.html doc for the upcoming release. This would most easily be done after attending to <a href="http://issues.apache.org/jira/browse/FOR-865" title="Add missing entries to status.xml to generate the changes list">FOR-865</a> &quot;Add missing entries to status.xml to generate the changes list&quot;.

## 3. [FOR-865] Add missing entries to status.xml to generate the changes list

#### http://issues.apache.org/jira/browse/FOR-865

There are insufficient entries in our site-author/status.xml to generate the changes.html for the upcoming release. <br/>
states of the major changes and providing cross-links to the issue tracker, this file also provides recognition of contributions ... at the moment there are too few. It also has the importance=high attribute, which generates our release announcement ... again, too few. <br/>
str/> Re: better use of changes.html (Was: Community health) <br/>
str/> <a href="http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001</a>

#### 4. [FOR-911] decide content of release

#### http://issues.apache.org/jira/browse/FOR-911

For past releases we have essentially done a " source" release, i.e. pack everything found in svn trunk including a pre-built forrest binary jar file. <br/>
<br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.8 release] <br/>
&nbsp;content of release [was: Re: review list of scheduled issues for 0.

## 5. [FOR-533] Auto Generate plugins.xml entry

#### http://issues.apache.org/jira/browse/FOR-533

The information in the plugins.xml file would be better kept in the plugin directory and added to the plugins.xml file when deployed. This would reduce the amount of duplication in the plugins config files. <br/>
<br/>
<br/>
All the necessary values are now in the plugin build.xml file. <br/>
<br/>
This change will require that the plugins.xml file be retrieved from the build directory rather than the plugins directory when building the plugin documentation pages. We will therefore need a fall back to retrieve this file from the network if it is not currently available - this can be done with the locationmap

## 6. [FOR-639] define terminology for the various aspects of Dispatcher

http://issues.apache.org/jira/browse/FOR-639

See the email thread: <br/> <a

## 7. [FOR-735] Plugins are not correctly deployed in webapp mode

### http://issues.apache.org/jira/browse/FOR-735

(At this point I didn't try this scenario step by step any more; basically it is what we did to setup the site, except that we copied our project data from forrest 0.6 before trying the pdf links) <br/> <br/> - run forrest webapp to create an empty webapp <br/> - configure Tomcat to run the webapp (we did it by creating a context descriptor and put it onder Tomcat's config directory) <br/> - the pdf links give an error &quot;Resource Not Found&quot;

# 8. [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo

#### http://issues.apache.org/jira/browse/FOR-742

The plugin retrieval and deployment process are not quite correct. Recently the projectInfo plugin had its version number incremented and the "unversioned" plugin now relates specifically to 0.8-dev version. That prevents 0.7 from accessing the relevant plugin. <br/> <br/> The solution is discussed here: <br/> <a href="https://example.com/decentral-new months for the content of the c

href="http://marc.theaimsgroup.com/?t=113176328300002">http://marc.theaimsgroup.com/?t=1131763283000

## 9. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

#### http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source: <br/> <br/> <a

href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g<br/>
<br/>
<br/>
<br/>
<br/>
instead. So I correct it to become: <br/>
<br/>
<br/>
<a href="http://sourceforge.net/sflogo.php?g">http://sourceforge.net/sflogo.php?g</a>

href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g<br/>
<br/>
<

<br/>
<br/>
<br/>
<br/>
<br/>
<br/>
This HTML fails validation as 4.01 transitional. <br/>
<br/>
<br/>
<br/>
<br/>
<br/>
David Crossley adds: <br/>
<br/>
<br/>
<br/>
<br/>
<br/>
This HTML fails validation as 4.01 transitional. <br/>
<br/>
<br/>
<br/>
Abr/>
<br/>
David Crossley adds: <br/>
<br/>
<br/>
This HTML fails validation as 4.01 transitional. <br/>
<br/>
Abr/>
<br/>
David Crossley adds: <br/>
<br/>
Abr/>
<br/>
David Crossley adds: <br/>
<br/>
Abr/>
<br/>
David Crossley adds: <br/>
<br/>
Abr/>
David Crossley adds: <br/>
<br/>
Abr/>
David Crossley adds: <br/>
<br/>
Abr/>
David Crossley adds: <br/>
Abr/>
Abr/
Abr/

David Crossley adds: <br/>
Abr/
Abr/

David Crossley adds: <br/>
Abr/
Abr/

David Crossley adds: <br/>
Abr/

David

There is a demonstration of the problem in the document <br/>br/>

src/documentation/content/xdocs/docs/dreams.xml <br/> The ampersand in the link element text is properly handled but <br/> the ampersand in the link href attribute is not.

## 10. [FOR-200] Locationmap for Forrest and Users

#### http://issues.apache.org/jira/browse/FOR-200

The locationmap gives us the ability to specify where sources are, both for Forrest and for the users. <br/> <br/>br/> <br/>Beware that it will not work for raw files that are not linked, as this &quot;feature&quot; currently uses a fixed dir being being copied by Ant.

## 11. [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture

#### http://issues.apache.org/jira/browse/FOR-546

The example at <a

href="http://forrest.apache.org/0.7/docs/sitemap-ref.html#pdf">http://forrest.apache.org/0.7/docs/sitemap-re

&nbsp

</map:components&gt; <br/> <br/> I found out about this because my sitemap uses the fo2pdf too (docbook to PDF), and had to add the serializer.

## 12. [FOR-644] code-style cleanup for xml files

#### http://issues.apache.org/jira/browse/FOR-644

We have much inconsistent whitespace in all of our files. This is known to cause trouble in a collaborative environment. See discussion at: <a

href="http://marc.theaimsgroup.com/?t=112450901100001">http://marc.theaimsgroup.com/?t=112450901100001

href="http://marc.theaimsgroup.com/?t=112495618800002">http://marc.theaimsgroup.com/?t=1124956188000 and various linked discussions. <br/>

## 13. [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html

#### http://issues.apache.org/jira/browse/FOR-666

The pattern matching example is quite misleading. There should be a note where exactly to copy your old site (in a standard seeded project) to make the pattern matching work. <br/>
<br/>
At least for me it worked only after I used a \*\*.html directeive. <br/>
<br/>
<br/>
<br/>
&lt;map:match pattern=&quot;old\_site/\*\*.html&quot;&gt;

## 14. [FOR-726] use locationmap in all of the plugins

#### http://issues.apache.org/jira/browse/FOR-726

Each plugin has sitemaps that need to use the locationmap. <br/> <br/> <br/> (Perhaps we need Jira sub-tasks for each plugin.)

## 15. [FOR-765] forrest war and classpath issues with Jetty

#### http://issues.apache.org/jira/browse/FOR-765

Until recently we could run forrest as a WAR with Jetty. With today's SVN r356945 it gets past the Cocoon startup phase, then on the first client request it suffers some error which causes a NoSuchMethodError. See attached log ... no other clues. This happens for any site, e.g. 'forrest seed-sample war'. All is okay for 'forrest seed-sample run'. This indicates a classpath issue with Jetty/Forrest configuration.

# 16. [FOR-901] Review the note on the home page about first forrest run and retrieving plugins from network

#### http://issues.apache.org/jira/browse/FOR-901

Review the note on the home page about first forrest run and retrieving plugins from network <br/> <a href="http://svn.apache.org/viewvc/forrest/trunk/site-author/content/xdocs/index.xml?r1=365495&r2=365494&

## 17. [FOR-906] locationmap documentation explain this-to-that.xsl naming convention and default lm matches

#### http://issues.apache.org/jira/browse/FOR-906

Explain this-to-that.xsl naming convention and default locationmap matches.

## 18. [FOR-922] update all docs that explain sitemap fragments

#### http://issues.apache.org/jira/browse/FOR-922

There are various documents that explain parts of the sitemaps. Some of these mention pathnames, some have actual fragments of code copied from sitemaps. All of this needs to be updated to reflect the current sitemaps. <br/>
<br/>
- br/> The sitemaps were recently updated to use locationmap, some sitemaps were simplified, filenames were changed, e.g. document2html.xsl to document-to-html.xsl <br/>
- br/> These changes need to be reflected in the current docs.

## 19. [FOR-936] Forrest "looses" the locale when switching pages

### http://issues.apache.org/jira/browse/FOR-936

When moving from one page to another and switching locales in between, the chosen locale is lost when entering the new page. To reproduce: <br/>
<br/>
2) open a localized page <br/>
<br/>
3) switch locale by appending '?locale=XY' in the address field <br/>
open another page available in both the original locale (before the switch) and the new locale XY <br/>
<br/>
<br/>
<br/>
<br/>
<br/>
Although one could argue that the described behaviour is wanted in some cases, I believe that to most users it would be natural that the locale is &quot;sticky&quot; once changed - it should not change back by itself. Thus, the &quot;sticky&quot; behaviour should be default in Forrest. <br/>
<br/>
<br/>
<br/>
<br/>
<br/>
The fix is simple, patch to come soon.

## 20. [FOR-704] span-template in html2document.xsl doubles span-content

#### http://issues.apache.org/jira/browse/FOR-704

template for span-element traverses to children elements via xsl:apply-templates TWICE! <br/>
once in xsl:choose, than outside <br/>
thus producing doubling the content of span. <br/>
':: <br/>
&nbsp;&nbsp;&nbsp;&nbsp;&lt;xsl:template match=&quot;span&quot;&gt; <br/>
&lt;xsl:choose&gt; <br/>
&lt;!-- ... --&gt; <br/>
&lt;xsl:otherwise&gt; <br/>
&lt;xsl:choose&gt; <br/>
&lt;xsl:choose&gt; <br/>
&lt;xsl:choose&gt; <br/>
&nbsp;&nbsp

## 21. [FOR-537] Plugin documentation sitemap references

#### http://issues.apache.org/jira/browse/FOR-537

This one references: <br/> &quot;FORREST\_INSTALL\_DIR/plugins/sitemap.xmap&quot; <br/> and <br/> &quot;src/plugins/sitemap.xmap&quot; <br/> and <br/> &quot;&lt;map:mount uri-prefix=&quot;&quot; <br/>

 $href="http://forrest.apache.org/0.7/docs/plugins/pluginInfrastructure.html \#How+does+Installation+work\%\,3F"> <br/> <br/> <br/> <br/> --tim$ 

# 22. [FOR-635] images not reproduced in PDFs, if sources are in xdocs/images directory

#### http://issues.apache.org/jira/browse/FOR-635

We used to enable images to be placed in the xdocs/images directory. However, now they are intended to go in the resources/images directory instead. Both methods will work for html pages, but only the latter method for the PDF pages.

# 23. [FOR-671] Layering error of HTML headings breaks rest of the page w/o warning

#### http://issues.apache.org/jira/browse/FOR-671

Up to revision 280144 if you make Forrest display the following file as a skinned .html-file in Forrest, you'll only see the title. Only if you fix the layering error of the headings and make h2 into h1 will the rest of the page content show. <br/>
<br/> <br/>
| Str/> <br/>| St

encoding="ISO-8859-1"?> <br/> &lt;!DOCTYPE html PUBLIC &quot;-//W3C//DTD XHTML 1.0 Strict//EN&quot; &quot;<a

href="http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd</a>

<br/>&lt;html&gt; <br/>&lt;head&gt; <br/>&lt;title&gt;Englisch&lt;/title&gt; <br/>&lt;/head&gt; <br/>&lt;body class=&quot;Oberbereich&quot;&gt; <br/>&lt;h2&gt;Kursthemen&lt;/h2&gt; <br/>

<ul class=&quot;Kursthemenliste&quot;&gt; <br/>br/> &lt;li

class="Kurstthemenlistenpunkt"> <br/> &lt;a

class="Kursthemenliste\_Listenpunkt"

href="\$KursthemaDateiname">Getting Started in Business (Abendkurs 1 x wöchentlich) <br/>>

href="\$KursthemaDateiname">Getting Ahead in Business (Abendkurs 1 x wöchentlich) <br/> <br/>

wöcnentlich) <br/>
&nbsp;&

class="Kursthemenliste\_Listenpunkt" href="\$KursthemaDateiname">Complaints, Reports and other Messages

(Wochenendseminar) <br/>
&nbsp;&nbsp

<br/>&lt;/li&gt; <br/>&lt;/ul&gt; <br/>&lt;/body&gt; <br/>&lt;/html&gt;

# 24. [FOR-731] empty linkmap.html document, side-effect of workaround to FOR-675

#### http://issues.apache.org/jira/browse/FOR-731

The main/webapp/resources/stylesheets/linkmap-to-document.xsl has a workaround for a side-effect to the of the workaround for issue <a href="http://issues.apache.org/jira/browse/FOR-675" title="upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc.">FOR-675</a>.

## 25. [FOR-767] Forrestbot webapp reports successful even when there are broken links

http://issues.apache.org/jira/browse/FOR-767

We should also report why it failed: <br/> <br/> - plugin problem <br/> - broken link (with a link to

the broken links file) <br/>- ?? <br/>