Open issues for the next release

Table of contents

1 [FOR-713] HTML-to-document.xsl no longer generates an XDoc	2
2 [FOR-762] Default page URL for breadcrumbs and site: links	2
3 [FOR-591] MaxMemory needs increasing	2
4 [FOR-388] Use plugins in-place if src available	2
5 [FOR-735] Plugins are not correctly deployed in webapp mode	3
6 [FOR-707] Document i18n features of Forrest	3
7 [FOR-711] Cache results from the Locationmap	3
8 [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, projectInfo	
9 [FOR-533] Auto Generate plugins.xml entry	3
10 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes	4
11 [FOR-210] whole-site html and pdf: broken link faq, broken image links	4
12 [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs	4
13 [FOR-211] whole-site html and pdf: broken ext links	4
14 [FOR-203] 2nd level tabs are not selected appropriately	4
15 [FOR-200] Locationmap for Forrest and Users	5
16 [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture	5
17 [FOR-560] Remove duplicate jars from eclipse plugins	5
18 [FOR-562] Update Plugins howto	5
19 [FOR-645] patches for whitespace cleanup	6
20 [FOR-644] whitespace cleanup	6
21 [FOR-721] entries without labels in site.xml are now being crawled and generated	6
22 [FOR-677] leading slash in gathered URIs causes double the number of links to be processed	6
23 [FOR-699] Beginner HowTos for installing Forrest	7
24 [FOR-705] Target of LocationMap rewriteDemo causes build failure when target not available	e7
25 [FOR-765] forrest war gets NoSuchMethodError for some core transformer	7

Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

1. [FOR-713] HTML-to-document.xsl no longer generates an XDoc

http://issues.apache.org/jira/browse/FOR-713

html-to-document.xsl no longer converts content to an XDoc. Instead it renders converts documents to XDoc, instead it allows H1, H2 etc. elements to pass through.

seems to render correctly and in the single test case I have used it still renders correctly in PDF and Text format. However, this is a backward incompatible change that will break sites that use includes with XPath statements such as /section[@id="foo"] (sections are no longer created)

depth of the depth of the converse of the con

2. [FOR-762] Default page URL for breadcrumbs and site: links

http://issues.apache.org/jira/browse/FOR-762

When employing breadcrumbs,

 if the user is in node subdir, then clicks dir,
 cocoon returns " The requested resource " /dir /" could not be found.
 The link's absolute path during testing is http://localhost:8888/dir/
 Case 1. If you place an index.html file under http://localhost:8888/dir/ for a redirect or viewable content,
 clicking on breadcrumbs' dir link throws the error.
 Case 2. If you manually enter the index.html in the browser path after http://localhost:8888/dir/
 Case 2. If you manually enter the index.html in the browser path after http://localhost:8888/dir/

href="http://localhost:8888/dir/,">http://localhost:8888/dir/, the request is handled.
 Case 3. If sitemap has match="dir/index.html", cocoon still isn't happy with request dir/

 Cocoon does not appear to assume the end node directory is index.* and thus appends no file automatically as tomcat or the http server does so it must be manually done.

3. [FOR-591] MaxMemory needs increasing

http://issues.apache.org/jira/browse/FOR-591

Since the docs restructurng for the 0.7 release it has become necessary to increase the maxmemory to be able to build the Forrest site.
br> Does this indicate a memory leak?
br> Obes someone have the tools to run some diagnostics?
br>
br> (NB maxmemory has been increased in forrest.properties, if we resolve this issue it should be reduced again)

4. [FOR-388] Use plugins in-place if src available

http://issues.apache.org/jira/browse/FOR-388

At present Forrest will attempt to download plugins even if they are available in src form in the local filesystem as part of an SVN checkout.

- Have Forrest mount plugins from designated directories in preference to downloading them wherever possible (need more than posible location for src plugins as some people may be developing their own plugins outside of Forrest)

- br>

5. [FOR-735] Plugins are not correctly deployed in webapp mode

http://issues.apache.org/jira/browse/FOR-735

(At this point I didn't try this scenario step by step any more; basically it is what we did to setup the site, except that we copied our project data from forrest 0.6 before trying the pdf links)
br> - run forrest webapp to create an empty webapp
br> - configure Tomcat to run the webapp (we did it by creating a context descriptor and put it onder Tomcat's config directory)
br> - the pdf links give an error "Resource Not Found"

6. [FOR-707] Document i18n features of Forrest

http://issues.apache.org/jira/browse/FOR-707

There is next to no documentation about i18n, just a pretty poor FAQ entry that points at an issue that has now been closed.

closed. <br

7. [FOR-711] Cache results from the Locationmap

http://issues.apache.org/jira/browse/FOR-711

Now that we are using the locationmap extensively it is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap.

I think a simple cache will sufice, lets just provide a static hashmap using the hint as a key and, of course, the location as the value.

If we test all locationmaps and find no result we should record that tere is no result in this hashmap. This will also be a good place to throw an exception so that Cocoon can better report such errors (see FOR-701)

8. [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo

http://issues.apache.org/jira/browse/FOR-742

The plugin retrieval and deployment process are not quite correct. Recently the projectInfo plugin had its version number incremented and the "unversioned" plugin now relates specifically to 0.8-dev version. That prevents 0.7 from accessing the relevant plugin.

br>
 The solution is discussed here:
 http://marc.theaimsgroup.com/?t=1131763283000

9. [FOR-533] Auto Generate plugins.xml entry

http://issues.apache.org/jira/browse/FOR-533

The information in the plugins.xml file would be better kept in the plugin directory and added to the

plugins.xml file when deployed. This would reduce the amount of duplication in the plugins config files.

h>
 All the necessary values are now in the plugin build.xml file.

 This change will require that the plugins.xml file be retrieved from the build directory rather than the plugins directory when building the plugin documentation pages. We will therefore need a fall back to retrieve this file from the network if it is not currently available - this can be done with the locationmap

10. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source:

 http://sourceforge.net/sflogo.php?g

instead. So I correct it to become:

<a href="http://sourceforge.net/sflogo.php?g

href="http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g

 However, the generated HTML has the entity resolution UNDONE!:

 http://sourceforge.net/sflogo.php?g

href="http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g

 This HTML fails validation as 4.01 transitional.

 Abrough Crossley adds:

Abrough Crossley adds:
Abrough Crossley adds:
Abrough

There is a demonstration of the problem in the document
br>

src/documentation/content/xdocs/docs/dreams.xml
 The ampersand in the link element text is properly handled but
 the ampersand in the link href attribute is not.

11. [FOR-210] whole-site html and pdf: broken link faq, broken image links

http://issues.apache.org/jira/browse/FOR-210

12. [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs

http://issues.apache.org/jira/browse/FOR-209

When there are two levels of tabs, the selected first level tab does not get highlighted, nor are there any other visual or structural clues as to which first-level tab is active, and which contains the displayed 2nd level tabs.

br> This is checked with both the default skin, and with tigris-style.

 try>

13. [FOR-211] whole-site html and pdf: broken ext links

http://issues.apache.org/jira/browse/FOR-211

In the generated site.html all of the external links are broken (i.e. the href attributes are like ... error:#ext:forrest).

14. [FOR-203] 2nd level tabs are not selected appropriately

http://issues.apache.org/jira/browse/FOR-203

15. [FOR-200] Locationmap for Forrest and Users

http://issues.apache.org/jira/browse/FOR-200

The locationmap gives us the ability to specify where sources are, both for Forrest and for the users.

br>
 Beware that it will not work for raw files that are not linked, as this "feature" currently uses a fixed dir being being copied by Ant.

16. [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture

http://issues.apache.org/jira/browse/FOR-546

The example at http://forrest.apache.org/0.7/docs/sitemap-re

<map:serializer name="fo2pdf"
br> &n

</map:components>

 I found out about this because my sitemap uses the fo2pdf too (docbook to PDF), and had to add the serializer.

17. [FOR-560] Remove duplicate jars from eclipse plugins

http://issues.apache.org/jira/browse/FOR-560

tools/eclipse/plugins/org.apache.forrest.eclipse.servletEngine/lib contains some duplicate jars to those in the main Forrest trunk. We should find a way of reusing the jars from their existing location.

18. [FOR-562] Update Plugins howto

http://issues.apache.org/jira/browse/FOR-562

The document at http://forrest.apache.org/docs_0_70/needs to be updated in the following ways:

 - remove warnings about instability
 - add details about creating plugins outside of FORREST_HOME (mkdir PROJECT_HOME/plugins, copy whiteboard/plugins/build.xml to PROJECT_HOME/plugins, edit forrest.plugins.dir property)
 - update section on seeding a plugin to reflect working outside of FORREST_HOME
 - remove the existing note about copying build.xml

 - kp> NB here should be no need to edit the forrest.plugins.dir, simply set it to '.'
 - In addition the buil file template should really be provided from the plugins directory rather than the whiteboard dir

 - kp> <

19. [FOR-645] patches for whitespace cleanup

http://issues.apache.org/jira/browse/FOR-645

Use this issue to provide patches for the whitespace cleanup.

20. [FOR-644] whitespace cleanup

http://issues.apache.org/jira/browse/FOR-644

We have much inconsistent whitespace in all of our files. This is known to cause trouble in a collaborative environment. See discussion at: http://marc.theaimsgroup.com/?t=1124509011000 and see the list at trunk/etc/whitespace-cleanup.txt
br> This Issue will be used to announce which section of the repository is due to be cleaned next. Please keep discussion on that mail thread.

21. [FOR-721] entries without labels in site.xml are now being crawled and generated

http://issues.apache.org/jira/browse/FOR-721

In our forrest/site-author/content/xdocs/site.xml there are two entries without "label" attributes. Previously these documents were not being generated. Not sure if this change in behaviour is good or bad. Needs investigation.

br> This is most likely a side-effect of the workaround for issue FOR-675

22. [FOR-677] leading slash in gathered URIs causes double the number of links to be processed

http://issues.apache.org/jira/browse/FOR-677

Doing 'forrest' starts at the virtual document called linkmap.html where the Cocoon crawler gathers the initial set of links, then starts crawling and generating pages. Any new links are pushed onto the linkmap. However, for some sites, such as our own "seed-sample" and our "site-author", there is a sudden jump in the number of URIs remaining to be processed.

This is due to a URI with a leading slash (e.g. /samples/faq.html). When that URI is processed, it gains a whole new set of links all with leading slashes, and so the list of URIs is

potentially doubled.

 This issue could be due to a user error, i.e. adding a link that deliberately begins with a slash. Sometimes, that is unavoidable.

 + br> However, we do have a sitemap transformer to "relativize" and "absolutize" the links. Should it always trim the leading slash? Or are there cases where that should not happen, so cannot generalise?

23. [FOR-699] Beginner HowTos for installing Forrest

http://issues.apache.org/jira/browse/FOR-699

These are a whole group of HowTos that I wrote for my local users (probably a tutorial would be a better format). They are not complete, nor tidied at this point, but they cover a lot of basic step-by-step stuff specifically geared towards Linux with Gnome desktop and Windows XP. Figured I would put them out there so we can pull out bits we may want to use.

24. [FOR-705] Target of LocationMap rewriteDemo causes build failure when target not available

http://issues.apache.org/jira/browse/FOR-705

Build fails when given target URL of rewriteDemo is not available (site down, no longer exists, incorrect URL typing etc).
br> For various reasons given in [1] and [2] this default feature should remain but alternative options should be made available. Possible solutions given in [3]
br>
| [1] http://marc.theaimsgroup.com/?l=

br>
[2] http://marc.theaimsgroup.com/?l=forest-dev&m=11270994920771

25. [FOR-765] forrest war gets NoSuchMethodError for some core transformer

http://issues.apache.org/jira/browse/FOR-765

Until recently we could run forrest as a WAR. With today's SVN r356945 it gets past the Cocoon startup phase, then on the first client request it suffers some error which causes a NoSuchMethodError. See attached log ... no other clues. This happens for any site, e.g. 'forrest seed-sample war'. All is okay for 'forrest seed-sample run'.