DTD documentation

Table of contents

1. Top-level element(s)

- document
- howto
- overview

2. List of elements

- a
- abstract
- acronym
- anchor
- answer
- area
- audience
- authors
- body
- br
- caption
- code
- dd
- dl
- document
- dt
- elaboration
- em
- extension
- faq
- faqs
- faqsection
- feedback
- figure
- fixme
- footer
- header
- howto
- icon
- img
- last-modified-content-date
- legal
- li
- map
- meta
- note
- notice
- ol
- overview
- p
- person

3. Element declarations

3.1.

person			
Content model	EMPTY		
Attributes	id		type:
	class		type:
	xml:lang		type:
	name		type: requir
	email		type: requir
Used inside	[authors](#)		

3.2.

strong	
Content model	(#PCDATA	[strong](#)	[em](#)	[code](#)	[sub](#)	[sup](#)	[br](#)	[img](#)	[icon](#)	[acronym](#)	[map](#)	[a](#)) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	subtitle	notice	abstract	legal	question	elaboration	answer

3.3.

em
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	subtitle	notice	abstract	legal	question	elaboration	answer

3.4.

code
Content model	(#PCDATA)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	subtitle	notice	abstract	legal	question	elaboration	answer

3.5.

sup		
Content model	(#PCDATA)	
Attributes	id		type:
	class		type:
	xml:lang		type:
Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	subtitle	notice	abstract	legal	question	elaboration	answer	

3.6.

sub		
Content model	(#PCDATA)	
Attributes	id		type:
	class		type:
	xml:lang		type:
Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	subtitle	notice	abstract	legal	question	elaboration	answer	

3.7.

a		
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map) *	
Attributes	id		type:
	class		type:
	xml:lang		type:
	href		type: C requir
	title		type: C

Used inside	strong	em	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	notice	abstract	legal	question	elaboration	answer

3.8.

br	
Content model	EMPTY

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	notice	abstract	legal	question	elaboration	answer

3.9.

img	
Content model	EMPTY

Attributes	src		type: (requir
	alt		type: (requir
	height		type: (
	width		type: (
	usemap		type: (
	ismap		possib
	id		type:
	class		type:
	xml:lang		type:

Used inside	strong	em	a	p	source	note	warning	fixme	caption	th	td	li	dt	dd	title	notice	abstract	legal	question	elaboration	answer

3.10.

map			
Content model	(<u>area</u> +)		
Attributes	name		type: (
Used inside	<u>strong</u> | <u>em</u> | <u>a</u> | <u>p</u> | <u>source</u> | <u>note</u> | <u>warning</u> | <u>fixme</u> | <u>caption</u> | <u>th</u> | <u>td</u> | <u>li</u> | <u>dt</u> | <u>dd</u> | <u>title</u> | <u>notice</u> | <u>abstract</u> | <u>legal</u> | <u>question</u> | <u>elaboration</u> | <u>answer</u>		

3.11.

area			
Content model	EMPTY		
Attributes	shape		defaul possib defaul
	coords		type: (
	href		type: (requir
	title		type: (
	nohref		possib
	alt		type: (requir
Used inside	<u>map</u>		

3.12.

icon			
Content model	EMPTY		
Attributes	src		type: (requir
	alt		type: (requir
	height		type: (
	width		type: (

	id		type: I
	class		type: I
	xml:lang		type: I

Used inside	strong | em | a | p | source | note | warning | fixme | caption | th | td | li | dt | dd | title | notice | abstract | legal | question | elaboration | answer

3.13.

acronym			
Content model	(#PCDATA) *		

Attributes	title		type: C requir
	id		type: I
	class		type: I
	xml:lang		type: I

Used inside	strong | em | a | p | source | note | warning | fixme | caption | th | td | li | dt | dd | title | notice | abstract | legal | question | elaboration | answer

3.14.

p			
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *		

Attributes	id		type: I
	class		type: I
	xml:lang		type: I
	xml:space		possib prese

Used inside	th | td | li | dd | body | section | answer | overview | purpose | prerequisites | audience | steps | extension | tips | references | feedback

3.15.

source			
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *		
Attributes	id		type:
	class		type:
	xml:lang		type:
	xml:space		defau fixed possib prese
Used inside	th	td	li	dd	body	section	answer	overview	purpose	prerequisites	audience	steps	extension	tips	references	feedback		

3.16.

note			
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *		
Attributes	label		type:
	id		type:
	class		type:
	xml:lang		type:
Used inside	th	td	li	dd	body	section	answer	overview	purpose	prerequisites	audience	steps	extension	tips	references	feedback		

3.17.

warning			
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *		
Attributes	label		type:

	id		type:
	class		type:
	xml:lang		type:

Used inside	th	td	li	dd	body	section	answer	overview	purpose	prerequisites	audience	steps	extension	tips	references	feedback

3.18.

fixme			
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *		

Attributes	author		type: C require
	id		type:
	class		type:
	xml:lang		type:

Used inside	th	td	li	dd	body	section	answer	overview	purpose	prerequisites	audience	steps	extension	tips	references	feedback

3.19.

table			
Content model	(caption ? , tr +)		

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	th	td	li	dd	body	section	answer	overview	purpose	prerequisites	audience	steps	extension	tips	references	feedback

3.20.

caption			
Content model	(#PCDATA | <u>strong</u> | <u>em</u> | <u>code</u> | <u>sub</u> | <u>sup</u> | <u>br</u> | <u>img</u> | <u>icon</u> | <u>acronym</u> | <u>map</u> | <u>a</u>) *		

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	table

3.21.

tr			
Content model	(<u>th</u> | <u>td</u>) +		

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	table

3.22.

th			
Content model	(#PCDATA | <u>strong</u> | <u>em</u> | <u>code</u> | <u>sub</u> | <u>sup</u> | <u>br</u> | <u>img</u> | <u>icon</u> | <u>acronym</u> | <u>map</u> | <u>a</u> | <u>p</u> | <u>source</u> | <u>note</u> | <u>warning</u> | <u>fixme</u> | <u>table</u> | <u>ol</u> | <u>ul</u> | <u>dl</u> | <u>figure</u> | <u>anchor</u>) *		

Attributes	id		type:
	class		type:
	xml:lang		type:
	colspan		type: default
	rowspan		type: default

Used inside	tr

3.23.

td	
Content model	(#PCDATA | <u>strong</u> | <u>em</u> | <u>code</u> | <u>sub</u> | <u>sup</u> | <u>br</u> | <u>img</u> | <u>icon</u> | <u>acronym</u> | <u>map</u> | <u>a</u> | <u>p</u> | <u>source</u> | <u>note</u> | <u>warning</u> | <u>fixme</u> | <u>table</u> | <u>ol</u> | <u>ul</u> | <u>dl</u> | <u>figure</u> | <u>anchor</u>) *

Attributes	id		type:
	class		type:
	xml:lang		type:
	colspan		type: (default
	rowspan		type: (default

Used inside	<u>tr</u>

3.24.

li	
Content model	(#PCDATA | <u>strong</u> | <u>em</u> | <u>code</u> | <u>sub</u> | <u>sup</u> | <u>br</u> | <u>img</u> | <u>icon</u> | <u>acronym</u> | <u>map</u> | <u>a</u> | <u>p</u> | <u>source</u> | <u>note</u> | <u>warning</u> | <u>fixme</u> | <u>table</u> | <u>ol</u> | <u>ul</u> | <u>dl</u> | <u>figure</u> | <u>anchor</u>) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	<u>ul</u>	<u>ol</u>

3.25.

ul	
Content model	(<u>li</u>) +

Attributes	id		type:
	class		type:
	xml:lang		type:

	spacing		possib compa

Used inside	th | td | li | dd | body | section | answer | overview | purpose | prerequisites | audience | steps | extension | tips | references | feedback	

3.26.

ol	
Content model	(li) +

Attributes	id		type:
	class		type:
	xml:lang		type:
	spacing		possib compa

Used inside	th | td | li | dd | body | section | answer | overview | purpose | prerequisites | audience | steps | extension | tips | references | feedback	

3.27.

dl	
Content model	(dt , dd) +

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	th | td | li | dd | body | section | answer | overview | purpose | prerequisites | audience | steps | extension | tips | references | feedback	

3.28.

dt	
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	dl

3.29.

dd	
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a | p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	dl

3.30.

figure	
Content model	EMPTY

Attributes	src		type: (required
	alt		type: (required
	height		type: (
	width		type: (
	usemap		type: (
	ismap		possib
	align		type: (
	id		type:
	class		type:
	xml:lang		type:

Used inside	th | td | li | dd | body | section | answer | overview | purpose | prerequisites | audience | steps | extension | tips | references | feedback

3.31.

anchor		
Content model	EMPTY	
Attributes	id	type: ... requir...
	class	type: ...
	xml:lang	type: ...
Used inside	th | td | li | dd | body | section | answer | overview | purpose | prerequisites | audience | steps | extension | tips | references | feedback	

3.32.

document		
Content model	(header , body , footer ?)	
Attributes	id	type:
	class	type:
	xml:lang	type:

3.33.

header		
Content model	(title , subtitle ? , version ? , type ? , authors ? , notice * , abstract ? , meta * , last-modified-content-date)	
Attributes	id	type:
	class	type:
	xml:lang	type:
Used inside	document | howto	

3.34.

title			
Content model	(#PCDATA | strong | em | code | sub | sup | a | br | img | icon | acronym | map) *		
Attributes	id		type:
	class		type:
	xml:lang		type:
Used inside	header	section	faqs	faqsection		

3.35.

subtitle			
Content model	(#PCDATA | strong | em | code | sub | sup) *		
Attributes	id		type:
	class		type:
	xml:lang		type:
Used inside	header		

3.36.

version			
Content model	(#PCDATA)		
Attributes	id		type:
	class		type:
	xml:lang		type:
	major		type:
	minor		type:
	fix		type:
	tag		type:
Used inside	header		

3.37.

type	
Content model	(#PCDATA)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	header

3.38.

authors	
Content model	(person +)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	header	faqs

3.39.

notice	
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	header

3.40.

abstract	
Content model	(#PCDATA | <u>strong</u> | <u>em</u> | <u>code</u> | <u>sub</u> | <u>sup</u> | <u>br</u> | <u>img</u> | <u>icon</u> | <u>acronym</u> | <u>map</u> | <u>a</u>) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	<u>header</u>

3.41.

meta	
Content model	(#PCDATA)

Attributes	name		type: requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	<u>header</u>

3.42.

body	
Content model	(<u>section</u> | <u>p</u> | <u>source</u> | <u>note</u> | <u>warning</u> | <u>fixme</u> | <u>table</u> | <u>ol</u> | <u>ul</u> | <u>dl</u> | <u>figure</u> | <u>anchor</u>) +

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	<u>document</u>

3.43.

section	
Content model	(title , (section | p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	body	section	prerequisites	steps	tips	references

3.44.

footer	
Content model	(legal)

Used inside	document

3.45.

legal	
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	footer

3.46.

faqs	
Content model	(title ? , authors ? , (faq | faqsection) +)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	howto

3.47.

faqsection	
Content model	(title , (faq | faqsection) +)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	faqs	faqsection

3.48.

faq	
Content model	(question , answer)

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	faqs	faqsection

3.49.

question	
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a | elaboration) *

Attributes	id		type:
	class		type:
	xml:lang		type:

Used inside	faq

3.50.

elaboration			
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a) *		
Attributes	id		type:
	class		type:
	xml:lang		type:
Used inside	question		

3.51.

answer		
Content model	(#PCDATA | strong | em | code | sub | sup | br | img | icon | acronym | map | a | p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *	
Attributes	author	type:
Used inside	faq	

3.52.

howto			
Content model	(header , audience ? , purpose ? , prerequisites ? , steps , extension ? , faqs ? , tips ? , references ? , feedback ?)		
Attributes	id		type:
	class		type:
	xml:lang		type:

3.53.

overview	
Content model	(p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *

Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

3.54.

purpose		
Content model	(p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *	

Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	howto

3.55.

prerequisites		
Content model	(section | p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *	

Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	howto

3.56.

audience		
Content model	(p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *	

Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	[howto](#)

3.57.

steps

Content model	([section](#) | [p](#) | [source](#) | [note](#) | [warning](#) | [fixme](#) | [table](#) | [ol](#) | [ul](#) | [dl](#) | [figure](#) | [anchor](#)) *

Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	[howto](#)

3.58.

extension

Content model	([p](#) | [source](#) | [note](#) | [warning](#) | [fixme](#) | [table](#) | [ol](#) | [ul](#) | [dl](#) | [figure](#) | [anchor](#)) *

Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	[howto](#)

3.59.

tips			
Content model	(section | p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *		
Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:
Used inside	howto		

3.60.

references			
Content model	(section | p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *		
Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:
Used inside	howto		

3.61.

feedback			
Content model	(p | source | note | warning | fixme | table | ol | ul | dl | figure | anchor) *		
Attributes	title		type: (requir
	id		type:
	class		type:
	xml:lang		type:

Used inside	howto

3.62.

last-modified-content-date			
Content model	EMPTY		
Attributes	date		type:
			requir
Used inside	header		