## Open issues for the next release

## **Table of contents**

1 [FOR-144] define new format for skinconf.xml.	2
2 [FOR-588] Design new configuration system	2
3 [FOR-713] HTML-to-document.xsl no longer generates an XDoc	2
4 [FOR-591] MaxMemory needs increasing	2
5 [FOR-572] run a memory profiler while forrest is operating	2
6 [FOR-701] Missing locationmap entry gives poor error	3
7 [FOR-654] Create Schema for XHTML2 subset	3
8 [FOR-707] Document i18n features of Forrest	3
9 [FOR-630] Forrest strategy and direction	3
10 [FOR-388] Use plugins in-place if src available	
11 [FOR-675] upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols etc	site 4
12 [FOR-711] Cache results from the Locationmap	4
13 [FOR-490] serve multiple sites on a single Forrest instance	4
14 [FOR-343] Upgrading Plugins	5
15 [FOR-284] link rewriting broken when linking to xml source views which contain site: links.	5
16 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes	5
17 [FOR-210] whole-site html and pdf: broken link faq, broken image links	5
18 [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs	5
19 [FOR-211] whole-site html and pdf: broken ext links	6
20 [FOR-215] site.lucene name colaps with site.html request	6
21 [FOR-203] 2nd level tabs are not selected appropriately	6
22 [FOR-184] Switch to XHTML2	6
23 [FOR-187] Redefine project documentation dirs	6
24 [FOR-157] skin-descriptors comma separated list fails	7
25 [FOR-143] Encoding of HTML files should be configurable	7

#### Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

## 1. [FOR-144] define new format for skinconf.xml

#### http://issues.apache.org/jira/browse/FOR-144

We are attempting to define a new extensible skinconf format. Here is one thread where the discussion is happening (there were some other threads leading up to that). <br/>
<a href="http://marc.theaimsgroup.com/?t=108315759100005">http://marc.theaimsgroup.com/?t=1083157591000</a>
<br/>
<

## 2. [FOR-588] Design new configuration system

#### http://issues.apache.org/jira/browse/FOR-588

We need a new config system for Forrest for various reasons: the initial config system was known to be limited; to enable the specification of multiple Forrest sites within a single instance of Forrest; to accommodate the changes brought about by forrest:views, themes, and plugins.

## 3. [FOR-713] HTML-to-document.xsl no longer generates an XDoc

#### http://issues.apache.org/jira/browse/FOR-713

html-to-document.xsl no longer converts content to an XDoc. Instead it renders converts documents to XDoc, instead it allows H1, H2 etc. elements to pass through. <br/>
seems to render correctly and in the single test case I have used it still renders correctly in PDF and Text format. However, this is a backward incompatible change that will break sites that use includes with XPath statements such as /section[@id=&quot;foo&quot;] (sections are no longer created) <br/>
<br/>
<br/>
<br/>
<br/>
depth of the depth of the converse of the con

## 4. [FOR-591] MaxMemory needs increasing

#### http://issues.apache.org/jira/browse/FOR-591

Since the docs restructurng for the 0.7 release it has become necessary to increase the maxmemory to be able to build the Forrest site. <br/>br> Does this indicate a memory leak? <br/>br> Does someone have the tools to run some diagnostics? <br/>br> (NB maxmemory has been increased in forrest.properties, if we resolve this issue it should be reduced again)

## 5. [FOR-572] run a memory profiler while forrest is operating

#### http://issues.apache.org/jira/browse/FOR-572

We need to run a memory profiler while forrest is operating.

## 6. [FOR-701] Missing locationmap entry gives poor error

#### http://issues.apache.org/jira/browse/FOR-701

If there is no locationmap entry for a resource we get a " resource not found" error. This is fine if it is the actual source file that is missing. However, now that we are using the LM to find other intermediate resources, such as stylesheets etc. it can be misleading. <br/> <br/>br> We need to throw a meaningful error when when a resource cannot be found.

## 7. [FOR-654] Create Schema for XHTML2 subset

### http://issues.apache.org/jira/browse/FOR-654

We need a RelaxNG schema for the subset of XHTML identified in: <br/> <a href="http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948883088&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488

## 8. [FOR-707] Document i18n features of Forrest

### http://issues.apache.org/jira/browse/FOR-707

There is next to no documentation about i18n, just a pretty poor FAQ entry that points at an issue that has now been closed. <br/>
closed. <br

## 9. [FOR-630] Forrest strategy and direction

#### http://issues.apache.org/jira/browse/FOR-630

Topics for discussion gathered at ApacheCon EU 2005. <br/>
<br/>
dr> wARNING: Only reply to the general theme of this <br/>
dr> topics list. Please create separate threads for <br/>
dr> each specific topic. <br/>
dr> Actually we should be using Jira for some of this. <br/>
dr> How about discussing on the mailing list, and <br/>
dr> putting summaries into Jira. <br/>
dr> I have the scraps of paper that Nicola Ken wrote. <br/>
dr> Photographs are in: <br/>
dr> <a

\* [S] Documentation mismatch. Docs are distributed in <br/>
\* &nbsp;&nbsp;various places: site, plugins, seed. <br/>
\* br> <br/>
\* Block documentation for Cocoon (/Forrest). <br/>
\* br> <br/>
\* [C] Pre-processing plugins. <br/>
\* br> <br/>
\* Flow of the plugin process. <br/>
\* &nbsp;&nbsp;&nbsp;plugins - locationmap / flow #? this line obscure #? <br/>
\* br> <br/>
\* Memory profiling. <br/>
\* br> <br/>
\* Better use of Jira. <br/>
\* br> \* [S] XHTML2 transition. <br/>
\* br> \* [S] Live Forrest for Apache. <br/>
\* &nbsp;&nbsp;(a configuration usecase) <br/>
\* br> \* [S] New skins for views. <br/>
\* br> \* br> \* Views ... body=&quot;true|false&quot; head=&quot;true|false&quot; <br/>
\* br> \* The \*.ft files in a plugin (one-to-many). <br/>
\* br> \* br> \* Move into Java -&gt; 0.9.5 or when needed. #? no idea what #? <br/>
\* &nbsp;&nbsp;&nbsp;&nbsp; <br/>
\* br> \* [C] View / doctypes. <br/>
\* br> \* &nbsp;&nbsp;(view in view) <br/>
\* br> \* [C] Content directory.

## 10. [FOR-388] Use plugins in-place if src available

#### http://issues.apache.org/jira/browse/FOR-388

At present Forrest will attempt to download plugins even if they are available in src form in the local filesystem as part of an SVN checkout. <br/>
<br/>
- Have Forrest mount plugins from designated directories in preference to downloading them wherever possible (need more than posible location for src plugins as some people may be developing their own plugins outside of Forrest) <br/>
- br>

# 11. [FOR-675] upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc.

## http://issues.apache.org/jira/browse/FOR-675

upgrading from commons-jxpath-20030909.jar to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc. This happens in both modes: 'forret run' and 'forrest'.

## 12. [FOR-711] Cache results from the Locationmap

#### http://issues.apache.org/jira/browse/FOR-711

Now that we are using the locationmap extensively it is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap. <br/>
<br/>
<br/>
<br/>
I think a simple cache will sufice, lets just provide a static hashmap using the hint as a key and, of course, the location as the value. <br/>
<br/>
<br/>
<br/>
If we test all locationmaps and find no result we should record that tere is no result in this hashmap. This will also be a good place to throw an exception so that Cocoon can better report such errors (see FOR-701)

### 13. [FOR-490] serve multiple sites on a single Forrest instance

#### http://issues.apache.org/jira/browse/FOR-490

Nicola Ken Barozzi wrote:<br/>
&gt; After that, it would be beneficial to be able to serve <br/>
&gt;
multiple sites on a single Forrest instance, so that we <br/>
&gt; can have other projects join and <br/>
&gt; have their site served.<br/>
<br/>
br> This last point (seving multiple &quot;sites&quot; from one Forrest<br/>
br> instance) is important even without moving Forrest to a<br/>
br> live server (I'm +1 on this).<br/>
<br/>
Right now we have various styleguides in Forrest and if<br/>
I need to run them at

once I have to start Forrest/jetty<br/>
with different ports.<br/>
str> (From Thread &quot;[RT] Serving Apache Forrest site from live Forrest&quot;<br/>
on dev-list. Will add link later.)

## 14. [FOR-343] Upgrading Plugins

### http://issues.apache.org/jira/browse/FOR-343

Currently when installing a plugin Forrest attempts to install the most suitable version available. However, it makes no attempt to upgrade plugins when an upgrade becomes available. <br/>br> <br/>We need a traget in the buildfile that will upgrade an indicated plugin when possible. This can then (optionally) be used when running Forrest to automatically upgrade plugins.

## 15. [FOR-284] link rewriting broken when linking to xml source views which contain site: links

#### http://issues.apache.org/jira/browse/FOR-284

When linking to \*.xml files (e.g. to demonstrate a source file) then if that file contains "site:" or "ext:" links, then they are reported as broken, e.g. docs/site:dtd-docs

## 16. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

#### http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source: <br/> <br/> <a

href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g<br/><br> <br> validate-xdocs fails because it wants the literal & to be typed out as <br/>& typed

instead. So I correct it to become: <br/> <br/> <a

href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php

<br/><br/>br> However, the generated HTML has the entity resolution UNDONE!: <br/> <a

 $href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php$ 

<br/> <br/>br> This HTML fails validation as 4.01 transitional. <br/> <br/> br> David Crossley adds: <br/> <br/> cbr>

There is a demonstration of the problem in the document <br/>br>

src/documentation/content/xdocs/docs/dreams.xml <br/> The ampersand in the link element text is properly handled but <br/> the ampersand in the link href attribute is not.

### 17. [FOR-210] whole-site html and pdf: broken link faq, broken image links

#### http://issues.apache.org/jira/browse/FOR-210

## 18. [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs

http://issues.apache.org/jira/browse/FOR-209

When there are two levels of tabs, the selected first level tab does not get highlighted, nor are there any other visual or structural clues as to which first-level tab is active, and which contains the displayed 2nd level tabs. <br/> This is checked with both the default skin, and with tigris-style. <br/> <br/> try table 1.

## 19. [FOR-211] whole-site html and pdf: broken ext links

#### http://issues.apache.org/jira/browse/FOR-211

In the the generated site.html all of the external links are broken (i.e. the href attributes are like ... error:#ext:forrest).

## 20. [FOR-215] site.lucene name colaps with site.html request

### http://issues.apache.org/jira/browse/FOR-215

## 21. [FOR-203] 2nd level tabs are not selected appropriately

#### http://issues.apache.org/jira/browse/FOR-203

## 22. [FOR-184] Switch to XHTML2

### http://issues.apache.org/jira/browse/FOR-184

Switch to using XHTML2 as a base and intermediate format. This means also using RelaxNG validations, new sitemap pipelines, new stylesheets, new input/output for "views". See the steps in thread: <a href="mailto:kappa"></a>

href="http://marc.theaimsgroup.com/?t=112512735800002">http://marc.theaimsgroup.com/?t=1125127358000

#### 23. [FOR-187] Redefine project documentation dirs

#### http://issues.apache.org/jira/browse/FOR-187

We should finalize all discussions about where to put sources and extensions in the projects.

## 24. [FOR-157] skin-descriptors comma separated list fails

#### http://issues.apache.org/jira/browse/FOR-157

The second link does \*not\* read the url of the skin correctly.<br/>
sty> <br/>
I repeated today the steps with a second skin:<br/>
skin:<br/>
sty> 1) create the skin<br/>
skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>skin<br/>

href="http://www.apache.org/~thorsten/whiteboard/forrestskins/skins.xml">http://www.apache.org/~thorsten/wto<br/>to<br/>br> forrest.skins.descriptors=<a

href="http://xml.apache.org/forrest/skins/skins.xml,http://www.apache.org/~thorsten/whiteboard/forrestskins/sk <br/> Trying to say something wrong with the &quot;comma seperated list,&quot;. The second link do \*not\* work. In detail the url of the skin. <br/> <br/> trying to say something wrong with the &quot;comma seperated list,&quot;. The second link do \*not\* work. In detail the url of the skin. <br/> <br/> trying to say something wrong with the &quot;comma seperated list,&quot;. The second link do \*not\* work. In detail the url of the skin. <br/> <br/> trying to say something wrong with the &quot;comma seperated list,&quot;. The second link do \*not\* work. In detail the url of the skin. <br/> <br/> trying to say something wrong with the &quot;comma seperated list,&quot;. The second link do \*not\* work. In detail the url of the skin. <br/> <br/> 'd:/get/skins.xml'>file:///d:/get/skins.xml</br/> and it worked. When it stands alone but not in the comma seperated list.<br/> <br/> trying to say something wrong with the &quot;comma seperated list. <br/> 'd:/get/skins.xml'>file:///d:/get/skins.xml'>file:///d:/get/skins.xml</br>

## 25. [FOR-143] Encoding of HTML files should be configurable

#### http://issues.apache.org/jira/browse/FOR-143

</map:serializer&gt;<br> <br> The default one is such a case is ISO-8859-1. And it even add a META inthe HTML result. But here in French, ISO-8859-15 is better because of the =AB e dans l'o =BB character : =9C. In Russian or Asia, the <br> situation is even worse.<br/> <br/> in forrest.properties saying for example :<br/> project.encoding=UTF-8<br/> <br/> and adding a &lt;encoding&gt;@project.encoding@&lt;/encoding&gt; element in the<br/> HTML serializer ?<br/> <br/> And in a more general way, where can I find a document about the way properties are used by forrest ? Which files use them ? How to add a<br/> new one ?