Open issues for the next release

Table of contents

1 [FOR-144] define new format for skinconf.xml	2
2 [FOR-588] Design new configuration system	2
3 [FOR-591] MaxMemory needs increasing	2
4 [FOR-678] views not working on forrest seed forrest site	2
5 [FOR-675] upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocetc	
6 [FOR-572] run a memory profiler while forrest is operating	3
7 [FOR-427] Need licensing element in plugins.xml	3
8 [FOR-388] Use plugins in-place if src available	3
9 [FOR-630] Forrest strategy and direction	3
10 [FOR-654] Create Schema for XHTML2 subset	4
11 [FOR-490] serve multiple sites on a single Forrest instance	4
12 [FOR-343] Upgrading Plugins	4
13 [FOR-277] investigate use of forrest-0.6-dev as webapp with Tomcat 5	4
14 [FOR-284] link rewriting broken when linking to xml source views which contain site: lin	ıks 4
15 [FOR-247] Tigris *.css need cleanup to remove our local changes	5
16 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes	s5
17 [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs	5
18 [FOR-210] whole-site html and pdf: broken link faq, broken image links	5
19 [FOR-211] whole-site html and pdf: broken ext links	5
20 [FOR-215] site.lucene name colaps with site.html request	6
21 [FOR-203] 2nd level tabs are not selected appropriately	6
22 [FOR-187] Redefine project documentation dirs	6
23 [FOR-184] Switch to XHTML2	6
24 [FOR-157] skin-descriptors comma separated list fails.	6
25 [FOR-143] Encoding of HTML files should be configurable	7

Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

1. [FOR-144] define new format for skinconf.xml

http://issues.apache.org/jira/browse/FOR-144

We are attempting to define a new extensible skinconf format. Here is one thread where the discussion is happening (there were some other threads leading up to that).

http://marc.theaimsgroup.com/?t=1083157591000
http://marc.theaimsgroup.com/?t=1083157591000

2. [FOR-588] Design new configuration system

http://issues.apache.org/jira/browse/FOR-588

We need a new config system for Forrest for various reasons: the initial config system was known to be limited; to enable the specification of multiple Forrest sites within a single instance of Forrest; to accommodate the changes brought about by forrest:views, themes, and plugins.

3. [FOR-591] MaxMemory needs increasing

http://issues.apache.org/jira/browse/FOR-591

Since the docs restructurng for the 0.7 release it has become necessary to increase the maxmemory to be able to build the Forrest site.

br/> Does this indicate a memory leak?

br/> Does someone have the tools to run some diagnostics?

(NB maxmemory has been increased in forrest.properties, if we resolve this issue it should be reduced again)

4. [FOR-678] views not working on forrest seed forrest site

http://issues.apache.org/jira/browse/FOR-678

svn up

 At revision 290844.
 > Did build.sh clean; build.sh and views,sh
 forrest seed

 enable views in forrest.properties
 forrest site

 \ldots X [0] linkmap.html BROKEN:

org.apache.commons.jxpath.JXPathContext.setNamespaceContextPointer(Lorg/apache/commons/jxpath/Pointer(br/> Total time: 0 minutes 10 seconds, Site size: 0 Site pages: 0
br/>
br/> BUILD FAILED
br/> /usr/java/forrest/main/targets/site.xml:41: Java returned: 1
br/>

5. [FOR-675] upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc.

http://issues.apache.org/jira/browse/FOR-675

upgrading from commons-jxpath-20030909.jar to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc. This happens in both modes: 'forret run' and 'forrest'.

6. [FOR-572] run a memory profiler while forrest is operating

http://issues.apache.org/jira/browse/FOR-572

We need to run a memory profiler while forrest is operating.

7. [FOR-427] Need licensing element in plugins.xml

http://issues.apache.org/jira/browse/FOR-427

Since plugins can be hosted on different sites they can be released under licenses other than the Apache one. We need an element in plugins.xml that records the type of license a plugin is released under. This element should be used by the plugin install process to verify that the user agrees to the terms of that license before download and installation is started.

8. [FOR-388] Use plugins in-place if src available

http://issues.apache.org/jira/browse/FOR-388

At present Forrest will attempt to download plugins even if they are available in src form in the local filesystem as part of an SVN checkout.

- Have Forrest mount plugins from designated directories in preference to downloading them wherever possible (need more than posible location for src plugins as some people may be developing their own plugins outside of Forrest)

- br/>

- br/

9. [FOR-630] Forrest strategy and direction

http://issues.apache.org/jira/browse/FOR-630

Topics for discussion gathered at ApacheCon EU 2005.

 WARNING: Only reply to the general theme of this

 topics list. Please create separate threads for
 each specific topic.

 Actually we should be using Jira for some of this.

 How about discussing on the mailing list, and
 putting summaries into Jira.

 I have the scraps of paper that Nicola Ken wrote.

 Photographs are in:
 <a

10. [FOR-654] Create Schema for XHTML2 subset

http://issues.apache.org/jira/browse/FOR-654

We need a RelaxNG schema for the subset of XHTML identified in:
 http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488330888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948883088&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=11248948888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488888&w=2">http://marc.theaimsgroup.com/?l=forrest-dev&m=112489488

11. [FOR-490] serve multiple sites on a single Forrest instance

http://issues.apache.org/jira/browse/FOR-490

Nicola Ken Barozzi wrote:

> After that, it would be beneficial to be able to serve

> multiple sites on a single Forrest instance, so that we

> can have other projects join and

> have their site served.

*br/> This last point (seving multiple "sites" from one Forrest

instance) is important even without moving Forrest to a

*br/> live server (I'm +1 on this).

*br/> Right now we have various styleguides in Forrest and if

*br/> I need to run them at once I have to start Forrest/jetty

*with different ports.

*br/>

*chr/> (From Thread "[RT] Serving Apache Forrest site from live Forrest"

*on dev-list. Will add link later.)

12. [FOR-343] Upgrading Plugins

http://issues.apache.org/jira/browse/FOR-343

Currently when installing a plugin Forrest attempts to install the most suitable version available. However, it makes no attempt to upgrade plugins when an upgrade becomes available.
br/> We need a traget in the buildfile that will upgrade an indicated plugin when possible. This can then (optionally) be used when running Forrest to automatically upgrade plugins.

13. [FOR-277] investigate use of forrest-0.6-dev as webapp with Tomcat 5

http://issues.apache.org/jira/browse/FOR-277

Some people report having troubles running Forrest as a webapp under Tomcat. Needs investigation before 0.6 release.

before 0.6 release.

This is the background email to forrest-users:

br/> http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=260&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=280&msgNo=282">http://mail-archives.apacke.org/eyebrowse/ReadMsg?listId=280&msgNo=282">http://mail-archives.apacke

14. [FOR-284] link rewriting broken when linking to xml source views which contain site: links

http://issues.apache.org/jira/browse/FOR-284

When linking to *.xml files (e.g. to demonstrate a source file) then if that file contains "site:" or "ext:" links, then they are reported as broken, e.g. docs/site:dtd-docs

15. [FOR-247] Tigris *.css need cleanup to remove our local changes

http://issues.apache.org/jira/browse/FOR-247

We have made some local changes to our copies of the tigris *.css which actually need to go into an over-riding css. Also remove our license notice which was added by accident.

http://marc.theaimsgroup.com/?l=forrest-dev&m=109169132601758

16. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source:

 http://sourceforge.net/sflogo.php?g

validate-xdocs fails because it wants the literal & typed out as
br/> & amp;

instead. So I correct it to become:

 http://sourceforge.net/sflogo.php?g

However, the generated HTML has the entity resolution UNDONE!:
 http://sourceforge.net/sflogo.php?g

href="http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php

There is a demonstration of the problem in the document
br/>

src/documentation/content/xdocs/docs/dreams.xml
br/> The ampersand in the link element text is properly handled but
br/> the ampersand in the link href attribute is not.

17. [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs

http://issues.apache.org/jira/browse/FOR-209

When there are two levels of tabs, the selected first level tab does not get highlighted, nor are there any other visual or structural clues as to which first-level tab is active, and which contains the displayed 2nd level tabs.

 This is checked with both the default skin, and with tigris-style.

18. [FOR-210] whole-site html and pdf: broken link faq, broken image links

http://issues.apache.org/jira/browse/FOR-210

The "fresh-site" build from 'forrest seed site' reports some failures for faq.html and various missing images. Wonder if sitemap issue?

| Strip |

19. [FOR-211] whole-site html and pdf: broken ext links

http://issues.apache.org/jira/browse/FOR-211

In the the generated site.html all of the external links are broken (i.e. the href attributes are like ... error:#ext:forrest).

20. [FOR-215] site.lucene name colaps with site.html request

http://issues.apache.org/jira/browse/FOR-215

Any link called site.html or site.pdf produce a loop on the search funcionality.

str/>

The reason is an internal request called cocoon://site.lucene a work around would be to choose another name for this internal request.

Str/>

But this means that a request called /index-creation.html would have the same problem.

Str/>

Str/

St

21. [FOR-203] 2nd level tabs are not selected appropriately

http://issues.apache.org/jira/browse/FOR-203

The 2nd level tabs are not shown for menu entries that caused the issue FOR-111. This happens because the starts-with() path comparison fails for menu entries that do not reside the same directory as is specified in the "dir" attribute of the 2nd level tabs.

| See the attached bug-demo.tgz for an example. Select "Samples/Apache document" and notice that the 2nd level tabs are shown. Now select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

| See the attached bug-demo.tgz for an example. Select "Samples/BUG DEMO" samples " whereas the document corresponding to "Samples/BUG DEMO" resides in the directory "/bug-sample".

| See the attached bug-demo.tgz for an example.

| See the attached bug-demo.tgz for an example.

| See the attached bug-demo.tgz for an example and notice that the 2nd level tabs.

| See the attached bug-demo.tgz for an example.

| See the attached bug-demo.tgz for an example.

| See the attached bug-demo.tgz for an example.

| See the attached bug-demo.tgz for an example.

| See the attached bug-demo.tgz for an example.

| S

22. [FOR-187] Redefine project documentation dirs

http://issues.apache.org/jira/browse/FOR-187

We should finalize all discussions about where to put sources and extensions in the projects.

23. [FOR-184] Switch to XHTML2

http://issues.apache.org/jira/browse/FOR-184

Switch to using XHTML2 as a base and intermediate format. This means also using RelaxNG validations, new sitemap pipelines, new stylesheets, new input/output for "views". See the steps in thread:

href="http://marc.theaimsgroup.com/?t=112512735800002">http://marc.theaimsgroup.com/?t=1125127358000

24. [FOR-157] skin-descriptors comma separated list fails

http://issues.apache.org/jira/browse/FOR-157

The second link does *not* read the url of the skin correctly.

I repeated today the steps with a second skin:

1) create the skin

2) forrest package-skin

3) defined it in my

descriptor
 Yes I do! I just changed:
 forrest.skins.descriptors=http://www.apache.org/~thorsten/wto
to
br/> forrest.skins.descriptors=<a

href="http://xml.apache.org/forrest/skins/skins.xml,http://www.apache.org/~thorsten/whiteboard/forrestskins/sk

Trying to say something wrong with the "comma seperated list,". The second link do *not* work. In detail the url of the skin.

| Jiust double checked as well the file:///d:/get/skins.xml and it worked. When it stands alone but not in the comma seperated list.

25. [FOR-143] Encoding of HTML files should be configurable

http://issues.apache.org/jira/browse/FOR-143