Open issues for the next release

Table of contents

1 [FOR-591] MaxMemory needs increasing for large document sets: Memory Lea XMLFileModule	
2 [FOR-713] HTML-to-document.xsl no longer generates an XDoc	2
3 [FOR-855] verify the license situation prior to each release	2
4 [FOR-867] need doc to explain status of skins and dispatcher	2
5 [FOR-868] add relevant notes to the "Upgrading" xdoc	3
6 [FOR-891] css-validator reports CSS errors and many warnings for pelt skin	3
7 [FOR-865] Add missing entries to status.xml to generate the changes list	3
8 [FOR-572] run a memory profiler while forrest is operating	3
9 [FOR-533] Auto Generate plugins.xml entry	3
10 [FOR-639] define terminology for the various aspects of Dispatcher	3
11 [FOR-735] Plugins are not correctly deployed in webapp mode	4
12 [FOR-711] Cache results from the Locationmap	4
13 [FOR-742] trouble accessing unversioned plugin for a released version of Forre projectInfo	
14 [FOR-876] locationmap demo in fresh-site is broken	4
15 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes.	5
16 [FOR-210] whole-site html and pdf: broken link faq, broken image links	5
17 [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs	5
18 [FOR-211] whole-site html and pdf: broken ext links	5
19 [FOR-203] 2nd level tabs are not selected appropriately	5
20 [FOR-200] Locationmap for Forrest and Users	6
21 [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture	6
22 [FOR-560] Remove duplicate jars from eclipse plugins	6
23 [FOR-644] code-style cleanup for xml files	6
24 [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html	7
25 [FOR-726] use locationmap in all of the plugins	7

Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

1. [FOR-591] MaxMemory needs increasing for large document sets: Memory Leak with XMLFileModule

http://issues.apache.org/jira/browse/FOR-591

2. [FOR-713] HTML-to-document.xsl no longer generates an XDoc

http://issues.apache.org/jira/browse/FOR-713

3. [FOR-855] verify the license situation prior to each release

http://issues.apache.org/jira/browse/FOR-855

4. [FOR-867] need doc to explain status of skins and dispatcher

http://issues.apache.org/jira/browse/FOR-867

Need doc to explain status of skins and dispatcher. Link to the doc from warnings of dispatchers docs, from skins.html and from upgrading_08.html

br/> I have already commenced this xdoc.

5. [FOR-868] add relevant notes to the "Upgrading" xdoc

http://issues.apache.org/jira/browse/FOR-868

We need to add some notes to the upgrading_0*.html doc for the upcoming release. This would most easily be done after attending to FOR-865 "Add missing entries to status.xml to generate the changes list".

6. [FOR-891] css-validator reports CSS errors and many warnings for pelt skin

http://issues.apache.org/jira/browse/FOR-891

Our home page does not pass CSS validation with http://jigsaw.w3.org/css-validator/
br/>

7. [FOR-865] Add missing entries to status.xml to generate the changes list

http://issues.apache.org/jira/browse/FOR-865

There are insufficient entries in our site-author/status.xml to generate the changes.html for the upcoming release.

states of the major changes and providing cross-links to the issue tracker, this file also provides recognition of contributions ... at the moment there are too few. It also has the importance=high attribute, which generates our release announcement ... again, too few.

str/>

Re: better use of changes.html (Was: Community health)

str/> http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001

8. [FOR-572] run a memory profiler while forrest is operating

http://issues.apache.org/jira/browse/FOR-572

We need to run a memory profiler while forrest is operating.

9. [FOR-533] Auto Generate plugins.xml entry

http://issues.apache.org/jira/browse/FOR-533

The information in the plugins.xml file would be better kept in the plugin directory and added to the plugins.xml file when deployed. This would reduce the amount of duplication in the plugins config files.

All the necessary values are now in the plugin build.xml file.

This change will require that the plugins.xml file be retrieved from the build directory rather than the plugins directory when building the plugin documentation pages. We will therefore need a fall back to retrieve this file from the network if it is not currently available - this can be done with the locationmap

10. [FOR-639] define terminology for the various aspects of Dispatcher

http://issues.apache.org/jira/browse/FOR-639

See the email thread:
 http://marc.theaimsgroup.com/?t=11227664370000</br>

11. [FOR-735] Plugins are not correctly deployed in webapp mode

http://issues.apache.org/jira/browse/FOR-735

(At this point I didn't try this scenario step by step any more; basically it is what we did to setup the site, except that we copied our project data from forrest 0.6 before trying the pdf links)

 - run forrest webapp to create an empty webapp
 - configure Tomcat to run the webapp (we did it by creating a context descriptor and put it onder Tomcat's config directory)
 - the pdf links give an error "Resource Not Found"

12. [FOR-711] Cache results from the Locationmap

http://issues.apache.org/jira/browse/FOR-711

Now that we are using the locationmap extensively it is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap.

in think a simple cache will sufice, lets just provide a static hashmap using the hint as a key and, of course, the location as the value.

showing up just how innefficient it is. The problem is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap.

Showing up just how innefficient it is. The problem is showing up just how innefficient it is. The prob

href="http://issues.apache.org/jira/browse/FOR-701" title="Missing locationmap entry gives poor error">FOR-701)

13. [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo

http://issues.apache.org/jira/browse/FOR-742

The plugin retrieval and deployment process are not quite correct. Recently the projectInfo plugin had its version number incremented and the "unversioned" plugin now relates specifically to 0.8-dev version. That prevents 0.7 from accessing the relevant plugin.

The solution is discussed here:

<a href="mailto:solution-retrieval-number-new-number-numbe

14. [FOR-876] locationmap demo in fresh-site is broken

http://issues.apache.org/jira/browse/FOR-876

See
 Re: locationmap demo is broken
 http://marc.theaimsgroup.com/?t=1146818651000

15. [FOR-241] character entities (e.g. ampersand) are expanded again for href or

src attributes

http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source:

 http://sourceforge.net/sflogo.php?g

validate-xdocs fails because it wants the literal & to be typed out as

& amp; to be typed out as

& amp;

instead. So I correct it to become:

 http://sourceforge.net/sflogo.php?g

However, the generated HTML has the entity resolution UNDONE!:
 http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://s

 This HTML fails validation as 4.01 transitional.
br/> Oavid Crossley adds:
 There is a demonstration of the problem in the document

src/documentation/content/xdocs/docs/dreams.xml
br/> The ampersand in the link element text is properly handled but
br/> the ampersand in the link href attribute is not.

16. [FOR-210] whole-site html and pdf: broken link faq, broken image links

http://issues.apache.org/jira/browse/FOR-210

The "fresh-site" build from 'forrest seed site' reports some failures for faq.html and various missing images. Wonder if sitemap issue?

| Strip |

17. [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs

http://issues.apache.org/jira/browse/FOR-209

When there are two levels of tabs, the selected first level tab does not get highlighted, nor are there any other visual or structural clues as to which first-level tab is active, and which contains the displayed 2nd level tabs.

 This is checked with both the default skin, and with tigris-style.

18. [FOR-211] whole-site html and pdf: broken ext links

http://issues.apache.org/jira/browse/FOR-211

In the generated site.html all of the external links are broken (i.e. the href attributes are like ... error:#ext:forrest).

19. [FOR-203] 2nd level tabs are not selected appropriately

http://issues.apache.org/jira/browse/FOR-203

The 2nd level tabs are not shown for menu entries that caused the issue <strike>FOR-111</strike>. This happens because the starts-with() path comparison fails for menu entries that do not reside the same directory as is specified in the "dir" attribute of the 2nd level tabs.

See the attached bug-demo.tgz for an example. Select

"Samples/Apache document" and notice that the 2nd level tabs are shown. Now select "Samples/BUG DEMO" and notice that the 2nd level tabs are not shown.

- Str/> This is because the document corresponding to "Samples/Apache document" resides in the directory "/samples" whereas the document corresponding to "Samples/BUG DEMO" resides in the directory "/bug-sample".

- Str/> Kind regards,

- Lorenz Froihofer.

20. [FOR-200] Locationmap for Forrest and Users

http://issues.apache.org/jira/browse/FOR-200

The locationmap gives us the ability to specify where sources are, both for Forrest and for the users.

br/> Beware that it will not work for raw files that are not linked, as this "feature" currently uses a fixed dir being being copied by Ant.

21. [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture

http://issues.apache.org/jira/browse/FOR-546

The example at http://forrest.apache.org/0.7/docs/sitemap-re

<map:serializer name="fo2pdf"
br/> &

 </map:serializers>
 </map:components>
 | I found out about this because my sitemap uses

</map:components>

 I found out about this because my sitemap uses the fo2pdf too (docbook to PDF), and had to add the serializer.

22. [FOR-560] Remove duplicate jars from eclipse plugins

http://issues.apache.org/jira/browse/FOR-560

tools/eclipse/plugins/org.apache.forrest.eclipse.servletEngine/lib contains some duplicate jars to those in the main Forrest trunk. We should find a way of reusing the jars from their existing location.

23. [FOR-644] code-style cleanup for xml files

http://issues.apache.org/jira/browse/FOR-644

We have much inconsistent whitespace in all of our files. This is known to cause trouble in a collaborative environment. See discussion at: http://marc.theaimsgroup.com/?t=1124509011000

and http://marc.theaimsgroup.com/?t=11249561880000 and various linked discussions.

24. [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html

http://issues.apache.org/jira/browse/FOR-666

The pattern matching example is quite misleading. There should be a note where exactly to copy your old site (in a standard seeded project) to make the pattern matching work.

At least for me it worked only after I used a **.html directeive.

<map:match pattern="old_site/**.html">

25. [FOR-726] use locationmap in all of the plugins

http://issues.apache.org/jira/browse/FOR-726

Each plugin has sitemaps that need to use the locationmap.

 (Perhaps we need Jira sub-tasks for each plugin.)