




Automated Test Case Classification and Categorization by Testing Type







localhost:5173
Incognito (2)
Testleaf
API Testcase Generator
Clear
SWAGGER → QUALITY TEST COVERAGE
Generate
reliable API testcases
from Swagger
01 Upload
02 Validate
03 Generate
04 Export
Upload, validate, generate, review, and export — through one controlled Testleaf-themed workflow.
AI-powered
Spec-grounded
Postman & Excel export
7 API testcases generated.
STEP 3
Generated API testcases
Grounded in the validated OpenAPI operations and schemas.
Groq LLM · Openai/Gpt-Oss-120b
Tokens Used · 2,852
Token Limit · 3,000
Cost · $0.0012
Clear
Total Testcases
7
Positive
1
Negative
1
Boundary
1


localhost:5173
Incognito (2)
Testleaf
API Testcase Generator
AI-powered
Spec-grounded
Postman & Excel export
7 API testcases generated.
STEP 3
Generated API testcases
Grounded in the validated OpenAPI operations and schemas.
Groq LLM · Openai/Gpt-Oss-120b
Tokens Used · 2,852
Token Limit · 3,000
Cost · $0.0012
Clear
Total Testcases
7
Positive
1
Negative
1
Boundary
1
Authentication
1
Authorization
1
Validation
1
Smoke
1
Sanity
2
Regression
4
Functional
0
Search ID, endpoint, method, or title
All categories
All testing types


localhost:5173
Incognito (2)
Testleaf
API Testcase Generator
Smoke 1
Sanity 2
Regression 4
Functional 0
Search ID, endpoint, method, or title
All categories
All testing types
ID METHOD ENDPOINT CATEGORY TESTING TYPE TITLE PRIORITY STATUS
TC-API-001 GET /booking/{id} positive Smoke Retrieve existing booking successfully High View
TC-API-002 GET /booking/{id} negative Regression Request non-existent booking returns not found High View
TC-API-003 GET /booking/{id} boundary Sanity Boundary test with id value zero Medium View
TC-API-004 GET /booking/{id} authentication Regression Access booking without authentication headers Low View
TC-API-005 GET /booking/{id} authorization Regression Retrieve booking without authorization token Low View
TC-API-006 GET /booking/{id} validation Sanity Invalid id format (non-numeric) returns not found Medium View
TC-API-007 GET /booking/{id} error-handling Regression Extremely large id triggers not found response Low View
Download results
Export the generated testcases and validated specification.
JSON
Excel
Swagger
Generate Postman


localhost:5173
Incognito (2)
GET TC-API-001
Retrieve existing booking successfully
/booking/{id}
Positive
Smoke Testing
High Priority
HTTP 200
PRECONDITIONS
1. The API service is available.
STEPS
1. Send a GET request to /booking/1 with Accept header.
EXPECTED RESULT
HTTP 200 — The API returns HTTP 200 with the booking details as defined in the schema.
REQUEST DATA
{
"headers": {
"Accept": "application/json"
},
"pathParameters": {
"id": 1
},
"queryParameters": {}
}
SOURCE REFERENCES
paths./booking/{id}.get
Close