TEST REPORT

REPORT No.: DTIBW20200018-3 Date: 2020-01-14

Applicant Company Name：SIMCom Wireless Solutions Limited

Applicant Company Address：No.633, Jinzhong Rd,Changning Dist., Shanghai, P.R.China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name	:	NB/CAT-M/GSM/GNSS MODULE
Model NO.	:	SIM7070G,SIM7070G-PCIE
Sample Receiving Date	:	January 09,2020
Testing Period	:	From January 09,2020 to January 14,2020
Results	:	Please refer to next page(s).

****

Summary of Test Results:

TEST REQUEST	CONCLUSION
A EU RoHS Directive 2011/65/EU and its amendment directives2015/863/EU (RoHS 2.0)	Pass

****

Signed for and on behalf of
DTI

Approved by: _____
lab manager

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

Results:

1、EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results				
		Pb	Cd	Hg	Cr	Br
1	Triode	BL	BL	BL	BL	BL
2	PCB	BL	BL	BL	BL	BL
3	Solder Point	BL	BL	BL	BL	BL
4	Black Ceramic Body Chip	BL	BL	BL	BL	BL
5	Patch Resistor	BL	BL	BL	BL	BL
6	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL
7	Crystal Oscillator	BL	BL	BL	BL	BL
8	SMD Components	BL	BL	BL	BL	BL
9	Patch Coil Inductor	BL	BL	BL	BL	BL
10	Copper Winding	BL	BL	BL	BL	BL
11	Silver Metal Case	BL	BL	BL	BL	BL
12	Gold Metal Needle	BL	BL	BL	BL	BL
13	White Plastic Base	BL	BL	BL	BL	BL
14	Patch Resistor	BL	BL	BL	BL	BL
15	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL
16	SMD Components	BL	BL	BL	BL	BL
17	Patch Diode	BL	BL	BL	BL	BL
18	Triode	BL	BL	BL	BL	BL
19	White Label Stickers	BL	BL	BL	BL	BL
20	Silver Metal Case （Chip Cover）	BL	BL	BL	BL	BL

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Seq. No.	Tested Part(s)	Results				
		Pb	Cd	Hg	Cr	Br
21	PCB	BL	BL	BL	BL	X
22	Solder Point	BL	BL	BL	BL	BL
23	Black Ceramic Body Chip	BL	BL	BL	BL	BL
24	Patch Resistor	BL	BL	BL	BL	BL
25	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL
26	Crystal Oscillator	BL	BL	BL	BL	BL
27	SMD Components	BL	BL	BL	BL	BL
28	Patch Coil Inductor	BL	BL	BL	BL	BL
29	Copper Winding	BL	BL	BL	BL	BL
30	White Label Stickers	BL	BL	BL	BL	BL
31	Silver Metal Case （Chip Cover）	BL	BL	BL	BL	BL

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

Remark:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(Ⅵ)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	BL≤50-3σ< X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤ OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< X	--	BL≤250-3σ< X

Note:

BL = Below Limit

OL = Over Limit

X = Inconclusive

(2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment directives 2015/863/EU:

RoHS Restricted Substances	**Maximum Concentration Value (mg/kg) (by weight in homogenous materials)**
Cadmium (Cd)	≤100
Lead (Pb)	≤1000
Mercury (Hg)	≤1000
Hexavalent Chromium (Cr(Ⅵ))	≤1000
Polybrominated biphenyls (PBBs)	≤1000
Polybrominate ddiphenylethers (PBDEs)	≤1000

(4) Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

2、The Test Results of Chemical Method:

Test method:

Lead, Cadmium, Mercury Content:
With reference to IEC 62321-5:2013 and IEC62321-4:2013+AMD1:2017, by acid digestion and analysis was performed by Inductively Coupled Plasma- Atomic Emission Spectrophotometer (ICP-AES)

Hexavalent Chromium Content (For metal material):
With reference to IEC 62321-7-1:2015, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

Hexavalent Chromium Content (For non-metal material):
With reference to IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:
With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic/ mass spectrometer (GC-MS)

DEHP, BBP, DBP&.DIBP content:
With reference to IEC 62321-8:2017 by solvent extraction and analysis was performed by gas chromatographic -mass spectrometer (GC-MS)

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

1) The test results of PBBs & PBDEs

Item	Unit	MDL	Results	Limit
			21	
Polybrominated Biphenyls (PBBs)				
Monobromobiphenyl	mg/kg	5	N.D.	/
Dibromobiphenyl	mg/kg	5	N.D.	/
Tribromobiphenyl	mg/kg	5	N.D.	/
Tetrabromobiphenyl	mg/kg	5	N.D.	/
Pentabromobiphenyl	mg/kg	5	N.D.	/
Hexabromobiphenyl	mg/kg	5	N.D.	/
Heptabromobiphenyl	mg/kg	5	N.D.	/
Octabromobiphenyl	mg/kg	5	N.D.	/
Nonabromodiphenyl	mg/kg	5	N.D.	/
Decabromodiphenyl	mg/kg	5	N.D.	/
Total content	mg/kg	/	N.D.	≤1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)				
Monobromodiphenyl ether	mg/kg	5	N.D.	/
Dibromodiphenyl ether	mg/kg	5	N.D.	/
Tribromodiphenyl ether	mg/kg	5	N.D.	/
Tetrabromodiphenyl ether	mg/kg	5	N.D.	/
Pentabromodiphenyl ether	mg/kg	5	N.D.	/
Hexabromodiphenyl ether	mg/kg	5	N.D.	/
Heptabromodiphenyl ether	mg/kg	5	N.D.	/
Octabromodiphenyl ether	mg/kg	5	N.D.	/
Nonabromodiphenyl ether	mg/kg	5	N.D.	/
Decabromodiphenyl ether	mg/kg	5	N.D.	/
Total content	mg/kg	/	N.D.	≤1000
Conclusion	/	/	**Pass**	/

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

2) The test results of DEHP, BBP, DBP & DIBP

Item	Unit	MDL	Results					Limit
			1	2	4	5	6	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	/	/	**Pass**	**Pass**	**Pass**	**Pass**	**Pass**	/

Item	Unit	MDL	Results					Limit
			8	9	13	14	15	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	/	/	**Pass**	**Pass**	**Pass**	**Pass**	**Pass**	/

Item	Unit	MDL	Results					Limit
			16	17	18	19	21	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	/	/	**Pass**	**Pass**	**Pass**	**Pass**	**Pass**	/

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

Item	Unit	MDL	Results					Limit
			23	24	25	27	28	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	/	/	**Pass**	**Pass**	**Pass**	**Pass**	**Pass**	/

Item	Unit	MDL	Results	Limit
			30	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	≤1000
Conclusion	/	/	**Pass**	/

Note:
- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Flow chart appendix is included.
- Photo appendix is included.

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

Appendix Ⅰ

Test Flow chart

1. Test Flowchart for Cd / Pb /Hg content
   These samples were dissolved totally by pre-conditioning method according to below flow chart.



2. Test Flowchart for Cr^{6+} content (Metal material)



****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

3. Test Flowchart for Cr^{6+} content (Non-metal material)



4. Test Flowchart for PBBs & PBDEs content



****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

5. Test Flowchart for DEHP, BBP, DBP & DIBP content



Table:

Sample material	Digestion Acid
Steel, copper, aluminum, solder	Aqua regia, HNO_3, HCl, HF, H_2O_2
Glass	HNO_3/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO_3
Plastic	H_2SO_4, H_2O_2, HNO_3, HCl
Others	Any acid to total digestion

****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099

Appendix Ⅱ

Photograph of Sample



****

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099



*** End of Report ***

This document is issued by the Company subject to its General Conditions of service of service printed overleaf,available on requestfor electronic format documents,subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions,if any.the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents.this document cannot be reproduced execept in full,without prior written approval of the company.any unauthorized alteration,forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s)tested.

Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司
9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-755-32936716 Fax: +86-755-66683099