

Index



Note: Page numbers followed by “n” indicate footnotes, “f” indicate figures and “t” indicate tables.

A

Acceptance-rejection technique, 56–59
Age, 182f
Alias method, 60–63
Antithetic variables
 estimators obtained with, 186
 for monotone function expected value
 estimation, 220–222
 in variance reduction techniques, 155–162
 verification of, 220–222
Approximate confidence intervals, 143–144
Averages, calculation of, 51
Axioms of probability, 6

B

Batch means method, 274
Bayesian statistics, 295
Bernoulli probability mass function, 203
Bernoulli random variables, 52–53,
 140, 144
 independent, 200, 204
 sequence generation with, 52–53
 mass function of, 204
Bernoulli trials, 56
Beta distribution, 37
Binomial probabilities, 19
Binomial random variables, 18–19, 205
 generation of, 55
 inverse transform method, 56

 independent, 241
 mean of, 20
 variance of, 20
Bivariate normal distribution, 100–102
Bivariate normal vector, 101
Black box, 229
Blackjack, 167–169
Bootstrap statistics, 3, 135
Bootstrapping technique
 for estimating mean square errors,
 144–150
 in importance sampling, 210
Box-Muller transformation, 82
Bridge structure, in variance reduction
 techniques, 157
Brownian motion, geometric, 216–217

C

Calculus, 77, 219
Cancer, 178
Cards, 189
Casualty insurance company, 93, 225
CBSM. *See* Conditional Bernoulli sampling
 method
Central limit theorem, 26
Chebyshev’s inequality, 16–17, 136
Chi-square distribution, 265
Chi-square goodness of fit test, 248–250

- Chi-squared random variable, 197, 249
- Choleski decomposition, 99
 - matrix, 100, 102
- Circle, 44f
- Classical approximation, 260–261
- Coin flip, 9
- Common random numbers, variance
 - reduction and, 214–215
- Composition approach, 56–59, 92
- Compound Poisson random variable, 174
- Compound random variable, 174
- Compound random vectors
 - estimators, 229
 - in stratified sampling, 198–199
- Conditional Bernoulli sampling method (CBSM), 246
 - coupon collecting problem and, 236–238
 - estimator, 236
 - variances of, 237
 - as variation reduction technique, 233–239
- Conditional density, 282
- Conditional distribution, 64, 194, 284
- Conditional expectation, 31–38
 - estimator, 170, 225, 228
 - control variable improvement of, 175
 - importance sampling and, 210, 214
- Conditional probability, 7–9, 174
- Conditional variance, 31–38
 - formula, 33–38, 183
 - proof of proposition with, 188
- Conditioning, 224
 - estimator improvement and, 181
 - permutation and, 228
 - of standard normals, 218–219
 - variance reduction by, 169–179
- Confidence intervals, approximate, 143–144
- Consistent estimators, 240
- Continuous data
 - in goodness-of-fit test with unspecified parameters, 257
 - Kolmogorov-Smirnov test for, 250–254
- Continuous random variables, 12
 - distribution functions of, 186
 - generation of, 69–95
 - inverse transform algorithm for, 69–73
 - rejection method for, 73–79
 - probability and, 23–31
- Continuous time Markov chains, 287–290
- Control group, 50
- Control variates, 162–169
 - blackjack and, 167–169
 - in conditional expectation estimator improvement, 175
 - list recording problem and, 166–167
- Controlled estimator, 181
 - variance of, 163, 168
- Copulas, 102–107
 - Gaussian, 103–105, 107
 - Marshall-Olkin, 105–106
 - multidimensional, 107
 - variable generation from, 107–108
- Correlation, 103
 - between random variables, 15
- Counter variables, 111
 - in inventory models, 121
 - in parallel server queuing system, 118
 - in single-server queuing system, 113
 - in tandem queuing system, 116
- Coupling from past, 297–298
- Coupons, 8, 172
 - collecting problem, 236–238
- Covariance
 - matrix, 99
 - of random variables, 14–15
 - terms, 178
- Coxian random variables, 95
- Cumulative distribution function, 9
- Cycles, 150
- D
- Debugging, 128
- Density
 - conditional, 282
 - function
 - exponential, 77, 202, 212
 - joint, 201
 - probability, 10, 12, 30
 - of random vectors, 201
 - gamma, 74–76
 - joint, 101, 202, 300
 - function, 201
 - standard normal, 141f
 - tilted, 202
- Dice, 65
- Discrete data

- chi-square goodness of fit test for, 248–250
- in goodness-of-fit test with unspecified parameters, 254–257
- Discrete event simulation, 3, 111–134
 - insurance risk model, 122–123, 131
 - events, 122
 - initialize, 123
 - output variables in, 122
 - system state variables in, 122
 - time variables in, 122
 - inventory model, 120–122
 - counter variables in, 121
 - events in, 121
 - system state variables in, 121
 - time variables in, 121
 - parallel server queuing system, 117–120
 - counter variables in, 118
 - events in, 118
 - initialize, 119–120
 - output variables in, 118
 - system state variables in, 118
 - time variables in, 118
 - repair problems, 124–126, 132
 - initialize, 124–125
 - simulating, 126f
 - system state variables, 124
 - time variables, 124
 - single-server queuing system, 112–115
 - counter variables in, 113
 - initialize, 113–114
 - simulation of, 115f
 - system state variables in, 113
 - time variables in, 113
 - stock options, 126–128
 - tandem queuing system, 115–117
 - counter variables in, 116
 - events in, 116
 - initialize, 116–117
 - output variables, 116
 - system state, 116
 - time variable, 116
 - verification of, 128–129
- Discrete random variables, 9
 - alias method for generation of, 60–63
 - inverse transform method of generation, 47–54
 - probability and, 18–23
- Discrete uniform random variables, 51
- Distribution
 - beta, 37
 - bivariate normal, 100–102
 - chi-square, 265
 - conditional, 64, 194, 284
 - exponential, 71, 214
 - functions, 93, 145
 - continuous random variables, 186
 - cumulative, 9
 - empirical, 149
 - exponential random variables, 70
 - gamma, 197
 - standard normal, 137, 200
 - gamma, 37
 - Gaussian, 104
 - of independent random variables, 146
 - joint, 98–99, 222, 284
 - lognormal, 216
 - of multinomials, 285
 - multivariate normal, 97–99
 - Poisson, 254–255
 - uniform, 53
 - of random variables, 24
 - in square, 82f
 - of vectors, 293
- Double-blind tests, 50
- E
- Empirical distribution function, 149
- Environmental states, 174
- Estimators
 - from antithetic variables, 186
 - CBSM, 236
 - compound random vector, 229
 - conditional expectation, 170, 225, 228
 - control variable improvement of, 175
 - conditioning and, 181
 - consistent, 240
 - controlled, 181
 - variance of, 163, 168
 - importance sampling, 205, 207
 - mean square errors of, 210
 - normalized importance sampling, 240
 - raw simulation, 183, 195, 224–225
 - variance of, 227, 238
 - simulation, 209
 - stratified sampling, 183

- unbiased, 162, 173, 193
- variance of, 213, 215, 227, 238
- European call options, 216
- Evaluation of integrals
 - Monte Carlo approach, 40–43
- Exotic options, evaluation of, 216–220
- Expectations, 11–13
 - conditional, 31–38
 - estimator, 170, 175, 225, 228
 - importance sampling and, 210, 214
- Expected value, 11
 - of monotone functions, 220–222
 - of random variables, 14
- Exponentials, independent, 230
- Exponential density function, 77, 202, 212
- Exponential distribution, 71, 214
- Exponential random variables, 26–28,
 - 91–92, 213, 223
 - distribution function of, 70
 - independent, 30, 242
 - with rate λ , 89–91
 - rates of, 179
 - sum of, 196
 - rejection method based on, 79
- F
- Fanning-out technique, 90
- Finite capacity queuing model, 176–179
- First come first served discipline, 112
- G
- Gamma density, 74–76
- Gamma distribution, 37
 - function, 197
- Gamma random variables, 28–30, 71–72,
 - 94, 196–197, 284
- Gauss, J. F., 104
- Gaussian copula, 103–105, 107
- Gaussian distribution, 104
- Geometric Brownian motion, 216–217
- Geometric random variables, 21–22, 51
- Gibbs sampler, 271, 276–287
- Glivenko-Cantelli theorem, 145
- Goodness-of-fit tests
 - chi-square, 248–250
 - Kolmogorov-Smirnov test for
 - continuous data, 250–254
 - as statistical validation techniques,
 - 247–257
 - with unspecified parameters
 - continuous data, 257
 - discrete data, 254–257
- H
- Hastings-Metropolis algorithm, 271,
 - 274–276, 291, 299
- Hit-Miss method, 225, 226f
- Home runs, 283, 284
- Homogenous Poisson process, 266
- Hypergeometric random variables, 23
- I
- Importance sampling, 295
 - bootstrap method and, 210
 - conditional expectations and, 210, 214
 - estimator, 205, 207
 - normalized, 240–244
 - tail probabilities and, 211
 - variance reduction and, 201–214
- Independence, probability and, 7–9
- Independent Bernoulli random variables,
 - 200, 204
 - sequence generation with, 52–53
- Independent binomial random variables,
 - 241
- Independent exponentials, 230
- Independent exponential random variables,
 - 30, 242
 - with rate λ , 89–91
 - rates of, 179
 - sum of, 196
- Independent geometric random variables,
 - 22
- Independent increment assumption, 28
- Independent Poisson process, 172
- Independent Poisson random variables, 21,
 - 264
- Independent random variables
 - distribution of, 146, 258
 - variance of sum of, 15
- Independent uniform random variables,
 - 244
- Inequality
 - Chebyshev's, 16–17, 136
 - Markov's, 16

Insurance risk model, 122–123, 131

Integrals

evaluation

Monte Carlo approach, 41

with random numbers, 40–43

multidimensional, 196–198, 201

Intensity functions, 86

in nonhomogenous Poisson process,
177

Interarrival times

generating, 180

sequence of, 29

Interval estimates, 141–144

Inventory model, 120–122

Inverse functions, 231

Inverse transform method

for binomial random variable

generation, 56

for continuous random variable

generation, 69–73

for discrete random variables, 47–54

for Poisson random variable generation,
54

Irreducible aperiodic Markov chains,
273

J

Jacobians, 101, 243

Joint density, 101, 202, 300

function, 201

Joint distribution, 98–99, 284

of random vectors, 222

Joint mass function, 241

Joint probabilities, 20

distribution function, 102–103

K

Knockout tournaments, 228

k-of-n system, 156

Kolmogorov-Smirnov test for continuous
data, 250–254

Kruskal-Wallis test, 263

L

Lagrange multipliers, 185

Latin hypercube sampling, 244–245

Laws of large numbers, 16–17

strong, 17, 240

weak, 17

Limiting probability mass function, 279,
280, 299

Linear regression model, multiple, 168

List problem, 166–167

Lognormal distribution, 216

Lognormal random walk model, 126

M

Mann-Whitney two-sample test, 259

Markov chains, 271–274

continuous time, 287–290

coupling from past, 297–298

irreducible aperiodic, 273

Monte Carlo methods, 3, 271–301

simulated annealing in, 290–293

stationary probabilities, 271–274

time reversible, 273, 288

Markov transition probability matrix, 275

Markov's inequality, 16

Marshall-Olkin copula, 105–106

Matrix

Choleski decomposition, 100, 102

covariance, 99

Markov transition probability, 275

notation, 98

Mean square errors (MSE)

bootstrapping technique for, 144–150

of estimators, 210

Mean-value function, 31

Memoryless property, 27

Mendelian theory of genetics, 267

Minimal cut sets, 237

Mixed congruential method, 40

Mixtures, 59

Monte Carlo approach, 41. *See also*

Markov chains

MSE. *See* Mean square errors

Multidimensional copulas, 107

Multidimensional integrals, monotone
functions of, 196–198

Multinomial random variables, 236, 285,
286

Multiple linear regression model, 168

Multiplicative congruential method, 40

Multisample problem, 262

Multivariate normal distribution, 97–99

- Multivariate normal random vector,
 - generating, 99–102
- N
- Negative binomial random variables, 22, 66
- Nonhomogenous Poisson process, 30–31, 112, 177
 - assumption validation, 263–267
 - generating, 85–88
 - intensity function in, 177
- Nonnegative integer valued random variable, 176
- Normal random variables, 24–26, 162
 - generating, 77–78
 - polar method for, 80–83
 - mean of, 162
 - variance of, 162
- Normalized importance sampling estimator, 240
 - as variance reduction technique, 240–244
- Null hypothesis, 248
- P
- Parallel structure, 156
- Patterns, 239
- Pekoz, E., 194
- Permutations
 - random, 65, 207
 - generation of, 49–50
- Poisson arrivals, stratified sampling and, 192–196
- Poisson assumption, 254
- Poisson process, 28–30, 152, 226–227
 - generating, 83–84
 - homogenous, 266
 - independent, 172
 - nonhomogenous, 30–31, 112, 177
 - assumption validation, 263–267
 - generating, 85–88
 - intensity function in, 177
 - rates, 183
 - two-dimensional, 88–91, 89f
- Poisson random variables, 19–21, 31
 - compound, 174
 - generating, 54–55, 71
 - independent, 21, 264
 - variance of, 184
- Poker, video, 189
- Population mean, interval estimates of, 141–144
- Poststratification, 187
 - in variance reduction, 199–201
- Product form, 278
- Proportional stratified sampling, 184, 236
- Pseudorandom number generation, 39–40
 - mixed congruential method, 40
 - multiplicative congruential method, 40
- p*-value approximations, 249, 253, 268
- Q
- Quality control, 153–155
- Queuing loss model, 287–290
- R
- Random numbers, 2
- Random permutations, 65, 207
 - generation of, 49–50
- Random sampling, 85
- Random subsets, 50
- Random variables, 9–11
- Raw simulation estimators, 183, 195, 224–225
 - variance of, 227, 238
- Regenerative approach, 150
- Rejection method, 57–58
 - based on exponential random variables, 79
 - for continuous random variable generation, 73–79
 - for random variable simulation, 73f
 - theorem, 73–74
- Reliability function, 156–159
- Renewal process, 180–182
- Repair problems, 124–126, 132
- Resampling, 295
- S
- Sample mean
 - bootstrapping technique, 144–150
 - in statistical analysis, 135–141
 - new data generation, 139–141
- Sample space, 5–6
- Sample standard deviation, 137
- Sample variance, 135–141

- Sampling importance resampling (SIR)
 - technique, 271, 293–296
- A Second Course in Probability* (Ross & Pekoz), 194
- Sequence of interarrival times, 29
- Sequential queuing system, 115–117
- Series structure, 156
- Simulated annealing, 290–293
- Single-server queuing system, 112–115, 226–227
 - counter variables in, 113
 - initialize, 113–114
 - simulation of, 115f
 - system state variables in, 113
 - time variables in, 113
- SIR technique. *See* Sampling importance resampling technique
- Square, 43f
 - circle within, 44f
 - uniform distribution in, 82f
- SS variables. *See* System state variables
- Standard deviation, sample, 137
- Standard normal
 - conditioning of, 218–219
 - density, 141f
 - distribution function, 137, 200, 231
 - random variable, 194
 - tail distribution function, 217
- Stationary increment assumption, 29
- Stationary probabilities, 272, 288
- Statistical analysis of simulated data, 135–152
- Statistical validation techniques
 - goodness-of-fit tests, 247–257
 - chi-square, 248–250
 - Kolmogorov-Smirnov test for continuous data, 250–254
 - with unspecified parameters, 254–257
 - two-sample problem, 257–263
- Stock option exercising, 126–128
- Stopping time, 176
- Stratified sampling
 - applications of, 192–201
 - compound random vectors in, 198–199
 - estimators, 183
 - lemmas in, 188
 - monotone functions of multidimensional integrals, 196–198
 - Poisson arrivals and, 192–196
 - poststratification in, 187, 199–201
 - proportional, 184
 - variance reduction and, 182–192
- Striking price, 126–127
- Strong law of large numbers, 17, 240
- Structure functions, 156
- Successive event times, 87
- System state (SS) variables, 111
 - in insurance risk models, 122
 - in inventory models, 121
 - in parallel server queuing system, 118
 - in repair problems, 124
 - in single-server queuing system, 113
 - in tandem queuing system, 116
- T
- Tail probabilities, 211–212
- Tandem queuing system, 115–117
- Text's random number sequence, 45
- Thinning, 85
- Tilted density, 202
- Tilted mass functions, 204
- Time reversibility equations, 288
- Time reversible Markov chains, 273, 288
- Time variables, 111
 - in insurance risk models, 122
 - in inventory models, 121
 - in parallel server queuing system, 118
 - in repair problems, 124
 - in single-server queuing system, 113
 - subroutine generation of, 112–115
 - in tandem queuing system, 116
- Traveling salesman problem, 292–293
- Two-dimensional Poisson process, 88–91, 89f
- Two-sample problem, 257–263
 - Mann-Whitney, 259
 - Wilcoxon, 259
- Two-sample rank sum test, 259
- U
- Unbiased estimators, 162, 173, 193
- Uniform distribution, 53

- of random variables, 24, 43
 - in square, 82f
- V**
- Variance
- of binomial random variables, 20
 - of CBSM, 237
 - conditional, 31–38
 - formula, 33–38, 183, 188
 - of controlled estimators, 163, 168
 - of estimators, 213, 215
 - raw simulation, 227, 238
 - of independent random variables, 15
 - of normal random variables, 162
 - of Poisson random variables, 184
 - in probability, 14–15
- Variates, control, 162–169
- Vectors
- bivariate normal, 101
 - distribution of, 293
 - of independent uniform random variables, 244
 - multivariate normal, 98
- Video poker, 189
- W**
- Wald's equation, 176, 180, 224
- Weak law of large numbers, 17
- Wilcoxon two-sample test, 259