Enabling IOT with off the shelf hardware

Christian Gromeier

Moxa Europe February 2020




Agenda

- The 7 Principles of Device Lifecycle Management
- Demo



IoT Device Lifecycle Management





Seven Principles of Device Lifecycle Management (DLM)



- 1. Provisioning DPS
- 2. Commissioning
- 3. Remote Software Updates (Containers)




- 4. Device Management (IP, Cellular, and other hardware Settings)



- 5. Remote Security Patches6. Updates to "Edge" Software7. Updates to OS Kernel



ThingsPro Edge and Azure Integration




IIoT Edge Gateway






Three key concepts to support device provisioning at scale (with minimal 'touch')

- Device Provisioning Service
- Device Twins
- Deployment Manifest
 - Device Twin
 - Edge Software









Device Management



SI / Customer Build application in Azure IoT Hub



Device Management

Configuration

- Ethernet, Cellular, GPS, Serial, Console port
- DHCP, Route, Time, DNS, Firewall
- HTTP, SSH, Certificates

Operation


- Reboot
- Application start/stop/restart
- Application (Over-the-air) OTA upgrade

Management from Azure

* In roadmap



IIoT Grade OTA Software Upgrade



OTA Features

Robust AND Intelligent process

- Resume download from last break point
- Intelligence to confirm upgrade AND ensure download
- Redundant BIOS and Linux Kernel w/ Auto roll-back

Security

- SAS or X.509 certificate
- Hardware-level (with TPM)

Management from Azure IoT Hub





Seven Principles of Device Lifecycle Management (DLM)

- 1. Provisioning
- 2. Commissioning
- 3. Remote Software Updates (Containers)
- 4. Device Management
- 5. Remote Security Patches
- 6. Updates to "Edge" Software
- 7. Updates to OS Kernel



Azure IoT Edge



ThingsPro Edge

IIoT Software with Azure Cloud Connectivity



Demo





Device Management in practice

- Example Dashboard: Moxa US Office Solar Monitoring
- Moxa Device Provisioning (reference software)
- ThingsPro Edge Device Management in Azure Portal
- ThingsPro Edge Local GUI
- ThingsPro Edge web-based user manual (optional)
- ThingsPro Cloud Device Management (reference)




Example Dashboard: Moxa US Office Solar Monitoring





Example Dashboard: Moxa US Office Solar Monitoring


Reference Architecture Design





Moxa Device Provisioning Tool

ThingsPro Edge provision APIs allows SI to register devices to customer's backend application in secure, mass and easy.



ThingsPro Edge Provision API

- Retrieve TPM EK and Registration ID
- Apply Azure DPS configuration
- Enable/Disable H/W interface (lock console port ...)
- Enable/Disable S/W service (disable SSH ...)
- Start/Stop Application (start Azure IoT Edge ...)
- · Change default password ...


Support Cloud

- Azure IoT Hub
- Azure DPS
- MQTT Service (Private Cloud) *

* In roadmap




Demo Provisioning Tool





Moxa Device Provisioning

reference software





ThingsPro Edge Device Management in Azure Portal (Module Identity Twin/JSON)


```
Hermann Berg@moxa.c..

    Search resources, services, and docs (G+/)

      Microsoft Azure
Home > Moxa-GMKT-IoTHub - IoT Edge > TAICB1046750 > IoT Edge Module Details > Module Identity Twin
Module Identity Twin
                                                                                                                                                                                                     ☐ Save
                                                                                                                                                                                                   ď
          The module twin for 'thingspro-agent' is shown below. You can add tags and desired properties to your module twin here. To remove a tag or desired property, set the value of the item to be removed to 'null'.
            "deviceId": "TAICB1046750",
           "moduleId": "thingspro-agent".
           "etag": "AAAAAAAAAAAY=".
           "deviceEtag": "NDgyOTIwOTE3",
           "status": "enabled".
           "statusUpdateTime": "0001-01-01T00:00:00Z",
           "connectionState": "Disconnected",
           "lastActivityTime": "2019-10-19T00:06:09.3968425Z",
           "cloudToDeviceMessageCount": 0,
   10
   11
           "authenticationType": "sas",
   12
           "x509Thumbprint": {
   13
             "primaryThumbprint": null.
             "secondaryThumbprint": null
   14
   15
           "version": 1000.
   17
           "properties": {
   18
             "desired": {
                "general": {
                 "hostName": "TAICB1046750",
                  "deviceName": "TAICB1046750"
   22
   23
                "$metadata": {
                  "$lastUpdated": "2019-11-24T19:22:49.873421Z",
   24
   25
                 "$lastUpdatedVersion": 6,
```




ThingsPro Edge Local GUI





ThingsPro Gateway Local GUI




Key Features

- Device Configuration:
 - Networking and System settings
 - Cellular Configuration
- Industrial Protocol Gateway
- Cloud and SCADA Connectors
- RESTful API



ThingsPro Edge Restful API Doc


https://thingspro-edge.moxa.online/





ThingsPro Cloud Device Management

http://training.thingspro.io:8080/





Thank You



© Moxa Inc. All rights reserved.


Backup Slides

- ThingsPro Edge Architecture Overview
- Cloud Application Reference Architecture



Architecture Overview








Cloud Application Reference Architecture





IIoT Gateway

Config message route to Service Bus

- Twin Change
- Device Lifecycle

IoT Hub service SDK or Restful API

- Retrieve Edge devices from IoT Hub
 - Retrieve Reported Properties
 - Apply Desired Properties
 - Invoke Direct Method

Azure Service Bus SDK

- Receive message from Queue
- Push message to Web App

Azure Event Hub SDK


- Receive D2C message from Event Hub
- Push message to Web App



Cloud Application Reference Architecture

Better Architecture





Azure SQL Server

- Store Device meta data
- Connection Status
- Reported Properties

Queue and Microservice

- Apply Desired Properties
- Invoke Direct Method
- Invoke Direct Method when device online

IIoT Gateway



Links

•

- Github for ThingsPro installation:
- https://github.com/FrankSHLi/ThingsProDoc/blob/master/ModbusToCloudFromScratch.md#provision-tool
- Github for the ThingsPro Edge Cloud Reference Application
- https://github.com/MOXA-ISD/cloud-dm-demo

