

CYBERINFINITI LTD

HUMAN FACTORS IN CYBERSECURITY

Enterprise Human Factor Threat Assessment &
Security Awareness Program Implementation

Organization: Cyberinfiniti Ltd. **Report ID:** CIF-HFC-RASAP-2026-02 **Date:** March 2026 **Classification:** Confidential / Internal Use

01 / EXECUTIVE SUMMARY

74%

of breaches
involve human
elements

5

Major threat
categories
identified

2

Real-world
case studies
analyzed

5

Training
modules
designed

Human behavior represents a critical cybersecurity risk, even in organizations with advanced technical defenses.

Cyberinfiniti operates as an MSSP, handling highly sensitive client security infrastructure and compliance data.

Social engineering, phishing, and credential mismanagement are the top identified human-driven threats.

A customized 5-module Security Awareness Program was developed on the Vivida learning platform.

Accessibility testing was conducted to ensure inclusive, barrier-free training for all employees.

02 / HUMAN FACTOR THREAT PROFILE

Phishing Attacks

Fraudulent emails impersonating trusted entities to steal credentials or install malware on analyst systems.

Social Engineering

Psychological manipulation of staff to bypass security controls — especially dangerous under high-pressure SOC conditions.

Credential Mismanagement

Password reuse, weak credentials, and insecure storage enabling cross-system account compromise.

Insider Threats

Intentional or accidental exposure of vulnerability reports, threat intel, and client configs by internal staff.

Security Misconfiguration

Human errors in SIEM, firewall, or cloud config that create undetected blind spots across client environments.

Shadow IT & Public WiFi

Unauthorized tools and unsecured networks expose client data to interception and man-in-the-middle attacks.

03 / HUMAN RISK MATRIX

Threat	Likelihood	Impact	Risk Level
Phishing Attacks	High	High	 CRITICAL
Social Engineering	Medium	High	 HIGH
Credential Mismanagement	High	Medium	 HIGH
Insider Threats	Medium	High	 HIGH
Security Misconfiguration	Medium	Medium	 MODERATE
Third Party Vendors	Medium	High	 HIGH
Public WiFi & Networks	High	High	 CRITICAL

04 / CASE STUDY: UBER BREACH (2022)

01

Credential Theft

Attacker obtained employee login credentials via phishing or previously leaked data.



02

MFA Fatigue Attack

Repeated authentication push notifications sent to pressure the employee into approving access.



03

Impersonation

Attacker posed as IT admin via messaging platforms and instructed approval of the MFA prompt.



04

Full System Access

Gained entry to Slack, admin tools, engineering dashboards, and internal documentation.

KEY LESSONS FOR CYBERINFINTI

- ✓ Even strong MFA controls can be bypassed through employee manipulation
- ✓ Continuous security awareness training is essential for SOC analysts
- ✓ Anomalous authentication patterns must be monitored in real time

05 / CASE STUDY: TWITTER ATTACK (2020)

WHAT HAPPENED

- Attackers impersonated Twitter's internal IT support team via phone calls
- Employees were deceived into providing credentials or granting system access
- Attackers gained access to Twitter's internal administrative dashboard
- 100+ high-profile accounts compromised including world leaders & tech CEOs
- Fraudulent Bitcoin scam posts sent to millions of followers worldwide

IMPACT

Severe reputational damage to Twitter
Financial fraud affecting thousands of users
Law enforcement investigation and arrests
Limited access policies introduced post-breach

LESSONS FOR CYBERINFINTI

Privileged users are prime attack targets
Strict access controls must govern admin tools
Identity verification procedures need enforcement
Ongoing training for all privileged access holders

06 / SECURITY AWARENESS PROGRAM

Delivered via the Vivida Learning Platform — 5 targeted modules addressing key human-factor risks

M1

Phishing Awareness & Email Security

Identifying phishing
Spoofed domains
Safe email handling

M2

Social Engineering Awareness

Manipulation tactics
Impersonation & pretexting
Reporting incidents

M3

Password & Identity Security

Strong password practices
MFA usage
Identity protection

M4

Secure Handling of Client Data

Data classification
Secure sharing & storage
Preventing data exposure

M5

Secure Ops for Security Analysts

Secure tool usage
Incident handling
Avoiding OpSec mistakes

Approach: Interactive Video Reels | Scenario-Based Simulations | Case Studies | Microlearning Refreshers

07 / PROGRAM ARCHITECTURE & ROLLOUT

PROGRAM LAYERS



ROLLOUT TIMELINE

Phase 1	Week 1	Platform setup & content upload
Phase 2	Week 2	Employee enrollment & onboarding
Phase 3	Weeks 3–4	Training module delivery
Phase 4	Week 5	Engagement & completion monitoring
Phase 5	Week 6	Evaluation & feedback review

08 / ACCESSIBILITY TESTING & FINDINGS

WCAG POUR ASSESSMENT

P	Perceivable Captions present but not fully synced	Partial
O	Operable Keyboard navigation incomplete	Partial
U	Understandable Materials clear & well-structured	Pass
R	Robust .mov files unsupported on Windows	Partial

KEY ISSUES IDENTIFIED

Critical	Missing <html> lang attribute — screen readers cannot determine language
Critical	Zoom/scaling disabled in viewport — blocks users with visual impairments
Moderate	Keyboard-only navigation incomplete on admin dashboard
Moderate	Caption sync issues in training video content
Minor	.mov format incompatible on Windows devices
Minor	No delete function in video library for erroneous uploads

09 / STRATEGIC RECOMMENDATIONS & CONCLUSION

Mandatory Quarterly Training

R1

All employees complete security awareness training every quarter, with role-based paths for privileged users.

Phishing Simulations

R2

Regular simulated phishing campaigns to test and measure employee response rates and awareness levels.

Strict Access Control

R3

Enforce least-privilege principles and rigorous change management for all administrative systems.

Human Risk Management

R4

Adopt a continuous Human Risk Management framework to monitor and score employee security behavior.

Data Handling Procedures

R5

Establish clear, enforced procedures for handling, sharing, and storing sensitive client security data.

Accessibility Remediation

R6

Fix critical WCAG issues: add lang attribute, enable zoom, improve keyboard nav, sync video captions.

Human behavior is a critical cybersecurity risk. A strong security culture — built through continuous awareness training — is Cyberinfiniti's strongest defense.