

CYBERINFINITI LTD

HUMAN FACTORS IN CYBERSECURITY

Enterprise Human Factor Threat Assessment & Security Awareness Program Implementation Report

Organization: Cyberinfiniti ltd.

Report ID: CIF-HFC-RASAP-2026-02

Report Date: March 2026

Classification: Confidential / Internal Use

Analysts: John Ofulue, Halimat Omorinsola Adepegba, Favour Obisike, Ikenna Emerole, Blessing Ibe, Ayodimeji Omole, Divine Ezewele, Andrew Moses, Odunayo Balogun.

Reviewed By: Chief Information Security Officer (CISO)

Approved By: Managing Director

Report Version: 1.0

Distribution: CyBlack Team, SOC Team, Executive Management,

Table Of Contents

1. Executive Summary.....	4
2. Organizational Context.....	5
3. Human Factor Threat Profile.....	6
3.1 Phishing Attacks.....	14
3.2 Social Engineering.....	14
3.3 Credential Mismanagement.....	15
3.4 Insider Threats.....	15
3.5 Security Misconfiguration.....	16
3.6 Third Party Vendor.....	16
3.7 Public WiFi and Network Security.....	17
4. Human Risk Matrix.....	18
5. Human Factor Case Study Analysis.....	19
Case Study 1 – Uber Social Engineering Breach (2022).....	20
Incident Overview.....	20
Attack Method.....	20
Impact of the Incident.....	21
Organizational Response.....	21
Lessons Learned.....	22
Case Study 2 – Twitter Social Engineering Attack (2020).....	22
Incident Overview.....	22
Attack Method.....	22
Impact of the Incident.....	23
Organizational Response.....	23
Lessons Learned.....	23
Relevance to Cyberinfiniti Ltd.....	24
Implications for Cyberinfiniti.....	24
Conclusion.....	24
6. Security Awareness Program Design.....	25
Program Objectives.....	26
Training Modules.....	26
1. Phishing Awareness & Email Security.....	26
2. Social Engineering Awareness.....	26
3. Password & Identity Security.....	26
4. Secure Handling of Client Security Data.....	27
5. Secure Operational Practices for Security Analysts.....	27
Learning Approach.....	27
7. Security Awareness Program Architecture.....	27
1. Strategic Foundation Layer.....	27
2. Awareness Strategy Layer.....	28

3. Learning Platform Layer.....	28
4. Training Delivery Layer.....	28
5. Core Risk Domains Layer.....	29
6. Learning Reinforcement Layer.....	29
7. Behavioral Change Layer.....	29
8. Outcome Layer.....	29
9. Continuous Feedback Loop.....	29
8. Accessibility Testing and Evaluation.....	31
8.1 Overview.....	31
8.2 Accessibility Testing Methodology.....	31
8.3 Dashboard Accessibility Assessment.....	33
8.4 Automated Accessibility Scan Results.....	33
8.5 axe DevTools Accessibility Scan.....	35
8.6 Video Content Accessibility Evaluation.....	36
8.7 Accessibility Testing of Custom Training Materials.....	37
8.8 Assistive Technology Testing.....	37
8.9 Operational Challenges Encountered.....	38
8.10 Accessibility Recommendations.....	38
8.11 WCAG Accessibility Compliance Assessment.....	39
9. Security Awareness Program Rollout Timeline.....	40
10. Challenges Encountered.....	41
11. Strategic Recommendations.....	42
12. Conclusion.....	42
14. Appendix A: Sprint Timeline & Meetings.....	43
15. Appendix B: Team Contributions.....	44

1. Executive Summary

Human behavior continues to represent one of the most significant risk factors within modern cybersecurity environments. While organizations invest heavily in advanced security technologies, cyber attackers increasingly exploit human vulnerabilities through social engineering, phishing campaigns, and other psychological manipulation techniques.

This report presents the findings of a Human Factor Threat Assessment conducted for Cyberinfiniti Ltd. The objective of this assessment was to evaluate human-driven cybersecurity risks within the organization and develop a targeted security awareness program aimed at strengthening the organization's human security posture.

Cyberinfiniti Ltd operates as a Managed Security Service Provider (MSSP), delivering cybersecurity services such as Security Operations Center (SOC) monitoring, vulnerability assessments, cloud security advisory, and governance, risk, and compliance consulting. Due to the nature of these services, the organization handles highly sensitive information including client infrastructure configurations, vulnerability data, threat intelligence feeds, and regulatory compliance documentation. Consequently, human error within the organization has the potential to expose sensitive client environments and compromise organizational trust.

The assessment identified several key human factor threats relevant to Cyberinfiniti's operational environment, including phishing attacks, social engineering, credential mismanagement, insider threats, and misconfiguration of security systems. Two major cybersecurity incidents involving social engineering attacks were analyzed to highlight the impact of human vulnerabilities in real-world scenarios.

Based on these findings, a customized security awareness program was developed using the Vivida platform. The program was designed to educate employees on emerging cyber threats, reinforce secure behavior, and improve overall awareness of security risks associated with daily operations. The program incorporated both existing training modules available on the platform and custom content tailored to Cyberinfiniti's operational context.

Accessibility testing was also conducted to ensure that cybersecurity training content and digital learning environments remain inclusive and usable for individuals with different abilities.

The findings of this report emphasize that strengthening cybersecurity within Cyberinfiniti requires not only technical defenses but also the development of a strong security culture that empowers employees to act as the first line of defense against cyber threats.

2. Organizational Context

Cyberinfiniti Ltd is a cybersecurity-focused enterprise operating within the Information Technology sector, specializing in managed security services, threat detection, vulnerability assessments, cloud security advisory, and governance, risk, and compliance consulting.

As a Managed Security Service Provider, the organization delivers cybersecurity solutions to multiple clients across various industries, providing services designed to detect, prevent, and respond to cyber threats affecting client infrastructure and digital assets.

Key operational services provided by Cyberinfiniti include:

- Security Operations Center (SOC) monitoring and incident response

- Threat detection and security event monitoring

- Vulnerability assessment and penetration testing

- Cloud security architecture and advisory services

- Governance, Risk and Compliance consulting

- Cybersecurity awareness and professional training programs

Due to the nature of these services, Cyberinfiniti operates within a high-trust and high-sensitivity environment. Employees regularly interact with confidential information including security architecture diagrams, vulnerability assessment reports, threat intelligence feeds, and sensitive regulatory compliance documentation.

In addition, the organization may process or store personal data as part of its client engagements, requiring compliance with data protection regulations such as the Nigeria Data Protection Act (NDPA).

Employees working within Cyberinfiniti typically include security analysts, cloud security engineers, governance specialists, consultants, and administrative personnel. These employees often have privileged access to internal monitoring systems, security dashboards, client infrastructure configurations, and sensitive documentation.

Because of this elevated access, human behavior represents a critical component of the organization's overall cybersecurity posture. Human factors such as poor password management, susceptibility to phishing attacks, improper handling of sensitive information, or unauthorized use of external tools may introduce vulnerabilities that could compromise both internal systems and client environments.

Recognizing these risks, Cyberinfiniti places strong emphasis on building a robust cybersecurity culture that promotes awareness, accountability, and proactive security behavior among its employees.

3. Human Factor Threat Profile

Cyberinfiniti Human Threat Profile

Human factor threats refer to cybersecurity risks that arise from **human behaviour, mistakes, negligence, or manipulation** rather than purely technical vulnerabilities. Even organizations with strong security infrastructures remain vulnerable if employees unknowingly assist attackers or mismanage sensitive systems.

For cybersecurity companies such as Cyberinfiniti, the risk is even greater because employees often have **privileged access to security monitoring tools, vulnerability reports, client networks, and threat intelligence platforms**. A single human mistake could potentially compromise multiple client environments.

Below are the major human factor threats relevant to cybersecurity service providers.

1. Phishing Attacks

Phishing remains one of the most common and effective cyberattack techniques. It involves sending fraudulent messages, usually emails, that appear to come from legitimate sources, in order to trick employees into revealing sensitive information or clicking on malicious links.

In cybersecurity service providers, SOC analysts and consultants constantly communicate with clients, vendors, and technology partners. Attackers exploit this communication pattern by impersonating trusted contacts.

For example, an attacker may send an email that appears to come from a client requesting urgent assistance with a system issue. The message may contain a malicious link leading to a fake login portal designed to steal credentials.

If an analyst enters their credentials into the phishing site, the attacker could gain access to:

- Security monitoring dashboards
- Client environments
- Internal documentation systems
- Incident response platforms

Because cybersecurity firms manage multiple client infrastructures, a successful phishing attack could have cascading consequences affecting many organizations simultaneously.

2. Social Engineering Attacks

Social engineering attacks manipulate human psychology to bypass security controls. Rather than exploiting technical vulnerabilities, attackers exploit trust, urgency, authority, or fear to convince employees to perform actions that compromise security.

Attackers may impersonate:

- Senior executives requesting urgent access
- Clients requesting confidential information

- IT administrators requesting credential verification
- Vendors asking for system configuration details

For example, a malicious actor could call a SOC analyst pretending to be a client's IT manager, requesting immediate access to logs for an "ongoing incident." Under pressure to provide support, the analyst might unknowingly disclose sensitive information.

In cybersecurity firms, employees often work in high-pressure environments where rapid response is required, making them particularly susceptible to social engineering attacks.

3. Credential Mismanagement

Credential mismanagement refers to improper handling of authentication credentials such as usernames, passwords, and API keys.

This may include:

- Reusing passwords across multiple platforms
- Sharing login credentials among team members
- Storing passwords in plain text files or spreadsheets
- Using weak or predictable passwords

In organizations that manage multiple client systems, engineers may sometimes reuse credentials across platforms for convenience. However, if attackers compromise one system, they may gain access to several others due to password reuse.

Credential mismanagement can therefore lead to large-scale compromise across multiple client environments, which can severely damage the reputation of a cybersecurity firm.

4. Insider Threats

Insider threats originate from individuals within the organization who have legitimate access to systems and data. These threats may be **intentional or accidental**.

Types of insider threats include:

- **Malicious Insider Threat:** This occurs when an employee intentionally abuses their privileges to steal sensitive information, sabotage systems, or leak confidential data. Motivations may include financial gain, revenge, or collaboration with external attackers.
- **Negligent Insider Threat:** This occurs when employees unintentionally expose sensitive data due to carelessness or lack of awareness. Examples include sending sensitive files to the wrong email address or uploading confidential information to unsecured platforms.

For cybersecurity firms, insider threats are particularly dangerous because employees may have access to:

- Vulnerability reports
- Security logs
- Client infrastructure details
- Incident response plans

Unauthorized disclosure of such information could severely undermine the trust clients place in the organization.

5. Misconfigured Security Tools

Security technologies such as firewalls, intrusion detection systems, and SIEM platforms require careful configuration. Human error during setup or maintenance can introduce vulnerabilities that attackers may exploit.

Common configuration errors include:

- Incorrect firewall rules allowing unauthorized access
- Disabled security alerts
- Poorly configured access control policies
- Logging systems that fail to capture critical activity

For example, if a SIEM alert rule is misconfigured, malicious activity within a client network may go undetected for long periods.

In cybersecurity firms responsible for monitoring multiple environments, a misconfigured tool could lead to missed threat detections across several clients.

6. Shadow IT Usage

Shadow IT refers to the use of unauthorized software, applications, or services without the approval of the organization's IT department.

Employees may adopt these tools to improve productivity or simplify collaboration, but such tools often lack proper security controls.

Examples include:

- Personal cloud storage platforms
- Unapproved messaging applications
- Unauthorized project management tools

If sensitive client information is uploaded to these platforms, it may become accessible to unauthorized individuals or external attackers.

For cybersecurity firms, shadow IT can result in uncontrolled data exposure and compliance violations, particularly when dealing with sensitive client security information.

7. Privileged Access Misuse

Employees in cybersecurity organizations often require elevated privileges to perform their duties. Security engineers, SOC analysts, and system administrators may have access to critical systems and administrative tools.

While privileged access is necessary for operational tasks, it also increases risk if not properly controlled.

Misuse of privileged access may include:

- Accidental modification of system configurations

- Unauthorized access to confidential data
- Abuse of administrative privileges
- Failure to follow proper change management procedures

If privileged access is compromised or misused, attackers may gain full control over monitoring systems, client networks, or security infrastructure.

8. Public WiFi and Network Security

Public WiFi and unsecured networks pose significant cybersecurity risks, especially when employees access organizational resources outside secure environments.

Employees may connect to public or untrusted networks (e.g., in cafes, airports, or hotels) for convenience, but these networks often lack proper encryption and security controls.

Examples include:

- Open public WiFi networks without passwords
- Rogue or spoofed WiFi access points
- Unsecured home or personal networks

When employees access Cyberinfiniti systems—such as client environments, threat intelligence platforms, or internal dashboards—over these networks, sensitive data may be exposed to interception or monitoring by attackers.

Threats such as man-in-the-middle (MITM) attacks, packet sniffing, and session hijacking can allow malicious actors to capture login credentials or confidential information.

For a cybersecurity organization like Cyberinfiniti, insecure network usage can lead to unauthorized access to client systems, data breaches, and severe reputational and compliance risks, particularly given the high-trust and high-sensitivity nature of its operations.

9. Third Party Vendors

Considering vendors frequently have access to internal systems, sensitive data, and operational infrastructure, third-party vendor risks resulting from human error are a major problem. The

organization may be directly impacted when a third party makes mistakes as a result of carelessness, ignorance, or inadequate security procedures. Third-party vendor risks are regarded as a crucial part of the overall risk landscape in the context of cybersecurity and governance frameworks like ISO/IEC 27001 and ISO/IEC 27002 because organizations such as Cyberinfiniti Ltd usually depend on contractors, managed service providers, and external service providers to carry out some crucial business functions. Human error associated with third party vendors can take many different forms. Inappropriate management of credentials is one typical scenario. Vendor employees who are given access to corporate systems may misuse login credentials by using weak passwords, sharing them among team members, or keeping them insecurely. These actions raise the risk of account compromise or illegal access. Internal security measures may be bypassed if an attacker manages to obtain these credentials and use the vendor's account to access the company's internal systems.

Inadequate management of sensitive client or business data is another significant human factor risk. Vendors frequently handle private data, including customer records, and intellectual property. Data exposure can result from human errors such as transmitting data to the incorrect destination, uploading files to unsafe storage, or neglecting to encrypt critical information during transfer. Even if these mistakes are frequently unintentional, they can however lead to fines from the authorities, harm to the organization's reputation, and a decline in customer confidence. Lack of security awareness among vendor staff further amplifies these risks. Vendor employees may fall victim to phishing attacks or other forms of Social Engineering, unknowingly disclosing credentials or confidential information to attackers. Because vendors frequently operate outside the direct supervision of the organization, these incidents can go unnoticed until the damage has already occurred.

Conclusion of Human Threat Risks

The threats identified above highlight how human behaviour can become a major attack vector within cybersecurity organizations.

Unlike purely technical vulnerabilities, human factor risks are harder to eliminate because they involve human decision-making, trust, and behaviour.

For Cyberinfiniti, addressing these risks requires a combination of:

- Security awareness training
- Strong access control policies
- Continuous monitoring
- Clear operational procedures
- Proper security governance

Understanding these threats is the first step toward developing effective strategies to reduce human-driven cybersecurity risks.

3.1 Phishing Attacks

Phishing attacks remain one of the most prevalent and successful cyberattack methods globally. Attackers often craft deceptive emails or communications designed to impersonate trusted entities such as internal administrators, clients, vendors, or cloud service providers.

Employees within Cyberinfiniti regularly interact with external stakeholders and receive large volumes of email communications. As a result, phishing campaigns targeting employees could potentially trick individuals into revealing login credentials, downloading malicious files, or accessing fraudulent login portals.

A successful phishing attack could allow attackers to gain unauthorized access to critical internal systems such as monitoring dashboards, client infrastructure management tools, or internal documentation repositories.

3.2 Social Engineering

Social engineering attacks involve manipulating individuals into bypassing established security procedures. These attacks rely heavily on psychological manipulation rather than technical exploitation.

Attackers may impersonate trusted personnel such as IT support staff, senior executives, or external partners to persuade employees to disclose sensitive information or perform actions that compromise security.

Within a cybersecurity services organization like Cyberinfiniti, employees frequently manage privileged systems and may have administrative access to security monitoring tools. Consequently, successful social engineering attacks could provide attackers with direct access to sensitive operational systems.

3.3 Credential Mismanagement

Improper handling of authentication credentials is another significant human factor risk. Employees may unknowingly expose credentials through poor password hygiene practices such as reusing passwords across multiple systems or storing passwords in unsecured locations.

Given that Cyberinfiniti employees often access multiple client systems and internal security platforms, compromised credentials could potentially provide attackers with broad access across multiple environments.

3.4 Insider Threats

Insider threats refer to risks posed by individuals within the organization who have legitimate access to sensitive systems or information. Insider threats can occur in two forms: malicious insiders who intentionally leak information and negligent insiders who unintentionally expose sensitive data.

Because Cyberinfiniti personnel regularly handle vulnerability assessment reports, threat intelligence data, and compliance documentation, improper handling of such information could expose sensitive security insights that attackers could exploit.

3.5 Security Misconfiguration

Human error during the configuration of security tools and infrastructure can introduce vulnerabilities that attackers may exploit. Misconfigured monitoring systems, firewalls, or cloud security controls could potentially expose internal networks or client environments.

For a cybersecurity service provider responsible for monitoring and protecting client systems, such misconfigurations could lead to severe operational and reputational consequences.

3.6 Third Party Vendor

Organizations that depend on outside contractors, partners, vendors, or technology providers run the risk of having their systems or operations compromised. Given that Cyberinfiniti Ltd frequently integrates tools, platforms, and services from different vendors while managing client environments, third-party risks are especially important.

From a human-factor standpoint, inadequate vendor management, oversight issues, or operational errors are the main causes of third-party risks, these errors include;

- Poor Vendor Security Assessment
- Poor monitoring of vendor activities
- Lack of adequate security awareness for vendors
- Overreliance on a single vendor

These errors can easily mean severe consequences for the organization, these could include;

- data breaches
- compromise of multiple clients
- service disruptions
- legal and regulatory penalties
- reputational damage
- loss of client trust

3.7 Public WiFi and Network Security

Organizations whose employees access systems remotely are exposed to risks associated with insecure network connections. For Cyberinfiniti Ltd, where employees frequently interact with client environments, security platforms, and sensitive threat intelligence data, the use of public or untrusted networks presents a significant human-factor risk.

From a human-factor standpoint, these risks are often caused by poor security practices, lack of awareness, or convenience-driven behavior. These errors include;

- Use of unsecured public WiFi networks without protection
- Failure to use VPNs when accessing corporate systems remotely

- Connecting to rogue or spoofed WiFi access points
- Accessing sensitive systems over poorly secured home networks

These actions can expose Cyberinfiniti's operations to various network-based attacks such as man-in-the-middle (MITM) attacks, session hijacking, and traffic interception.

These errors can easily lead to severe consequences for the organization, these could include:

- Unauthorized access to client systems
- Exposure of sensitive data such as credentials and threat intelligence
- Compromise of security monitoring platforms
- Data breaches affecting multiple clients
- Regulatory and compliance violations
- Reputational damage
- Loss of client trust

4. Human Risk Matrix

To better understand the relative impact of identified human factor threats, a Human Risk Matrix was developed. The matrix evaluates each threat based on its **likelihood of occurrence** and **potential impact on organizational operations**.

Human Threat	Likelihood	Impact	Risk Level	Potential Consequences
Phishing Attacks	High	High	Critical	Credential compromise, unauthorized system access
Social Engineering	Medium	High	High	Privilege access misuse, sensitive information exposure
Credential Mismanagement	High	Medium	High	Account compromise across systems

Insider Threats	Medium	High	High	Data leakage, exposure of vulnerability reports.
Security Misconfiguration	Medium	Medium	Moderate	Exposure of security infrastructure
Third Party Vendors	Medium	High	High	Data breaches, system disruption.
Public WiFi and Networks	High	High	Critical	Unauthorized access to client systems, Interception of sensitive data, potential data breaches, regulatory non-compliance and reputational damage

The matrix highlights that phishing attacks, credential mismanagement and Public WiFi represent the most significant risks to the organization due to their high likelihood and potentially severe operational consequences.

5. Human Factor Case Study Analysis

Human behavior continues to be one of the most exploited vulnerabilities within modern cybersecurity environments. While organizations invest heavily in advanced security technologies such as firewalls, intrusion detection systems, and identity management tools, cyber attackers increasingly target employees through social engineering techniques.

Cybercriminals often rely on psychological manipulation rather than technical exploitation to gain access to sensitive systems and data. Employees may unknowingly disclose confidential information, approve malicious authentication requests, or grant unauthorized access to internal systems.

For organizations like **Cyberinfiniti Ltd**, which operates as a **Managed Security Service Provider (MSSP)**, human factor vulnerabilities can present significant risks. Employees within the organization regularly interact with highly sensitive systems including Security Operations Center (SOC) monitoring platforms, threat intelligence feeds, vulnerability assessment reports, and client infrastructure configurations.

To better understand the risks associated with human behavior in cybersecurity environments, two real-world cybersecurity incidents were analyzed. These include the **Uber Social Engineering Breach (2022)** and the **Twitter Social Engineering Attack (2020)**.

These case studies provide valuable insights into how human vulnerabilities can lead to major security incidents and how similar threats could affect organizations such as Cyberinfiniti.

I. Case Study 1 – Uber Social Engineering Breach (2022)

Incident Overview

In September 2022, Uber Technologies experienced a significant cybersecurity breach caused primarily by social engineering tactics targeting one of its employees. Rather than exploiting a technical vulnerability in Uber's systems, the attacker focused on manipulating human behavior to gain access to internal systems.

The incident demonstrated that even organizations with advanced cybersecurity infrastructure remain vulnerable when attackers successfully exploit human factors.

a. Attack Method

The attacker executed the breach through several stages.

First, the attacker obtained login credentials belonging to an Uber employee through phishing or previously leaked credentials from compromised systems.

After acquiring the credentials, the attacker attempted to log into Uber's internal network. However, access was initially blocked because the system required multi-factor authentication (MFA).

To bypass this security control, the attacker launched an **MFA fatigue attack**, repeatedly sending authentication prompts to the employee's device. These repeated requests were intended to pressure the employee into approving one of the authentication attempts.

Eventually, the attacker contacted the employee through messaging platforms while impersonating an internal IT administrator and instructed the employee to approve the authentication request.

The employee eventually approved the request, granting the attacker access to Uber's internal systems.

b. Impact of the Incident

Once access was obtained, the attacker gained entry into several internal resources including:

- Uber's internal communication platform (Slack)
- Administrative management tools
- Engineering dashboards
- Internal documentation systems

The attacker even posted a message in the company's Slack workspace announcing the breach.

Although Uber reported that core customer databases and payment systems were not compromised, the breach still caused disruption to internal operations and exposed weaknesses in human-focused security controls.

c. Organizational Response

Uber's security team responded quickly to contain the breach. Immediate actions included isolating affected systems, resetting employee credentials, and temporarily disabling internal services.

The organization also launched an internal investigation to determine how the attacker gained access and began reviewing its authentication and identity verification policies.

d. Lessons Learned

The Uber breach highlighted several important cybersecurity lessons.

Employees remain a primary target for social engineering attacks. Even strong technical defenses such as multi-factor authentication can be bypassed when attackers manipulate employees into approving unauthorized access requests.

The incident also demonstrated the importance of continuous security awareness training to help employees recognize suspicious authentication requests and social engineering attempts.

Organizations must also implement monitoring systems that detect unusual authentication patterns such as repeated login requests.

II. Case Study 2 – Twitter Social Engineering Attack (2020)

Incident Overview

In July 2020, Twitter experienced one of the most widely publicized social engineering attacks in recent years. Attackers successfully compromised several high-profile accounts belonging to public figures, technology leaders, and major organizations.

Unlike many cyberattacks that exploit software vulnerabilities, this incident occurred because attackers successfully manipulated employees into granting access to internal administrative tools.

a. Attack Method

The attackers carried out a coordinated social engineering campaign targeting Twitter employees with access to internal systems.

The attackers impersonated members of Twitter's internal IT support team and contacted employees through phone calls and communication channels. Through persuasive communication and deception, they convinced employees to provide login credentials or grant access to internal systems.

Once the attackers obtained access to Twitter's internal administrative dashboard, they were able to reset passwords, disable security protections, and take control of several user accounts.

Using the compromised accounts, the attackers posted fraudulent cryptocurrency messages asking followers to send Bitcoin to specific wallet addresses.

b. Impact of the Incident

The attack resulted in the compromise of more than one hundred high-profile Twitter accounts.

The attackers used these accounts to promote cryptocurrency scams that reached millions of users worldwide. Some individuals sent funds to the attackers believing the messages were legitimate.

The incident caused significant reputational damage to Twitter and raised concerns regarding internal security controls and employee awareness.

c. Organizational Response

Twitter responded quickly by locking affected accounts and restricting employee access to internal administrative tools.

The company conducted a thorough investigation into the breach and worked with law enforcement agencies to identify and arrest the individuals responsible.

Following the incident, Twitter strengthened its internal access control policies and limited the number of employees who could access administrative systems.

d. Lessons Learned

The Twitter breach demonstrates that employees with privileged system access are high-value targets for attackers.

Social engineering attacks can successfully bypass traditional cybersecurity defenses if employees are manipulated into revealing credentials or granting access.

Organizations must enforce strict access control policies and ensure that employees with privileged access receive continuous security awareness training.

e. Relevance to Cyberinfiniti Ltd

The Uber and Twitter incidents provide valuable insights into how human vulnerabilities can lead to significant cybersecurity breaches.

Cyberinfiniti Ltd operates as a Managed Security Service Provider and therefore manages sensitive cybersecurity infrastructure and client environments. Employees frequently

interact with systems such as SOC monitoring dashboards, vulnerability assessment tools, cloud security platforms, and threat intelligence repositories.

If attackers successfully exploit human vulnerabilities within Cyberinfiniti, potential consequences may include unauthorized access to client systems, leakage of vulnerability assessment reports, exposure of threat intelligence data, and compromise of privileged accounts.

Because Cyberinfiniti's services directly support the security of multiple organizations, a successful attack could affect both the company and its clients.

f. Implications for Cyberinfiniti

To reduce the risk of human-driven cybersecurity incidents, Cyberinfiniti should implement several security measures.

These include continuous employee security awareness training, simulated phishing campaigns to test employee responses, strict privileged access management policies, and improved identity verification procedures.

Monitoring unusual login behavior and authentication requests can also help detect potential attacks at an early stage.

Human factors remain one of the most significant contributors to cybersecurity incidents. Even organizations with advanced security technologies remain vulnerable when employees are manipulated by attackers.

The Uber and Twitter incidents demonstrate how social engineering attacks can bypass technical security controls and lead to major breaches.

For Cyberinfiniti Ltd, strengthening employee awareness and promoting a strong security culture are critical components of effective cybersecurity risk management.

By implementing targeted security awareness programs and reinforcing secure operational practices, Cyberinfiniti can significantly reduce the risks associated with human behavior and strengthen its overall cybersecurity posture.

6. Security Awareness Program Design

To mitigate the identified human factor risks, a structured security awareness program was designed using the Vivida learning platform. The program aims to educate employees on emerging cybersecurity threats and reinforce secure operational behavior across the organization.

The training program was designed to address the specific operational environment of Cyberinfiniti, ensuring that awareness training aligns with real-world threats faced by cybersecurity professionals.

The training program consists of the following modules:

Module 1 – Phishing Awareness and Email Security

Module 2 – Social Engineering Awareness

Module 3 – Insider threats & password and ID Security

Module 4 – Secure Handling of Client Security Data

Module 5 – Secure Operational Practices for Security Analysts

The **Cyberinfiniti Security Awareness Program** is a structured, continuous learning initiative delivered through the **Vivida Learning Platform**. Its purpose is to reduce human-related cybersecurity risks by improving employee awareness, decision-making, and secure behavior.

The program is designed specifically for Cyberinfiniti's high-risk operational environment, where employees handle:

- Client security environments
- Threat intelligence
- Compliance-sensitive data

Program Objectives

- Reduce human error in security operations
- Strengthen resistance to cyber threats (e.g., phishing, social engineering)
- Promote secure handling of sensitive client data
- Reinforce a culture of continuous security awareness

Training Modules

The program is divided into **five targeted modules**, each addressing key human-factor risks:

1. Phishing Awareness & Email Security

- Identifying phishing emails and malicious links
- Recognizing spoofed domains
- Safe email handling practices

2. Social Engineering Awareness

- Detecting manipulation techniques
- Recognizing impersonation and pretexting
- Reporting suspicious interactions

3. Password & Identity Security

- Strong password practices
- Multi-Factor Authentication (MFA) usage
- Identity protection strategies

4. Secure Handling of Client Security Data

- Data classification and protection
- Secure sharing and storage practices
- Avoiding accidental data exposure

5. Secure Operational Practices for Security Analysts

- Secure use of tools and dashboards
- Incident handling best practices
- Avoiding operational security mistakes

Learning Approach

The program uses a **blended learning model**:

- Short interactive video content (Vivida Reels)
- Scenario-based simulations
- Real-world cybersecurity case studies
- Continuous reinforcement (microlearning + refreshers)

Custom content is included to reflect realistic Cyberinfiniti scenarios, making training highly relevant and practical.

Cyberinfiniti Ltd Security Awareness Gap Analysis

The goal of this is to assess whether existing VIVIDA training content adequately addresses the organization's human-factor security risks and control requirements. In today's threat landscape, human behavior remains one of the most significant contributors to security incidents, making security awareness a critical component of any organization's risk management strategy. Employees, contractors, and third-party vendors interact daily with systems and sensitive information, and their actions, whether intentional or accidental, can introduce vulnerabilities that bypass even the most robust technical controls. As such, we must ensure that our security awareness programs are comprehensive, relevant, and aligned with both internal risk exposures and industry best practices within Cybersecurity.

This gap analysis evaluates the effectiveness and completeness of the organization's current security awareness program by comparing identified human-factor risks and policy requirements against existing training content available on VIVIDA. Initial observations suggest that while VIVIDA provides a broad range of general security awareness content, there may be gaps in terms of alignment with the organization's specific operational environment. Additionally, the lack of tailored content for different user groups such as privileged users, technical staff, and third-party vendors may limit the effectiveness of the training in driving secure behavior across the organization.

The outcome of this gap analysis will provide a structured view of the current state of the organization's security awareness coverage, highlighting areas of full, partial, or no alignment with identified requirements. Based on these findings, targeted recommendations will be developed to enhance the overall effectiveness of the security awareness program.

The table that follows presents a detailed comparison of organizational security requirements against existing VIVIDA training content, outlining coverage levels, identified gaps, and recommended actions for improvement.

Security Awareness Topic	Available on VIVIDA	Required for Cyberinfiniti Ltd	Gap
Phishing	Yes	Yes	No
Password Security	Yes	Yes	No
Social Engineering	Yes	Yes	No
Privileged Access Security	No	Yes	Gap
Secure Cloud Architecture	Partial	Yes	Gap
Third Party	No	Yes	Gap
SOC Analyst Security Practices	No	Yes	Gap

List of some selected existing VIVIDA Reels content

Content	Owner
Tailgating	Aishat Ajadi
Dangers of poor offboarding	Cyblack
The unattended device	ThatsMe
The WiFi Trap	Real Talk
Recognize these phishing tells	Phishingwithdave

7. Security Awareness Program Architecture

Below is the conceptual structure of the awareness program.

The Security Awareness Program follows a **top-down, continuous improvement model** that connects leadership strategy to employee behavior and ultimately reduces human cyber risk.

1. Strategic Foundation Layer

This layer defines the direction and governance of the program.

- **Executive Leadership**
 - Sets cybersecurity vision and culture
 - Provides support and resources
- **Security Governance**
 - Establishes policies, standards, and compliance requirements
 - Aligns training with regulatory and business needs

2. Awareness Strategy Layer

This layer translates organizational goals into a structured awareness plan.

- Identification of human-related risks
- Definition of training objectives
- Alignment with real-world cybersecurity threats
- Development of role-based learning paths

3. Learning Platform Layer

- **Vivida Learning Platform**
 - Central hub for delivering training
 - Hosts interactive, accessible, and trackable content
 - Supports microlearning and continuous reinforcement

4. Training Delivery Layer

This layer focuses on execution.

- Delivery of structured training modules
- Use of:
 - Video-based learning (Vivida Reels)
 - Scenario-based simulations
 - Real-life case studies
- Tracking participation and performance

5. Core Risk Domains Layer

Training is focused on key human-related cybersecurity threats:

- Phishing
- Social Engineering
- Identity & Password Security
- Data Handling Risks
- Operational Security Practices

6. Learning Reinforcement Layer

- Continuous awareness campaigns
- Periodic refresher training
- Simulated attacks (e.g., phishing simulations)
- Behavioral nudges and reminders

7. Behavioral Change Layer

- Employees adopt secure practices:
 - Recognizing threats
 - Following secure procedures
 - Reporting incidents

8. Outcome Layer

- Improved employee security behavior
- Reduced human error
- Lower risk of cyber incidents

9. Continuous Feedback Loop

A key part of the conceptual structure:

- Measure training effectiveness
- Identify new risks
- Update content and strategy

Cyberinfiniti Security Awareness Program



The program architecture emphasizes continuous learning and reinforcement of secure behavior among employees.

8. Accessibility Testing and Evaluation

8.1 Overview

Accessibility testing was conducted to evaluate whether the cybersecurity awareness platform and training materials are usable by individuals with diverse abilities and assistive technology needs. Accessibility within cybersecurity awareness programs is essential because the effectiveness of security training depends on every employee being able to interact with the learning content without barriers.

Accessibility in digital environments focuses on ensuring that systems and information are usable by individuals with visual impairments, hearing impairments, motor limitations, and cognitive disabilities. Ensuring accessibility supports inclusive learning and strengthens organizational cybersecurity posture by ensuring that all personnel receive and understand critical security guidance.

The accessibility evaluation was conducted on the administrative dashboard, learner interface, training video content, and internally developed materials used in the security awareness program hosted on the Vivida Reels platform.

Testing was performed using automated accessibility tools as well as manual usability testing techniques designed to simulate the experience of users relying on assistive technologies.

- **Accessibility in Cybersecurity**

Accessibility plays a critical role in addressing human factors within cybersecurity. While technical controls such as firewalls and intrusion detection systems provide protection at the infrastructure level, human interaction remains one of the most significant points of vulnerability. Security awareness programs are designed to reduce this risk by educating users on secure behavior. However, the effectiveness of such programs depends heavily on whether all users can access and understand the training content provided.

Inaccessible systems or training materials create gaps in knowledge that can increase organizational risk. For example, an employee who is unable to properly view, hear, or interact

with security awareness content may not fully understand phishing indicators, password management practices, or data handling procedures. This gap in understanding can lead to unintentional security incidents.

From a human factor perspective, accessibility ensures that cybersecurity awareness is not limited to a subset of employees but is instead delivered in a way that accommodates different learning needs and abilities. This is particularly important in organizations such as Cyberinfiniti Ltd, where employees interact with sensitive systems, client data, and security infrastructure on a daily basis.

Ensuring accessibility also contributes to usability. Systems designed with accessibility in mind are generally more intuitive, easier to navigate, and more efficient for all users. This reduces cognitive load and improves the ability of employees to follow secure practices consistently.

- **Importance of Accessibility in Cybersecurity**

Inclusive Security Awareness Programs

Accessibility enables the development of inclusive security awareness programs that cater to employees with varying abilities. Cybersecurity training must be designed in a way that ensures equal participation across the workforce. This includes providing captions for video content, ensuring readable text formats, and enabling navigation through multiple input methods such as keyboard controls.

Inclusive training ensures that all employees, regardless of their physical or cognitive abilities, can actively participate in security awareness initiatives. This reduces the likelihood of knowledge gaps within the organization and strengthens the overall security culture.

Equal Access to Cybersecurity Education

Equal access to cybersecurity education is essential for maintaining a consistent level of security awareness across all departments within an organization. If certain employees are unable to access training content due to accessibility limitations, they may become weak points within the organization's security posture.

Providing equal access ensures that every employee receives the same level of training and is equipped with the knowledge required to identify and respond to cyber threats. This is particularly important in environments where employees have access to sensitive systems or data, as is the case with Cyberinfiniti.

Compliance with Accessibility Standards

Accessibility is also a key component of regulatory compliance and digital governance. Standards such as the World Wide Web Consortium Web Content Accessibility Guidelines define best practices for ensuring that digital content is accessible to all users.

Organizations that align with these standards demonstrate a commitment to inclusivity, usability, and responsible digital practices. In many jurisdictions, accessibility is increasingly becoming a legal and regulatory requirement, particularly for digital services and platforms.

Adhering to accessibility standards not only reduces legal and compliance risks but also enhances the credibility and professionalism of the organization.

Improved Training Comprehension and Retention

Accessible training materials improve comprehension and knowledge retention among employees. When content is presented in multiple formats such as visual, textual, and audio, users are more likely to understand and retain the information being delivered.

For example, captions support both hearing impaired users and individuals who prefer reading alongside audio content. Clear visual design and structured content also help reduce confusion and make complex cybersecurity concepts easier to understand.

Improved comprehension directly contributes to better security behavior. Employees who clearly understand cybersecurity risks are more likely to follow secure practices and less likely to fall victim to social engineering attacks or phishing attempts.

Strengthening Human-Centered Cybersecurity

Accessibility is a fundamental component of human-centered cybersecurity, which focuses on designing systems and processes that align with human behavior and capabilities. By ensuring that systems are accessible, organizations reduce the likelihood of user errors and improve the effectiveness of security controls.

Inaccessible systems often lead to workarounds, frustration, and misuse, all of which can introduce new security risks. In contrast, accessible and user-friendly systems encourage correct usage and reinforce secure behavior.

For Cyberinfiniti, integrating accessibility into cybersecurity awareness programs supports a more resilient and security-conscious workforce, where all employees are equipped to act as the first line of defense against cyber threats.

8.2 Accessibility Testing Methodology

The assessment used a combination of automated scanning tools and manual testing methods to identify accessibility issues.

Automated tools were used to detect structural accessibility violations such as missing HTML attributes, improper viewport configurations, and potential WCAG compliance issues.

Manual testing was performed to evaluate keyboard navigation, screen reader behavior, and multimedia accessibility.

The following tools were used during testing:

Tool	Purpose
Fezzant Accessibility Scanner	Automated detection of accessibility violations
axe DevTools	WCAG compliance and structural accessibility scanning
Microsoft Narrator	Screen reader usability testing
Manual keyboard navigation	Testing interface usability without mouse input

Testing was conducted across the following components:

- Vivida administrative dashboard
- Vivida learner content interface
- Video based training content
- Team generated documents and presentation materials

8.3 Dashboard Accessibility Assessment

Keyboard navigation testing was performed on the administrative dashboard by interacting with the platform using only the Tab, Enter, and Arrow keys.

The goal of this test was to determine whether the platform could be fully operated by users who rely exclusively on keyboard input devices.

Testing revealed that keyboard accessibility within the dashboard interface is only partially implemented.

Certain sections of the dashboard such as the Content, Learners, and Library pages were accessible using keyboard navigation. However, many other interface elements required mouse interaction in order to access or activate them.

While visible focus indicators were present when navigating using the Tab key, many interactive controls could not be activated using the Enter key. This behavior indicates that certain interface elements may lack proper keyboard event handlers or semantic button implementations.

This limitation may significantly impact users with motor impairments who rely on keyboard based navigation rather than mouse input devices.

Although the presence of visible focus indicators represents a positive accessibility feature, full keyboard operability remains incomplete within the platform's administrative interface.

8.4 Automated Accessibility Scan Results

Automated accessibility testing was conducted using the Fezzant Accessibility Scanner.

The scan identified two critical accessibility issues within the platform's page configuration.

The first issue involved the absence of a language attribute in the HTML document element. The `<html>` element did not specify a language attribute indicating the primary language of the webpage.

Language attributes are critical for screen reader technologies because they allow assistive software to apply correct pronunciation and reading rules when interpreting webpage content. Without a defined language attribute, screen readers may incorrectly interpret text or read it in an unintended format.


The second issue involved the configuration of the viewport meta tag which disables zooming and text scaling functionality.

The following configuration was detected:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no">
```

Disabling zoom functionality prevents users with visual impairments from enlarging page content. Accessibility standards recommend allowing users to freely zoom or scale content in order to improve readability.

Preventing zoom functionality can therefore create usability barriers for individuals who require magnified content to properly read information.




8.5 axe DevTools Accessibility Scan

Additional automated scanning was conducted using the axe DevTools accessibility auditing extension.

The scan identified a small number of accessibility warnings related to semantic structure and markup configuration. These findings did not represent major functional barriers but indicated areas where improvements could further strengthen compatibility with accessibility standards.

Overall results suggest that the platform demonstrates moderate compliance with accessibility best practices but could benefit from additional structural improvements.



8.6 Video Content Accessibility Evaluation

Accessibility testing was also conducted on the training videos delivered through the platform.

Video based learning is a key component of cybersecurity awareness programs and must therefore be accessible to users with different abilities.

Testing showed that the majority of training videos include caption functionality which improves accessibility for individuals with hearing impairments.

However, it was observed that some captions were not fully synchronized with the spoken audio. In certain cases captions appeared slightly earlier or later than the corresponding dialogue.

Although this does not completely prevent understanding of the content, improved caption synchronization would enhance accessibility and overall learning experience.

Video playback controls such as play, pause, rewind, and volume adjustment were functional and accessible. Text displayed within videos also maintained adequate readability.

8.7 Accessibility Testing of Custom Training Materials

Accessibility testing was conducted on the security awareness materials created by the internship team, including video content, written reports, and presentation slides.

Documents were evaluated using built-in accessibility checking tools within Microsoft Word and PowerPoint.

The evaluation confirmed that the documents maintained proper heading structures, readable font sizes, and appropriate content organization.

Slides were designed with sufficient color contrast between text and background elements to maintain readability. Overall, the team generated materials demonstrated good accessibility practices.

8.8 Assistive Technology Testing

Assistive technology testing was conducted using the Microsoft Narrator screen reader.

The platform was navigated using keyboard commands while the screen reader interpreted page elements aloud.

The screen reader was able to identify most page headings and navigation links, indicating that the platform maintains a relatively structured layout.

However, certain interactive elements lacked descriptive labels which may create minor usability challenges for screen reader users who rely on clear semantic descriptions of interface components.

8.9 Operational Challenges Encountered

During the practical use of the platform, several operational challenges were encountered which could impact usability and accessibility.

One challenge involved the uploading of large video files. When videos exceeding approximately 100 MB were uploaded, the process often took a very long time and in some cases the upload did not complete successfully. This may create difficulties for administrators attempting to upload training materials, particularly when dealing with large video content.

Another issue observed was the absence of delete functionality within the video library. If a user mistakenly uploads an incorrect file, there is currently no option to remove or delete the video from the library. As a result, mistakenly uploaded content remains permanently visible within the system which may create confusion or clutter within the content repository.

An additional compatibility challenge was identified with certain video formats. Video files in the .mov format were not viewable on Windows devices during testing, while they could be viewed on Mac systems. This format compatibility limitation may prevent some users from accessing training content depending on the device they are using.

Ideally, learning platforms should support multiple common video formats or automatically convert uploaded media into universally supported formats such as MP4 in order to ensure that all users can access training materials regardless of device or operating system.

8.10 Accessibility Recommendations

Based on the results of the accessibility evaluation, several improvements are recommended.

The HTML document structure should include a properly defined language attribute to support screen reader interpretation.

Viewport settings should be adjusted to allow zoom and text scaling functionality for users with visual impairments.

Dashboard navigation should be improved to support complete keyboard accessibility and activation of interface elements without requiring mouse input.

Video captions should be reviewed and synchronized more accurately with spoken dialogue.

The platform should introduce a content management feature that allows administrators to delete incorrectly uploaded files.

Video upload functionality should also support automatic format conversion to ensure compatibility across different operating systems and devices.

8.11 WCAG Accessibility Compliance Assessment

Accessibility findings were evaluated using the principles defined in the Web Content Accessibility Guidelines.

WCAG stands for **Web Content Accessibility Guidelines**, an internationally recognized standard for making web content accessible to people with disabilities. These guidelines are developed by the World Wide Web Consortium through its Web Accessibility Initiative.

WCAG is built around four key accessibility principles commonly referred to as POUR. Overall assessment indicates that the platform meets several accessibility requirements but still requires improvements in keyboard accessibility, multimedia synchronization, and device compatibility.

WCAG Principle	Meaning	Observation
Perceivable	Information must be presented in ways users can perceive	Video captions available but some synchronization issues

Operable	Interface components must be operable through various inputs	Keyboard navigation partially supported
Understandable	Content must be clear and predictable	Training materials clear and readable
Robust	Content must work across devices and assistive technologies	Some device compatibility issues with video formats

9. Security Awareness Program Rollout Timeline

The following timeline outlines the proposed implementation plan for the awareness program. This phased approach ensures structured deployment and continuous evaluation of the training program.

Phase	Timeline	Key Activities
Phase 1 – Program Setup	Week 1	Configure Vivida platform, upload training materials
Phase 2 – Employee Enrollment	Week 2	Invite employees and onboard users

Phase 3 – Training Delivery	Week 3–4	Employees complete awareness modules
Phase 4 – Engagement Monitoring	Week 5	Track participation and training completion
Phase 5 – Evaluation & Feedback	Week 6	Review effectiveness and gather feedback

10. Challenges Encountered

Several operational challenges were encountered during the development of this assessment and awareness program.

These included coordinating team collaboration, adapting training materials to the Cyberinfiniti operational context, and ensuring accessibility compliance across all training resources.

Despite these challenges, the team successfully implemented a comprehensive training framework aligned with organizational security objectives.

11. Strategic Recommendations

Based on the findings of this assessment, the following recommendations are proposed to strengthen Cyberinfiniti's cybersecurity posture:

- Implement mandatory quarterly security awareness training for all employees.

- Conduct regular phishing simulation exercises to test employee awareness.
- Enforce strict access control policies for administrative systems.
- Adopt a Human Risk Management framework to continuously monitor employee security behavior.
- Establish clear procedures for handling sensitive client security information.

12. Conclusion

Human behavior remains one of the most critical components of cybersecurity risk management. Even organizations equipped with advanced security technologies remain vulnerable if employees are not adequately prepared to identify and respond to cyber threats.

The development and implementation of a structured security awareness program represents a key step toward reducing human-related cybersecurity risks within Cyberinfiniti Ltd.

By fostering a strong culture of cybersecurity awareness, the organization can strengthen its resilience against social engineering attacks and other human-driven cyber threats while maintaining trust with its clients and stakeholders.

13. References

VIVIDA Contents <https://beta.reels.vivida.io/feed>

Free accessibility testing tools

Fezzant Accessibility Scanner:

<https://chromewebstore.google.com/detail/fezzant-accessibility-sca/nngholkdjmoikkjbljnljddagnllmgbh?hl=en&pli=1>

Useful links:

<https://accessiblesecurity.org/>

<https://www.linkedin.com/pulse/intersection-accessibility-cybersecurity-why-matters-aliyu-g-yisa-wldfe>

<https://blog.fezzant.com/inaccessible-bytes-hurdles-and-hopes-for-accessible-cybersecurity-education-by-emily-kiehl-891f5ea6e2cb>

VIVIDA REELS FEED:

https://beta.reels.vivida.io/feed/?id=e23a7e7d-d5ee-487b-8cd1-f25a58b01a1b&slug=CyB_lack&token=07285e9a-7aba-4c32-897d-b26b29123a6a

Introducing Teammembers:

https://drive.google.com/file/d/1__HFWCW8Bl-96dY48iTY_3T1PfLAxalu/view?usp=drive_link

Education About Human Factors:

<https://www.youtube.com/watch?v=N8bhxdPAsZk>

<https://www.webusability.co.uk/podcast/ep24-how-to-make-cyber-security-accessible/>

Appendix A: Sprint Timeline & Meetings

Dates	Times	Attendees
9th-Mar -2026	8:10 pm	John Ofulue, Halimat Omorinsola Adepegba, Favour Obisike, Ikenna Emerole, Blessing Ibe, Ayodimeji Omole, Divine Ezewele, Andrew Moses, Odunayo Balogun
11th-Mar-2026	8:10 pm	John Ofulue, Halimat Omorinsola Adepegba, Favour Obisike, Ikenna Emerole, Ayodimeji Omole, Divine Ezewele, Andrew Moses, Odunayo Balogun
15th-Mar-2026	8:10 pm	John Ofulue, Halimat Omorinsola Adepegba, Favour Obisike, Ikenna Emerole, Ayodimeji Omole, Divine Ezewele, Andrew Moses, Odunayo Balogun
18th-Mar-2026	8:10 pm	John Ofulue, Halimat Omorinsola Adepegba, Ikenna Emerole, Blessing Ibe, Andrew Moses, Divine Ezewele, Ayodimeji Omole
20th-Mar-2026	8:10 pm	John Ofulue, Halimat Omorinsola Adepegba, Favour Obisike, Ikenna Emerole, Blessing Ibe, Ayodimeji Omole, Divine Ezewele, Andrew Moses, Odunayo Balogun

Appendix B: Team Contributions

Names	Roles and Responsibilities
John Ofulue	Team lead, assigned tasks to team members, Contributed in uploading all Cyberinfiniti Ltd. awareness videos and setting up accessibility and also assisted with compiling the final report on organization cybersecurity risks relevant to Cyberinfiniti Ltd.
Halimat Omorinsola Adepegba	Assistant Team Lead, Contributed by collaborating with a team member in preparing executive presentation slides for Cyberinfiniti Ltd.'s board members and stakeholders.
Favour Obisike	Collaborated with the team designing the Cyberinfiniti Ltd. awareness program and also contributed in setting up accessibility for the awareness videos for Cyberinfiniti Ltd.
Ikenna Emerole	Contributed with designing the Cyberinfiniti Ltd. awareness program and also contributed in presenting the executive presentation summary to the Cyberinfiniti Ltd, stakeholders and and board members.
Blessing Ibe	Contributed in preparing executive presentation slides for Cyberinfiniti Ltd.'s board members and stakeholders.
Ayodimeji Omole	Contributed in executive presentation to Cyberinfiniti Ltd. board members and stake holders the organizational cybersecurity risks relevant to Cyberinfiniti Ltd.
Divine Ezewe	Contributed to compiling the final comprehensive report on organizational cybersecurity risks relevant to Cyberinfiniti Ltd.

Andrew Moses	Analyzed and formulated human factor threat incidents relevant to Cyberinfiniti Ltd, and contributed to compiling the final comprehensive report on organizational cybersecurity risks.
Odunayo Balogun	Analyzed and formulated human threat factor reports relevant to Cyberinfiniti Ltd.