




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)


▲ 0–49 50–89 90–100



METRICS

[Expand view](#)

First Contentful Paint	▲ Largest Contentful Paint
0.7 s	2.9 s
▲ Total Blocking Time	Cumulative Layout Shift
1,050 ms	0.069
▲ Speed Index	
3.1 s	



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Forced reflow	^
A forced reflow occurs when JavaScript queries geometric properties (such as <code>offsetWidth</code>) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored	
Source	Total reflow time
[unattributed]	58 ms
<code>widget.js:2</code>	0 ms
▲ LCP breakdown	^

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	240 ms
Resource load delay	2,240 ms
Resource load duration	160 ms
Element render delay	410 ms



img.w-full.h-full.object-cover



^

Unscored

lazy load not applied



img.w-full.h-full.object-cover

^

LCP Unscoored

Initial Navigation

/assets/index-BT3jcNf-.css (procaresolar.com.au) - 804 ms, 13.69 KiB

no origins were preconnected

Est LCP savings

100 ms

Origin

Est LCP savings

https://www.google-analytics.com

80 ms

Use efficient cache lifetimes — Est savings of 480 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

☒ Show 3rd-party resources (5)


Request	Cache TTL	Transfer Size
podium.com		361 KiB
/widget.js (connect.podium.com)	1h	252 KiB
/sounds/livechat-notification.wav (assets.podium.com)	None	44 KiB
/images/defaultWebchatPinkAvatar.png (assets.podium.com)	None	39 KiB
/styles.css (connect.podium.com)	1h	13 KiB
/styles.css (connect.podium.com)	1h	13 KiB
procaresolar.com.au 1st Party		218 KiB
/assets/index-sO6RdOMI.js (procaresolar.com.au)	1h	204 KiB
/assets/index-BT3jcNf-.css (procaresolar.com.au)	1h	14 KiB


Improve image delivery — Est savings of 4,747 KiB


^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
supabase.co	4,818.6 KiB	4,528.6 KiB
...		
6988a49.../fba245538....png (qtrypzzcjebvfcihi ynt.supabase.co)	766.4 KiB	719.5 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		629.9 KiB
This image file is larger than it needs to be (819x1024) for its displayed dimensions (480x600). Use responsive images to reduce the image download size.		503.2 KiB
...		
6988a49.../fba245538....png (qtrypzzcjebvfcihi ynt.supabase.co)	766.4 KiB	719.5 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		629.9 KiB
This image file is larger than it needs to be (819x1024) for its displayed dimensions (480x600). Use responsive images to reduce the image download size.		503.2 KiB
...		
6988a49.../734cd3ecc....png (qtrypzzcjebvfcihi ynt.supabase.co)	734.6 KiB	696.7 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		598.1 KiB
This image file is larger than it needs to be (819x1024) for its displayed dimensions (432x540). Use responsive images to reduce the image download size.		530.2 KiB
...		
6988a49.../4d48268c1....png (qtrypzzcjebvfcihi ynt.supabase.co)	730.4 KiB	683.5 KiB

	URL	Resource Size	Est Savings
	ynt.supabase.co)		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		593.9 KiB
	This image file is larger than it needs to be (819x1024) for its displayed dimensions (480x600). Use responsive images to reduce the image download size.		479.5 KiB
	... 6988a49.../4d48268c1....png (qtrypzczjebvfcihi ynt.supabase.co)	730.4 KiB	683.5 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		593.9 KiB
	This image file is larger than it needs to be (819x1024) for its displayed dimensions (480x600). Use responsive images to reduce the image download size.		479.5 KiB
	... 6988a49.../69ba9c565....png (qtrypzczjebvfcihi ynt.supabase.co)	701.7 KiB	663.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		565.2 KiB
	This image file is larger than it needs to be (819x1024) for its displayed dimensions (432x540). Use responsive images to reduce the image download size.		506.5 KiB
	... 6988a49.../5544a3f9c_Procarelogo.png (qtry pzzjebvfcihiynt.supabase.co)	55.1 KiB	55.1 KiB
			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		7.0 KiB
	This image file is larger than it needs to be (1024x289) for its displayed dimensions (7x72). Use responsive images to reduce the image download size.		55.0 KiB
	... 6988a49.../f79a04ee2_Canadaiansolarlogo.png (qtrypzczjebvfcihiynt.supabase.co)	44.3 KiB	42.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		25.4 KiB
	This image file is larger than it needs to be (519x223) for its displayed dimensions (175x75). Use responsive images to reduce the image download size.		39.3 KiB
	... 6988a49.../90815bc0a_foxesslogo.png (qtry pzzjebvfcihiynt.supabase.co)	42.5 KiB	40.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		34.3 KiB
	This image file is larger than it needs to be (320x157) for its displayed dimensions (153x75). Use responsive images to reduce the image download size.		32.8 KiB
	... 6988a49.../107c9b088_images.png (qtrypzczjebvfcihiynt.supabase.co)	37.7 KiB	34.0 KiB

	URL	Resource Size	Est Savings
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		29.5 KiB
	This image file is larger than it needs to be (300x168) for its displayed dimensions (201x112). Use responsive images to reduce the image download size.		20.8 KiB
img.w-auto.object-contain	... 6988a49.../692cca36e_Sungrowlogo.png (qtrypzzcjbvfcihynt.supabase.co)	37.7 KiB	33.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		7.5 KiB
	This image file is larger than it needs to be (600x309) for its displayed dimensions (218x112). Use responsive images to reduce the image download size.		32.7 KiB
img.w-auto.object-contain	... 6988a49.../7b0fb97c8_SMAlogo.png (qtrypzzcjbvfcihynt.supabase.co)	29.8 KiB	29.4 KiB
	This image file is larger than it needs to be (960x608) for its displayed dimensions (118x75). Use responsive images to reduce the image download size.		29.4 KiB
img.w-auto.object-contain	... 6988a49.../d2edb65c9_solaredgelogo.png (qtrypzzcjbvfcihynt.supabase.co)	32.6 KiB	28.7 KiB
	This image file is larger than it needs to be (1024x217) for its displayed dimensions (354x75). Use responsive images to reduce the image download size.		28.7 KiB
img.w-auto.object-contain	... 6988a49.../88e59c32e_Trinasolarlogo.png (qtrypzzcjbvfcihynt.supabase.co)	31.1 KiB	28.0 KiB
	This image file is larger than it needs to be (1024x237) for its displayed dimensions (324x75). Use responsive images to reduce the image download size.		28.0 KiB
img.w-auto.object-contain	... 6988a49.../a1e4d7d0b_GOODWElogo.png (qtrypzzcjbvfcihynt.supabase.co)	24.6 KiB	22.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		14.8 KiB
	This image file is larger than it needs to be (400x150) for its displayed dimensions (200x75). Use responsive images to reduce the image download size.		18.5 KiB
	...6988a49.../3f3f7bd2f_solar-victoria-logo.png (qtrypzzcjbvfcihynt.supabase.co)	18.8 KiB	18.3 KiB
img.h-8.sm:h-9.w-auto.object-contain			
	This image file is larger than it needs to be (1024x345) for its displayed dimensions (160x54). Use responsive images to reduce the image download size.		18.3 KiB
img.w-auto.object-contain	... 6988a49.../dd16c92a7_AlphaESSlogo.png (qtrypzzcjbvfcihynt.supabase.co)	15.6 KiB	13.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		4.5 KiB

	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (419x163) for its displayed dimensions (193x75). Use responsive images to reduce the image download size.		12.3 KiB
img.w-auto.object-contain	... 6988a49.../cb702f0bc_froniuslogo.png (qtrypzzcjbvfcihynt.supabase.co)	11.3 KiB	10.2 KiB
	This image file is larger than it needs to be (500x250) for its displayed dimensions (150x75). Use responsive images to reduce the image download size.		10.2 KiB
	...6988a49.../c76afe1e2_netcc-logo-approved-seller.png (qtrypzzcjbvfcihynt.supabase.co)	7.7 KiB	6.7 KiB
img.h-14.sm:h-16.md:h-18.lg:h-20.w-auto.object-contain			
	This image file is larger than it needs to be (400x267) for its displayed dimensions (144x96). Use responsive images to reduce the image download size.		6.7 KiB
unsplash.com		425.9 KiB	203.3 KiB
	img.w-full.h-full.object-cover		
	/photo-150...-2e959784a276?w=1920&q=80 (images.unsplash.com)	425.9 KiB	203.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		110.7 KiB
	This image file is larger than it needs to be (1515x1278) for its displayed dimensions (1433x954). Use responsive images to reduce the image download size.		125.2 KiB
podium.com		38.6 KiB	14.6 KiB
div > div.Prompt > div.Prompt_MessageBubble > div.Prompt_AvatarCustom			
<div class="Prompt_AvatarCustom" style="background-image: url("https://assets.podium.com/images/defaultWebchatPink.");">	/images/defaultWebchatPinkAvatar.png (assets.podium.com)	38.6 KiB	14.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		14.6 KiB

Render blocking requests ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
procaresolar.com.au 1st Party	13.7 KiB	0 ms
/assets/index-BT3jcNf-.css (procaresolar.com.au)	13.7 KiB	


Layout shift culprits ^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element

Total

Element



div.fixed.top-0.z-[100].flex.max-h-screen.w-full.flex-col-reverse.p-4.sm:botto...

Element	Layout shift score
Total	0.069
iframe#podium-prompt.podium-iframe	0.061
div.frame-content > div.podium-iframe-container > div > div.Prompt <div class="Prompt Prompt--onLeft">	0.008

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) (Unscored)

Statistic	Element	Value
Total elements		561
DOM depth		16
Most children	div.marquee	22

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. (Unscored)

3rd party	Transfer size	Main thread time
gighmmpiobklfepjocnamgkbbiglidom	0 KiB	592 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	380 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js	0 KiB	71 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	0 KiB	54 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	0 KiB	35 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/adblock-picreplacement.js	0 KiB	18 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/adblock-functions.js	0 KiB	15 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/contentscript-loader.js	0 KiB	5 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/ext/content.js	0 KiB	4 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/premium.preload.js	0 KiB	3 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/ext/common.js	0 KiB	2 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/cookie-banner-detection.preload.js	0 KiB	2 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/adblock-uiscrpts-rightclick_hook.js	0 KiB	1 ms
Google Tag Manager Tag-Manager	272 KiB	374 ms
/gtag/js?id=G-66JY5HJCHZ&cx=c>m=4e6420h2 (www.googletagmanager.com)	156 KiB	265 ms
/gtm.js?id=GTM-TV6MDJ8V (www.googletagmanager.com)	116 KiB	109 ms
podium.com	492 KiB	302 ms

3rd party	Transfer size	Main thread time
/widget.js (connect.podium.com)	0 KiB	301 ms
/graphql (mind-flayer.podium.com)	2 KiB	1 ms
/widget.js (connect.podium.com)	252 KiB	0 ms
/434b257....woff2 (connect.podium.com)	61 KiB	0 ms
/sounds/livechat-notification.wav (assets.podium.com)	44 KiB	0 ms
/images/defaultWebchatPinkAvatar.png (assets.podium.com)	39 KiB	0 ms
/2327cbe....woff2 (connect.podium.com)	34 KiB	0 ms
/d2271df....woff2 (connect.podium.com)	34 KiB	0 ms
/styles.css (connect.podium.com)	26 KiB	0 ms
Launch Darkly Utility	57 KiB	0 ms
...contexts/eyJraW5kl... (app.launchdarkly.com)	57 KiB	0 ms
...bulk/66fd903... (events.launchdarkly.com)	0 KiB	0 ms
...goals/66fd903... (app.launchdarkly.com)	0 KiB	0 ms
unsplash.com	482 KiB	0 ms
/photo-150...-2e959784a276?w=1920&q=80 (images.unsplash.com)	426 KiB	0 ms
/photo-155...-64aae6ca6b6d?w=600&q=80 (images.unsplash.com)	56 KiB	0 ms
supabase.co	5,029 KiB	0 ms
...6988a49.../88e59c32e_Trinasolarlogo.png (qtrypzzcjebvfcihynt.supabase.co)	32 KiB	5 ms
...6988a49.../fba245538....png (qtrypzzcjebvfcihynt.supabase.co)	1,535 KiB	0 ms
...6988a49.../4d48268c1....png (qtrypzzcjebvfcihynt.supabase.co)	1,463 KiB	0 ms
...6988a49.../734cd3ecc....png (qtrypzzcjebvfcihynt.supabase.co)	736 KiB	0 ms
...6988a49.../69ba9c565....png (qtrypzzcjebvfcihynt.supabase.co)	703 KiB	0 ms
...6988a49.../5544a3f9c_Procarelogo.png (qtrypzzcjebvfcihynt.supabase.co)	56 KiB	0 ms
...6988a49.../407469d74_Procarelogo_W.png (qtrypzzcjebvfcihynt.supabase.co)	55 KiB	0 ms
...6988a49.../b6047691f....png (qtrypzzcjebvfcihynt.supabase.co)	47 KiB	0 ms
...6988a49.../cd260e499_image.png (qtrypzzcjebvfcihynt.supabase.co)	47 KiB	0 ms
...6988a49.../f79a04ee2_Canadaiansolarlogo.png (qtrypzzcjebvfcihynt.supabase.co)	45 KiB	0 ms
...6988a49.../90815bc0a_foxesslogo.png (qtrypzzcjebvfcihynt.supabase.co)	43 KiB	0 ms
...6988a49.../a8118271f_home-success.jpg (qtrypzzcjebvfcihynt.supabase.co)	39 KiB	0 ms
...6988a49.../692cca36e_Sungrowlogo.png (qtrypzzcjebvfcihynt.supabase.co)	38 KiB	0 ms
...6988a49.../107c9b088_images.png (qtrypzzcjebvfcihynt.supabase.co)	38 KiB	0 ms
...6988a49.../d2edb65c9_solaredgelogo.png (qtrypzzcjebvfcihynt.supabase.co)	33 KiB	0 ms
...6988a49.../7b0fb97c8_SMAlogo.png (qtrypzzcjebvfcihynt.supabase.co)	30 KiB	0 ms
...6988a49.../a1e4d7d0b_GOODWElogo.png (qtrypzzcjebvfcihynt.supabase.co)	25 KiB	0 ms
...6988a49.../3f3f7bd2f_solar-victoria-logo.png (qtrypzzcjebvfcihynt.supabase.co)	19 KiB	0 ms
...6988a49.../dd16c92a7_AlphaESSlogo.png (qtrypzzcjebvfcihynt.supabase.co)	16 KiB	0 ms
...6988a49.../cb702f0bc_froniuslogo.png (qtrypzzcjebvfcihynt.supabase.co)	12 KiB	0 ms
...6988a49.../c76afe1e2_netcc-logo-approved-seller.png (qtrypzzcjebvfcihynt.supabase.co)	8 KiB	0 ms
...6988a49.../2d67c8842_netcc-logo-approved-seller.png (qtrypzzcjebvfcihynt.supabase.co)	8 KiB	0 ms
...6988a49.../965ffba47_TeslaPowerwalllogo.png (qtrypzzcjebvfcihynt.supabase.co)	3 KiB	0 ms
Google Analytics Analytics	1 KiB	0 ms
/g/collect?v=... (www.google-analytics.com)	1 KiB	0 ms
/g/collect?v=... (www.google-analytics.com)	0 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 4.9 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Script Evaluation	1,620 ms
Other	1,468 ms
Style & Layout	840 ms
Script Parsing & Compilation	668 ms
Rendering	182 ms
Parse HTML & CSS	44 ms
Garbage Collection	33 ms

▲ Reduce JavaScript execution time — 2.3 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) TBT Unscored

☒ Show 3rd-party resources (3)

URL	Total CPU Time	Script Evaluation	Script Parse
procaresolar.com.au 1st Party	2,108 ms	653 ms	120 ms
https://procaresolar.com.au	1,123 ms	53 ms	118 ms
/assets/index-sO6RdOMI.js (procaresolar.com.au)	985 ms	601 ms	2 ms
podium.com	1,575 ms	563 ms	455 ms
/widget.js (connect.podium.com)	1,575 ms	563 ms	455 ms
Unattributable	743 ms	100 ms	0 ms
Unattributable	743 ms	100 ms	0 ms
Google Tag Manager Tag-Manager	383 ms	292 ms	85 ms
/gtag/js?id=G-66JY5HJCHZ&cx=c>m=4e6420h2 (www.googletagmanager.com)	277 ms	215 ms	57 ms
/gtm.js?id=GTM-TV6MDJ8V (www.googletagmanager.com)	106 ms	77 ms	28 ms

▲ Reduce unused JavaScript — Est savings of 831 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#) FCP LCP Unscored

☒ Show 3rd-party resources (3)


URL	Transfer Size	Est Savings
Unattributable	541.2 KiB	481.1 KiB
chrome-extension://gighmпиobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	151.1 KiB	135.1 KiB

URL	Transfer Size	Est Savings
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	151.1 KiB	135.1 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	151.1 KiB	134.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	29.3 KiB	25.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	29.3 KiB	25.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	29.3 KiB	25.4 KiB
podium.com	236.0 KiB	135.2 KiB
/widget.js (connect.podium.com)	236.0 KiB	135.2 KiB
Google Tag Manager Tag-Manager	261.8 KiB	121.8 KiB
/gtag/js?id=G-66JY5HJCHZ&cx=c>m=4e6420h2 (www.googletagmanager.com)	151.1 KiB	61.9 KiB
/gtm.js?id=GTM-TV6MDJ8V (www.googletagmanager.com)	110.8 KiB	59.9 KiB
procaresolar.com.au 1st Party	175.8 KiB	92.5 KiB
/assets/index-sO6RdOMl.js (procaresolar.com.au)	175.8 KiB	92.5 KiB

Image elements do not have explicit `width` and `height`



Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL
supabase.co
...
img.w-full.h-auto.object-contain.rounded-[18px] 6988a49.../69ba9c565....png (qtrypzccjebvfcihynt .supabase.co)
...
img.w-full.h-auto.object-contain.rounded-[18px] 6988a49.../c9a4a47eb....png (qtrypzccjebvfcihynt .supabase.co)
...
img.w-full.h-auto.object-contain.rounded-[18px] 6988a49.../af8d666ff....png (qtrypzccjebvfcihynt.s upabase.co)
...
img.w-auto.object-contain 6988a49.../7b0fb97c8_SMALogo.png (qtrypzccjebvfcihynt.supabase.co)
...
img.w-auto.object-contain 6988a49.../7b0fb97c8_SMALogo.png (qtrypzccjebvfcihynt.supabase.co)

...6988a49.../3f37bd2f_solar-victoria-logo.png (qtrypzccjebvfcihynt.supabase.co)
img.h-8.sm:h-9.w-auto.object-contain

URL	
	img.h-10.md:h-12.w-auto ... 6988a49.../5544a3f9c_Procarelogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.h-12.w-auto	... 6988a49.../407469d74_Procarelogo_W.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../88e59c32e_Trinasolarlogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../88e59c32e_Trinasolarlogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../d2edb65c9_solaredgelogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../d2edb65c9_solaredgelogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../692cca36e_Sungrowlogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../692cca36e_Sungrowlogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.rounded-2xl.shadow-xl	...6988a49.../a8118271f_home-success.jpg (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../cb702f0bc_froniuslogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../cb702f0bc_froniuslogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../f79a04ee2_Canadaiansolarlogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../f79a04ee2_Canadaiansolarlogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../965ffba47_TeslaPowerwalllogo.png (qtrypzzcjebvfcihynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../965ffba47_TeslaPowerwalllogo.png (qtrypzzcjebvfcihynt.supabase.co)
	... 6988a49.../c76afe1e2_netcc-logo-approved-seller.png (qtrypzzcjebvfcihynt.supabase.co)
img.h-14.sm:h-16.md:h-18.lg:h-20.w-auto.object-contain	
img.w-[200px].sm:w-[260px].lg:w-[320px].h-auto.object-contain	...6988a49.../2d67c8842_netcc-logo-approved-seller.png (qtrypzzcjebvfcihynt.supabase.co)

	URL
img.w-auto.object-contain	... 6988a49.../dd16c92a7_AlphaESSlogo.png (qtry pzzcjebvfcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../dd16c92a7_AlphaESSlogo.png (qtry pzzcjebvfcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../a1e4d7d0b_GOODWElogo.png (qtry pzzcjebvfcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../a1e4d7d0b_GOODWElogo.png (qtry pzzcjebvfcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../107c9b088_images.png (qtrypzzcjebv fcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../107c9b088_images.png (qtrypzzcjebv fcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../90815bc0a_foesslogo.png (qtrypzzc jebvfcihiynt.supabase.co)
img.w-auto.object-contain	... 6988a49.../90815bc0a_foesslogo.png (qtrypzzc jebvfcihiynt.supabase.co)

Minify JavaScript — Est savings of 123 KiB



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#) FCP LCP
Unscored

URL	Transfer Size	Est Savings
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js	41.9 KiB	19.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js	41.9 KiB	19.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js	41.9 KiB	19.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	29.3 KiB	5.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	29.3 KiB	5.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	29.3 KiB	5.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/cookie-banner-detection.preload.js	10.0 KiB	5.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB

URL	Transfer Size	Est Savings
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB

Avoid enormous network payloads — Total size was 6,555 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#). Unscored

☒ Show 3rd-party resources (9)

URL	Transfer Size
supabase.co	4,436.0 KiB
...6988a49.../fba245538....png (qtrypzzcjebvfcihyint.supabase.co)	767.7 KiB
...6988a49.../fba245538....png (qtrypzzcjebvfcihyint.supabase.co)	767.1 KiB
...6988a49.../734cd3ecc....png (qtrypzzcjebvfcihyint.supabase.co)	736.1 KiB
...6988a49.../4d48268c1....png (qtrypzzcjebvfcihyint.supabase.co)	731.6 KiB
...6988a49.../4d48268c1....png (qtrypzzcjebvfcihyint.supabase.co)	731.1 KiB
...6988a49.../69ba9c565....png (qtrypzzcjebvfcihyint.supabase.co)	702.5 KiB
unsplash.com	426.5 KiB
/photo-150...-2e959784a276?w=1920&q=80 (images.unsplash.com)	426.5 KiB
podium.com	252.1 KiB
/widget.js (connect.podium.com)	252.1 KiB
procaresolar.com.au 1st Party	204.1 KiB
/assets/index-sO6RdOMI.js (procaresolar.com.au)	204.1 KiB
Google Tag Manager Tag-Manager	156.1 KiB
/gtag/js?id=G-66JY5HJCHZ&cx=c>m=4e6420h2 (www.googletagmanager.com)	156.1 KiB

☐ Avoid long main-thread tasks — 13 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#). TBT Unscored

☒ Show 3rd-party resources (7)

URL	Start Time	Duration
podium.com		787 ms
/widget.js (connect.podium.com)	1,868 ms	237 ms
/widget.js (connect.podium.com)	1,072 ms	213 ms
/widget.js (connect.podium.com)	3,428 ms	185 ms

URL	Start Time	Duration
/widget.js (connect.podium.com)	3,969 ms	81 ms
/widget.js (connect.podium.com)	3,813 ms	71 ms
procaresolar.com.au 1st Party		607 ms
/assets/index-sO6RdOMI.js (procaresolar.com.au)	1,524 ms	213 ms
https://procaresolar.com.au	603 ms	158 ms
https://procaresolar.com.au	875 ms	152 ms
/assets/index-sO6RdOMI.js (procaresolar.com.au)	1,388 ms	84 ms
Google Tag Manager Tag-Manager		283 ms
/gtag/js?id=G-66JY5HJCHZ&cx=c>m=4e6420h2 (www.googletagmanager.com)	2,700 ms	214 ms
/gtm.js?id=GTM-TV6MDJ8V (www.googletagmanager.com)	2,105 ms	69 ms
Unattributable		138 ms
Unattributable	2,914 ms	84 ms
Unattributable	505 ms	54 ms

User Timing marks and measures — 7 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

Name	Type	Start Time	Duration
GTM-G-66JY5HJCHZ:15:17	Measure	0.00 ms	527.40 ms
GTM-G-66JY5HJCHZ:2:17:14	Measure	527.40 ms	1,693.53 ms
GTM-G-66JY5HJCHZ:10:17:14	Measure	527.40 ms	1,737.22 ms
GTM-G-66JY5HJCHZ:15	Mark	0.00 ms	
GTM-G-66JY5HJCHZ:17	Mark	527.40 ms	
GTM-G-66JY5HJCHZ:2:14	Mark	2,220.93 ms	
GTM-G-66JY5HJCHZ:10:14	Mark	2,264.62 ms	

Avoid non-composited animations — 2 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Element	Name
button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...	
Unsupported CSS Property: width	width
Unsupported CSS Property: box-shadow	box-shadow
button.rounded-full.transition-all.duration-300.bg-[#44cce7].w-8.h-2.5.shadow-sm	
Unsupported CSS Property: width	width
Unsupported CSS Property: box-shadow	box-shadow

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (10)

Hide

Document request latency

⌵

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 228 ms)

Applies text compression

Duplicated JavaScript

⌵

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display

⌵

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). Unscored

○ INP breakdown

⌵

Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

Legacy JavaScript

⌵

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

URL	Wasted bytes
podium.com	73.6 KiB
/widget.js (connect.podium.com)	73.6 KiB
widget.js:2	@babel/plugin-transform-classes
widget.js:2	@babel/plugin-transform-regenerator
widget.js:2	@babel/plugin-transform-spread
widget.js:2	Array.from
widget.js:2	Array.prototype.concat
widget.js:2	Array.prototype.fill
widget.js:2	Array.prototype.filter
widget.js:2	Array.prototype.find
widget.js:2	Array.prototype.forEach
widget.js:2	Array.prototype.includes
widget.js:2	Array.prototype.indexOf
widget.js:2	Array.prototype.join
widget.js:2	Array.prototype.map
widget.js:2	Array.prototype.slice
widget.js:2	Array.prototype.some
widget.js:2	Array.prototype.sort
widget.js:2	Object.assign
widget.js:2	Object.create
widget.js:2	Object.freeze
widget.js:2	Object.getOwnPropertyDescriptor
widget.js:2	Object.getOwnPropertyDescriptors

URL	Wasted bytes
widget.js:2	Object.getPrototypeOf
widget.js:2	Object.keys
widget.js:2	Object.setPrototypeOf
widget.js:2	Object.values
widget.js:2	Reflect.construct
widget.js:2	String.fromCharCode
widget.js:2	String.prototype.includes
widget.js:2	String.prototype.startsWith
widget.js:2	String.prototype.trim

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#) FCP LCP Unscored

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP Unscored

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name	
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.	
Failing Elements	
	button.absolute.left-2.md:left-4.top-1/2.-translate-y-1/2.bg-white/95.hover:bg-white.p-3.rounded-full....
	button.absolute.right-2.md:right-4.top-1/2.-translate-y-1/2.bg-white/95.hover:bg-white.p-3.rounded-f...

about:blank

16/29

Failing Elements



- button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2
- button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2
- button.h-2.rounded-full.transition-all.bg-[#44cce7].w-8
- button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2
- button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2
- button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2
- button.hidden.md:flex.absolute.left-0.w-12.h-12.items-center.justify-center.rounded-full.bg-white.bord...
- button.hidden.md:flex.absolute.right-0.w-12.h-12.items-center.justify-center.rounded-full.bg-white.bor...
- button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hoverscale...
- button.rounded-full.transition-all.duration-300.bg-[#44cce7].w-8.h-2.5.shadow-sm
- button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...
- button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...
- button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements



a.inline-flex.items-center.justify-center.gap-2.whitespace-nowrap.text-sm.font-medium.focus-visible:o...



a.inline-flex.items-center.justify-center.gap-2.whitespace-nowrap.font-medium.focus-visible:outline-no...

- span.inline-block.px-4.py-2.bg-white.shadow-sm.text-[#44cce7].rounded-full.text-sm.font-medium.mb...
- p
- footer.bg-gray-900.text-white
- p
- footer.bg-gray-900.text-white


These are opportunities to improve the legibility of your content.

BEST PRACTICES



Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements



a

a.text-sm.font-medium.transition-colors.hover:text-[#44cce7].text-gray-700



a.text-sm.font-medium.transition-colors.hover:text-[#44cce7].text-gray-700

a

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.h-2.rounded-full.transition-all.bg-gray-300.hover:bg-gray-400.w-2

button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...

button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...

button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...

button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...


button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...

button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...

button.rounded-full.transition-all.duration-300.bg-gray-300.w-2.5.h-2.5.hover:bg-gray-400.hover:scale...

These items highlight common accessibility best practices.

NAVIGATION



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

h4.font-semibold.mb-4

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)		Hide
☐	Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable. (Unscored)		
☐	Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints. (Unscored)		
☐	The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering. (Unscored)		
☐	Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering. (Unscored)		
☐	User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps. (Unscored)		
☐	The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content. (Unscored)		
☐	HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. (Unscored)		
☐	Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content. (Unscored)		
☐	Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. (Unscored)		
☐	Custom controls have ARIA roles	^
Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. (Unscored)		
These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.		

PASSED AUDITS (16)		Hide
	[aria-*] attributes match their roles	^
Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles.		
	[aria-hidden="true"] is not present on the document <body>	^
Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.		
	[aria-*] attributes have valid values	^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-***] attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

<frame> or <iframe> elements have a title



Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

<html> element has a [lang] attribute



If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

<html> element has a valid value for its [lang] attribute



Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

Links have a discernible name



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Lists contain only elements and script supporting elements (<script> and <template>).



Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items () are contained within , or <menu> parent elements



Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. [Learn more about proper list structure.](#)

Document has a main landmark.



One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

NOT APPLICABLE (40)		Hide
☐	<code>[accesskey]</code> values are unique	^
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys . (Unscored)		
☐	<code>button</code> , <code>link</code> , and <code>menuitem</code> elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible . (Unscored)		
☐	Deprecated ARIA roles were not used	^
Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles . (Unscored)		
☐	Elements with <code>role="dialog"</code> or <code>role="alertdialog"</code> have accessible names.	^
ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible . (Unscored)		
☐	<code>[aria-hidden="true"]</code> elements do not contain focusable descendants	^
Focusable descendants within an <code>[aria-hidden="true"]</code> element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how aria-hidden affects focusable elements . (Unscored)		
☐	ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels . (Unscored)		
☐	ARIA <code>meter</code> elements have accessible names	^
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements . (Unscored)		
☐	ARIA <code>progressbar</code> elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements . (Unscored)		
☐	<code>[role]</code> s have all required <code>[aria-*)</code> attributes	^
Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more about roles and required attributes . (Unscored)		
☐	Elements with an ARIA <code>[role]</code> that require children to contain a specific <code>[role]</code> have all required children.	^
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements . (Unscored)		
☐	<code>[role]</code> s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element . (Unscored)		
☐	<code>[role]</code> values are valid	^
ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles . (Unscored)		
☐	Elements with the <code>role=text</code> attribute do not have focusable descendants.	^
Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute . (Unscored)		

☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) (Unscored)

☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) (Unscored)

☐ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) (Unscored)

☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) (Unscored)

☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) (Unscored)

☐ Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) (Unscored)

☐ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) (Unscored)

☐ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) (Unscored)

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) (Unscored)

☐ Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) (Unscored)

☐ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) (Unscored)

☐ Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#) (Unscored)

☐ Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) (Unscored)

☐ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

- ☐ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

- ☐ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#) (Unscored)

- ☐ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) (Unscored)

- ☐ No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#) (Unscored)

- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) (Unscored)

- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

- ☐ `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) (Unscored)

- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) (Unscored)

- ☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) (Unscored)

- ☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) (Unscored)

- ☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) (Unscored)

- ☐ Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) (Unscored)

- ☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored



Best Practices

GENERAL

▲ Uses third-party cookies — 1 cookie found ^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
Google Analytics Analytics	
ar_debug	/g/collect?v=... (www.google-analytics.com)

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
procaresolar.com.au 1st Party	
me:1	Failed to load resource: the server responded with a status of 401 ()

▲ Issues were logged in the Issues panel in Chrome Devtools ^

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie
/g/collect?v=... (www.google-analytics.com)
/widget.js (connect.podium.com)
/sounds/livechat-notification.wav (assets.podium.com)
/styles.css (connect.podium.com)
/g/collect?v=... (www.google-analytics.com)
/images/defaultWebchatPinkAvatar.png (assets.podium.com)

○ Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored

Name	Version
Preact	10
core-js	core-js-global@3.42.0

▲ Missing source maps for large first-party JavaScript ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) (Unscored)

URL	Map URL
procaresolar.com.au 1st Party	
/assets/index-sO6RdOMI.js (procaresolar.com.au)	
Large JavaScript file is missing a source map	
Unattributable	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js.map
Error: Failed fetching source map (null)	

USER EXPERIENCE

▲ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
supabase.co		
	4 x 48 (0.08)	1024 x 289 (3.54)
... 6988a49.../5544a3f9c_Procarelogo.png (qtryp		

URL		Aspect Ratio (Displayed)	Aspect Ratio (Actual)
	zzcjebvfcihynt.supabase.co)		
	img.h-10.md:h-12.w-auto		

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
No CSP found in enforcement mode		High

- Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy](#) (Unscored)

Description	Directive	Severity
No HSTS header found		High

- Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

- Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking](#) (Unscored)

Description	Severity
No frame control policy found	High

- Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types](#) (Unscored)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (8)	Hide
Uses HTTPS	

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

Avoids deprecated APIs	^
Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs .	
Allows users to paste into input fields	^
Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields .	
Avoids requesting the geolocation permission on page load	^
Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission .	
Avoids requesting the notification permission on page load	^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications .	
Serves images with appropriate resolution	^
Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images .	
Page has the HTML doctype	^
Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration .	
Properly defines charset	^
A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding .	
NOT APPLICABLE (1)	Hide
☐ Redirects HTTP traffic to HTTPS	^
Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more . Unscored	



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲ Links do not have descriptive text — 4 links found	^
Descriptive link text helps search engines understand your content. Learn how to make links more accessible .	
Link destination	Link Text
procaresolar.com.au	1st Party

Link destination	Link Text
/Services (procaresolar.com.au)	Learn More
/Services (procaresolar.com.au)	Learn More
/Services (procaresolar.com.au)	Learn More
/Services (procaresolar.com.au)	Learn More

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#) Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links are crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

Document has a valid rel=canonical

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

- Captured at Apr 4, 2026, 7:46 PM GMT+11
- Emulated Desktop with Lighthouse 13.0.2
- Single page session
- Initial page load
- Custom throttling
- Using Chromium 146.0.0.0 with devtools

Generated by **Lighthouse** 13.0.2 | [File an issue](#)