

Roles | IAM | Global

Functions | Lambda

Divakar.pdf

https://us-east-1.console.aws.amazon.com/iam/home?region=ap-south-1#/roles

Search

[Alt+S]

Global

Divakar

Identity and Access Management (IAM)

Search IAM

Dashboard

Access management

Users groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

Access reports

Access Analyzer

External access

Unused access

Roles (1/10)

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.

Search

Role name	Trusted entities	Last activity
<input type="checkbox"/> AWSServiceRoleForAutoScaling	AWS Service: autoscaling (Service-Li	55 days ago
<input type="checkbox"/> AWSServiceRoleForElasticLoadBalancing	AWS Service: elasticloadbalancing (S	55 days ago
<input type="checkbox"/> AWSServiceRoleForRDS	AWS Service: rds (Service-Linked Rol	57 days ago
<input type="checkbox"/> AWSServiceRoleForSupport	AWS Service: support (Service-Link	-
<input type="checkbox"/> AWSServiceRoleForTrustedAdvisor	AWS Service: trustedadvisor (Service	-
<input type="checkbox"/> cwe-role-ap-south-1-app-pipeline	AWS Service: events	9 days ago
<input checked="" type="checkbox"/> LambdaS3FileProcessingRole	AWS Service: lambda	-
<input type="checkbox"/> rds-monitoring-role	AWS Service: monitoring.rds	-

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Roles | IAM | GlobalS3 buckets | S3 | ap-south-1Functions | LambdaDivakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1&bucketType=general

awsSearch [Alt+S]

Asia Pacific (Mumbai)Divakar

Amazon S3Buckets

Account snapshot - updated every 24 hoursAll AWS RegionsView Storage Lens dashboard

Storage lens provides visibility into storage usage and activity trends. Metrics don't include directory buckets. [Learn more](#)

General purpose bucketsDirectory buckets

General purpose buckets (2)InfoAll AWS Regions

Copy ARNEmptyDeleteCreate bucket

Buckets are containers for data stored in S3.

Find buckets by name

<1>

Name	AWS Region	IAM Access Analyzer	Creation date
bucket-processedfile-destination	Asia Pacific (Mumbai) ap-south-1	View analyzer for ap-south-1	March 9, 2025, 13:28:30 (UTC+05:30)
bucket-uploadfile-source	Asia Pacific (Mumbai) ap-south-1	View analyzer for ap-south-1	March 9, 2025, 13:27:41 (UTC+05:30)

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

34°C Sunny13:2809-03-2025

Roles | IAM | Global

S3 buckets | S3 | ap-south-1

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/lambda/home?region=ap-south-1#/functions/FileProcessingLambda?newfunction=true&tab=code

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Divakar

Lambda > Functions > FileProcessingLambda

Successfully created the function **FileProcessingLambda**. You can now change its code and configuration. To invoke your function with a test event, choose "Test".

FileProcessingLambda

Throttle

Copy ARN

Actions

Function overview

Diagram

Template

FileProcessingLambda

Layers (0)

+ Add trigger

+ Add destination

Description

Last modified3 seconds ago

Function ARNarn:aws:lambda:ap-south-1:565393058870:function:FileProcessingLambda

Function URLInfo

Code

Test

Monitor

Configuration

Aliases

Versions

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

34°C Sunny

13:29

09-03-2025

Roles | IAM | Global

bucket-processedfile-destination

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/buckets/bucket-processedfile-destination?region=ap-south-1&bucketType=general&tab=objects

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Divakar

Amazon S3

Buckets

bucket-processedfile-destination

bucket-processedfile-destination

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	processed-sample.txt.txt	txt	March 9, 2025, 13:36:49 (UTC+05:30)	74.0 B	Standard

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

34°C Sunny

13:38

09-03-2025

Roles | IAM | Global

S3 buckets | S3 | ap-south-1

FileProcessingLambda | Functions |

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1&bucketType=general

Search [Alt+S]

Asia Pacific (Mumbai) Divakar

Amazon S3 Buckets

Account snapshot - updated every 24 h

Storage lens provides visibility into storage usage and

General purpose buckets

Directory buckets

General purpose buckets (2) Info All AWS Regi

Buckets are containers for data stored in S3.

Find buckets by name

Name
bucket-processedfile-destination
bucket-uploadfile-source

CloudShell Feedback

*sample.txt - Notepad

File Edit Format View Help

What is a Sample Text Paragraph?

A sample text paragraph is a written section that illustrates a specific idea or theme.

It typically includes a topic sentence, supporting details, and a concluding sentence.

Sample paragraphs can be used for various purposes, such as demonstrating writing style, presenting in

Type here to search

35°C Sunny 13:54 09-03-2025

Roles | IAM | Global

Upload objects - S3 bucket bucke

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/upload/bucket-uploadfile-source?region=ap-south-1&bucketType=general

aws

Search [Alt+S]

Asia Pacific (Mumbai)

Divakar

Amazon S3 > Buckets > bucket-uploadfile-source > Upload

Upload

Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 total, 372.0 B)

Remove

Add files

Add folder

All files and folders in this table will be uploaded.

Find by name

< 1 >

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	sample.txt.txt	-	text/plain	372.0 B

Destination

Info

Destination

<s3://bucket-uploadfile-source>

Destination details

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

35°C Sunny

13:55

09-03-2025

Roles | IAM | Global

bucket-processedfile-destination

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/buckets/bucket-processedfile-destination?region=ap-south-1&bucketType=general&tab=objects

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Divakar

Amazon S3

Buckets

bucket-processedfile-destination

bucket-processedfile-destination

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	processed-sample.txt.txt	txt	March 9, 2025, 13:55:18 (UTC+05:30)	372.0 B	Standard

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

35°C Sunny

13:55

09-03-2025

WHAT IS A SAMPLE TEXT PARAGRAPH?

A SAMPLE TEXT PARAGRAPH IS A WRITTEN SECTION THAT ILLUSTRATES A SPECIFIC IDEA OR THEME.

IT TYPICALLY INCLUDES A TOPIC SENTENCE, SUPPORTING DETAILS, AND A CONCLUDING SENTENCE.

SAMPLE PARAGRAPHS CAN BE USED FOR VARIOUS PURPOSES, SUCH AS DEMONSTRATING WRITING STYLE, PRESENTING INFORMATION, OR PROVIDING EXAMPLES IN EDUCATIONAL CONTEXTS.

Roles | IAM | Global

S3 buckets | S3 | ap-south-1

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/buckets?region=ap-south-1&bucket=Two=general

Account snap
Storage lens prov

General purpose b

General purpos
Buckets are containe

Find buckets by

Name

bucket-proce

bucket-uploa

create bucket

1 > ⚙

+05:30)

+05:30)

sample - Excel

Divakar palanisamy

File Home Insert Page Layout Formulas Data Review View Help Tell me what you want to do

Paste

Clipboard

Font

Alignment

Number

Styles

Conditional Formatting

Format as Table

Cell Styles

Insert

Delete

Format

Cells

Editing

Add-ins

Add-ins

POSSIBLE DATA LOSS

Some features might be lost if you save this workbook in the comma-delimited (.csv) format. To preserve these features, save it in an Excel file format.

Don't show again

Save As...

E5

Name

Name	Course
Deva	AWS
Pradap	DevOps
Rajvel	AWS
Muthu	DevOps
Bhandhav	AWS

sample

Ready

Accessibility: Unavailable

Count: 12

100%

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

35°C Sunny

14:09

09-03-2025

Roles | IAM | Global

Upload objects - S3 bucket bucke

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/upload/bucket-uploadfile-source?region=ap-south-1&bucketType=general

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Divakar

Upload status

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://bucket-uploadfile-source

Succeeded

1 file, 79.0 B (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 79.0 B)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
sample-csv-format.csv	-	text/csv	79.0 B	Succeeded	-

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

35°C Sunny

14:10

09-03-2025

Roles | IAM | Global

bucket-processedfile-destination

FileProcessingLambda | Functions

Divakar.pdf

https://ap-south-1.console.aws.amazon.com/s3/buckets/bucket-processedfile-destination?region=ap-south-1&bucketType=general&tab=objects

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Divakar

Amazon S3

Buckets

bucket-processedfile-destination

bucket-processedfile-destination

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	processed-sample-csv-format.csv.json	json	March 9, 2025, 14:10:32 (UTC+05:30)	191.0 B	Standard

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Type here to search

35°C Sunny

14:10

09-03-2025

Pretty-print ☒

```
[
  {
    "Name": "Deva",
    "Course": "AWS"
  },
  {
    "Name": "Pradap",
    "Course": "DevOps"
  },
  {
    "Name": "Rajvel",
    "Course": "AWS"
  },
  {
    "Name": "Muthu",
    "Course": "DevOps"
  },
  {
    "Name": "Bhandhavi",
    "Course": "AWS"
  }
]
```