20-03-2026 DbSchema.com © DATE Wise Coders



Default Diagram

Table abiotic_measurements

Idx	Name	Data Type	Description
Derived from Black Sea (UA) abiotic samples and data. Used also for Adriatic abiotic -- temp/salinity.			
* Pk	id	serial	
* Pk	dataset_id	integer	
	sample_station	varchar	
	sample_date	date	
	depth	decimal	Meters
	sample_code	varchar	
	temperature	decimal	Degrees C
	salinity	decimal	Practical salinity units (PSU), promiles
	total_suspended_matter	decimal	g*m^(-3)
	transparency	decimal	Kd, m^(-1)
	chlorophyll_a	decimal	Chl $mg \cdot m^{-3}$
	phycocyanin	decimal	CPC $mg \cdot m^{-3}$

Indexes

Type	Name	On	Description
Pk	pk_abiotic_measurements	id, dataset_id	

Foreign Keys

Type	Name	On	Description
	fk_abiotic_measurements (dataset_id) ref dataset (id)		

Table audio_hyrdophones

Idx	Name	Data Type	Description
For Ballearic			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	
	encounter_label	varchar	
	encounter_duration	decimal	
	encounter_classification	varchar	

Indexes

Type	Name	On	Description
Pk	pk_images_underwater_0	id	

Foreign Keys

Type	Name	On	Description
	fk_audio_hyrdophones_dataset (dataset_id) ref dataset (id)		

Table bacteria_edna_results

Idx	Name	Data Type	Description
Derived from Hellenic eDNA data, RDS file, otu_table()			
* Pk	id	serial	
* Pk	sample_id	integer	
* Pk	species_id	integer	
	tax_count	bigint	

Indexes

Type	Name	On	Description

Table bacteria_edna_results

Pk	pk_bacteria_edna_results	id, sample_id, species_id	

Foreign Keys

Type	Name	On	Description
	fk_bacteria_edna_results_sample	(sample_id) ref bacteria_edna_samples (id)	
	fk_bacteria_edna_results_species	(species_id) ref bacteria_edna_species (id)	

Table bacteria_edna_samples

Idx	Name	Data Type	Description
Derived from Hellenic eDNA data, RDS file, sample_data()			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	depth	varchar	
	latitude	decimal	
	longitude	decimal	
	location	varchar	
	season	varchar	
	description	varchar	

Indexes

Type	Name	On	Description
Pk	pk_bacteria_edna_samples	id	

Foreign Keys

Type	Name	On	Description
	fk_bacteriaedna_samples_dataset	(dataset_id) ref dataset (id)	

Table bacteria_edna_species

Idx	Name	Data Type	Description
Derived from Hellenic eDNA data, RDS file, tax_table()			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	domain	varchar	
	clade_1	varchar	
	clade_2	varchar	
	phylum	varchar	
	class	varchar	
	order	varchar	
	family	varchar	
	genus	varchar	
	species	varchar	
	sequence	varchar	

Indexes

Type	Name	On	Description
Pk	pk_bacteria_edna_species	id	

Foreign Keys

Type	Name	On	Description
	fk_bacteria_edna_species_dataset	(dataset_id) ref dataset (id)	

Table benthic_coverage

Idx	Name	Data Type	Description
Derived from Adriatic/Gabicce data.			
* Pk	id	serial	
*	dataset_id	integer	
	transect	varchar	
	species	varchar	
	coverage	decimal	
	photoquad	varchar	

Indexes

Type	Name	On	Description
Pk	pk_benthic_coverage	id	

Foreign Keys

Type	Name	On	Description
	fk_benthic_coverage_dataset (dataset_id) ref dataset (id)		

Table biological_pollution

Idx	Name	Data Type	Description
Biotic. Derived from UA IAS data			
* Pk	id	serial	
*	dataset_id	integer	
	station_code	varchar	
	sampling_protocol_id	integer	
	sample_date	date	
	aci	decimal	Abundance Contamination Index (Arbaciauskas et al. 2008)
	rci	decimal	Richness Contamination Index (Arbaciauskas et al. 2008)
	sbci_level	integer	
	record_contributor	varchar	
	field_collector	varchar	

Indexes

Type	Name	On	Description
Pk	pk_biological_pollution	id	

Foreign Keys

Type	Name	On	Description
	fk_biological_pollution_dataset (dataset_id) ref dataset (id)		
	fk_biological_pollution_sampling_protocol (sampling_protocol_id) ref sampling_protocols (id)		

Table ctd_measurements_basic

Idx	Name	Data Type	Description
Derived from Atlantic data samples.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
	depth	decimal	
	gmt_time	decimal	
	latitude	decimal	
	longitude	decimal	
	corrected_lattitude	decimal	
	corrected_longitude	decimal	
	conductivity	decimal	
	temperature	decimal	

Table ctd_measurements_basic

	salinity	decimal	
	medium	varchar	

Indexes

Type	Name	On	Description
Pk	pk_ctd_measurements_basic	id	

Foreign Keys

Type	Name	On	Description
	fk_ctd_measurements_basic_dataset (dataset_id) ref dataset (id)		

Table ctd_measurements_chemical

Idx	Name	Data Type	Description
Derived from Turkish data samples.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	date_time	timestamp	
	latitude	decimal	
	longitude	decimal	
	depth	decimal	
	temperature	decimal	
	salinity	decimal	
	density	decimal	
	sigma_t	decimal	
	pressure	decimal	
	po_temp_090c	decimal	
	turb_wet_ntu	decimal	
	ph	decimal	
	sbeox_ml/l	decimal	
	sbeox_ps	decimal	
	fl_eco_afl	decimal	
	orp	decimal	
	par	decimal	
	dmax	decimal	
	cruise	decimal	

Indexes

Type	Name	On	Description
Pk	pk_ctd_measurements_chemical	id	

Foreign Keys

Type	Name	On	Description
	fk_ctd_measurements_chemical_dataset (dataset_id) ref dataset (id)		

Table data_gathering_types

Idx	Name	Data Type	Description
Whether the data is from field samples or artificially generated.			
* Pk	id	serial	
*	name	varchar(100)	

Indexes

Type	Name	On	Description
Pk	pk_data_gathering_types	id	

Table dataset

Idx	Name	Data Type	Description
* Pk	id	serial	
*	name	varchar(100)	
	location	varchar	
	category_id	integer	
	data_gathering_type_id	integer	Maybe remove this as I don't remember what it's about
	description	varchar	
	organization_id	integer	
	start_time	timestamp	Start of the time period the dataset has been collected
	end_time	timestamp	End of the time period the dataset has been collected. NULL if ther is none
	location_geom	geometry	

Indexes

Type	Name	On	Description
Pk	pk_dataset	id	

Foreign Keys

Type	Name	On	Description
	fk_dataset_category (category_id) ref dataset_categories (id)		
	fk_dataset_gatheringtype (data_gathering_type_id) ref data_gathering_types (id)		
	fk_dataset_organization (organization_id) ref organization (id)		

Table dataset_categories

Idx	Name	Data Type	Description
Categories whether the data has been cleaned up or completely raw			
* Pk	id	serial	
*	name	varchar(100)	

Indexes

Type	Name	On	Description
Pk	pk_dataset_categories	id	

Table ecological_status_class

Idx	Name	Data Type
* Pk	id	serial
*	name	varchar

Indexes

Type	Name	On
Pk	pk_ecological_status_class	id

Table eukaryotes_edna_results

Idx	Name	Data Type	Description
Derived from Hellenic eDNA data, RDS file, otu_table()			
* Pk	id	serial	
* Pk	sample_id	integer	
* Pk	species_id	integer	
	tax_count	bigint	

Indexes

Type	Name	On	Description
Pk	pk_eukaryotes_edna_results	id, sample_id, species_id	

Foreign Keys

Table eukaryotes_edna_results

Type	Name	On	Description
	fk_eukaryotes_edna_results_sample (sample_id) ref eukaryotes_edna_samples (id)		
	fk_eukaryotes_edna_results_species (species_id) ref eukaryotes_edna_species (id)		

Table eukaryotes_edna_samples

Idx	Name	Data Type	Description
Derived from Hellenic eDNA data, RDS file, sample_data()			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	depth	varchar	
	latitude	decimal	
	longitude	decimal	
	location	varchar	
	season	varchar	
	description	varchar	

Indexes

Type	Name	On	Description
Pk	pk_eukaryotes_edna_samples	id	

Foreign Keys

Type	Name	On	Description
	fk_eukaryotes_edna_samples_dataset (dataset_id) ref dataset (id)		

Table eukaryotes_edna_species

Idx	Name	Data Type	Description
Derived from Hellenic eDNA data, RDS file, tax_table()			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	domain	varchar	
	clade_1	varchar	
	clade_2	varchar	
	phylum	varchar	
	class	varchar	
	order	varchar	
	family	varchar	
	genus	varchar	
	species	varchar	
	sequence	varchar	

Indexes

Type	Name	On	Description
Pk	pk_eukaryotes_edna_species	id	

Foreign Keys

Type	Name	On	Description
	fk_eukaryotes_edna_species_dataset (dataset_id) ref dataset (id)		

Table fish_data

Idx	Name	Data Type	Description
Derived from UA fish samples and data			

Table fish_data

* Pk	id	serial	
* Pk	dataset_id	integer	
	sample_id	integer	
	sample_datetime	timestamp	
	sampling_protocol_id	integer	
	sampling_effort	varchar	
	location	varchar	
	latitude	decimal	
	longitude	decimal	
	species_name	varchar	
	species_count	integer	
	species_weight	decimal	

Indexes

Type	Name	On	Description
Pk	pk_fish_data	id, dataset_id	
Pk	pk_fish_data	id	

Foreign Keys

Type	Name	On	Description
	fk_fish_data_dataset (dataset_id) ref dataset (id)		
	fk_fish_data_samping_protocols (sampling_protocol_id) ref sampling_protocols (id)		

Table ground_surveys_habitat

Idx	Name	Data Type	Description
Derived from Turkish data samples.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	date_time	timestamp	
	latitude	decimal	
	longitude	decimal	
	depth	decimal	
	habitat	varchar	
*	video_id	integer	
*	image_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_ground_surveys_habitat	id	

Foreign Keys

Type	Name	On	Description
	fk_ground_surveys_habitat_dataset (dataset_id) ref dataset (id)		
	fk_ground_surveys_habitat_video (video_id) ref video_ground_survey (id)		
	fk_ground_surveys_habitat_image (image_id) ref images_ground_survey (id)		

Table ground_surveys_species

Idx	Name	Data Type	Description
Derived from Turkish data samples.			
* Pk	id	serial	
*	dataset_id	integer	

Table ground_surveys_species

	location	varchar	
	date_time	timestamp	
	latitude	decimal	
	longitude	decimal	
	depth	decimal	
	species	varchar	
*	video_id	integer	
*	image_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_ground_surveys_species	id	

Foreign Keys

Type	Name	On	Description
	fk_ground_surveys_species_dataset	(dataset_id) ref dataset (id)	
	fk_ground_surveys_species_video	(video_id) ref video_ground_survey (id)	
	fk_ground_surveys_species_image	(image_id) ref images_ground_survey (id)	

Table hydrophones_cetaseans_detection

Idx	Name	Data Type	Description
Based on D2.6 feedback			
* Pk	id	serial	
*	datased_id	integer	
	mooring_point_lat	decimal	
	mooring_point_lon	decimal	
	datetime	timestamp	
	has_cetasians	boolean	
	detected_speices	varchar	Contains only one species; If many then many rows

Indexes

Type	Name	On	Description
Pk	pk_hydrophones_cetaseans_detection	id	

Foreign Keys

Type	Name	On	Description
	fk_hydrophones_cetaseans_detection_dataset	(datased_id) ref dataset (id)	

Table hydrophones_locations

Idx	Name	Data Type	Description
Derived from Balearic data			
* Pk	id	serial	
*	name	varchar	
	geom	geometry	

Indexes

Type	Name	On	Description
Pk	pk_hydrophones_locations	id	

Table hydrophones_noise_levels

Idx	Name	Data Type	Description
Derived from Ballearic data sample and data			
* Pk	id	serial	

Table hydrophones_noise_levels

*	dataset_id	integer
	utc_timestamp	timestamp
*	band_id	integer
	mean	decimal
	median	decimal
	low_95	decimal
	high_95	decimal
	min	decimal
	max	decimal
	location_id	integer

Indexes

Type	Name	On	Description
Pk	pk_hydrophones_noise_levels	id	

Foreign Keys

Type	Name	On	Description
	fk_hydrophones_noise_levels_dataset (dataset_id) ref dataset (id)		
	fk_hydrophones_noise_levels_band (band_id) ref noise_level_bands (id)		
	fk_hydrophones_noise_levels_location (location_id) ref hydrophones_locations (id)		

Table hydrophones_whistles

Idx	Name	Data Type	Description
Derived from Balearic data.			
* Pk	id	serial	
*	dataset_id	integer	
	filename	varchar	
	datetime	timestamp	
	location_id	integer	
	presence	boolean	
	magic	integer	Some random numbers with no column header

Indexes

Type	Name	On	Description
Pk	pk_hydrophones_whistles	id	

Foreign Keys

Type	Name	On	Description
	fk_hydrophones_whistles_dataset (dataset_id) ref dataset (id)		
	fk_hydrophones_whistles_location (location_id) ref hydrophones_locations (id)		

Table hypso_data_files

Idx	Name	Data Type	Description
Derived from Norwegian level 1C TOA Radiance data from HYPSO-1 and HYPSO-2 captures over various DiverSea sites.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
	filepath	varchar	
	description	varchar	Might be used if there are other levels than 1C

Indexes

Type	Name	On	Description
Pk	pk_hypso_data_files	id	

Table hypso_data_files

Foreign Keys

Type	Name	On	Description
	fk_hypso_data_files_dataset	(dataset_id) ref dataset (id)	

Table images_aerial

Idx	Name	Data Type	Description
Derived from Atlantic Aerial data and data samples, and Turkish UAV/Satelite data samples.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	
	auxilary_filepath	varchar	

Indexes

Type	Name	On	Description
Pk	pk_images_aerial	id	

Foreign Keys

Type	Name	On	Description
	fk_images_aerial_dataset	(dataset_id) ref dataset (id)	

Table images_ground_survey

Idx	Name	Data Type	Description
Derived from Turkish Ground Survey data samples.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	

Indexes

Type	Name	On	Description
Pk	pk_images_ground_survey	id	

Foreign Keys

Type	Name	On	Description
	fk_images_ground_survey_dataset	(dataset_id) ref dataset (id)	

Table images_phytoplankton

Idx	Name	Data Type	Description
From Turkish data.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	

Indexes

Type	Name	On	Description
Pk	pk_images_phytoplankton	id	

Foreign Keys

Type	Name	On	Description
	fk_images_phytoplankton_dataset	(dataset_id) ref dataset (id)	

Table images_underwater

Idx	Name	Data Type	Description

Table images_underwater

From Atlantic Underwater data samples.

* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	

Indexes

Type	Name	On	Description
Pk	pk_images_underwater	id	

Foreign Keys

Type	Name	On	Description
	fk_images_underwater_dataset	(dataset_id) ref dataset (id)	

Table invasive_alien_species

Idx	Name	Data Type	Description
Derived from UA IAS data			
* Pk	id	serial	
*	dataset_id	integer	
	sample_date	date	
	station_code	varchar	
	sampling_protocol_id	integer	
	species_name	varchar	
	species_abundance	decimal	
	habitat	varchar	Да се прави ли някаква нормализация?
	record_contributor	varchar	
	field_collector	varchar	

Indexes

Type	Name	On	Description
Pk	pk_invasive_alien_species	id	

Foreign Keys

Type	Name	On	Description
	fk_invasive_alien_species_dataset	(dataset_id) ref dataset (id)	
	fk_invasive_alien_species_sampling_protocol	(sampling_protocol_id) ref sampling_protocols (id)	

Table lidar_files

Idx	Name	Data Type	Description
Derived from Atlantic Lidar data samples and data			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	

Indexes

Type	Name	On	Description
Pk	pk_lidar_files	id	

Foreign Keys

Type	Name	On	Description
	fk_lidar_files_dataset	(dataset_id) ref dataset (id)	

Table macrobenthos_general_data

Idx	Name	Data Type	Description

Table macrobenthos_general_data

Derived from Adriatic/Gabicce data.

* Pk	id	serial	
*	dataset_id	integer	
	transect	varchar	
	station	varchar	
	abundance	integer	Number of individuals per sq. metre
	species_count	integer	Number of species
	dominance	decimal	Dominance (D)
	simpson	decimal	Simpson (1-D)
	shannon	decimal	Shannon (H)
	evenness	decimal	Evenness (H/lnS)
	total_biomass	decimal	Total biomass (g*m-2)

Indexes

Type	Name	On	Description
Pk	pk_macrobenthos_general_data	id	

Foreign Keys

Type	Name	On	Description
	fk_macrobenthos_general_data_dataset (dataset_id) ref dataset (id)		

Table macrofauna

Idx	Name	Data Type	Description
Derived from Adriatic sample.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	transact	varchar	
	depth	decimal	
	latitude	varchar	
	longitude	varchar	
	station	integer	
	total_biomass_avg	decimal	
	total_biomass_sd	decimal	

Indexes

Type	Name	On	Description
Pk	pk_macrofauna	id	

Foreign Keys

Type	Name	On	Description
	fk_macrofauna_dataset (dataset_id) ref dataset (id)		

Table macrofauna_diversity_index

Idx	Name	Data Type	Description
Derived from Adriatic sample.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	taxa_s_avg	decimal	
	taxa_s_sd	decimal	
	dominance_d_avg	decimal	
	dominance_d_sd	decimal	
	shannon_h_avg	decimal	

Table macrofauna_diversity_index

	shannon_h_sd	decimal	
	evenness_e^h/s_avg	decimal	
	evenness_e^h/s_sd	decimal	
	margalef_avg	decimal	
	margalef_sd	decimal	
	equitability_j_avg	decimal	
	equitability_j_sd	decimal	

Indexes

Type	Name	On	Description
Pk	pk_macrofauna_diversity_index	id	

Foreign Keys

Type	Name	On	Description
	fk_macrofauna_diversity_index_dataset ref dataset (id)	(dataset_id)	

Table macrofauna_tax_counts

Idx	Name	Data Type	Description
Derived from Adriatic sample			
* Pk	id	serial	
* Pk	sample_id	integer	
	species_name	varchar	
	biomass_avg	decimal	
	biomass_sd	decimal	
	abundance_avg	decimal	
	abundance_sd	decimal	

Indexes

Type	Name	On	Description
Pk	pk_macrofauna_tax_counts	id, sample_id	

Foreign Keys

Type	Name	On	Description
	fk_macrofauna_tax_counts_sample ref macrofauna (id)	(sample_id)	

Table macrophytes_eco_status

Idx	Name	Data Type	Description
Functional indicators for macrophytes which include Ecological Status Class (ESC). Derived from UA data.			
* Pk	id	serial	
*	dataset_id	integer	
	sample_date	date	
	location	varchar	
	depth	decimal	
	swx	decimal	m^2/kg
	swx_err	decimal	
	esc_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_macrophytes_eco_status	id	

Foreign Keys

Type	Name	On	Description
	fk_macrophytes_eco_status_dataset ref dataset (id)	(dataset_id)	

Table macrophytes_eco_status

fk_macrophytes_eco_status_esc (esc_id) ref ecological_status_class (id)

Table macrophytobenthos

Idx	Name	Data Type	Description
Derived from UA data			
* Pk	id	serial	
*	dataset_id	integer	
	date	date	
	depth	decimal	
	location	varchar	
	description	varchar	
	coverage	decimal	
	frame_size	decimal	
	species_name	varchar	
	swp	decimal	S/Wp, m2•kg-1
	swp_error	decimal	
	ssp	decimal	Ssp, % (≤25 S/Wp m2•kg-1)
	ssp_sign	char(1)	Used when SSP is not a value but rather '+' or '-'
	p_biomass_avg	decimal	
	p_biomass_avg_sign	char(1)	Used when it's not a value
	p_surface_index	decimal	
	p_surface_index_sign	char(1)	Used when it's not a value
	ocurrence_frequency	decimal	
	dominant_coefficient	decimal	
	dominant_coefficient_sign	char(1)	Used when it's not a value
	sw3dp	decimal	
	sw3dp_error	decimal	
	biomass_of_population_max	decimal	
	biomass_of_population_sign	char(1)	
	biomass_of_population_avg	decimal	
	biomass_of_middow_max	decimal	
	biomass_of_middow_avg	decimal	
	phytocenosis_surface_index_max	decimal	
	phytocenosis_surface_index_avg	decimal	

Indexes

Type	Name	On	Description
Pk	pk_macrophytobenthos_individual_measurements	id	

Foreign Keys

Type	Name	On	Description
	fk_macrophytobenthos_dataset (dataset_id) ref dataset (id)		

Table macrophytobenthos_frame

Idx	Name	Data Type
* Pk	id	serial
* Pk	sample_id	integer
	biomass	decimal
	biomass_sign	char(1)
	surface_index	decimal

Table macrophytobenthos_frame

	surface_index_sign	char(1)

Indexes

Type	Name	On
Pk	pk_macrophytobentos_frame	id, sample_id

Foreign Keys

Type	Name	On
	fk_macrophytobentos_frame_sample (sample_id) ref macrophytobenthos (id)	

Table macrozoobenthos

Idx	Name	Data Type	Description
Derived from UA data			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar(100)	
	sample_no	bigint	
	sample_date	date	
*	substrate_id	integer	Да бъде ли номерче, или да си е текста?
	depth	decimal	
	sample_code	varchar	
	replicates_count	integer	
*	sampling_device_id	integer	Да бъде ли номерче или текст?
	species_name	varchar	
	abundance	integer	
	biomass	decimal	

Indexes

Type	Name	On	Description
Pk	pk_macrozoobenthos	id	

Foreign Keys

Type	Name	On	Description
	fk_macrozoobenthos_dataset (dataset_id) ref dataset (id)		
	fk_macrozoobenthos_sampling_device (sampling_device_id) ref sampling_devices (id)		
	fk_macrozoobenthos_substrate (substrate_id) ref substrate_types (id)		

Table macrozoobenthos_eco_status

Idx	Name	Data Type	Description
Derived from Black Sea data.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar(9999999)	
	sample_date	date	
	depth	decimal	
	m_ambi	decimal	
	esc_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_macrozoobenthos_eco_status	id	

Foreign Keys

Type	Name	On	Description
	fk_macrozoobenthos_eco_status_dataset (dataset_id) ref dataset (id)		

Table macrozoobenthos_eco_status

fk_macrozoobenthos_eco_status_class (esc_id) ref ecological_status_class (id)

Table marine_litter

Idx	Name	Data Type	Description
Derived from Atlantic sample data.			
* Pk	id	serial	
*	dataset_id	integer	
	latitude	decimal	
	longitude	decimal	
	date_time	timestamp	
	type	varchar	
	colour	varchar	
	cluster	varchar	
	size_category	varchar	
	description	varchar	
	image	varchar	

Indexes

Type	Name	On	Description
Pk	pk_marine_litter	id	

Foreign Keys

Type	Name	On	Description
	fk_marine_litter_dataset (dataset_id) ref dataset (id)		

Table meiofauna

Idx	Name	Data Type	Description
Derived from Adriatic sample.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	transact	varchar	
	depth	decimal	
	latitude	varchar	
	longitude	varchar	
	station	integer	
	total_abundance_avg	decimal	n. ind 10 cm-2
	total_abundance_sd	decimal	n. ind 10 cm-2
	total_biomass_avg	decimal	µg C 10 cm-2
	total_biomass_sd	decimal	µg C 10 cm-2
	richness_of_taxa_avg	decimal	
	richness_of_taxa_sd	decimal	
	total_richness_of_taxa	decimal	
	ostracods_avg	decimal	ind. 10 cm2
	ostracods_sd	decimal	ind. 10 cm2
	ne:co_avg	decimal	
	ne:co_sd	decimal	
	ne:ki_avg	decimal	
	ne:ki_sd	decimal	

Indexes

Type	Name	On	Description
Pk	pk_macrofauna_0	id	

Table meiofauna

Foreign Keys

Type	Name	On	Description
	fk_meiofauna_dataset (dataset_id) ref dataset (id)		

Table microbiome_composition_results

Idx	Name	Data Type	Description
Derived from Adriatic data feature tables			
* Pk	id	serial	
* Pk	sample_id	integer	
* Pk	species_id	integer	
	tax_count	bigint	

Indexes

Type	Name	On	Description
Pk	pk_microbiome_composition_results	id, sample_id, species_id	

Foreign Keys

Type	Name	On	Description
	fk_microbiome_composition_results_sample (sample_id) ref microbiome_composition_samples (id)		
	fk_microbiome_composition_results_species (species_id) ref microbiome_taxonomy_species (id)		

Table microbiome_composition_samples

Idx	Name	Data Type	Description
Derived from Adriatic data			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	description	varchar	

Indexes

Type	Name	On	Description
Pk	pk_microbiome_composition_samples	id	

Foreign Keys

Type	Name	On	Description
	fk_microbiome_composition_samples_dataset (dataset_id) ref dataset (id)		

Table microbiome_taxonomy_species

Idx	Name	Data Type	Description
Derived from Adriatic taxonomy tables			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	domain	varchar	
	supergroup	varchar	
	kingdom	varchar	
	phylum	varchar	
	class	varchar	
	order	varchar	
	family	varchar	
	genus	varchar	
	species	varchar	

Table microbiome_taxonomy_species

Indexes

Type	Name	On	Description
Pk	pk_microbiome_taxonomy_species	id	

Foreign Keys

Type	Name	On	Description
	fk_microbiome_taxonomy_species_dataset	(dataset_id) ref dataset (id)	

Table noise_level_bands

Idx	Name	Data Type
* Pk	id	serial
*	name	varchar(100)

Indexes

Type	Name	On
Pk	pk_noise_level_bands	id

Table organization

Idx	Name	Data Type
* Pk	id	serial
	name	varchar
	details	varchar

Indexes

Type	Name	On
Pk	pk_organization	id

Table phytoplankton

Idx	Name	Data Type	Description
Derived from UA data. Cutoff from sample data compared to previous model.			
Also Turkish data.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	date	date	
	species_name	varchar	
	cell_volume	decimal	µm3
	abundance	decimal	*1000cells/l
	biomass	decimal	mg/m3
	carbon_biomass	decimal	mg/m3
	surface	decimal	µm2
	sw	decimal	
	abundance_mean	decimal	Derived from Turkish data.
	abundance_std	decimal	Derived from Turkish data. Standard deviation

Indexes

Type	Name	On	Description
Pk	pk_phytoplankton	id	

Foreign Keys

Type	Name	On	Description
	fk_phytoplankton_dataset	(dataset_id) ref dataset (id)	

Table phytoplankton_eco_status

Idx	Name	Data Type	Description
Derived from Black Sea data.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar(9999999)	
	sample_date	date	
	avg_cell_volume	decimal	
	total_abundance	decimal	
	total_biomass	decimal	
	total_carbon_biomass	decimal	
	esc_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_phytoplankton_eco_status	id	

Foreign Keys

Type	Name	On	Description
	fk_phytoplankton_eco_status_dataset (dataset_id) ref dataset (id)		
	fk_phytoplankton_eco_status_class (esc_id) ref ecological_status_class (id)		

Table phytoplankton_results

Idx	Name	Data Type
* Pk	id	serial
*	sample_id	integer
	species_name	varchar
	abundance	decimal
	biomass	decimal

Indexes

Type	Name	On
Pk	pk_phytoplankton_results	id

Foreign Keys

Type	Name	On
	fk_phytoplankton_results_sample (sample_id) ref phytoplankton_samples (id)	

Table phytoplankton_samples

Idx	Name	Data Type	Description
Derived from Hellenic data.			
* Pk	id	serial	
*	dataset_id	integer	
	code	varchar	
	latitude	decimal	
	longitude	decimal	
	location	varchar	
	depth	varchar	
	stress	varchar	
	date_month	varchar	
	date_year	integer	
	description	varchar	

Indexes

Type	Name	On	Description
Pk	pk_phytoplankton_samples	id	

Table phytoplankton_samples

Foreign Keys

Type	Name	On	Description
	fk_phytoplankton_samples_dataset	(dataset_id) ref dataset (id)	

Table posidonia_analysis

Idx	Name	Data Type	Description
* Pk	id	serial	
	date	date	analysis date
*	sample_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_posidonia_analysis	id	

Foreign Keys

Type	Name	On	Description
	fk_posidonia_analysis_null	(sample_id) ref posidonia_samples (id)	

Table posidonia_biomass

Idx	Name	Data Type	Description
phenology samples and lepidochronology samples biomass			
* Pk	id	serial	
*	analysis_id	integer	
	rhizome_code	varchar	
	adult_green_leaf_weight	decimal	mg p.s.
	leaf_base_weight	decimal	mg p.s.
	other_leaves_weight	decimal	mg p.s.
	leaf_total_weight	decimal	mg p.s.
	epiphyte_gross_weight	decimal	mg
	epiphyte_tare	decimal	mg
	epiphyte_biomass	decimal	mg p.s.
	leaf_base_length	decimal	cm
	leaf_total_length	decimal	cm
	apex	varchar	
	foglia_total_length	decimal	cm
	density	decimal	mg.cm-1
	sample_origin	varchar	

Indexes

Type	Name	On	Description
Pk	pk_posidonia_biomass	id	

Foreign Keys

Type	Name	On	Description
	pos	(analysis_id) ref posidonia_analysis (id)	

Table posidonia_field

Idx	Name	Data Type	Description
* Pk	id	serial	
*	sample_id	integer	
	replicate	integer	
	coverage	decimal	%
	density_sq	decimal	20x20cm
	density	decimal	shoot_per_m2

Table posidonia_field

	depth	decimal	m

Indexes

Type	Name	On	Description
Pk	pk_posidonia_field	id	

Foreign Keys

Type	Name	On	Description
	fk_posidonia_field_null (sample_id) ref posidonia_samples (id)		

Table posidonia_lepido

Idx	Name	Data Type	Description
* Pk	id	serial	
*	analysis_id	integer	
	rhizome_code	varchar	
	cycle	integer	
	year	integer	
	undamaged_scales_mean_length	decimal	
	base_number_per_year	decimal	
	rhizome_length	decimal	cm
	rhizome_weight	decimal	mg p.s.
	dataset_id	integer	

Indexes

Type	Name	On	Description
Unq	unq_posedonia_lepido_id	id	
Pk	pk_posidonia_lepido	id	

Foreign Keys

Type	Name	On	Description
	fk_posedonia_lepido_null (analysis_id) ref posidonia_analysis (id)		
	fk_posidonia_lepido_null (dataset_id) ref dataset (id)		

Table posidonia_phenology

Idx	Name	Data Type	Description
phenology samples and lepidochronology samples phenology			
* Pk	id	serial	
*	analysis_id	integer	
	shoot_code	varchar	
	leaf_number	integer	
	phase	varchar	
	width	decimal	cm
	total_length	decimal	cm
	necrosed_length	decimal	cm
	base_length	decimal	cm
	green_length	decimal	cm
	apex	varchar	
	flower	varchar	
	sample_origin	varchar	

Indexes

Type	Name	On	Description
Pk	pk_posidonia_phenology	id	

Foreign Keys

Type	Name	On	Description

Table posidonia_phenology

	fk_posidonia_phenology_null (analysis_id) ref posidonia_analysis (id)

Table posidonia_samples

Idx	Name	Data Type	Description
Posidonia sampling metadata			
* Pk	id	serial	
	city	varchar	
	town	varchar	
	station	varchar	
	station_code	varchar	
	station_description	varchar	
	date	date	Sampling date
	depth	decimal	Sampling depth
	latitude	decimal	
	longitude	decimal	
	substrate_type	integer	
	continuity	integer	
	composition	integer	
	alien_species	integer	
	potential_pressures	integer	
	signs_of_damage	varchar	
	flowering	integer	
	lower_limit_depth	decimal	m
*	dataset_id	integer	

Indexes

Type	Name	On	Description
Pk	pk_posidonia_samples	id	

Foreign Keys

Type	Name	On	Description
	fk_posidonia_samples_fish_data (dataset_id) ref dataset (id)		

Table posidonia_species_coverage

Idx	Name	Data Type
* Pk	id	serial
*	sample_id	integer
	species	varchar
	coverage	decimal

Indexes

Type	Name	On
Pk	pk_posidonia_species_coverage	id

Foreign Keys

Type	Name	On
	fk_posidonia_species_coverage (sample_id) ref posidonia_samples (id)	

Table sampling_devices

Idx	Name	Data Type	Description
Reference table for the macrozoobenthos (and mabye others) sampling devices. Derived from UA macrozoobenthos data.			
* Pk	id	serial	
*	name	varchar(100)	
	details	varchar	

Table sampling_devices

Indexes

Type	Name	On	Description
Pk	pk_samping_devices	id	

Table sampling_protocols

Idx	Name	Data Type	Description
Reference table for the fishing (maybe other) protocols. Derived from UA fish data.			
* Pk	id	serial	
*	name	varchar(100)	
	details	varchar	

Indexes

Type	Name	On	Description
Pk	pk_samping_protocols	id	

Table seawater_measurements

Idx	Name	Data Type	Description
* Pk	id	serial	
*	sample_id	integer	
	secchi_depth	decimal	
	multimeter_do	decimal	mgL
	multimeter_temperature	decimal	
	multimeter_ph	decimal	
	castaway_temperature	decimal	
	castaway_salinity	decimal	
	chl-a	decimal	mgL
	total_suspended_solid	decimal	mgL
	nh4+	decimal	uM
	no3-	decimal	uM
	no2-	decimal	uM
	po4-3	decimal	uM
	si	decimal	uM
	toc_mg	decimal	mgL
	toc_ug	decimal	ugL
	poc	decimal	ugL
	doc	decimal	ugL
	ptc	decimal	ugL
	pn	decimal	ugL

Indexes

Type	Name	On	Description
Pk	pk_seawater_measurements	id	

Foreign Keys

Type	Name	On	Description
	fk_seawater_measurements_null	(sample_id) ref seawater_samples (id)	

Table seawater_samples

Idx	Name	Data Type	Description
* Pk	id	serial	
	date	date	
	station	varchar	
	location	varchar	
	longitude	decimal	

Table seawater_samples

	latitude	decimal	
	total_depth	decimal	m
	sampling_depth_lower_range	decimal	m
	sampling_depth_upper_range	decimal	m
	dataset_id	integer	
	depth_category	varchar	

Indexes

Type	Name	On	Description
Pk	pk_seawater_samples	id	

Foreign Keys

Type	Name	On	Description
	fk_seawater_samples_null (dataset_id) ref dataset (id)		

Table sediment_contaminants

Idx	Name	Data Type	Description
Derived from Adriatic sample.			
* Pk	id	serial	
	name	varchar	
	details	varchar	

Indexes

Type	Name	On	Description
Pk	pk_sediment_contaminants	id	

Table sediment_contamination_detail

Idx	Name	Data Type	Description
Derived from Adriatic sample			
* Pk	id	serial	
* Pk	sample_id	integer	
*	contaminant_id	integer	
	mass	decimal	

Indexes

Type	Name	On	Description
Pk	pk_sediment_contamination_detail	id, sample_id	

Foreign Keys

Type	Name	On	Description
	fk_sediment_contamination_detail_sample (sample_id) ref sediment_contamination_samples (id)		
	fk_sediment_contamination_detail_contaminant (contaminant_id) ref sediment_contaminants (id)		

Table sediment_contamination_samples

Idx	Name	Data Type	Description
Derived from Adriatic sample.			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	transact	varchar	
	station	varchar	
	depth	decimal	
	layer	varchar	
	sum_pah_lmw	decimal	µg/kg

Table sediment_contamination_samples

	sum_pah_hmw	decimal	µg/kg
	sum_pcb	decimal	µg/kg

Indexes

Type	Name	On	Description
Pk	pk_sediment_contamination	id	

Foreign Keys

Type	Name	On	Description
	fk_sediment_contamination_samples_dataset (dataset_id) ref dataset (id)		

Table sediment_measurements

Idx	Name	Data Type
* Pk	id	integer
	dataset_id	integer
	location	varchar
	latitude	decimal
	longitude	decimal
	depth	decimal
	pebble_shells	decimal
	sand	decimal
	silt	decimal
	clay	decimal
	seabed_sediment_class	decimal
	mean_diameter	decimal
	gravel	decimal
	pelite	decimal
	date	date
	station	varchar
	tn	decimal
	toc	decimal
	tc	decimal

Indexes

Type	Name	On
Pk	pk_sediment_measurements	id

Foreign Keys

Type	Name	On
	dataset_id (dataset_id) ref dataset (id)	

Table sonar_files

Idx	Name	Data Type	Description
Derived from Turkish SSS data sample.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	
	auxilary_filepath	varchar	
	geocoded_data_path	varchar	Vector data for Turkish samle. For Atlantic: .kmz file

Indexes

Type	Name	On	Description
Pk	pk_sonar_files	id	

Foreign Keys

Type	Name	On	Description

Table sonar_files

fk_sonar_files_dataset (dataset_id) ref dataset (id)

Table standards

Idx	Name	Data Type
* Pk	id	serial
	name	varchar
	reference	varchar

Indexes

Type	Name	On
Pk	pk_standards	id

Table standards_datasets

Idx	Name	Data Type
* Pk	standard_id	integer
* Pk	dataset_id	integer

Indexes

Type	Name	On
Pk	pk_standards_datasets	standard_id, dataset_id

Foreign Keys

Type	Name	On
	fk_standards_datasets_standard (standard_id) ref standards (id)	
	fk_standards_datasets_dataset (dataset_id) ref dataset (id)	

Table substrate_types

Idx	Name	Data Type	Description
Reference table for the macrozoobenthos (and mabye others) substrate types. Derived from UA macrozoobenthos data.			
* Pk	id	serial	
*	name	varchar(100)	

Indexes

Type	Name	On	Description
Pk	pk_substrate_types	id	

Table survey_effort_types

Idx	Name	Data Type	Description
Derived from Balearic data.			
* Pk	id	serial	
*	name	varchar	

Indexes

Type	Name	On	Description
Pk	pk_survey_effort_types	id	

Table survey_encounter_type

Idx	Name	Data Type
* Pk	id	serial
*	name	varchar

Indexes

Type	Name	On
Pk	pk_survey_encounter_type	id

Table survey_tracks_encounters

Idx	Name	Data Type	Description
Derived from Balearic data.			
* Pk	id	serial	
*	dataset_id	integer	
	date_year	integer	
	campaign	varchar	
	effort_id	integer	
	encounter_number	integer	
	individual_count	integer	
	calves_count	integer	
	utc_timestamp	timestamp	
	latitude	decimal	
	longitude	decimal	
	speed	decimal	
	heading	decimal	
	species_id	integer	
	best_count	integer	
	min_count	integer	
	max_count	integer	
	angle	integer	
	distance	integer	
	vessel_type_id	integer	
	fishing_gear_id	integer	
	encounter_type_id	integer	
	side	boolean	0 for port, 1 for starboard

Indexes

Type	Name	On	Description
Pk	pk_survey_tracks_encounters	id	

Foreign Keys

Type	Name	On	Description
	fk_survey_tracks_encounters_dataset (dataset_id) ref dataset (id)		
	fk_survey_tracks_encounters_species (species_id) ref survey_tracks_species (id)		
	fk_survey_tracks_encounters_fishing_gear (fishing_gear_id) ref survey_tracks_fishing_gear (id)		
	fk_survey_tracks_encounters_vessel (vessel_type_id) ref survey_tracks_vessel_type (id)		
	fk_survey_tracks_encounters_effort (effort_id) ref survey_effort_types (id)		
	fk_survey_tracks_encounters_encounter_type (encounter_type_id) ref survey_encounter_type (id)		

Table survey_tracks_fishing_gear

Idx	Name	Data Type	Description
Derived from Balearic data.			
* Pk	id	serial	
*	name	varchar	

Indexes

Type	Name	On	Description
Pk	pk_survey_tracks_fishing_gear	id	

Table survey_tracks_species

Idx	Name	Data Type	Description
Derived from Balearic data			
* Pk	id	serial	
*	name	varchar	

Indexes

Type	Name	On	Description
Pk	pk_survey_tracks_species	id	

Table survey_tracks_vessel_type

Idx	Name	Data Type	Description
Derived from Balearic data.			
* Pk	id	serial	
*	name	varchar	

Indexes

Type	Name	On	Description
Pk	pk_survey_tracks_vessel_type	id	

Table undamaged_scales_lengths

Idx	Name	Data Type
* Pk	id	serial
*	lepido_id	integer
	order	integer
	length	decimal

Indexes

Type	Name	On
Pk	pk_undamaged_scales_lengths	id

Foreign Keys

Type	Name	On
	fk_undamaged_scales_lengths (lepido_id) ref posidonia_lepido (id)	

Table video_ground_survey

Idx	Name	Data Type	Description
Derived from Turkish Ground Survey data samples.			
* Pk	id	serial	
*	dataset_id	integer	
	timestamp	timestamp	
*	filepath	varchar	

Indexes

Type	Name	On	Description
Pk	pk_video_ground_survey	id	

Foreign Keys

Type	Name	On	Description
	fk_video_ground_survey_dataset (dataset_id) ref dataset (id)		

Table water_surveying

Idx	Name	Data Type	Description
Derived from Balearic data sample.			
* Pk	id	serial	
*	dataset_id	integer	
	campaign	varchar	

Table water_surveying

	survey_type	varchar	
	date_month	integer	
	date_year	integer	
	timestamp	timestamp	
	lattitude	decimal	
	longitude	decimal	
	slope	decimal	
	aspect	decimal	
	depth	decimal	
	sst	decimal	
	bst	decimal	
	slope_sst	decimal	
	slope_bst	decimal	
	chl	decimal	
	ssh	decimal	
	sla	decimal	
	ugosa	decimal	
	vgosa	decimal	

Indexes

Type	Name	On	Description
Pk	pk_whale_encounters_0	id	

Foreign Keys

Type	Name	On	Description
	fk_water_surveying_dataset (dataset_id) ref dataset (id)		

Table water_temperature_logs

Idx	Name	Data Type	Description
For "EnvLoggers Data" from Atlantic. Missing sample.			
* Pk	id	serial	
*	dataset_id	integer	
	date_time	timestamp	
	temperature	decimal	

Indexes

Type	Name	On	Description
Pk	pk_water_temperature_logs	id	

Foreign Keys

Type	Name	On	Description
	fk_water_temperature_logs_dataset (dataset_id) ref dataset (id)		

Table zooplankton

Idx	Name	Data Type	Description
Derived from UA data			
* Pk	id	serial	
*	dataset_id	integer	
	location	varchar	
	sample_date	date	
	volume_of_filtered_water	decimal	
	species_name	varchar	
	individual_mass	decimal	mg
	individual_count	integer	

Table zooplankton

	abundance	integer	ind m^3
	biomass	decimal	mg m^3

Indexes

Type	Name	On	Description
Pk	pk_zooplankton	id	

Foreign Keys

Type	Name	On	Description
	fk_zooplankton_dataset	(dataset_id) ref dataset (id)	