

Communication with RMarkdown

Business Science

3/14/2019

Contents

RMarkdown	1
What can RMarkdown be used for?	1
Key Resources	1
How Rmarkdown Works	2
Header 1	2
Header 2	2
Working with Text	2
Tabset	2
Tab 1	2
Tab 2	2
Images	2
Code	2
Plots	4
Tables	4
Footnotes	5

RMarkdown

Is amazing.

What can RMarkdown be used for?

1. HTML Reports & PDF Reports
2. HTML Slide Decks & PowerPoint
3. Interactive Dashboards
4. Books with `bookdown`
5. Websites with `blogdown`

Key Resources

- RMarkdown Website with Gallery
- Key Reference: RMarkdown - The Definitive Guide

- PDF Printing Setup: tinytex

```
# PDF Knitting Setup: https://yihui.name/tinytex/  
# install.packages("tinytex")  
# tinytex::install_tinytex()
```

How Rmarkdown Works

Header 1

Header 2

Header 3

Working with Text

Free-form text.

Make text **bold**.

Make text *italics*.

Make text ***bold + italics***.

Talk about code - the `tidyverse` is awesome

Unordered List:

- Item 1
- Item 2

Ordered List:

1. First point
2. Second point
3. More points

Tabset

Tab 1

This is Tab 1

Tab 2

This is Tab 2

Images

Code

Read in data and print to HTML. Notice effect of `df_print: paged` option for HTML.

- Try changing to `df_print: default`, or `kable` or `tibble`. PDF prints normally.
- Try changing `results = "hide"`.



Figure 1: Business Science Logo



Figure 2: Business Science Logo

```
# Read bike orderlines data
path_bike_orderlines <- "../00_data/bike_sales/data_wrangled/bike_orderlines.rds"
bike_orderlines_tbl <- read_rds(path_bike_orderlines)
```

```
bike_orderlines_tbl
```

```
## # A tibble: 15,644 x 13
##   order_date      order_id order_line quantity price total_price model
##   <dtm>          <dbl>     <dbl>    <dbl> <dbl>     <dbl> <chr>
## 1 2011-01-07 00:00:00         1         1         1  6070         6070 Jekyll Ca~
## 2 2011-01-07 00:00:00         1         2         1  5970         5970 Trigger C~
## 3 2011-01-10 00:00:00         2         1         1  2770         2770 Beast of ~
## 4 2011-01-10 00:00:00         2         2         1  5970         5970 Trigger C~
## 5 2011-01-10 00:00:00         3         1        10660        10660 Supersix ~
## 6 2011-01-10 00:00:00         3         2         1  3200         3200 Jekyll Ca~
## 7 2011-01-10 00:00:00         3         3        12790        12790 Supersix ~
## 8 2011-01-10 00:00:00         3         4         1  5330         5330 Supersix ~
## 9 2011-01-10 00:00:00         3         5         1  1570         1570 Synapse D~
## 10 2011-01-11 00:00:00        4         1         1  4800         4800 Synapse C~
## # ... with 15,634 more rows, and 6 more variables: category_1 <chr>,
## #   category_2 <chr>, frame_material <chr>, bikeshop_name <chr>, city <chr>,
## #   state <chr>
```

We can do data manipulations too. Try changing the YAML code_folding option from none to hide to show.

```
revenue_by_category_tbl <- bike_orderlines_tbl %>%
  select(category_2, category_1, total_price) %>%

  group_by(category_2, category_1) %>%
  summarise(total_revenue = sum(total_price)) %>%
  ungroup() %>%
```

```
arrange(desc(total_revenue)) %>%
mutate(category_2 = as_factor(category_2) %>% fct_rev())
```

Plots

Plotting works as expected. Try changin:

- out.height, out.width and Knitting
- Potential gotcha - Interactive plots (e.g. plotly) will not display in PDF

Static Plots:

- Use ggplot2.

```
g <- revenue_by_category_tbl %>%
  ggplot(aes(category_2, total_revenue, fill = category_1)) +

  # Geoms
  geom_col() +
  coord_flip() +

  # Formatting
  scale_fill_tq() +
  scale_y_continuous(labels = scales::dollar_format(scale = 1e-6, suffix = "M")) +
  theme_tq() +
  labs(
    title = "Total Revenue by Category",
    x = "", y = "", fill = ""
  )

g
```

Interactive plots:

- Use ggplotly().

```
# Knit to PDF only works for `static` plots
# ggplotly(g)
```

Tables

Static Tables:

- knitr package - knitr::kable() - Simple to use, great with PDF
- gt package - Not on CRAN yet, but really good for static tables

```
table_formatted_tbl <- revenue_by_category_tbl %>%
  mutate(total_revenue = scales::dollar(total_revenue)) %>%
  rename_all(.funs = ~ str_replace(., "_", " ") %>%
    str_to_title())

table_formatted_tbl %>% knitr::kable()
```

Category 2	Category 1	Total Revenue
Cross Country Race	Mountain	\$19,224,630

Category 2	Category 1	Total Revenue
Elite Road	Road	\$15,334,665
Endurance Road	Road	\$10,381,060
Trail	Mountain	\$9,373,460
Over Mountain	Mountain	\$7,571,270
Triathlon	Road	\$4,053,750
Cyclocross	Road	\$2,108,120
Sport	Mountain	\$1,932,755
Fat Bike	Mountain	\$1,052,620

Dynamic Tables:

- Can print tables without additional formatting in HTML with the `df_print: paged` option in YAML
- Potential Gotcha: Note that this will not print with format in PDF

table_formatted_tbl

```
## # A tibble: 9 x 3
##   `Category 2`      `Category 1` `Total Revenue`
##   <fct>          <chr>      <chr>
## 1 Cross Country Race Mountain  $19,224,630
## 2 Elite Road      Road      $15,334,665
## 3 Endurance Road  Road      $10,381,060
## 4 Trail           Mountain  $9,373,460
## 5 Over Mountain   Mountain  $7,571,270
## 6 Triathlon       Road      $4,053,750
## 7 Cyclocross      Road      $2,108,120
## 8 Sport           Mountain  $1,932,755
## 9 Fat Bike        Mountain  $1,052,620
```

Footnotes

This is some text with a Footnote¹. This is a second Footnote².

¹Citation for Footnote 1

²Citation for Footnote 2




Figure 3: Revenue by Category