

NOVAC Internship – Task 10 Daily Documentation

Task: Role-Based Access Control (RBAC), Admin/User Dashboard Separation, Persistent Knowledge-Base Management, and Selective Semantic Chunk Deletion Workflow Integration

Overview

Today's work focused on transforming the Retrieval-Augmented Generation (RAG) chatbot platform into a more enterprise-style multi-user AI system by implementing role-based access control workflows, dashboard separation, persistent knowledge-base management, and selective semantic chunk deletion systems.

The primary objective was to improve platform security, administrative workflow management, and conversational system organization by separating administrator functionalities from standard user interaction workflows.

Major improvements were implemented in four core areas:

- role-based authentication workflows
- admin/user dashboard separation
- persistent semantic knowledge-base management
- selective document deletion architecture

The authentication system was upgraded to support multiple user roles, allowing administrators and standard users to access different platform functionalities based on their assigned permissions.

Administrative workflows were redesigned so that only administrators could upload documents, manage semantic chunks, and perform knowledge-base maintenance operations, while standard users were restricted to conversational chatbot interaction workflows only.

Additionally, the semantic knowledge-base architecture was improved to ensure uploaded documents and semantic chunks remained persistently stored until explicitly removed by the administrator through a controlled deletion workflow.

The chunk management system was further upgraded by introducing document-based deletion handling with checkbox-driven semantic document selection workflows, enabling administrators to selectively remove stored documents and their associated semantic chunks from the vector database.

By the end of today's implementation, the platform successfully supported:

- role-based authentication workflows
- admin and user dashboard separation
- protected admin-only upload systems
- restricted user interaction workflows
- persistent semantic knowledge-base storage
- document-based chunk grouping
- selective semantic chunk deletion
- checkbox-driven deletion controls
- protected conversational access systems
- enterprise-style knowledge-base management
- scalable multi-user AI architecture
- improved administrative workflow handling

Resources and References Used

- FastAPI Documentation
- React Documentation
- MongoDB Documentation
- Authentication and RBAC Concepts
- Frontend Route Protection Concepts
- Semantic Knowledge-Base Management Concepts

- Vector Database Management Concepts
- Conversational AI Workflow Concepts
- Frontend State Management Concepts
- Enterprise Dashboard Architecture Concepts

Concepts Learned

Role-Based Access Control (RBAC)

Learned how enterprise AI systems manage multiple user roles through authentication and authorization workflows.

Implemented:

- admin and user authentication systems
- role-based dashboard routing
- protected administrative workflows
- restricted frontend access handling
- user permission management

Understood:

- RBAC architecture
- authentication authorization systems
- protected conversational platforms
- enterprise access-control workflows
- multi-user AI system management

Admin/User Dashboard Separation

Improved platform organization by separating administrative operations from normal conversational user workflows.

Implemented:

- admin dashboard workflows
- user dashboard workflows
- admin-only upload handling
- protected chunk management systems
- restricted conversational interaction workflows

Understood:

- enterprise dashboard structuring
- workflow isolation systems
- permission-based frontend rendering
- administrative AI platform architecture
- modular conversational interfaces

Persistent Knowledge-Base Management

Upgraded the semantic storage architecture to support long-term document persistence and controlled knowledge-base management workflows.

Implemented:

- persistent semantic chunk storage
- document retention systems
- long-term vector database management

- document-grouped semantic workflows
- scalable chunk persistence architecture

Understood:

- persistent semantic storage systems
- vector database lifecycle management
- enterprise knowledge-base architecture
- scalable document management workflows
- semantic data orchestration systems

Selective Semantic Chunk Deletion

Improved chunk management workflows by integrating checkbox-based document deletion systems.

Implemented:

- document-grouped deletion handling
- checkbox-driven semantic deletion workflows
- selective chunk removal systems
- admin-controlled knowledge-base cleanup
- document-based chunk orchestration

Understood:

- semantic deletion architecture
- controlled vector database maintenance
- selective retrieval management systems
- administrative semantic orchestration
- scalable AI document lifecycle handling


Libraries, Modules, and Components Learned

- **React Hooks (useState, useEffect, useRef)**
- **JavaScript Clipboard API**
- **Frontend Animation Workflows**
- **JavaScript State Management Concepts**
- **Conversational UI Design Patterns**
- **Interactive Button State Handling**
- **Dynamic Rendering Workflows**
- **Frontend Conversational Interaction Systems**

Practical Implementation

- admin/user authentication workflows
- protected dashboard routing
- admin-only upload systems
- restricted user conversational workflows
- semantic chunk persistence handling
- document-grouped vector storage
- checkbox-based deletion workflows
- selective semantic chunk removal
- protected conversational interfaces
- enterprise workflow refinement
- scalable knowledge-base orchestration
- multi-user conversational AI architecture

Architecture Understood



Challenges Faced

Open Administrative Access Problems

Encountered:

- unrestricted upload access
- weak dashboard separation
- missing permission-based workflows

Resolved through:

- role-based authentication systems
- protected dashboard routing
- permission-based frontend rendering

Weak Knowledge-Base Management

Initial storage workflow produced:

- unmanaged semantic chunk persistence
- weak document organization
- limited administrative cleanup workflows

Resolved through:

- persistent vector storage architecture

- document-grouped chunk organization
- controlled semantic management systems

Inefficient Chunk Deletion Workflows

Previous chunk deletion behavior:

- lacked document selection systems
- weak semantic cleanup workflows
- poor administrative usability

Resolved through:

- checkbox-based deletion workflows
- document-oriented chunk grouping
- selective semantic deletion handling

Conclusion

Today's work significantly improved the platform's security architecture, administrative workflow handling, and enterprise knowledge-base management capabilities.

The chatbot platform now behaves much closer to a production-grade enterprise conversational AI system with:

- role-based access control
- protected administrative workflows
- dashboard separation architecture
- persistent semantic storage
- scalable knowledge-base management
- selective semantic chunk deletion
- enterprise conversational workflow organization
- multi-user conversational system handling

The concepts implemented today form an important foundation for:

- enterprise conversational AI systems
- secure multi-user AI platforms
- scalable semantic knowledge bases
- role-based conversational assistants
- production-grade administrative AI systems
- enterprise retrieval orchestration platforms

Prepared By

Divesh Kumar S