(i) Actions •

**Edit Attributes** 

Run Script

Name	Assignment 6
Description	assignment
Area	-
Visibility	Private - you are the only person who can access
Tags	-
Script Results	We cannot determine the last run date for this script. What's This?
Last Updated	Monday April 18, 2022 (Created 11 days ago)
Metrics	39 Statements, 3,014 bytes

```
Statement 1
               create table student(
 Ŵ
       Edit
               rno number(30) primary key,
               name varchar(40),
               class varchar(5),
               city varchar(50),
               marks number(20),
               institute varchar(30)
               )
               Table created.
Statement 2
               create table S
 Ŵ
       Edit
               sno number(5) constraint prk primary key,
               sname varchar(20),
               city varchar(30)
               Table created.
Statement 3
               create table P
       Edit
               (
               pno number(5) constraint prkey primary key,
               pname varchar(20),
```

```
Table created.
Statement 4
               create table J
 ⑩
       Edit
               jno number(5) constraint prikey primary key,
               jname varchar(20),
               city varchar(30)
               Table created.
Statement 5
               create table SPJ
 ⑪
       Edit
               sno number(10) references s(sno),
               pno number(10) references p(pno),
               jno number(10) references j(jno),
               qty number(10),
               primary key (sno, pno, jno)
               Table created.
Statement 6
               create table SP
 Ŵ
       Edit
               sno number(10) references s(sno),
               pno number(10) references p(pno),
               qty number(10),
               primary key (sno, pno)
               Table created.
Statement 7
               insert into S values(2, 'mouse', 'barnala')
 ⑩
       Edit
               1 row(s) inserted.
Statement 8
               insert into P values(3, 'mouse', 'barnala')
       Edit
               1 row(s) inserted.
Statement 9
               insert into J values(1, 'mouse', 'barnala')
       Edit
               1 row(s) inserted.
Statement 10
                insert into SP values(2,3,1)
  Ŵ
        Edit
```



select S.sno, SPJ.sno, city from S, SPJ where S.sno = SPJ.sno

L 11:1

## **Live SQL**

Ŵ

Edit









select sname from S where sno <> (select sno from SPJ, P where P.pno = SPJ.pno and P.pno=

D1144F





**▶** Script Update Details

© 2022 Oracle · Live SQL 22.1.3, running Oracle Database 19c Enterprise Edition - 19.8.0.0.0 · Database Documentation · Ask Tom · Dev Gym Built with • using Oracle APEX · Privacy · Terms of Use

