

<

[AWS Global View](#) 

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager [New](#)

Last updated
1 minute ago

[Connect](#) 

Instance state ▼

Actions ▼

Launch instances

Saved filter sets

Choose filter set ▼



Filter Instance by attribute or tag (case-sensitive)



1



☒	Name 	Instance ID	Instance state 	Instance type 	Status check	Availability Zone
☒	PrimeOne-EC2...		 Running  	t3.micro	 3/3 checks passed	us-east-1c

(PrimeOne-EC2-WebServer)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Root device details

Root device name

Root device type

EBS optimization

```
PS C:\Users\User\Downloads> ssh -i "PrimeOne-EC2-KeyPair.pem" ubuntu@111.111.111.111 -c "cat /etc/passwd"
```

The authenticity of host **www.amazonaws.com** (**172.31.0.1**) can't be established.

k0 :: ikey fingerprint is \H2UU.72593030\U(0)8E134F6E8F83NUVJ2R1W>7P2~KXZFz201E120N134L

This key is not known by any other names.

```
ubuntu@ip-10-10-10-10:~$ sudo systemctl start apache2
```

```
ubuntu@ip-10-10-10-10:~$ sudo systemctl status apache2
```

● apache2.service – The Apache HTTP Server

Loaded: loaded (/usr/lib/systemd/system/apache2.service; **e**>

Active: **active (running)** since Tue 2026-09-15 13:09:14 UTC>

Invocation: 87827a3562024b25b26161465da1dcaa

Docs: <https://httpd.apache.org/docs/2.4/>

Main PID: 2177 (apache2)

Status: "Total requests: 0; Idle/Busy workers 100/0; Reques>

Tasks: 55 (limit: 627)

Memory: 5.9M (peak: 6.2M)

CPU: 93ms

CGroup: /system.slice/apache2.service

└─2177 /usr/sbin/apache2 -k start -DFOREGROUND

└─2193 /usr/sbin/apache2 -k start -DFOREGROUND

└─2194 /usr/sbin/apache2 -k start -DFOREGROUND

```
ubuntu@ip-172-24-68-93:~$ sudo nano /var/www/htmlindex.html
ubuntu@ip-172-24-68-93:~$ echo "<h1>Hello from EC2!</h1>" | sud
o tee /var/www/html/index.html
<h1>Hello from EC2!</h1>
```

Hello from EC2!