

Task Name: Various ways of Conditional Rendering

Code:

Components:

BlogDetails.jsx

```
function BlogDetails() {  
  
  const isPublished = true;  
  
  return(  
  
    <div>  
  
      <h2>Blog Details</h2>  
  
      {  
  
        isPublished  
  
        ?  
  
        <p>  
          React Hooks Explained.  
        </p>  
  
        :  
  
        <p>  
          Blog is unavailable.  
        </p>  
  
      }  
  
    </div>  
  
  );  
}  
  
export default BlogDetails;
```

BookDetails.jsx

```
function BookDetails() {

  const books = [

    {
      id:1,
      name:"Java Programming",
      price:650
    },

    {
      id:2,
      name:"Python Programming",
      price:550
    },

    {
      id:3,
      name:"React Development",
      price:750
    }

  ];

  return(

    <div>

      <h2>Book Details</h2>

      {

        books.map((book)=>(

          <div key={book.id}>

            <h4>{book.name}</h4>

            <p>Price : ₹{book.price}</p>

          </div>

        ))

      }

    </div>

  );
}
```

```
        ))

    }

    </div>

  );
}

export default BookDetails;
CourseDetails.jsx
```

```
function CourseDetails() {

  const available = true;

  return(

    <div>

      <h2>Course Details</h2>

      {

        available &&

        <ul>

          <li>Java Full Stack</li>

          <li>Python Programming</li>

          <li>React Development</li>

        </ul>

      }

    </div>

  );
}
```

```
}
```

```
export default CourseDetails;
```

App.jsx

```
import BookDetails from "../components/BookDetails";  
import BlogDetails from "../components/BlogDetails";  
import CourseDetails from "../components/CourseDetails";
```

```
import "../App.css";
```

```
function App() {
```

```
    const showComponents = true;
```

```
    if(showComponents){
```

```
        return(  
            <div>
```

```
                <h1>Blogger Application</h1>
```

```
                <BookDetails />
```

```
                <hr />
```

```
                <BlogDetails />
```

```
                <hr />
```

```
                <CourseDetails />
```

```
            </div>
```

```
        );
```

```
    };
```

```

    }

    else{

        return(

            <h2>
                Components are unavailable.
            </h2>

        );

    }

}

export default App;

```

Output:

Blogger Application

Book Details

Java Programming

Price : ₹650

Python Programming

Price : ₹550

React Development

Price : ₹750

Blog Details

React Hooks Explained.

Course Details

- Java Full Stack
- Python Programming
- React Development